CLO2-12/01/88-00417

Final Report

Contaminated Ground Water Study
Marine Corps Base
Camp LeJeune, N.C.
Hadnot Point Area
Contract No. N62470-86-C-8740

Naval Facilities Engineering Command Norfolk, Virginia

December 1988



01.02-12/07/38-60417

FINAL REPORT

CONTAMINATED GROUND WATER STUDY

MARINE CORPS BASE

CAMP LEJEUNE, NORTH CAROLINA

HADNOT POINT AREA

CONTRACT NO. N62470-86-C-8740

NAVAL FACILITIES ENGINEERING COMMAND

NORFOLK, VIRGINIA

DECEMBER, 1988

PREPARED BY:

O'BRIEN & GERE ENGINEERS, INC. 8201 CORPORATE DRIVE, SUITE 1120 LANDOVER, MARYLAND 20785

TABLE OF CONTENTS

		Page
SECTI	ION 1 - INTRODUCTION	1
	.01 Site Description .02 Background Purpose and Scope	1 2
SECTI	ON 2 - HISTORY OF FUEL LOSSES	4
2	.01 History of Fuel Losses	4
SECTI	ON 3 - FIELD INVESTIGATIONS	5
	3.01 Monitoring Well Installations 3.02 Ground Water Elevation and Product Thickness Monitoring	5 7
	.03 Engineering Survey .04 Ground Water Sampling and Analysis	7 8
SECTI	ON 4 - HYDROGEOLOGIC ASSESSMENT	9
	4.01.1 Regional Hydrogeology 4.01.1 Regional Geologic Conditions 4.01.2 Regional Ground Water Flow Patterns 4.02 Site Hydrogeology 4.02.1 Site Geologic Conditions 4.02.2 Site Ground Water Flow Patterns	9 10 11 11 12
SECTI	ON 5 - PETROLEUM HYDROCARBON ASSESSMENT	14
	.01 Free-Phased Product .02 Soluble Constituents	14 15
SECTI	ON 6 - REMEDIAL ALTERNATIVES	18
SECTI	ON 7 - CONCLUSIONS AND RECOMMENDATIONS	20
	7.01 Conclusions 7.02 Recommendations	20 21
TABLE	ES	
2 W 3 P 4 P	History of Fuel Losses Well Specifications and Ground Water Elevation Data Product Thickness Data Product Sample Analysis Ground Water Sample Analysis	

TABLE OF CONTENTS (Continued)

FIGURES

- 1 Site Location Map
- 2 Hadnot Point Industrial Area
- 3 Location of Fuel Losses
- 4 Site Plan
- 5 Corrected Ground Water Elevations 4/20/88
- 6 Product Thickness 4/20/88
- 7 Benzene Conc. 4/20/88 4/21/88
- 8 Total Hydrocarbons 4/20/88 4/21/88

APPENDICES

- A Monitoring Well Installation Procedures
- B Boring Logs
- C Well Construction Diagrams
- D Sampling Protocols
- E Laboratory Reports

SECTION 1 - INTRODUCTION

1.01 Site Description

Marine Corps Base (MCB) Camp Lejeune is located in Onslow County, North Carolina (Figure 1). The facility has a roughly triangular outline and covers approximately 170 square miles. Eleven miles of Atlantic shoreline form the eastern boundary of Camp Lejeune. The western and northeastern boundaries are U.S. Rt. 17 and State Rt. 24, respectively. The town of Jacksonville, North Carolina is the northern boundary of the base (ESE, 1985).

Construction of MCB Camp Lejeune began in 1941, at the Hadnot Point area, where major functions were centered. As the facility grew and developed, Hadnot Point became crowded with maintenance and industrial activities (Water and Air Research, 1983). The general Hadnot Point area is illustrated on Figure 2.

The Hadnot Point Fuel Farm (HPFF), the specific area of this hydrogeologic investigation, is located approximately 1200 feet to the southeast of Holcombe Boulevard, adjacent to Ash Street as depicted on Figure 1. The HPFF was constructed in about 1941 and consists of 15 fuel storage tanks. There is one (1) above ground 600,000 gallon tank (Tank 10), six underground (6) 12,000 gallon tanks (Tanks 2, 3, 7, 8 11, 12), and eight underground (8) 15,000 gallon tanks (Tanks 1, 4, 5, 6, 9, 13, 14, and 15). All tanks except the 600,000 gallon tank were originally placed at grade and completely covered with soil. The existing tanks are the original tanks that were installed in about 1941. The large 600,000 gallon tank contains diesel fuel, the other tanks contain leaded gasoline, unleaded gasoline and kerosene.

The area surrounding the tank farm is relatively flat, with the soil covered tank farm forming a topographic mound that extends approximately 10 feet above the surrounding grade. It is a highly developed area of the base. The natural drainage has been modified by extensive areas of asphalt and concrete, and by ditches and storm sewers. The surface water body in nearest proximity to the tank farm is Beaverdam Creek, located approximately 2000 feet east of the Tank Farm. Beaverdam Creek drains into Wallace Creek, which discharges into New River as shown on Figure 1.

1.02 Background Purpose and Scope

Previous investigations have indicated that leaks may have occurred in the fuel lines and tanks within the HPFF (Water and Air Research, 1983) and that dissolved fuel constituents and/or a floating product layer may exist within the shallow ground water in the vicinity of the tank farm (ESE, 1988).

The characterization Step Report for Hadnot Point Industrial Area (HPIA) prepared by ESE in 1988 summarizes the results of the Verification Step Study conducted by ESE in 1985 and presents the findings of the Characterization Step Study. The study efforts encompassed the entire HPIA, a portion of which focused specifically on the HPFF. These investigations identified the presence of volatile organic compounds (VOC's) within both the shallow aquifer at the tank farm and a single deep supply well located approximately 1200 to the northwest of the HPFF. Specifically, shallow ground water samples were found to contain elevated levels of fuel-derived compounds such as benzene, ethylbenzene, toluene, and lead.

O'Brien & Gere Engineers was retained to provide the follow-up hydrogeologic services necessary to investigate the hydrogeology and evaluate the extent of fuel leakage from the underground storage tanks and associated transfer lines at the HPFF, as indicated by the previous studies.

The purpose of this Investigation Report is to present the information that has been gathered during the hydrogeologic investigation regarding the presence of any product pool or soluble hydrocarbons in the ground water in the vicinity of Hadnot Point area. A site investigation was completed which included monitoring well installations, product thickness measurements, and ground water sampling and analysis. This report presents a summary of the hydrogeologic conditions at the site and an assessment of the petroleum hydrocarbon occurrence, as well as recommendations for further investigations and site remediation.

SECTION 2 - HISTORY OF FUEL LOSSES

2.01 History of Fuel Losses

Available information regarding the history of fuel losses and leakage areas was reviewed in order to identify potential areas of petroleum product accumulation. The areas of investigation included the age of the tanks, locations of known losses, inventory records, and types and volumes of fuel losses. A summary of fuel losses is given in Table 1, and the fuel loss locations are shown on Figure 3.

As stated in Section 1.01, the tanks were installed in about 1941. The other information about the history of fuel losses at the HPFF is summarized in the Preliminary Report.

Review of this information indicates that between 23,150 gallons and 33,150 gallons of fuel product have been lost from the tank farm. In addition, there have been two recorded episodes of fuel loss where the amounts lost were unknown; in another case, the amount lost was not noticeable in inventory.

Of the 23,150-33,150 gallons of known lost product, 3,150 gallons were unleaded fuel. The 20,000-30,000 gallon loss that occurred in 1979 was comprised of unknown amounts of diesel and unleaded fuel; regular fuel may also have been lost. Of the two instances where unknown amounts of fuel were lost, one was diesel fuel and the other was unleaded fuel.

Inventory records do not reveal any known fuel losses from leakage of the tanks; most of the losses have likely occurred through leaks in the transfer lines or through leaks in transfer line valves.

SECTION 3 - FIELD INVESTIGATIONS

3.01 Monitoring Well Installations

A total of twenty (20) ground water monitoring wells were installed in the vicinity of the HPFF from February to March, 1988 by ATEC Associates, Inc. of Raleigh, NC, under the supervision of an O'Brien & Gere Engineers, Inc. hydrogeologist. The locations of the monitoring wells were based upon consideration of the hydrogeologic conditions and the assessment of petroleum leakage in the study area. The placement of the wells, as illustrated in Figure 4, was selected to provide a preliminary assessment of the extent of any product pool, and to confirm the previously evaluated hydrogeologic conditions. The locations for the initial ten (10) 2 inch inside diameter (1.D.) wells were selected to provide a preliminary assessment of the extent of the petroleum hydrocarbons. Based upon field evaluation of this preliminary data, locations for five (5) additional 2 inch I.D. monitoring wells, and five (5) 4 inch I.D. monitoring wells were selected. The criteria for the selection of additional well locations included estimated ground water flow directions, geologic conditions, observations of any encountered petroleum product, and soil sample screening (discussed below).

During the drilling program, the boreholes were advanced using conventional hollow stem auger drilling methods. Samples of the subsurface materials were collected at a minimum of every five feet or as directed by the supervising hydrogeologist, using ASTM method D-1586 for split barrel sampling.

Each soil sample was screened in the field using a photoionization organic vapor detector to identify the presence of any petroleum

12/7/88

product within the soils. The field screening provided a preliminary assessment of the vertical and horizontal extent of petroleum hydrocarbons. These data were used, in conjunction with the other criteria discussed above, to select the optimum locations of the other monitoring wells during the drilling program. The locations of the five (5) 4 inch I.D. wells were selected to serve as potential product and/or ground water recovery wells. All wells were installed and constructed in accordance with applicable North Carolina, Federal and NAVFAC specifications and guidelines following the attached monitoring well installation procedures (Appendix A).

Wells MW-1 and MW-2 are 17 feet deep, with the screened interval extending from 7 to 17 feet below the ground surface. Wells MW-3 through MW-10 are 15 feet deep with the screened interval extending from 5 to 15 feet below the ground surface. Due to the thickness of product found in MW-2 and MW-7, it was decided to increase the depth of the remaining wells to 25 feet in order to intersect the entire thickness of any floating product layer. Wells MW-11 through MW-20 were 25 feet deep with the screened interval extending from 5 to 25 feet. Boring logs containing detailed descriptions of the subsurface conditions and well construction diagrams were prepared for each well location and are included in Appendices B and C, respectively.

All equipment used in the drilling and well installation program that came in contact with potentially contaminated materials was decontaminated using high pressure steam cleaning equipment. The water source for the steam cleaner was a potable water supply designed by navy personnel. The fluid generated by the decontamination

procedures was either discharged onto the ground surface or collected in an oil/water separator used by Marine and Navy personnel for cleaning tactical military equipment.

3.02 Ground Water Elevation and Product Thickness Monitoring

Ground water elevations and product thickness measurements were collected from all of the wells on two separate occasions. One set of measurements was collected on March 15, 1988, prior to well development. A second complete set of measurements was collected on April 20, 1988. An electronic oil/water interface tape was used to measure the depths to the product layer and ground water. In wells where no product layer was detected using the oil/water interface tape, a clean Lexan bailer was utilized to visually examine the surface of the ground water to determine the presence of any product sheen. Table 2 summarizes the ground water elevation data and well specifications, and Table 3 summarizes the product thickness data.

3.03 Engineering Survey

An engineering survey was completed at the site on April 19, 1988 to establish horizontal locations and elevations of each of the monitoring wells. The locations of the wells were surveyed to the nearest foot and were plotted on a 1" = 200' scale map provided by the Marine Corps Base Facilities Department (Figure 4). The elevations at the wells were surveyed to the nearest 0.01 foot relative to an established USGS Benchmark datum. The well elevation data is included in Table 2.

3.04 Ground Water Sampling and Analysis

A ground water sample was collected from each of the monitoring wells on April 20-21, 1988 according to the attached protocols (Appendix D). The wells that contained a product layer were evacuated and sampled using a Waterra Hand Pump^R system, which consists of a Delrin^R (high density plastic, similar to Teflon^R) foot valve connected to a length of polypropylene tubing. The pumping action is based on the inertia of the water in the tubing created by the up and down movement of a hand crank attached to the tubing. The advantage of this system is its simplicity as well as its ability to sample the water below the product layer without agitating the sample or exposing the sample to air before it is placed into the sample container. The wells without a product layer were sampled using a clean, stainless steel bailer. The ground water samples were analyzed by OBG Laboratories, Inc. of Syracuse, NY for volatile organic compounds (VOC's) using EPA Methods 601 and 602. One field blank and one replicate sample were also analyzed for VOC's for QA/QC controls.

In addition, product samples were collected from five of the six wells that contained a measurable product layer. These samples were analyzed using a Gas Chromatograph/Flame Ionization Detector (GC/FID) scan for petroleum hydrocarbon identification. Product samples were collected from the following wells: MW-2, MW-7, MW-12, MW-16, and MW-18. The laboratory analyses are summarized on Tables 4 and 5.

12/7/88

SECTION 4 - HYDROGEOLOGIC ASSESSMENT

4.01 Regional Hydrogeology

4.01.1 Regional Geologic Conditions

Camp Lejeune is located in the Atlantic Coastal Plain physiographic province. The Coastal Plain is underlain by unconsolidated deposits. The formations consist mostly of sand and clay with minor amounts of gravel. Some beds of marl and shell rock are reported. Regionally, these deposits dip gently southeastward in a thickening wedge that overlies the underlying bedrock (Todd, 1983).

The surficial deposits of the Coastal Plain are mostly permeable, unconsolidated sand and gravel. These surficial deposits, together with the updip parts of deeper aquifers, constitute the unconfined (water table) aquifer of the Coastal Plain. The water table aquifer can be vulnerable, both to saline encroachment and to surface pollutants, due to the permeable nature of the sediments (Todd, 1983).

A sequence of unconsolidated sedimentary deposits approximately 1400 to 1700 feet thick exists beneath Camp Lejeune. The following discussion of the site geology will be restricted to the uppermost 300 feet of the sequence, since these strata contain the aquifers which are the source of fresh water for the base. These deposits are comprised of unconsolidated and semiconsolidated materials (NCDNR & CD, 1980, Water and Air Research, 1983).

At the top of the sequence, undifferentiated Pleistocene and Recent sands and clays form the most seaward band of sediments.

These deposits can reach a thickness of 35 feet (NCDNR & CD, 1980, Water and Air Research, 1983).

The Yorktown Formation, of Pliocene age, underlies the Pleistocene and Recent deposits, outcropping in a bank east and south of Jacksonville. This unit consists of lenses of sand, clay, mark, and limestone; it can reach a thickness of 60 feet (NCDNR & CD, 1980, Water and Air Research, 1983).

An unnamed formation of Oligocene age underlies the Yorktown Formation. These sediments consist of fossiliferous limestone, calcareous sand, and clay. The Oligocene deposits vary in thickness from approximately 40 feet to more than 200 feet (NCDNR & CD, 1980, Water and Air Research, 1983).

The Castle Hayne Limestone, of Eocene age, unconformably underlies the Oligocene deposits. This unit consists of shell limestone, marl, calcareous sand, and clay. In Onslow County, the Castle Hayne varies in thickness from 100 feet to more than 200 feet (NCDNR & CD, 1980, Water and Air Research, 1983).

4.01.2 Regional Cround Water Flow Patterns

Some of the formations in the Coastal Plain are permeable and have been defined as aquifers. Most of these formations are of wide areal extent. Hydraulic connections between aquifers is common through the complex interbedding that is characteristic of Coastal Plain sediments. Most of the aquifers are not separate and independent hydrogeologic units; rather, each is part of a complex hydrologic system. This system may even include streams and lakes where the aquifers are at or near the land surface (Ref. 4).

The aquifer system at Camp Lejeune consists of an unconfined (water table) aquifer and a semi-confined aquifer. The water table aquifer extends from the land surface to the first significant confining bed that is encountered (NCDNR & CD, 1980, Water and Air Research, 1983).

The semi-confined aquifer is composed of limestone and calcareous sands of the Yorktown Formation, the Oligocene deposits, and the Castle Hayne Limestone. The confining beds that form the bottom of the water table aquifer and that are present in the semi-confined aquifer consist of clay, sandy clay, silty clay, and occasionally dense limestone. These beds are discontinuous lenses and may be present at any depth (NCDNR & CD, 1980, Water and Air Research, 1983).

4.02 Site Hydrogeology

4.02.1 Site Geologic Conditions

The discussion of the site geology will be limited to the uppermost 25 feet of the unconsolidated soils, which is the maximum depth of the subsurface investigation for this project. The primary soils encountered during the investigation were fine and medium sands, mixed with lesser amounts of silt. Discontinuous, trace amounts of fine gravel were noted in the silty sand mixtures throughout the site. Clay stringers were found consistently throughout the silty sand mixtures with an occasional thin layer of clay (up to 2 feet thick). Minor amounts of naturally occurring organic materials, including organic silts and clays, peat, wood fragments, and plant debris were found in several of the borings,

including MW-11, 13, 14 and 20, indicating the presence of a former coastal marshland. Up to 4 feet of miscellaneous fill material was found in borings that were adjacent to buildings and developed roads.

4.02.2 Site Ground Water Flow Patterns

Figure 5 shows the ground water elevations in the twenty monitoring wells at the site on April 20, 1988. Because the presence of a floating product layer tends to depress the water table, due to hydrostatic pressure, the ground water elevations in the wells containing a product layer were corrected to give elevations that would be representative of the aquifer without the effects of the floating product layer. The calculation used to correct the ground water elevations takes into consideration the thickness of the product layer, the densities of the product and ground water, and the soil properties (CONCAWE, 1979). The correction factor is represented by the formula:

 $E_c = E + (0.82 \times T)$, where

 E_c = Corrected ground water elevation:

E = Elevation of the ground water under the influence of the product layer; and

T = Product thickness

Tables 2 and 3 have been complied summarizing the corrected and actual ground water elevations and the product thickness data, respectively.

Due to the extreme variability of the product thickness (see Table 3) and the complex interbedded nature of the soils at the

12/7/88

site, the ground water gradient in the immediate vicinity of the HPFF cannot be interpreted from the available data. The average regional ground water gradient with in the HPIA has been interpreted to be approximately 0.20 feet per foot (ft/ft). water movement in the shallow aquifer in this area is generally toward the southwest, towards the New River (ESE, 1988). varying product thicknesses cause differential depression of the ground water throughout the study area. Measurements of free product in the wells have inherent inaccuracies due to fluctuations in the water table (CONCAWE, 1979). Other factors that affect the actual and corrected ground water elevations include the geologic conditions at the site, the complete assemblage of underground utilities shown on Figure 3, and the mounding of soils over the tanks. The presence of discontinuous lenses of clay and silty clay can cause localized semi-confined conditions in the unconfined aquifer, as well as localized perched water table conditions.

SECTION 5 - PETROLEUM HYDROCARBON ASSESSMENT

5.01 Free-Phased Product

Free-phased product was detected floating on the ground water in six of the monitoring wells installed at the site, including MW-2, 7, 12, 15, 16, and 18. The product thickness data is summarized in Table 3. The thickness of the floating layer ranged from 0.24 feet in MW-15 to 15.34 feet in MW-16 on April 20, 1988. None of the other monitoring wells contained measurable product layers or visible sheens. measured thickness of product in the well may represent approximately four times the actual thickness of the free-floating product on the ground water surface due to the accumulation of product within the open well casing (CONCAWE, 1979). The actual thickness of the floating product layer on the water table is estimated to range from approximately 0.06 feet to 3.84 feet. The product thickness data collected on April 20, 1988 is illustrated on Figure 6. It is apparent from the data collected to date that two separate product pools are present in the vicinity of the HPFF. One pool extends toward the northwest from the northwestern portion of the fuel farm, while the other pool exists at the southeastern edge of the fuel farm oriented on a northeast/southwest The product pool northwest of the fuel farm is smaller in area, but thicker than the more widespread, thinner pool to the southeast. This indicates that the product pool on the southeastern edge of the fuel farm has been there longer and has had more time to spread out.

Product samples were collected from MW-2, MW-7, MW-12, MW-16, and MW-18 on April 20, 1988. These samples were shipped to OBG Laboratories in Syracuse, NY for analysis using a Gas Chromatograph/

Flame Ionization Detector (GC/FID) scan for petroleum hydrocarbon identification. The laboratory analyses identified the product as gasoline for all five of the monitoring wells sampled.

5.02 Soluble Constituents

The ground water samples collected from the wells on April 20-21, 1988 were shipped to OBG Laboratories for analysis for petroleum hydrocarbons and solvents using the purge and trap/GC method. The analytical results are summarized in Table 5, and the laboratory reports are included in Appendix E. Figures 7 and 8 illustrate the iso-concentration contours of the benzene and total hydrocarbon concentrations, respectively.

Table 5 and Figures 7 and 8 indicate that the ground water analyses are consistent with the location of the product pools. The most significant concentrations of benzene and total hydrocarbons (THC) were found in the wells containing product and those adjacent to the product pool. The wells containing product had benzene concentrations of 4,700 parts per billion (ppb) to 29,000 ppb. Wells not containing product had concentrations of benzene ranging from 1 ppb in MW-9 to 19,000 ppb in MW-1. Total hydrocarbon concentrations ranged from 43,000 ppb to 300,000 ppb in wells contained product, and from 10 ppb to 97,000 ppb in wells not containing product. Other compounds found within the ground water include toluene, ethyl benzene, xylenes, and methyl tertiary butyl ethylene (MTBE). The concentrations of the individual compounds at each well are detailed in Table 5.

The size, shape, and axial orientation of the benzene and total hydrocarbon plumes identified at the HPFF coincide closely with the

product pools. It is apparent that the source of the benzene, toluene, and xylenes (BTX) and total hydrocarbons in the ground water is the free-phased gasoline floating on the ground water as indicated on Figure 6. The limits of the benzene concentrations are defined in MW-9, MW-3, and MW-4 on the southeast side of the fuel farm, by MW-5 and MW-11 to the northwest and MW-13 to the northeast. These wells were below the EPA Maximum Contaminant Limit (MCL) of 5 ppb for benzene in drinking water (CFR, 1987). The limits of benzene concentrations above the EPA MCL are undefined in those areas denoted by a dashed line on Figure 7. The limits of the total hydrocarbon concentrations (i.e. 100 ppb) are defined by MW-9 to the south of the fuel farm, MW-4 on the east side, MW-13 to the north, and MW-5, 8, 11, and 14 on the west side of the fuel farm. The concentrations of total hydrocarbons above the 100 ppb level are undefined in those areas denoted by a dashed line on Figure 8.

The benzene and total hydrocarbons were considered to be the most significant compounds in the ground water at the HPFF, therefore, their concentrations were illustrated using equal-concentration contour maps (Figures 7 and 8). The distribution of the other compounds found in the ground water at the site is consistent with the benzene and total hydrocarbon concentrations, and iso-concentration contour maps would illustrate similar trends. Benzene, as well as toluene, ethylbenzene, and xylenes are components of gasoline, and indicate contamination by gasoline. MTBE is an additive to gasoline, and also indicates contamination by gasoline.

Only trace levels of chlorinated solvents not associated with petroleum hydrocarbons were detected within the ground water, including 1

ppb of trichloroethylene (TCE) in MW-20, and 4 ppb of tetrachloroethylene (PERC) in MW-3. However, higher levels of these compounds as well as other chlorinated solvents were detected within the shallow ground water in the other areas of the HPIA (ESE, 1988).

SECTION 6 - REMEDIAL ALTERNATIVES

Based on the results of the hydrogeologic investigation, the following remedial alternatives are presented for the Navy's consideration.

Leak Source Detection - Product inventory records should be assembled and a risk assessment for the tanks should be conducted to identify the potential sources of petroleum product loss. Following this assessment an integrity testing program could be initiated for these tanks and lines that are found to have a high potential for leakage. However, due to the high cost (\$400,000) of replacing the valves and conducting this testing (ESE 1988), the MCB has decided that this testing is not cost effective.

Tank Removal - Based on the high probability of the tanks leaking due to their age (47 years), removal of the leaking underground tanks may be considered to discontinue the source of petroleum hydrocarbons detected within the ground water. The tanks should be removed in accordance with the National Fire Protection Association (NFPA) and federal, state and local underground storage tank regulations.

Soil Remediation - Following the tank removal all contaminated soils should be remediated to the depth of ground water. Alternative methods for soil remediation may include one or more of the following: soil removal and off-site disposal, soil removal and on-site aeration, in-situ vacuum extraction, and in-situ biodegradation. The selected method will be based upon the extent of soil contamination.

12/7/88

Installation of Product Recovery System - A product recovery system should be installed to effectively remove the free phase product floating on the ground water surface. In addition, the recovery system should remove petroleum hydrocarbon constituents (i.e. benzene, toluene, xylene) that are dissolved within the ground water. The system designed for removal of the dissolved petroleum hydrocarbons should also be designed for removal of the chlorinated solvents detected in the vicinity of the tank farm. Based on the hydrogeologic conditions at the site (high permeability materials, gentle gradient, localized plume configuration), it appears that a recovery well system is the most cost effective method for product recovery.

Additional field investigations are needed to determine the size and number of product recovery wells that would be necessary for a product recovery system. Installation of additional monitoring wells is necessary in order to fully define the extent of the containment plume. In addition, six inch diameter test wells should be installed, and pump tests should be performed to determine the zone of capture, as well as anticipated flow rates for the product recovery and ground water treatment system. These test wells can be converted into recovery wells. The existing wells, including ground water monitoring wells installed by ESE, Inc., will be utilized to the extent possible in the development of the necessary data for the design of a recovery system.

SECTION 7 - CONCLUSIONS AND RECOMMENDATIONS

7.01 Conclusions

The following conclusions were drawn from the data collected during the field investigation and subsequent data evaluation:

- Fuel losses of gasoline have likely occurred predominantly through leaks in the transfer lines or valves.
- 2. As a result of the fuel losses, two product pools have accumulated in the areas indicated on Figure 6.
- 3. The geology of the site consists primarily of silty sand, with occasional discontinuous clay layers and stringers.
- 4. The ground water flow conditions are locally influenced by the presence of the product pool combined with the presence of discontinuous clay layers, numerous underground utilities, and the mound of soil above the tank farm. No localized gradients were delineated, however, the regional gradient is approximately 0.20 ft/ft, with flow to the southwest toward the New River.
- 5. The free-phased product layer floating on the ground water has been identified as gasoline.
- 6. The ground water analyses indicate that the floating product layer has contributed significant levels of dissolved petroleum compounds including benzene, toluene xylene, and ethylbenzene into the ground water.
- 7. Benzene was detected at concentrations exceeding the EPA's Maximum Contaminant Level for drinking water of 5 parts per billion.

12/7/88

- 8. Although the benzene plume has been characterized in the immediate vicinity of the tank farm, the extent of the benzene plume has not been fully defined to a resolution of 5 ppb, which represent the Maximum Contaminant Limit established by the EPA.
- 9. Trace levels of non-petroleum, volatile organic compounds (VOCs) including trichloroethylene and tetrachloroethylene have been detected at levels less than 5 parts per billion within the fuel farm. Previous investigations indicate the presence of elevated levels of VOC's in other areas of the Hadnot Point Industrial Area.

7.02 Recommendations

Based on the conclusions stated above, we have developed the following recommendations for the tanks. We have structured the recommendations into three basic categories. The first category includes Leak/Source detector alternatives to help identify which of the tanks may be acting as sources. The second category includes Soil/Ground water remediation for those tanks which are identified as potential sources. The third category is primarily hydrogeologic recommendations which will serve to further identify the extent of the existing plume, and an ultimate remedial scheme. This last category should be implemented as soon as possible, preferably concurrent with the activities of the first two categories.

A. Leak Source Detection Alternatives:

 Assemble product inventory records for each tank. Reconcile product inventory stored versus usage for each tank.

- Reconciliation records should indicate which tanks may be leaking and a gross leakage rate.
- 2. Initiate storage tank management program to provide for the systematic removal of the leaking storage tanks while providing temporary petroleum storage in the non-leaking tanks until a total replacement program could be undertaken.
- 3. As an alternate to the program identified above, the Navy could undertake a systematic complete tank removal and replacement program. All 14 underground gasoline tanks and associated piping would be removed and replaced (as required) with new tanks and piping having secondary containment.

B. Soil/Ground Water Remediation

- 1. Following tank removal activities, all contaminated soil above the water table should be remediated. Initially, a soil sampling program should be conducted to delineate the vertical and horizontal extent of soil contamination. Based on the extent of soil contamination, one of the following remedial alternatives should be implemented; in-situ biodegradation, in-situ vacuum extraction, excavation with off-site disposal, excavation with on-site disposal.
- 2. Localized product recovery (vacuum truck, sorbents, etc.) to remove the free-phase product floating on ground water surface. Unrecovered product and miscible contaminants would be recovered in the site wide remedial program described in the hydrogeologic recommendations below.

C. Hydrogeologic Recommendations

- 1. It is recommended that up to ten (10) additional ground water monitoring wells be installed to define the benzene plume boundaries to the EPA Maximum Contaminant Level of five part per billion.
- Two test wells should be installed, one within each of the product pools identified in the vicinity of the tank farm. Soil samples from the monitoring wells should be analyzed for grain size distribution to design the well screen of the test wells. These test wells can be converted into product recovery wells.
- 3. Following installation of the test wells, an 8-hour pump test should be conducted on each test well to determine the hydraulic characteristics of the aquifer such as hydraulic conductivity, transmissivity and well yield. This data will be utilized to determine design conditions for the product recovery system such as: well yield, well diameter, water level drawdown, and influent/effluent concentrations of dissolved petroleum hydrocarbons (i.e. benzene, toluene, xylene).
- 4. Following the pump tests, design drawings and specifications should be prepared for a product recovery system following the installation of the test wells and the pump testing of the wells.

REFERENCES

- 1. "Confirmation Study to Determine Existence and Possible Migration of Specific Chemicals <u>In Situ</u>," Environmental Science and Engineering, Inc., January 1985.
- 2. "Initial Assessment Study of Marine Corps Base Camp Lejeune, North Carolina," Water and Air Research, Inc., April 1983.
- 3. "Ground Water Evaluation in the Central Coastal Plain of North Carolina," North Carolina Department of Natural Resources and Community Development, 1980.
- 4. "Ground Water Resources of the United States, " compiled by David K. Todd, Premier Press, Berkeley, California, 1983, pp. 29-33.
- 5. "Protection of Ground Water from Oil Pollution," Conservation of Clean Air and Water Europe (CONCAWE), Report No. 3, 1979.
- 6. Code of Federal Regulations, Chapter 40, Part 141, Subpart G National Revised Primary Drinking Water Regulations: Maximum Contaminant Levels, Section 141.61. July, 1987.

Tables



TABLE 1

HISTORY OF FUEL LOSSES MARINE CORPS BASE CAMP LEJEUNE, NORTH CAROLINA

Location*	Date	Fuel Type	Amount of Loss	Notes
1 .	4/83	diesel	not noticeable in inventory	line leak (pinhole)
2	(1983)	diesel	unknown ·	surface seepage
3	3/82	unleaded	unknown	line leak (broken, repair- ed on same day)
4	1/86	unleaded	1,038 gallons	
5	3/85	unleaded	1,618 gallons	valve leaks
Ó	(1979)	diesel, unleaded, possibly regular	20,000 - 30,000 gallons	line leak
-	8/87	unleaded	47 gallons	noticed in inventory
-	9/87	unleaded	447 gallons	noticed in inventory

^{*} Locations correspond to Figure 3.

Table 2
Well Specifications and Ground Water Elevation Data
Hadnot Point Fuel Farm
Camp Lejeune, NC

Well Number	Ground Elev. (ft.)	Elev.	Well Depth (ft.)	Corrected Elev 3/15/88	Ground Water ations* 4/20/88
MW-1 MW-2 MW-3 MW-4	28.3 30.0 29.0 29.8	31.68	17.0 15.0	19.38 18.41 19.72 21.69	18.53 19.83
MW-5 MW-6 MW-7 MW-8	28.5 27.8	28.54 29.95 27.68	15.0 15.0 15.0		21.25 19.20
MW-9 MW-10 MW-11 MW-12	28.8 28.1 26.5 26.9	30.73 28.01	15.0 15.0 25.0	18.78 18.26 19.49 20.47	18.75 18.42
MW-13 MW-14 MW-15	28.8 27.7 28.3	30.56 27.87 30.13	25.0 25.0 25.0	20.94 19.72 20.22	20.87 20.05 19.71
MW-16 MW-17 MW-18 MW-19 MW-20	28.4 29.5 29.9 29.4 26.8		25.0 25.0	18.67 19.25 18.68 18.72 20.84	18.97 18.86 18.45

^{*}Corrected ground water elevations = ground water elevation + (0.82 x product thickness).

N/A = Data not available.

Table 3
Product Thickness Data
Hadnot Point Fuel Farm
Camp Lejeune, NC

Well Number	3/15/88	4/20/88
MW-1		
MW-2	2.97	3.17
MW-3		
MW-4		
MW-5		
MW-6		
MW-7	N/A	0.35
MW-8		
MW-9		
MW-10		
MW-11		
MW-12	4.33	9.81
MW-13		
MW-14		
MW-15	0.86	0.24
MW-16	14.85	15.34
MW-17		
MW-18	. 4.59	5.10
MW-19		
MW-20		

N/A = Data not available.
---- = No product layer detected.

Table 4

Product Sample Analsis Hadnot Point Fuel Farm Camp Lejeune, NC

Well Number	Product Identification
MW-2	Gasoline
MW-7	Gasoline
MW-12	Gasoline
MW-16	Gasoline
MW-18	Gasoline

Table 5
Ground Water Sample Analysis
Hadnot Point Fuel Farm
Camp Lejeune, NC

							()		
Well No.	Date	BEN (ppb)	TOL (ppb)	EBEN (ppb)	XYL (ppb)	TCE (ppb)	PERC (ppb)	MTBE (ppb)	THC (ppb)
MW-1	4/20/88	19000	36000	3200	21000	<1000	<1000	<10000	97000
MW-2	4/21/88	29000	110000	11000	48000	<1000	<1000	<10000	300000
MW-3	4/20/88	<1	2	<1	4	<1	4	~10	480
MW-4	4/20/88	<1	<1	<1	2	<1	<1	<10	16
MW-5	4/20/88	<1	1	<1	2	<1	<1	<10	<10
MW-6	4/20/88	600	1700	1600	7100	<100	<100	<1000	13000
MW-7	4/21/88	28000	26000	2800	12000	<1000	<1000	<10000	68000
8-WM	4/20/88	19	1	<1	<1	<1	<1	<10	26
MW-9	4/20/88	<1	<1	2	8	<1	<1	<10	92
MW-10	4/20/88	51	1	9	14	<1	<1	<10	170
MW-11	4/20/88	1	1	<1	1	<1	<1	<10	<10
MW-12	4/21/88	19000	17000	1500	8400	<1000	<1000	<10000	50000
MW-13	4/20/88	2	2	2	8	<1	<1	<10	23
MW-14	4/20/88	6	<1	<1	2	<1	<1	<10	11
MW-15	4/21/88	4700	18000	2400	13000	<1000	<1000	<10000	43000
MW-16	4/21/88	28000	28000	1900	12000	<1000	<1000	<10000	79000
MW-17	4/21/88	11000	13000	2500	9100	<100	<100	2800	42000
MW-18	4/21/88	24000	42000	1900	12000	<1000	<1000	<10000	96000
MW-19	4/21/88	21	150	53	130	<1	<1	<10	640
MW-20	4/21/88	60	160	79	96	1	\ 41	<10	870
							1		

LEGEND: BEN - Benzene

TOL - Toluene

EBEN - Ethylbenzene

XYL - Xylenes

TCE - Trichloroethene

PERC - Tetrachloroethene


MTBE - MTBE

THC - Total Hydrocarbons

mcl sppb


Figures





US NAVY
HADNOT POINT FUEL FARM
CAMP LEJEUNE, N.C.

HADNOT POINT INDUSTRIAL AREA




LEGEND


FENCE

BUILDINGS

RAILROAD TRACKS











FIGURE 4

US NAVY
HADNOT POINT FUEL FARM
CAMP LEJEUNE, N C


SITE PLAN




LEGEND

MONITORING WELL


ESE, INC MONITCRING WELL














MMILLITATA


ENGINEEPS INC

11/14/88

FIGURE 8

US NAVY
HADNOT POINT FUEL FARM
CAMP LEJEUNE. N C

TOTAL HYDROCARBONS 4/20/88 TO 4/21/88




LEGEND

MONITORING WELL

ESE, INC MONITORING WEL

TOTAL HYDROCARBON CONTOL
(PPM)



HORIZ SCALE IN FEET



Appendices

APPENDIX A

MONITORING WELL INSTALLATION PROCEDURES

Drilling and Sampling Procedures

1

All monitoring wells will be installed using the hollow stem auger drilling method. A drill crew shall consist of an experienced driller and a driller assistant to work on each rig. A geologist experienced in hazardous waste site investigations shall be on site to supervise the drilling and monitor for safety control. The well depths will be specified by the supervising hydrogeologist, however, the wells shall not exceed a maximum depth of 25 feet. A potable water source on base will be designated by the government.

During the drilling samples of the encountered subsurface materials shall be collected at a minimum of every five feet and/or change in material at the discretion of the supervising hydrogeologist. The sampling method employed shall be ASTM-D-1586/Split Barrel Sampling for standard penetration tests. Upon retrieval of the sampling barrel, the collected sample shall be placed in glass jars labelled and retained for future reference. The hydrogeologist will prepare a descriptive log of each boring which will include: soil texture, odor, moisture content, depth to ground water and any visual indications of contamination. Additionally, the supervising hydrogeologist will monitor organic vapors using an HNU PID to assess the presence of contaminated soil and assess site safety conditions and the need for respiratory protection while drilling.

Monitoring Well Completion

After the completion of the soil sampling and drilling to the specified depth, a monitoring well will be installed in accordance with the attached well detail. The wells will be constructed of either two inch or four inch diameter, flush joint threaded, Schedule 40 or 80, PVC well screen and casing. A ten to twenty foot section of PVC well screen with a .020 slot size will be used in each well. The well casing and screen assembly will be placed into the borehole to the specified depth and a suitable sand pack will be placed in the annular space around the screen, extending two feet above the top of the screen. The sand pack shall consist of a well sorted silica sand that allows a maximum of ten percent of the material to pass through the screen slots. A one foot thick layer of bentonite pellets will be installed on top of the sand pack. A grout mixture consisting of two parts sand, one part cement and up to ten percent bentonite will be thoroughly mixed with the specified amount of water and place in the annular space above the sand pack.

In non-traffic areas, and when the casing will not cause an obstruction, a four inch diameter protective steel casing shall be installed over the PVC casing and extend at least 2.5 feet into the ground and two to three feet above the ground surface, as shown on Figure 7. The steel casing will be provided with a vented hinged locking cap for security. In areas of heavy traffic or when the casing may cause an obstruction, the protective casing will be grouted inside a 12-inch diameter watertight manhole that is flush with the ground surface, as shown on Figure 8. A concrete apron measuring five feet by five feet by 0.5 feet will be constructed around each well. The concrete will consist of

3,000 psi ready mixed concrete and will be crowned 3/4-inch above the existing surface to promote surface runoff away from the wail. The above ground wells will be protected with three Schedule 40 steel pipes, three inch ID, imbedded in a minimum of 2.5 feet of 3,000 psi concrete. The concrete to secure the three pipes will be poured at the same time as the five feet by five feet by 0.5 feet concrete apron and be an integral part of the pad. The steel pipes will be filled with concrete and painted day-glow yellow. Each well will be properly labelled by metal stamping on the exterior of the locking cap or manhole cover and by labelling the exterior of the security pipe. A sign reading "Not for Potable Use or Disposal" shall be firmly attached to each well. Well permits by state agencies will be the responsibility of the drilling contractor.


Well Development


Following well construction each monitoring well will be developed or cleared of fine grained materials and sediments that have settled in or around the well to ensure the well screen is transmitting a representative flow groundwater. The development will be accomplished using either the bailing or continuous low-yield pumping methods. Well development discharge may be disposed of on the ground surface near each well.

Decontamination

All drilling equipment including augers, drilling rods and split spoon sampling equipment, will be cleaned between each drilling location using a high pressure steam cleaner to avoid potential cross contamina-

tion of the monitoring wells. Wash water will not be contained and allowed to seep into the ground locally, unless otherwise directed by the E.I.C.





MONITORING WELL CONSTRUCTION DETAIL (TRAFFIC AREA)

NOT TO SCALE

APPENDIX B

O' BA DV61	IDI I	SERE , IHC.				TEST BORING LOB RES	ORT JF BO	M JOH BHIRD	W 1	SEET 1
	7 LOC		Camp Le	jeune	T		ארט אאזים: אזי אויי	DATE DATE		dev. Dev.
	•			<u> </u>	F	Li 30 inches	E NO. :			
BORINO FOREW OBG GE	W.	Sanf	ord Swee	etey		BORING LOCATION: GROUND ELEVATION: DATES: STARTED: 2/24/88	3		Đ	DED:2 /
			SOMPLE			SAMPLE	CTOTA	50,100.5		
HTEGG	No.	KTP3D	BLOWS /6°	PENETRAV RECOVERY	'N' VALUE	DESCRIPTION	STATUM CHANGE DEPTH			EDUIPHE INSTALL
0	1	0-2	3-4-5-5	24/18	9	18-5" dry, dark brown grading				
,						to tan-buff, silty SAND: 5-0" dry, tan,clayey SAND				
		 				HNV: 4				
5	2	5-7	4-4-5-6	24/24	9	24-21" dry,darkbrown, clayey SAND				
	-					21-0" dry, white - 1t, tan,				
			<u> </u>			fine SAND				
	7	10 12	7-10-8-	0 2446	18	HNV:60				
10	3	10-12	7-10-8-	p 24/10	10	18-15" damp, dirty brown, clayey SAND			1	,
			 			15-0" damp, white, med. SAND				
	-			 		strong odor HNV: 140				
15	4	15-17	11-13-15	24/	28	111111111111111111111111111111111111111			1	
			18			damp, white & tan with some				
	 					gray streaks, med. SAND HNV:180				
						MWV.100				
			<u> </u>			J				
				<u> </u>		_				1
	<u> </u>		 	<u> </u>		1				
		<u> </u>	 	 		4				
	<u> </u>	 		 		4				{
	-		 	 	 	4	j			1
}	 		 	 		-				
	}	<u> </u>	 	-		4				
	1	ļ	 	 		1				
		 	1	 		†				1
}	\vdash		1	 	<u> </u>	1				
	1	1	1			1 .			,	
	1	1	† 	1	1	1	1			

D/GI/		INC.					DRING LOG		T JF BO	RING NO. J.	IW 2	SHEET I OF	<u> 1</u>
PROJECT 2.1ENT		ATION: Navy	Camp	Le jeune	HA HA	PEI split spoom		DEPTH	 	DATE DATE	(D.EV. ELEV.	
ORING OREMA OBG SE	N1	Santo	ord Swee		FA	L: 30 inches	BORING LOCATION: BROUND ELEVATION: DATES: STRRIED: 2/24	FILE 4 88	NO. 1		EN	DED: ² 7 ⁴ /	88
			STANFLE				SHPLE		STRTUM	EDUIPHENT		EQUIPMENT	R
HICE	No.	KTE3Q	\$LO45 /6*	PENETRN/ RECOVERY	'N' VALUE		DESCRIPTION		CHANGE DEPTH	INSTALLED		INSTALED	K
0	1	0-2	5-6-4-4	24/20	10		e SAND: one "ch - coal chunk? -20	arred	11				
5	2	5-7	4-6-11-12	24/24	17	24-21" dry, with silt	brown, fine SA	AND					
						21-0" dry, 8 odor HNV: 100/10	brown, fine SAN	D;					
10	3	10-12	1-3-5-10	24/24	8	24-12" sl. of fine SAND wing	damp, white-graith some iron's	y, tain-					
						12-4" sl. da sandy CLAY;		•					
						$\frac{4-0!!}{}$ same as	5 24-12"						
15	4	15-17	4-5-9-9	9 24/	14	1							
						odor HNV: 100-15	lt, gray, fine	SAND					
						MNV. 100-15	50						
						1							
						1							
					:								
	-					- .							
<u> </u>	T	1	 	 		-							

water table approx. 13' BGL

Note if HNV reading is in following format: x/y, x= initial peak, y= steady state

0' 1R ENG1	IEN I	FERE INC.							ring No. MW	3 SEET 1 0	F]
PROJEC		ATION: 'Navy	Camp Lo	e jeune	TY	enlit engine	BROUND DEPTH DEPTH	MATER	DATE DATE	elev.	
					FA	U: 30 inches	FILE N	0. :			
BORINO FOREMA DBG SE	Ni	S	TEC anford like Wit		,	BORING LOCATION: SPOUND ELEVATION: DATES: STARTED: 2 25/8	88			DOED: 2 R.S.	/88
			SAKRE							42.45.5	R
DEPTH	No.	DEPTH	BLOWS /6"	PEVETRIN/ RECOVERY	'N' VALUE	SAMPLE DESCRIPTION	10	KIGE SHANGE SHANGE	EQUIPHENT INSTALLED	EQUIPMENT INSTALLED	XXS
0	1	0-2	3-4-4-3	24/20	8	dry, dirty brown and tan, fi	ne				
						SAND HNV: <1					
]. HNV: <1					
5	2	5-7	3-5-7-10	24/24	12	24-21" dry, dirty brown, sil	ty				
						fine SAND 21-0" dry to sl. damp. tan a	nd				
						white-gray, fine-med, SAND					-
						HNV: <1	1				
10	3	10-12	4-4-4-2	24/12	8	12-3" damp, tan-brown, fine-	med				
						3-0" damp, gray to brown, f	ine				
						SAND	.				
		1] HNV: <1	1				
15	4	15-17	6-9-13-1	3 24/24	22	sl, damp, lt, gray, fine-med	1.				
						SAND					
						HNV:<1	Ì				1
***********						1					-
	Ī					1					
	Ī					7	1				
						7	l		1		
						1	1				į
							1				١
]	l				İ
							j				İ
					1	_					1
			1			_}					
						_]					
						<u> </u>					
		1		1	1					1	

water table approx. 10.5' BGL when drilled from 5' to 10', changed from white sand to tan sand when drilled from 10' to 15', changed from tan sand to brown sand

0' 88 D(61	IDI I NELIS	GERE INC.							RING NOL M	N 4	SEET 1 0	F 1
RUEC		Navy	Camp Le	jeune]HA	pe, split spoon Pren 140 lbs	ERCUN DEPTH DEPTH		DATE DATE	-	D.EV. D.EV.	
OREN	CO. 1 W1 OL OS 1		TEC Sanford like Witt	-		BORING LOCATION: GROUND ELEVATION: DATES: STARTED: 2 £5/					0 ED: 2 / 35/	 /8
			SOMPLE			Cours 5						Ti
HIGG	No.	KTE3Q	BLOHS /6"	PENETRIV RECOVERY	'N' VALUE	SAMPLE DESCRIPTION	į	STRTUM CHANGE DEPTH KTRED	EQUIPHENT INSTALLED		EDULPHENT INSTALLED	
0	1	0-2	3-4-6-5	24/21	10	dry, tan, lt. olive green, a	nd					1
						dirty brown, fine SAND						
						HNV:<1						Ì
5	2	5-7	8-13-21	24/18	34	dry, white-lt, gray, fine-me	₫.					
			28			SAND						ļ
						HNV:<1		į				
10	3	10-12	1-1-1-1	24/12	2	damp, white-1t. tan, clayey						
						and sandy SILT						;
						HNV:<1						
15	4	15-17	2-4-6-8	24/24	10	24-22" damp, brown, find SA	ND					
						22-20" damp, gray, fine SAN	ID			٠		
						20-17" damp, gray, CLAY 17-12" damp, gray, fine SANI	D					
						12-11" damp, gray, CLAY						
						$\frac{11-10''}{10-0''}$ damp, gray, fine SANI						
						fine SAND	 ,					•
	1					HNV:<1		Ì			l	
						1 ·]]		
-						1						
						7		ĺ		l		
						7						
						7						
						7						
		İ	}									
	1					7						
						7						
]		1				
]							
								İ				
] ·				'n		
		}		[1	I	1	1	

O" BR ENGI	IDI I	SERE INC.						RING NO. MW	5 SEET 1 OF 1
	T LOC	ATION:	Camp Le	jeune	HA	PE: split spoon DEPT DEPT DEPT DEPT DEPT DEPT DEPT DEPT	<u> </u>	DATE DATE	D.EV. D.EV.
ORE A	OF 00: 1	S	TEC anford S ike Witt			BORING LOCATION: 6ROUND ELEVATION: DATES: STARTED: 2/2/88	NU. 1		POED: 2 25 /88
		141	SAIPLE	CHCI		T T			R
HT 9.3	No.	нтеза	BLOWS /6*	PENETRY RECOVERY		SAMPLE DESCRIPTION	STATUM CHANES DEPTH	EQUIPHENT INSTALLED	EQUIPHENT M INSTALLED K
0	1	0-2	4-7-28	24/12	35	12-2" surface gravel & concrete			
			10		!	2-0" sl. damp, brown, organic layer-original soil surface;			
				 		wood lose in spoon tip-from			
						railroad tie? HNV: 0			
5	2	5-7	2-1-2-2	24/20	3	sl. damp, lt. gray-lt green,			
	-	3=7		24/20	-	sandy CLAY			
						HNV:<1			
10	3	10-12	3-3-3-4	24/18	6	damp to wet, med, gray, fine			
						SAND			
				<u> </u>	 	HNV:<1			
15	4	15-17	6-6-9-9	24/18	15	wet, tan, fine SAND HNV:<1			
	ļ			<u> </u>	ļ	1			
		ļ		 	 	4			
	├-	ļ		 	├				
	-	<u> </u>	 	<u> </u>	 	4			
	 	 	 	 	 	1			
	 		-	 	†				
				1	1				
]	l		
				·					
	<u> </u>			ļ	<u> </u>		1		
		ļ	 	 	ļ	_			
	-				 	4			
	+-	ļ	 	+	 	-			
	+-	 	 	-	+	+			
	-	 	 	 	1	1			
 	+-			1	 	d .			,
	1	1		1	1	1			

Report of Boring No.: MW-6 Sheet I O'BRIEN & GERE ENGINEERS, INC. TEST BORING LOG Ground Water Depth Date Project Location: Hadnot Point Tank Farm SAMPLER Date Depth Type: Split Spoon Camp Lejeune, N.C. Fall: 30 inches[File No.: 3543.002.320 Hammer: 140 lbs. Gient: U.S. Navy Boring Location: Ground Elevation: ring Co.: ATEC Assoc., Inc. Foreman: Sanford Sweetey Ended: 3/01/88 Dates: Started: 3/01/88 DBG Geologist: John C. Brod Field Testing R Stratum Sample Change Equipment Sample Installed "N" General Penetr/ Description Depth Depth Blows рΗ Cond HNU 5# Descript in ft. Recovry No /6" Value 3-5 Brown MEDIUM/FINE SAND, little silt, damp, 0-2 24/13 11 0 medium dense, slight petroleum odor. 6-5 5.51 5 5-7 2-4 24/24 9 Gray with light brown mottling FINE/MEDIUM SAND, some silt, moist, loose, slight 5-7 petróleum odor. Groundwater encountered at 9.5 ft. Grading to medium SAND with some fine sand and little silt. Strong gasoline/petroleum odor. Wet. 150 24/18 7-11 23 10 10-12 12~13 10 165 15-17 4-8 24/19 18 15 - Same, petroleum odor and product present 10-10 Bottom of Hole at 17.0 ft. 20

O' BRI ENGIN		, INC.				TEST BORING LOG	Keport	of Boring Sheet I	۱o. : ۱	₩-7	
		cation: S. Navy	Hadnot Po Camp Leje	int Tank une, N.C.	Farm	SAMPLER Type: Split Spoon Hammer: 140 lbs. Fall: 30 inches	Ground Water	Depth	Dat Dat		
orema	n: S	anford S	ssoc., In weetey n C. Brod			Boring Location: Ground Elevation: Dates: Started: 3/01/8)B			Ended:	3/01
			Sample		····	Sample	Stratum Change	Equipment	Fie	ld Test	ting I
epth	No	Depth in ft.	Blows /6"	Penetr/ Recovry	"N" Value	Description	General Descript	Installed	ρН	Sp Cond	HNU
0	1	0-2	11-7	24/24	12	Sand and GRAVEL ROAD FILL.	0.7'				45
			5-5			light gray FINE/MEDIUM SAND, some silt, moist, medium dense. Strong petroleum odor due to petroleum staining.		!			
								;			
5	5	5-7	3-3 3-3	24/20	6	- Grading to MEDIUM/FINE SAND with little silt. Some light brown mottling, loose. Slight petroleum odor.	•	1			120
						Groundwater encountered ~ 8.0 ft.					
10	3	10-12	2-5	24/19	9	- Mottled gray/light brown medium sand, some fine sand. Sand is wet with					180
			4-3			gasoline/petroleum product, strong odor. 0.3' layer of black petroleum soaked sand at 11.7' to 12.0'.					
	4	15.13		24404							4.55
15	14	15-17	2-2 6-7	24/24	8	- Same, with some dark gray mottling. Petroleum product and odor present.					195
						Bottom of Hole at 17.0 ft.					
	-				-						
20	-										
	L										
	+					-					
						-					
	+			<u> </u>	 						
	1				1					}	
	-			-	-						
	+			-	-	1					

		GERE S, INC.				TEST BORING LOG	Repoi	rt of Boring Sheet I	No.: 1	1W-8	
L,		cation: S. Navy		oint Tank eune, N.C.	Farm	SAMPLER Type: Split Spoon Hammer: 140 lbs. Fall: 30 inches	Ground Wate	Depth	Dat Dat		
ing Forema OBG Ge	Co. n: S	: ATEC (anford ! ist: Jol	Assoc., Ir Sweetey In C. Brod	nc.		Boring Location: Ground Elevation: Dates: Started: 3/01/	88			Ended:	3/01/88
			Sample	•			Stratum		Fie	ld Tes	ting R
Depth	No	Depth in ft.	Blows /6"	Penetr/ Recovry	"N" Value	Sample Description	Change General Descript	Equipment Installed	ρН	Sp Cond	HNU 5
0	1	0-2	14-11	24/19	20	SAND and GRAVEL ROAD FILL.	0.5				4
			9-9			Dark brown with light brown mottling FINE/ MEDIUM SAND, little silt, trace fine gravel, occasional wood/plant fragment, damp, medium dense.	0.5				
5	5	5-7	1-2	24/23	5	- Grading to black black/dark gray fine/ medium sand, softer with higher fine content, moist.				1	3
			3-3		-	·	6.5'				
						Cight gray MEDIUM/FINE SAND, little silt, moist, soft, slight petroleum odor.					
					<u> </u>	Groundwater encountered at ~ 9.0 ft.					
				ļ	<u> </u>						
10	3	10-12	2-4	24/24	8	- Grading to medium sand with some fine sand, little silt, wet.					2
			4-5			· ·					
	Ш									,	
								1			
					ļ						
15	4	15-17	4-4	24/23	7	- Same					1
			3-4	<u> </u>							
					<u> </u>	Bottom of Hole at 17.0 ft.					
20											
											1 1
	Γ										
	T									1	
						1				1	
.,	T					1					
	1					1					
<u>-</u>	1										1

		SCRE , INC.			T	TEST BORING LOB	REPORT	JF 80	RING NO. MW	9 SHET I O	F
PROJEC	T L00	ATION:	Camp L	e jeune	HA	PE: split spoon PER: 140 lbs	GROUND DEPTH DEPTH FILE		DATE DATE	D.EV. D.EV.	
DRE:	0L061		ATEC Sanford Mike Wi	Sweete ttner	l	BORING LOCATION: GROUND ELEVATION: DATES: STARTED: 2 /25/	<u></u>	<u></u>		DOED:2 75/	 ,8
HTREE		AC ATT	SAIPLE BLOWS	PENETRO	'N'	SAMPLE DESCRIPTION	- 11	STRTUM CHANGE	EQUIPHENT INSTALLED	EQUIPHENT INSTRLLED	
0	No. 1	0-2	/6° 1-2-5-5	RECOVERY 24/12		damp, tan with some brown sp		DEPTH			
5	2	5-7	5-9-11-14	24/24	20	HNV:<1 damp, tan and white, fine SA	AND				
10	3	10-12	2-4-9-13	24/22	13	HNV:<1 22-18" sl. damp, orange-tan a dirty brown, fine SAND	and				
						18-0" sl. damp, lt. gray with discontinuous rusty lines, CLAY	h				
15	4	15-17	2-3-5-1	24/24	8	HNV:<1					
						24-12' wet, white-very lt. to silty CLAY 12-0" wet, white-very lt. to					
						fine-med. SAND HNV:<1					
						1					
	_					<u> </u> 					
						1 .			,		
		,				1					

IEN I NCERS	SERE INC.							10 SEF 1 OF 1
	'Navy	Camp Le	jeune	TYI	SWALER PE: split spoon PER: 140 lbs	DEPTH KTQ30	ER DATE DATE	dev.
N:	Sanfo	rd Swee	tey	FA	BORING LOCATION: SPOUND ELEVATION:			
	M1 Ke		r		DHIEST STARTEDT 2/25/8	8	 	500 50: 2725/ 8
No.	KTQ3Q	BLO-S /6°	PENETRIN RECOVERY	'N' VALUE	SAMPLE DESCRIPTION	CHAN	E INSTALLED	EQUIPMENT AND INSTALLED K
1	0-2	1-10-8-	24/20	18	20-18" gravel & pavement			
		10				iD D		
					material HNV:<1			
2	5-7	7-10-13	24/24	23		Ì		
		15						
					SAND (orange tan, brown mat	1.)		
	·				HNV: <1			
3	10-12		-24/20	22	<u> </u>	1		
		13			wet, tan, fine SAND			
					1			
4	15-17	4-8-11	24/18	19				
		13			\			
			ļ		· ·			
		<u> </u>			1			
		ļ			4			
	<u> </u>	<u> </u>		 	1			
			<u> </u>		-			
		 		}	1			
-		 	 	 	4			
			 		-			
 			 		-			
		<u> </u>	 	-	1			
 			 		4			
			 	 	†			
-		<u>-</u>		 	-			
1			 	 	1			
 	 	 	 	 	1			
 			 	 	1 .		,	
1	ļ ———	 	 	 	1			
	NCERS. T LOCO E COL. E NI OLOGI No. 1 2 3	Navy CO.: ATEC Sanfo CO.0615T: Mike No. DEPTH 1 0-2 2 5-7 3 10-12	MCERS, INC. T LOCATION: Camp Le Navy COL: ATEC Sanford Swee OLOSIST: Mike Wittne SCAPLE No. DEPTH	MCERS, IMC. T LOCATION: Camp Lejeune Navy COL: ATEC N: Sanford Sweetey OLOSIST: Mike Wittner SAMPLE No. DEPTH /6' RECOVERY 1 0-2 11-10-8- 24/20 10 2 5-7 7-10-13 24/24 15 3 10-12 8-10-12-24/20 13 4 15-17 4-8-11- 24/18	MCERS, IMC. T LOCATION: Camp Le jeune Navy Navy COL: ATEC N: Sanford Sweetey OLOSIST: Mike Wittner SAMPLE No. DEPTH /6" RECOVERY VALUE 1 0-2 11-10-8- 24/20 18 10 2 5-7 7-10-13 24/24 23 15 3 10-12 8-10-12-24/20 22 13 4 15-17 4-8-11- 24/18 19	Navy	NERS, INC. SAWLER	True True

water table approx. 9.5' BGL

		GERE , INC.				TEST BORING LOG	Report	of Boring I Sheet I	4o.: 1	1W-11		
•			Hadnot Po Camp Lejec			SAMPLER Type: Split Spoon Hammer: 140 lbs. Fall: 30 inches	Ground Water File No.: 35	Depth	Dat Dat			
orema	n: S	anford S	ssoc., In weetey n C. Brod	e,		Boring Location: Ground Elevation: Dates: Started: 3/02/8	38 ,			Ended:	3/02	:/8
			Sample			Country	Stratum	F:	Fie:	ld Tes	ting	
epth)	No	Depth in ft.	Blows /6"	Penetr/ Recovry	"N" Value	Sample Description	Change General Descript	Equipment Installed	рН	Sp Cond	HNU	5
0	1	0-5	5-10	24/19	28	Light brown SAND and GRAVEL ROAD FILL.					0.5	
			18-18			Mottled grayish Brown MEDIUM7FINE SAND,	1.5'					
						little silt, moist, medium dense.						
												١
5	2	5-7	5-5	24/17	4	- Grading to mottled gray MEDIUM SAND,					0	
	П		2-3			some fine sand, little silt, soft, very moist, with occasional plant and wood						
			-			fragments.						
												۱
10	3	10-12	2-3	24/18	7	- Grading with more medium sand, wet, medium dense.					0	
			4-5			medium devise.				}		
												1
										į		
15	4	15-17	2-3	24/21	5	- Same, slight solvent or chemical odor.						o[
			2-4									1
												-
				<u> </u>								١
20	5	20-22	3-3	24/24	6	- Grading with little fine sand, very wet.					55	5
			3-3		<u> </u>							١
					<u> </u>							
				<u> </u>								
25	6	25-27	WOH/12"	24/22	i	- Grading to darker gray, strong solvent odor.					110	0
	1_		1/12"	<u> </u>	 						}	١
	_				ļ	Bottom of Hole at 27.0 ft.						
				<u> </u>								
_	_				 							
30		<u> </u>	<u> </u>	<u> </u>						<u></u>		

.

O'BRIEN & GERE ENGINEERS, INC.	TEST BORING LOG	Report of Boring No.: MW-12 Sheet I
Project Location: Hadnot Point Tank Farm Camp Lejeune, N.C. it: U.S. Navy	Type: Split Spoon	Ground Water Depth Date Depth Date File No.: 3543.002.320

Boring Co.: ATEC Assoc., Inc.

| Boring Location:

DBG Ge	olog	ist: Joh	n C. Brod			Dates: Started: 3/07/8	38		,	Ended:		_
Depth	No	Depth in ft.	Sample Blows /6"	Penetr/ Recovry	"N" Value	Sample Description	Stratum Change General Descript	Equipment Installed	Fie:	ld Test Sp Cond		
0	1	0-2	10-12	24/20	}	Dard brown SAND and GRAVEL ROAD FILL.					1	1
·			16-23			Grayish brown FINE/MEDIUM SAND, little silt and fine/medium gravel, trace coarse sand	0.5'					
		-				and coarse gravel, damp, medium dense.	1.8					
5	2	5-7	5-5	24/15	5) 1	
			3-3									
·							8. 51					
10	3	10-12	5-5	24/18	4	Gray FINE SAND, some medium sand and silt, very moist, soft.					i	
_			2-3			very moist, soit,						
15	4	15-17	5-5	24/19	5	- Grading to FINE/MEDIUM SAND, some silt, trace fine gravel, wet, medium stiff.					â	2
			3-2			Some layering of dark gray medium/fine sand present.						
						Gray CLAY, little silt, damp, medium stiff, high plasticity.	18.5'				,	*
50	5	20-22	9-10	24/20	22	 CIGNE gray MEDIOM/FINE SAND, little silt,	20.51				150)
			12-15			wet, médium dense. Petroleúm/gasoline odor and product present.						
25	6	25-27	2-2 3-1	24/24	5	- Grading with less silt, some dark gray mottling, saturated with gasoline.					125	5
			2-1									
	H					Bottom of Hole at 27.0 ft.						
- الد	$ \cdot $			 								

^{*} Water above confining clay layer had no noticable product of odor. Material below the confining layer was saturated with gasoline.

O'BRIEN & GERE ENGINEERS, INC.	TEST BORING LOG	Report of Boring No.: MW-13 Sheet I				
Project Location: Hadnot Point Tank Farm Camp Lejeune, N.C. t: U.S. Navy	Type: Split Spoon	Ground Water Depth Date Depth Date File No.: 3543.002.320				

Boring Co.: ATEC Assoc. Inc.

OBG Se	olog	Sanford S pist: Joh	n C. Brod			Ground Elevation: Dates: Started: 3/09/0				Ended:		
epth)	No	Depth in ft.	Sample Blows /6"	Penetr/ "N" Recovry Value		Sample Description	Stratum Change General Descript	Equipment Installed	Fiel pH	ld Test Sp Cond	ing HNU	ln k
0	1	0-5	11-7	24/18	15	Tan SAND and GRAVEL ROAD FILL.			<u> </u>		5	+
			8-11			Dark brown SILT and FINE SAND, trace medium sand, some wood fragments, roots and organic material, moist, medium dense.	1.0'					
5	2	5-7	4-5 4-4	24/0	9	- No recovery -						
							7.51					
10	3	10-12	2-1 2-4	24/19	3	Gray FINE/MEDIUM SAND, some silt, occasional clay stringer, very moist, soft.					í	
15	4	15-17	5-9 14-15	24/13	23	- Grading to MEDIUM/FINE SAND, little silt wet, medium dense.					2	
20	5	20-22	5-5	24/21	5	- Grading to FINE/MEDIUM SAND, loose.					1	
			3-4									
25	6	25-27	5-7	24/23	21	Dark gray SILT, some clay and fine sand.	25. 5'					
			14-15			Brown ORGANIC SILT/PERT, wood fragments, roots, little fine sand, moist stiff. Bottom of Hole at 27.0 ft.	26.0					
						DOTTOM OF HOTE ST C1.0 It.						

		GERE , INC.				TEST BORING LOG	Report	of Boring Sheet I	No.: 1	1W-14				
•			Hadnot Po Camp Leje			Type: Split Spoon	Ground Water Depth Date Depth Date Des File No.: 3543.002.320							
Forema	n: 9	anford S	lssoc., In Weetey In C. Brod		-	Boring Location: Ground Elevation: Dates: Started: 3/08/8	08			Ended:	3/08	/8		
			Sample			Sample	Stratum Change	Equipment	Fie	d Tes	ting	R		
Depth	No	Depth in ft.	Blows /6"	Penetr/ Recovry	"N" Value	Description	General Descript	Installed	ρН	Sp Cond	HMU	k		
0	1	0-2	8-9	24/7	11	Grayish brown SAND and GRAVEL ROAD FILL, some silt, medium dense, dry.					i	T		
			3-4			Some Silt, medical dense, dry.								
				ļ										
	-						4.01							
5		5-7	10-11	24/22	20	Grayish brown with tan mottling, FINE SAND, some silt, little medium sand, moist, medium dense.					,			
	2	J-7	9-8	24/22	20	medium dense.					6			
		<u>-</u> .												
	П					- Occasional chunks of wood/organic matter								
10	3	10-12	3-1	24/16	2						1			
			1-2			Gray FINE SAND and SILT, trace medium sand, wet, soft. Occasional clay stringer.								
	Ц				ļ	, activities of the second control of the se								
					<u> </u>									
	-	45 47		0/ /01	ļ.,	Light gray FINE/MEDIUM SAND, little silt, wet, loose.								
15	4	15-17	1-2	24/21	4	Dark brown ORGANIC SILT/FEAT, wood	16.0] 1			
	\vdash			 		fragments, roots, moist, soft.								
	\vdash				-									
					 									
20	5	20-22	1-2	24/16	8	- Thin layer of organic clay.	21.0'				í	2		
			6~15			Light gray FINE/MEDIUM SAND, little silt, wet, medium dense.	21.0							
						west medicus censes								
	<u> </u>			 										
ne:	6	2F 07	2 4	24.40	7	_ Camp with game dank sure discularation					15	-		
25	6	25-27	3-4 3-3	24/8	+-	- Same with some dark gray discoloration and brown mottling. Petroleum odor.					13			
					-	Bottom of Hole at 27.0 ft.								
and a				 										
					1				l					
30					1									

O'BRI ENGIN	No in ft. /6" Recovry V 1 0-2 2-3 24/16 3-2 2 5-7 2-1 24/19 3 10-12 5-10 24/19 12-15					TEST BORING LOG	Repoi	t of Boring Sheet I	No.: 1	1W-15	
•			Hadnot Po Camp Lejs	oint Tank Pune, N.C.	Farm	SAMPLER Type: Split Spoon Hammer: 140 lbs. Fall: 30 inches	Ground Wate	Depth	Dai Dai		
Forema	n: 5	Canford S	weetey			Boring Location: Ground Elevation: Dates: Started: 3/08/0	38			Ended:	3/08/
			Sample			Sample	Stratum Change	Equipment	Fie	d Tes	
Depth	No	Depth in ft.			"N" Value	Description	General Descript	Equipment Installed	рΗ	Sp Cond	НИП
0	1	0-2	2-3	24/16	6	Brown FINE SAND, little medium sand and silt, moit, loose.					3
			3-2			sitt, mort, 100se.					
5	2	5-7	2-1	24/19	4	Gray FINE SAND, some medium sand, little	5.2'				2
						silt, moist, loose.					
10	3	10-12		24/19	55	- Grading to FINE/MEDIUM SAND, little silt, wet, medium dense.					18
			12-15			, , 					
		45 47		04.448							
15		12-17		24/18	22	- Same, with brown mottling and discolor- ation, petroleum/disel fuel odor.					14
20	5	20-22	5-5	24/24	5	Gray MEDIUM/FINE SAND with occasional clay stringer, loose. Strong petroleum/gasoline odor, material saturated with gasoline.					138
			3-4			odor, material saturated with gasoline.					
25	6	25-27	3-3 3-4	24/24	6	- Same					95
						Bottom of Hole at 27.0 ft.					
30	\prod										

		GERE , INC.				TEST BORING LOG	Repo	Report of Boring No.: MW-16 Sheet I							
-		cation: S. Navy	Hadnot Po Camp Leje	oint Tank Pune, N.C.	Farm	SAMPLER Type: Split Spoon Hammer: 140 lbs. Fall: 30 incl	<u> </u>	Ground Water Depth Depth File No.: 3543.002.320							
orema	n: S	anford S	ssoc., In weetey n C. Brod			Boring Location: Ground Elevation: Dates: Started: 3/	10/88			Ended:	3/10.				
	Sample					A 1	Stratum	,	Field Testing						
epth)	No	Depth in ft.	Blows /6"	Penetr/ Recovry	"N" Value	Sample Description	Change General Descript	Equipment Installed	рН	Sp Cond	HNU				
0	1	0-2	5-5	24/13	4	Tan SAND and GRAVEL FILL	0.8				4				
			2-3			Grayish tan with some dark brown mottling FINE/MEDIUM SAND, some silt, moist, medicatiff, petroleum odor.	ā								
5	2	5-7	4-5	24/15	12	Gray FINE SAND, some silt and medium same wet, medium dense. Petroleum product and	d d				150				
			7-7			odor.									
10	3	10-12	4-5	24/15	12	- Grading to FINE/MEDIUM SAND, little silt, occasional clay stringer.					165				
			7-7			sitt, occasional clay stringer.									
15	4	15-17	2-2	24/24	Б	Light gray SILT, some clay and fine sand	15.5'				190				
-			4-4			moist, soft petroleum odor.	1								
20	5	50-55	4-5	24/17	13	- Grading with more fine sand.					135				
			8-8			Light gray FINE/MEDIUM SAND, little silt wet, medium dense. Saturated with gasoline.	21.0								
25	6	25-27		24/19		Dark gray/black FINE/MEDIUM SAND, some silt, wet, medium dense. Color due to petroleum discoloration.	25. 6'				150				
						petroleum discoloration.									
						Bottom of Hole at 27.0 ft.									
30	+-			 	 										

O'BRIEN & GERE Report of Boring No.: MW-17 Sheet 1 ENGINEERS, INC. TEST BORING LOG Project Location: Hadnot Point Tank Farm SAMPLER Ground Water Depth Date Camp Lejeune, N.C. Type: Split Spoon Depth Date Prient: U.S. Navy Hammer: 140 lbs. Fall: 30 inches File No.: 3543.002.320 Boring Co.: ATEC Assoc., Inc. Boring Location: Ground Elevation: Foreman: Sanford Sweetey OBG Geologist: John C. Brod Dates: Started: 3/09/88 Ended: 3/09/88 Sample Field Testing R Stratum Sample Equipment Change m вИн Depth Depth Blows Penetr/ Description General Installed Sp k No /6" Recovry Value рΗ HNU in ft. Descript Cond 5 % 2-5 Mottled grayish brown FINE/MEDIUM SAND, some silt, trace fine gravel, moist, medium 0 1 0-2 24/23 35 12 7-7 dense. Petroleum odor and discoloration. 5 3-3 24/19 8 5.51 5 Light gray FINE/MEDIUM SAND, some silt, 5-5 moist, loose. Petroleum odor. - Grading to MEDIUM/FINE SAND, little silt, reddish tan discoloration due to 10-12 3-9 24/21 19 150 10 3 10-11 presence of gasoline product. 16. 55 15-17 3-5 15 24/15 10 - Same, with grayish tan color. 5-7 175 Grading to MEDIUM SAND, some fine sand, little silt, occasional clay 50 20-22 5-7 24/22 16 9-11 stringer, strong gasoline odor. 125 25 6 25-27 3-5 24/24 11 - Grading with slightly more silt and fine sand. Bottom of Hole at 27.0 ft. 30

	EERS	, INC.				TEST BORING LOG		t of Boring Sheet I			
		cation: S. Navy	Hadnot Po Camp Leje	int Tank une, N.C.	Farm	SAMPLER Type: Split Spoon . Hammer: 140 lbs. Fall: 30 inches	Ground Wate File No.: 3	Depth	Dat Dat		
oremai	n: S	anford S	ssoc., In weetey n C. Brod			Boring Location: Ground Elevation: Dates: Started: 3/11/6	38			Ended:	3/11
			Sample			Sample	Stratum Change	Equipment	Fie	ld Tes	ting
Depth	No	Depth in ft.	Blows /6"	Penetr/ Recovry	"N" Value	Description	General Descript	Equipment Installed	рН	Sp Cond	HNU
0	1	0-5	2-3	24/16	6	Dlive brown FINE SAND and SILT, little medium sand, trace fine gravel, damp,					2,5
			3-4			medium stiff, odor.					
	$\left \cdot \right $				-		3.5'				,
							- · ·				
5	5	5-7	5-6	24/22	14	Mottle light gray/tan FINE/MEDIUM SAND, little silt, moist, medium dense. Slight					.S.
			8-11			odor.					
10	3	10-12	3-6	24/18	11	- Grading with some silt, less tan mottling, petroleum odor.					150
	\sqcap		5-3	 							
			-		,						
15	4	15-17	3-6	24/15	12	- Same, with occasional clay stringer, wet strong petroleum odor.					155
			6-8			Strong petroteum ouor.					
					ļ						
20	5	20-22	2-3	24/24	5	- Grading to FINE SAND, some medium sand and silt, loose. Solvent/petroleum					12
			2-4		-	odor.					
25	6	25-27	4-3	24/19	6	- Same, with layers of medium sand.					1
			3-3								
	-				-	Bottom of Hole at 27.0 ft.					
						_					
30											

		GERE , INC.				TEST BO	RING LOG	Report	of Boring Sheet I	Vo. : 1	W-19		
ip iec	t Lo	cation:	Hadnot Po Camp Leje	eint Tank eune, N.C.	Farm		PLER Fall: 30 inches	Ground Water	Depth Depth	Dai Dai	e		
Boring Forema OBG Ge	Co. n: S olog	: ATEC A anford S ist: Joh	Assoc., In Gweetey an C. Brod	c.			Boring Location: Ground Elevation: Dates: Started: 3/14/	88			Ended:	3/15	5/88
			Sample	!		Car	ple	Stratum Change	Equipment	Fie.	ld Tes	ting	R
Depth	No	Depth in ft.	Blows /6"	Penetr/ Recovry	"N" Value	Descr	ription	General Descript	Installed	рН	Sp Cond	HNU	lk
0	1	0-5	7-7	24/11	13	Tan SAND and GRAVEL F	DAD FILL	1.0					
			5-5			Cight brown FINE SAND medium sand, moist, m	, little silt and edium dense.	1.0					
5	2	5-7	7-11	24/21	24	Cight gray FINE SAND,	little silt and	5.0'					
ļ			13-17			međiumšand, moist, me	dium dense.						
10	3	10-12	2-3	24/20	9	- Grading to FINE/ME silt, loose.	DIUM SAND, little						
ver-similars.			6-6			5111, 10056.							
15	4	15-17	2-4	24/22	10	- Grading to MEDIUM. silt, some layeri	/FINE SAND, little ng of medium sand, some , medium dense.	,					
			6-10			tan mottling, wet	medium dense.						
20	5	20-22	1-4	24/20	8		changing to orange/						
			4-5			brown.							
]							
25	6	25-27	3-3	24/24	6	- Same							
			3-3		<u> </u>	1							
promise	+					Bottom of H	ole at 27.0 ft.						
-	1					1							
30	1		1										

O'BRIEN & GERE ENGINEERS, INC. Report of Boring No.: MW-20 Sheet I TEST BORING LOG Project Location: Hadnot Point Tank Farm Camp Lejeune, N.C. SAMPLER Ground Water Depth Date Type: Split Spoon Hammer: 140 lbs. Depth Date ient: U.S. Navy Fall: 30 inches File No.: 3543.002.320 Boring Co.: ATEC Assoc., Inc. Foreman: Sanford Sweetey OBG Geologist: John C. Brod Boring Location: Ground Elevation: Dates: Started: 3/14/88

Ended: 3/14/88

OBG Ge	0109	15t: Jor	in C. Brod			Dates: Started: 3/14/	88			Ended:	3/14	1/8
			Sample			Famel -	Stratum	Fautananh	Fie	ld Tes	ting	R
Depth	No	Depth in ft.	Blows /6"	Penetr/ Recovry	"N" Value	Sample Description	Change General Descript	Equipment Installed	рΗ	Sp Cond	HNU	lii k
0	1	0-2	2-4	24/16	9	Tan FINE SAND, some medium sand (FILL)	0.5'				ù	
			5-4			Dark brown SILT and FINE SAND, little						
						medium sand and fine gravel, little organic material and wood fragments, moist, medium						
						dense.	4 09					
	П						4.01					
5	2	5-7	1- 1	24/22	3	Grayish brown FINE SAND, some silt and					(1	
	П		2-2			medium sand, some interbedding of gray silty clay, trace fine gravel, moist, soft.						
												1
10	3	10-12	1-1	24/2	3	- Same					(1	
			2-1									
							ĺ					
15	4	15-17	4-2	24/19	5	- Grading to gray FINE/MEDIUM SAND, little	}				(1	ı
			3-2			silt, trace fine gravel and organic material, wet, loose.						
												-
20	5	50-55	6-6	24/17	12	- Grading to MEDIUM/FINE SAND, little silt occasional thin silty clay layer, medium					1	1
			6-8			dense.						
										1		
25	6	25-27	WOH/24"	24/14		- Grading to dark gray MEDIUM SAND, some fine sand, little silt, wet, very loose.				1	(1
]						
						Bottom of Hole at 27.0 ft.						
30												_


'APPENDIX C

3542.002.320	U.S. Navy Hadnot Point Tank I	Well No. MW-1
	Camp LeJeune, N	
CEMENT PAD _		-PROTECTIVE STEEL
GROUND SURFACE		CASING AND LOCK
OFFICER SERVICE		INSIDE DIAMETER <u>4</u> JN.
•		
=		
·		-RISER PIPE
•		MATERIAL: PVC
		SCHEDULE: 40
		INSIDE DIA.: 2 IN.
		- CEMENT / BENTONITE GROUT
	1.1	OR
ELEV.: DEP	TH: · ·	
TOP OF SEALFT., 3.9	FT	
TOP OF SAND FT. 5.0	- 771 177 <u> </u>	BENTONITE SEAL
	— [SAND PACK
TOP OF SCREENFT. 7.0		
		SLOTTED SCREEN
		MATERIAL: PVC
·		SCHEDULE: 40
		INSIDE DIA2IN.
		SLOT NO20
		3201 110
BOT. OF SCREEN FT. 17	.0' :: = :::	
BOT. OF		DIA, OF BOREHOLE: 8 IN.
BOREHOLE FT 17	الفرندندنا الله	
TVDTO	COLLOGE COLL	
I LABICAL OVE	.HBUHDEN MO	NITORING WELL
	N.T.S.	
	, ζ., Ι., κι	

ATT

3542.002.320	U.S. Navy Hadnot Point Tank I	Well No. MW-2
	Camp LeJeune, N	IC
CEMENT PAD		-PROTECTIVE STEEL
GROUND SURFACE		CASING AND LOCK
ONOGIVE SOM ACE		INSIDE DIAMETER 4 IN
	邓· / . : 国公	
	当:	
•	9.1 1. 1	DICED DIDE
		-RISER PIPE
	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	MATERIAL: PVC
	1.4	SCHEDULE: 40
	, l	INSIDE DIA .: 2 IN.
		
		- CEMENT / BENTONITE GROUT
ELEV.: DEPT	·H: · † ³ ·	OR
	1 - 1 - 1	
TOP OF SEALFT4.0F		BENTONITE SEAL
TOP OF SAND FT. 5.0	T /// · ///	·
		SAND PACK
TOP OF SCREEN FT 7.0	I	
]		
•	· · · · · · · · ·	- SLOTTED SCREEN
		· · · · · · · · · · · · · · · · · · ·
		MATERIAL: PVC
1	:: ::	SCHEDULE: 40
		INSIDE DIA 2 _IN.
		SLOT NO. 20
1		SCOT 140.
OOF OF CODES!		
BOT. OF SCREEN FT. 17.		DIA. OF BOREHOLE: 8 IN.
BOREHOLE FT 18.	0	
——————————————————————————————————————		
TYPICAL OVE	ABURDEN MO	NITORING WELL
	N.T.S.	

可提訊



N.T.S.

3542.002.320	U.S. Navy Well No. MW-4 Hadnot Point Tank Farm
•	Camp LeJeune, NC
CEMENT PAD	PROTECTIVE STEEL
GROUND SURFACE	CASING AND LOCK
\ \	INSIDE DIAMETER _ IN.
	7/1
	4.1.1
	RISER PIPE
	MATCHIAC. — PVC
	SCHEDULE: 40
	INSIDE DIA .: 2_IN.
	CEMENT / BENTONITE GROUT
ELEV.: DEP	TH: -7 1.
TOP OF SEAL FT., 2.0	= -
7	BENTUNITE SEAL
TOP OF SAND FT 3.0	
TOP OF SCREEN FT. 5 d	
	SLOTTED SCREEN
	MATERIAL: PVC
	SCHEDULE: 40
	INSIDE DIA. 2 IN
	SLOT NO. 20
BOT. OF SCREENFT15.	0,
BOT OF BOREHOLE FT 15.	DIA. OF BOREHOLE: 8 IN.
BONEHULE FI , 15.	<u> </u>
TYDICAL OVE	DRIIDDEN MONTTODING WELL
ITTICAL OVE	RBURDEN MONITORING WELL
	N. T. S.

3542.002.320	U.S. Navy Hadnot Point Tank Fa	Well No. MW-5
. ,	Camp LeJeune, NC	
CEMENT PAD _	oump Besearce, me	PROTECTIVE STEEL
		CASING AND LOCK
GROUND SURFACE		INSIDE DIAMETER 8 IN.
		11.
		·
	1.1	RISER PIPE
		MATERIAL: PVC
j.		SCHEDULE: 40
	4	
	٧	INSIDE DIA.: 2_IN.
		- CEMENT / BENTONITE GROUT
_, _,		OR
ELEV.: DEF	21H: ·	
TOP OF SEAL FT. 1.	OFT	DENTONITE CENT
700 05 5445		- BENTONITE SEAL
TOP OF SAND FT. 3.	<u>of M</u> M	_ SAND PACK
TOP OF SCREENFT. 5	OFT I	
•		,
		CLOTTED CODECN
, i		- SLOTTED SCREEN
	··: — ·:	MATERIAL: PVC
		SCHEDULE: 40
		INSIDE DIA : 2 IN.
		SLOT NO. 20
		3001 No.:
וססד מה המחברו בד ו		
BUL UE	5.0'	DIA. OF BOREHOLE:_8IN.
BOT OF BOREHOLE FT 1	5.0'	
7		
TUDTON		ALTORING MELL
TYPICAL OV	FHRNHNFN WOL	NITORING WELL
•	# -	
	N.T.S.	

3542.002.320	U.S. Navy Well No. MW-6
•	Hadnot Point Tank Farm
CEMENT PAD _	Camp LeJeune, NC ——PROTECTIVE STEEL
	CASING AND LOCK
GROUND SURFACE	INSIDE DIAMETER 4 IN.
1	
· · · · · · · · · · · · · · · · · · ·	
	RISER PIPE
	MATERIAL: PVC
	SCHEDULE: 40
	INSIDE DIA .: 2 IN.
	CEMENT / BENTONITE-GROUT
FLEV.: DEP	TH OR
TOP OF SEAL FT. 2.0	BENIONITE SEAL
TOP OF SAND FT. 3.0	FT SAND PACK
1	FT
	
	SLOTTED SCREEN
	[···]——————————————————————————————————
	MATERIAL: PVC SCHEDULE 40
	INSIDE DIA. 2 IN.
	SLOT NO20
BOT. OF SCREEN FT 15	
BOT. OF	DIA. OF BOREHOLE: 8 IN
BOREHOLE FT 17	.0'

TYPICAL OVE	RBURDEN MONITORING WELL
	N.T.S.
	· · · · · · · · · · · · · · · · · · ·

3542.002.320	U.S. Navy Well No. MW-7 Hadnot Point Tank Farm
05115117 010	Camp LeJeune, NC
CEMENT PAD	PROTECTIVE STEEL MANHOLE
GROUND SURFACE	CASING AND LOCK
	INSIDE DIAMETER _ 8 IN .
	777 - - -
	RISER PIPE
	MATERIAL: PVC
	SCHEDULE: 40
}	INSIDE DIA .: Z IN
	CEMENT / BENTONITE GROUT
ELEV .: DEP	
i	• •
TOP OF SEAL FT. 1.5	FT PENTONTIE CEN
TOP OF SAND FT 3.0	BENTONITE SEAL
1	CAND ACK
TOP OF SCREEN FT 5.0	
	SLOTTED SCREEN
	MATERIAL: PVC
	SCHEDULE: 40
	INSIDE DIA 20 IN.
	SLOT NO.
BOT. OF SCREENFT15.	
BOT. OF	DIA. OF BOREHOLE: 8 IN 1
BOREHOLEFT 17.	
T	
I NATICAL ONE	RBURDEN MONITORING WELL
	N. [.S.

3542.002.320	U.S. Navy Well No. MW-8 Hadnot Point Tank Farm
CEMENT PAD	Camp LeJeune, NC PROTECTIVE STEEL MANHOLE
GROUND SURFACE	CASING AND LOCK INSIDE DIAMETER 8 IN.
	HISER PIPE MATERIAL: PVC SCHEDULE: 40
·	SCHEDULE: 40 INSIDE DIA .: 2 IN
ELEV.: DEPT	1 • 1 1 1
TOP OF SEAL FT. 1.0F	DENTONITE SEAL
TOP OF SAND FT. 3.F	- CAND LACK
	SLOTTED SCREEN MATERIAL: PVC SCHEDULE: 40 INSIDE DIA: 2IN SLOT NO20
BOT. OF SCREEN FT. 15.0 BOT. OF BOREHOLE FT. 17.0	DIA. OF BUREHULE 6 IN.
TYPICAL OVER	RBURDEN MONITORING WELL


AND OFFICE OFFI

3542.002.320	U.S. Navy Well No. MW-9 Hadnot Point Tank Farm	
CEMENT PAD _	Camp LeJeune, NC PROTECTIVE STEEL	
	CASING AND LOCK	
. GROUND SURFACE	INSIDE DIAMETER 4 IN	
	77/1.: :	
	RISER PIPE	
·	MATERIAL: PVC	
·	SCHEDULE: 40	
	INSIDE DIA .: 20 IN .	
	CEMENT / BENTONITE GAC	UT
ELEV.: DEP	TH: 1.7 1.4	
TOP OF SEAL FT., 2.0	FT	•
1	ET WILL SEAL	
	SAND PACK	
TOP OF SCREEN FT. 5.0		
	SLOTTED SCREEN	
	MATERIAL: PVC	
	SCHEDULE. 40	
	INSIDE DIA. 2 IN. SLOT NO. 20	
BOT. OF SCREEN FT. 15	O' DIA OF BOREHOLE: 8	ΙN
BOT. OF BOREHOLE FT 15		• .
		
TYPICAL OVE	ERBURDEN MONITORING WELL	
	N.I.S.	
	٠ ٠ ٠ . ١	

福田県 DEEEENGOIDS

3542.002.320	U.S. Navy Well No. MW 10 Hadnot Point Tank Farm
	Camp LeJeune, NC
CEMENT PAD	PROTECTIVE STEEL
GROUND SURFACE	CASING AND LOCK .
	INSIDE DIAMETER 8 IN.
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	
	7/1.: :
·	RISER PIPE
	MATERIAL: PVC
	SCHEDULE: 40
	INSIDE DIA .: _2 IN.
	CEMENT / BENTONITE GROUT
ELEV.: DEP	TH: · ·
TOP OF SEALFT., 2.0	FT
TOP OF SAND FT. 3.0	BENTONITE SEAL
	- FA FAI SAND FACK
TOP OF SCREEN FT . 5.0	<u> - 기타</u>
į	
	SLOTTED SCREEN
	MATERIAL: PVC
	SCHEDULE: 40
	INSIDE DIA 2 IN.
	SLOT NO
507 05 00055	
BOT. OF SCREEN FT. 15.	DIA. OF BOREHOLE: 8 IN.
BOREHOLE FT 15.	<u>o'</u>
·	
TYPICAL OVE	ABURDEN MONITORING WELL
	N. F.S.
	·

3542.002.320	U.S. Navy Well No. MW-11
·	Hadnot Point Tank Farm
CEMENT PAD	Camp LeJeune, NC PROTECTIVE STEEL
	CASING AND LOCK
GROUND SURFACE	INSIDE DIAMETER 4 IN
=	77
	4.1 1.1
	RISER PIPE
	MATERIAL: PVC
	SCHEDULE: 40
	INSIDE DIA .: 2 IN.
	CEMENT / BENTONITE GROUT
ELEV.: DEP	TH: 4
TOP OF SEAL FT. 4.0F	- 1771 1771 BENTUNLIE SEAL
TOP OF SAND FT . 5.09	SAND PACK
TOP OF SCREEN FT 5.0F	11 11
	SLOTTED SCREEN
	MATERIAL: PVC
	SCHEDULE: 40
	INSIDE DIA. 2 IN
	SLOT NO. 20
21	1.0'
	NATURAL SAND
BOT. OF SCREENFT. 25.	
BOT OF BOREHOLE FT 25.	
2011211022	<u>ت</u>
TYPICAL OVE	RBURDEN MONITORING WELL
THE CAL OVE	LIDOLIDELA MONTLOUTIAG MEEE
	N.T.S.



Ann currenter

3542.002.320	U.S. Navy Well No. <u>MW-13</u> Hadnot Point Tank Farm
OCHENT DAD	Camp LeJeune, NC PROTECTIVE STEEL
CEMENT PAD	CASING AND LOCK
GROUND SURFACE	INSIDE DIAMETER 4 IN.
1	
1	
	RISER PIPE
1 €	MATERIAL: PVC
	SCHEDULE: 40
	INSIDE DIA .: 2 IN.
•	
	CEMENT / BENTONITE GROUT
	OR
ELEV.: DEF	
TOP OF SEAL FT 1	BENTONITE SEAL
TOP OF SAND FT. 3.	OFT SAND PACK
	.FT
101 01 301121	
	SLOTTED SCREEN
	MATERIAL: PVC
	INSIDE DIA . 2 IN . SLOT NO 20
	SLUT NU
BOT OF	DIA. OF EOREHOLE: 8 IN.
TYPICAL OV	ERBURDEN MONITORING WELL
	N.T.S.
ST Ore	
e e	

3542.002.320	U.S. Navy Well No. MW-14 Hadnot Point Tank Farm
CEMENT PAD	Camp LeJeune, NC PROTECTIVE STEEL MANHOLE
GROUND SURFACE	CASING AND LOCK INSIDE DIAMETER 8 IN
	RISER PIPE
	MATERIAL: PVC
	SCHEDULE: 40
	INSIDE DIA .: 2 IN.
ELEV.: DEPT TOP OF SEAL FT. 1.5 TOP OF SAND FT. 3.06 TOP OF SCREEN FT. 5.06	BENTONITE SEAL SAND PACK
	SLOTTED SCREEN MATERIAL: PVC SCHEDULE: 40 INSIDE DIA. 2 IN. SLOT NO. 20
BOT. OF SCREEN FT. 25.0 BOT. OF BOREHOLE FT. 25.0	DIA. OF EUREHULE: _ 6 _ IN.
TYPICAL OVE	RBURDEN MONITORING WELL

alla creensia con

3542.002.320	U.S. Navy Well NoMW-15 Hadnot Point Tank Farm
	Camp LeJeune, NC
CEMENT PAD	PROTECTIVE STEEL
GROUND SURFACE	CASING AND LOCK
333.12	INSIDE DIAMETER 4 IN.
\ \ \	
, =	
·	RISER PIPE
	MATERIAL: PVC
	SCHEDULE: 40
	INSIDE DIA .: 2 IN.
	CEMENT / BENTONITE-GROUT
	OR
ELEV.: DEP	TH: · . . ·
TOP OF SEAL FT., 2.0	BENTONITE SEAL
TOP OF SAND FT. 3.0	
	- KA AND PACK
TOP OF SCREENFT., 5.0	
	SLOTTED SCREEN
	MATERIAL: PVC
	SCHEDULE: 40
	INSIDE DIA. 2 IN.
	SLOT NO
BOT. OF SCREENFT., 25	DIA. OF BOREHOLE: 8 IN.
BOT. OF	
BOAEHOLEFT <u>25</u>	
TVDTOAL OVE	TODUODEN MONITODINO NELL
TYPICAL UVE	RBURDEN MONITORING WELL
	N.T.S.

3542.002.320	U.S. Navy Hadnot Point Tank F	Well No. MW-16
	Camp LeJeune, NO	
CEMENT PAD _		PROTECTIVE STEEL
		CASING AND LOCK
GROUND SURFACE		INSIDE DIAMETER 6 IN.
\ \		
1		
	※目 ・目/<	
		·
·	¶. 1 · _	RISER PIPE
		MATERIAL: PVC
	1.1	SCHEDULE: 40
	v	INSIDE DIA.: 4 IN.
		- CEMENT / BENTONITE-GROUT
ELEV.: DEP	ты	OR
TOP OF SEAL FT. 1.	FT	BENTONITE SEAL
700 05 5445		·
TOP OF SAND FT. 2.		_ SAND PACK
TOP OF SCREEN FT 5.	fI I	
		- SLOTTED SCREEN
		MATERIAL: PVC
		SCHEDULE: 40
1		INSIDE DIA .: 4 IN .
		SLOT NO. 20
BOT. OF SCREEN FT 25	5.0'	DIA. OF BOREHOLE: 12 IN.
BOT. OF BOREHOLE FT. 25		DIA. 01 - DOT.L. 1001 111.
BOREHOLE FT J. 25	5.0'	•
\		
TVDTCAL OVE	בחסווחחבאו אים	NITODING WELL
I TATUAL UVE	THENHUEW MO	NITORING WELL
	N T C	
	N.T.S.	
<u>:</u>		
.[

3542.002.320	U.S. Navy Hadnot Point Tank F	Well No. <u>MW-17</u>
	Camp LeJeune, No	
CEMENT PAD		PROTECTIVE STEEL
GROUND SURFACE		CASING AND LOCK
		INSIDE DIAMETER 6 101.
=		
		RISER PIPE
		MATERIAL: PVC
	. 1	SCHEDULE: 40
	v	INSIDE DIA.: 4 IN.
		- CEMENT / BENTONITE GROUT
		or
ELEV.: DEP	TH.	
TOP OF SEAL FT : 1.0	FT .	- BENTONITE SEAL
TOP OF SAND FT . 3.0	FT.	
TOP OF SCREEN FT. 5.0	— [::: 	— SAND PACK
TOP OF SCHEEN F1.1 5.0		
		— SLOTTED SCREEN
		MATERIAL:PVC
		SCHEDULE: 40
		INSIDE DIA. 4 IN.
		SLOT NO. 20
2.1	1.0'	— NATURAL SAND
	0	DIA. OF BOPEHOLE:12_IN.
BOT OF BOREHOLE FT 25	01	
	لتكنيبنينين علاق	
TYPICAL OVE	RBURDEN MOI	VITORING WELL
	N.T.S.	

AND CECENOSES

3542.002.320	U.S. Navy Hadnot Point Tank F	Well No. MW-18
	Camp LeJeune, N	C
CEMENT PAD		-PROTECTIVE STEEL
GROUND SURFACE		CASING AND LOCK
0/100/10 00/11 /102		INSIDE DIAMETER _6IN.
1		
	◎目· · 目	
-	77.	
	4.1 1.1	
		- RISER PIPE
		MATERIAL: PVC
	. \ '-4	SCHEDULE: 40
	v	INSIDE DIA.: <u>4</u> IN.
		CEMENT / BENTONITE-GROUT
FLEV.: DEP	TH. - 1 1	0R
TOP OF SEALFT., 2.	FT I	BENTONITE SEAL
TOP OF SAND FT. 3.	FT. //	SAND PACK
TOP OF SCREEN FT. 5.		
1		
		CLOTTED CODESN
		SLOTTED SCREEN
		MATERIAL: PVC
		SCHEDULE: 40
		INSIDE DIA <u>4</u> IN.
		SLOT NO
BOT. OF SCREENFT 25	5.0'	DIA. OF EOREHOLE: 12 IN.
BOT OF BOREHOLE FT 25	5.0'	
,		
		,
TYPICAL OVE	ERBURDEN MC	NITORING WELL
	N.T.S.	

有思想

	3542.002.320	U.S. Navy Hadnot Point Tank F	
	CEMENT PAD	Camp LeJeune, N	-PROTECTIVE STEEL
	GROUND SURFACE		CASING AND LOCK INSIDE DIAMETER 6 IN.
			RISER PIPE MATERIAL: PVC
			SCHEDULE: <u>40</u> INSIDE DIA.: <u>4</u> IN.
	ELEV.: D	FOTH	OR
	TOP OF SEAL FT.	1 - 1 - 1	- BENTONITE SEAL
	1 	3.0FT	— SAND PACK
_	TOP OF SCREENFT_	5.0FT	
			- SLOTTED SCREEN
			MATERIAL. <u>PVC</u> SCHEDULE: <u>40</u>
			INSIDE DIA4_IN. SLOT NO20
			3LUT NU
	BOT. OF	25.0'	DIA. OF BOREHOLE: 12 IN.
	BOREHOLEFT ,	25.0'	
	TYPICAL O'	VERBURDEN MOI	NITORING WELL
		N.T.S.	
11 are 1			
		·	

3542.002.320	U.S. Navy Hadnot Point Tank l	
CEMENT PAD _	Camp LeJeune, N	NC
	· /	CASING AND LOCK
GROUND SURFACE		INSIDE DIAMETER 6 IN.
V		
11/2/21/1		
	77.	
•	// / L. R	
	4.	01000 0100
		- RISER PIPE MATERIAL:PVC
		SCHEDULE: 40
		INSIDE DIA .: 4 [N.
		- CEMENT / BENTONITE GROU
		OR
ELEV.: D	EPTH: ·	
TOP OF SEALFT	2.0FT	BENTONITE SEAL
TOP OF SAND FT.	3.FT.	SAND PACK
 /	4.6FT	SAND FACK
101 01 0011211	4.0	
		SLOTTED SCREEN
		MATERIAL: <u>PVC</u> SCHEDULE: <u>40</u>
		INSIDE DIA.: 4 IN.
		SLOT NO. 20
		3201 NO
BOT. OF SCREENFT.	24.0'	— DIA. OF BOREHOLE: 12_ IN
BOT. OF BOREHOLE FT	25.0'	D1A: 31 E0::E110EE:1
TYPICAL O'	VERBURDEN MO	NITORING WELL
	- -	•
	N. F. S.	

AND CHUNNISCHE

APPENDIX D

GROUND WATER SAMPLING PROTOCOL

The following procedures will be used to obtain representative ground water samples. To obtain representative ground water samples from wells containing only a few gallons of ground water, the bailing procedure is preferred (2" I.D. wells). To obtain representative ground water samples from wells containing more than a few gallons, the pumping procedure generally facilitates more rapid sampling (4" I.D. wells). Each of these procedures is explained in detail below.

Sampling Procedures (BAILER)

- 1. Identify the well and record the location on the Ground Water Sampling Field Log (copy attached).
- 2. Put on a new pair of disposable gloves.
- 3. Cut a slit in the center of a plastic sheet, and slip it over the well creating a clean surface onto which the sampling equipment can be positioned.
- 4. Using an electric well probe, measure the depth to the water table and the bottom of the well. Record this information in the Ground Water Sampling Field Log. Depth measurements will be taken before sampling starts so that this data is collected over the shortest period possible. This will allow for less data variability due to time.
- 5. Clean the well depth probe and rinse it with distilled water after use.
- 6. Compute the volume of water in the well, and record this volume on the Ground Water Sampling Field Log.
- 7. Attach enough polypropylene rope to a clear, LEXAN^R bailer to reach the bottom of the well, and lower the bailer slowly into the well making certain to submerge it only far enough to fill one-half full. The purpose of this is to recover any oil film, if one is present on the water table.
- 8. Pull the bailer out of the well keeping the polypropylene rope on the plastic sheet or entirely off the ground if it is too windy to place a plastic sheet. The LEXAN bailer can be used to observe the presence of any floating product layer and the physical appearance of the ground water.
- 9. Record the physical appearance of the ground water on the Ground Water Sampling Field Log.
- 10. If a floating product is observed, estimate its volume and note this on the Ground Water Sampling Field Log. The LEXAN bailer should be used to collect a sample of any floating product layer into 40 ml vials for product

- identification. After this sample is collected, or if no floating product is found, procede to the next step.
- 11. Attach the polypropylene rope to a clean, stainless steel bailer, lower the bailer to the bottom of the well, and agitate the bailer up and down to resuspend any material settled in the well.
- 12. Initiate bailing the well from the well bottom making certain to keep the polypropylene rope on the plastic sheet. All ground water should be poured from the bailer into a graduated pail to measure the quantity of water removed from the well.
- 13. Continue bailing the well throughout the water column and from the bottom until a sufficient volume of ground water in the well has been removed, or until the well is bailed dry. If the well is bailed dry, allow sufficient time for the well to recover before proceeding with the next step. Record this information on the Ground Water Sampling Field Log.
- 14. Remove the sampling bottles from their transport containers, and prepare the bottles for receiving samples. Inspect all labels to insure proper sample identification. Sample bottles should be kept cool with their caps on until they are ready to receive samples. Arrange the sampling containers to allow for convenient filling. Always fill the containers labeled "volatiles" (40 ml VOA bottles) first.
- 15. To minimize agitation of the water in the well, initiate sampling by lowering the stainless steel bailer slowly into the well making certain to submerge it only far enough to fill it completely.
- If the sample bottle cannot be filled quickly, keep them cool with the caps on until they are filled. The vials labeled "volatiles" analysis should be filled from one bailer then securely capped. Add 0.2 ml of a mixture of 1 part A.C.S. reagent grade, concentrated hydrochloric acid (approximately 38%) to 1 part of organic-free water to each 40 ml VOA vial. This will adjust the pH to less than 2. Carefully fill the 40 ml VOA vials to minimize agitation. This is usually done by pouring the sample into a tilted VOA vial. Cap the VOA vial, turn it upside down, and check for air bubbles. If properly filled, there should be no visible air bubbles. Filter samples for metals analysis through a 0.45 micron filter and adjust the pH to less than 2 with A.C.S. reagent grade, concentrated (approximately 69-713) nitric acid. Alternatively, metals samples may be filtered in the laboratory. If this option is selected, do not add the nitric acid preservative. Return each sample bottle to its proper transport container. Samples must not be allowed to freeze.
- 17. Record the physical appearance of the ground water observed during sampling on the Ground Water Sampling Field Log.

- 18. Begin the Chain of Custody Record.
- 19. Clean the bailer by washing it with a mild detergent, rinsing it with potable water, followed by a distilled water rinse. Store the bailer in a clean, dry place.
- 20. Replace the well cap, and lock the well protection assembly before leaving the well location.
- 21. Place the polypropylene rope, gloves, and plastic sheeting into a plastic bag for disposal.

Sampling Procedures (PUMP)

- 1. Identify the well and record the location on the Ground Water Sampling Field Log (copy attached).
- 2. Put on a new pair of disposable gloves.
- 3. Cut a slit in the center of a plastic sheet, and slip it over the well creating a clean surface onto which the sampling equipment can be positioned.
- 4. Using an electric well probe, measure the depth to the water table and the bottom of the well. Record this information in the Ground Water Sampling Field Log. As previously mentioned, all depth to water table and well depth measurements will be taken for all wells before sampling begins.
- 5. Clean the well depth probe and rinse it with distilled water after use.
- 6. Compute the volume of water in the well, and record this volume on the Ground Water Sampling Field Log.
- 7. Attach enough polypropylene rope to a clear LEXAN^R bailer to reach just below the surface of the water table, and lower the bailer slowly into the well making certain to submerge it only far enough to fill it one-half full. The purpose of this is to recover any oil film, if one is present on the water table.
- 8. Pull the bailer out of the well keeping the polypropylene rope on the plastic sheet. The LEXAN bailer can be used to observe the presence of any floating product layer and the physical appearance of the ground water.
- Record the physical appearance (color, odor, turbidity, and presence of a floating product) of the ground water on the Ground Water Sampling Field Log.
- 10. If a floating product is found, follow the procedures in Step 10 of the "Bailer" section.

- 11. Prepare the pump for operation. Connect the dedicated polyethylene tubing to a delrin foot valve. Additional information on the pumps is attached. Each pump will be dedicated to a well and therefore not used to purge any other well.
- 12. Lower the pump to near the bottom of the well and pump the ground water into a graduated pail. Pumping should continue until sufficient well volumes have been removed or the well is pumped dry. If the well is pumped dry, allow sufficient time for the well to recover before proceeding with Step 13. Record this information on the Ground Water Sampling Field Log. The pump will be used to collect samples from any wells containing a floating product laver.
- 13. Remove the sampling bottles from their transport containers, and prepare the bottles for receiving samples. Inspect all labels to insure proper sample identification. Sample bottles should be kept cool with their caps on until they are ready to receive samples. Arrange the sampling containers to allow for convenient filling. Always fill the vials labelled "volatiles" (40 ml VOA vials) first. Filter samples for metals analysis and add nitric acid, as previously discussed in the "Bailer" section, to adjust the pH to less than 2. Alternatively, metals samples may be filtered in the laboratory. If this option is selected, do not add the nitric acid preservative. Preserve the volatiles samples with hydrochloric acid as previously discussed in the "Bailer" section.
- 14. To minimize agitation of the water in the well, initiate sampling using a gentle pumping action.
- 15. If the sample bottle cannot be filled quickly, keep them cool with the caps on until they are filled. Return each sample bottle to its proper transport container. Samples must not be allowed to freeze.
- 16. Record the physical appearance of the ground water observed during sampling on the Ground Water Sampling Field Log.
- 17. Begin the Chain of Custody Record.
- 18. If a bailer is used for sample collection, clean the bailer by washing it with a mild detergent, rinsing it with potable water, followed by a distilled water rinse. Store the bailer in a clean, dry place.
- 19. Replace the well cap, and lock the well protection assembly before leaving the well location.
- 20. Place the polypropylene rope, gloves, and plastic sheet into a plastic bag for disposal.

APPENDIX E



CLIENT	NAVY			
	_	_		

JOB NO 3543.004.517

DESCRIPTION

Camp Lejeune - Hadnot Point

4-22-88

Results reported as ppb

DATE COLLECTED 4-20 & 21, 1988 DATE REC'D.

DATE ANALYZED 4-29 to 5-3, 1988

								<u>.</u>				
Description	MW#1	MW#2	MW#3	MW#4	NW#5	MW#6	MW#7	11W#8	MW#9	MW#10	MW#11	NW#12
Sample #	G7934	G7935	G7936	G7937	G7938	G7939	G7940	G7941	G7942	G7943	G7911	G79.15
Petroleum Hydrocarbons and Solvents by Purge & Trap/GC	5											
BENZENE	19000.	29000.	<1.	<1.	<1.	600.	28000.	19.	<1.	51.	1.	19000.
TOLUENE	36000.	110000.	2.		1.	1700.	26000.	i.	ςι.	1.	1.	17000.
ETHYLBENZENE	3200.	11000.	<1.		<1.	1600.	2800,	<1.	2.	9.	41.	1500.
XYLENES	21000.	48000.	4.	2.	2.	7100.	12000.	<1.	8.	14.	1.	8400.
]					ļ					
TRICHLOROETHENÉ	<1000.	<1000.	<1.	<1.	<1.	<100.	<1000.	<1.	<1.	<1.	<1.	<1000.
TETRACHLOROETHENE	<1000.	<1000.	4.	<1.	<1.	<100.	<1000.	<1.	<1.	<1.	<1.	<1000.
1,2-DICHLOROETHANE	1000.	<1000.	<1.	<1.	<1.	<100.	1000.	<1.	<1.	1.	<1.	2000.
мтве	<10000.	<10000.	<10.	<10.	<10.	<1000.	<10000.	<10.	<10.	<10.	<10.	<10000.
TOTAL HYDROCARBONS	97000.	300000.	480.	10.	<10.	13000.	68000.	26.	92.	170.	.10.	50000.
COMMENTS	Gasoline	Gasoline	Gasoline	-	~	Gasoline	Gasoline		Gasoline	Gasofine		Gasofine
					•							

Methodology: Federal Register - 40 CFR, Part 136, October 26, 1984

Units: rog a appine unless office were noted

Comments:

6-11-11-65

June 9, 1988



CLIENT	NAVY		JOB NO.	3543.004.517
DESCRIPTION	Camp Lejeune - Hadno	t Point		
-	Results reported as pp	ob , .		
DATE COLLECTED	4-20 & 21, 1988 DATE REC'D	4-22-88	DATE ANALYZED	4-29 to 5-3, 1988

Description	MW#13	NW#14	NW#15	MIW# E6	NW#17	NW#18	MW#19	M##20	Replicate	Wrigh Blank	Q C Trip Blank
Sample #	G7946	G7947	G7948	G7949	G7950	G7951	67952	67953	G7954	67955	67961
Petroleum Hydrocarbons and Solvents by Purge & Trap/GC											
BENZENE	2.	6.	4700.	28000.	11000.	24000.	21.	60.	12000.	<1.	<1.
TOLUENE	2.	<1.	18000.	28000.	13000.	42000.	150.	160.	35000.		
ETHYLBENZENE	2.	<1.	2400.	1900.	2500.	1900.	53.	79.	2400.		
XYLENES	8.	2.	13000.	12000.	9100.	12000.	130.	95.	11000.		
				ĺ						Ţ	
TRICHLOROETHENE	<1.	<1.	<1000.	<1000.	<100.	<1000.	⟨1.	: -	<1000.	<1.	·1.
TETRACHLOROETHENE	<1.	<1.	<1000.	<1000.	<100.	<1000.	<1.	<1.	<1000.	<1.	<1.
1,2-DICHLOROETHANE	<1.	<1.	<1000.	1800.	200.	<1000.	<1.	<	<1000,	.1.	.1.
MFBE	<10.	<10.	10000.	10000.	2800.	<10000.	<10.	<tu.< td=""><td><10000.</td><td>-10</td><td>- 10,</td></tu.<>	<10000.	-10	- 10,
TOTAL HYDROCARBONS	23.	11.	43000.	79000.	42000.	96000.	640.	870.	62000.	<10.	<10.
COMMENTS	-	-	Gasoline	Gasoline	Gasoline	Gasoline	Gasoline	Gasoline	Gasoline	-	-
					•						

Methodology: Federal Register 40 CFH, Part 136, October 26, 1984

Units, may, paper unters otherwise noted

Comments:

Confidential Society of Society (Society)

June 9, 1988



Units: mg/t (ppm) unless otherwise noted

June 9, 1988

CLIENT	NAVY				JOB 1	NO. 3543	.004.517
DESCRIPTION	Camp Leje	une - Had	not Pt.				
DATE COLLECTED	4-20-88	DATE REC'D	4-22-8	8	DATE ANALY	ZED6-	-3 - 88
Descrip	tion		Sample #	Petro Identifi			
MW-2 MW-7	Product Product		G7956 G7957	Gaso l Gaso			
MW-12 MW-16	Product Product		G7958 G7959	Gaso Gaso	ं वर्ष विभिन्न स्थापन हो।		
MW-18	Product ()		€ G7960	Gaso	line		To the second of
					নিকার কারে কার্যকার প্রতি বিভাগ স্থানিকার বিভাগ স্থানিকার		The second second second
	《 《小》 是 "多》			di ing da i Si	Partengo Atoma Cycles Depos Massisten Lan		e de la companya de l
			A CONTRACTOR	ৰ ক্ষেত্ৰ কৰে সভাৱ উট্টেট্ট ক্ৰ টিনী চৰিত্ৰ	The state of the s	Alle de la composition della composition della composition della composition della composition della composition della composition della composition della composition della composition della composition della composition della composition della composition della composition della composition della composition della composition della composition della composition della c	
			TORNET MADE LANGE		STATES CAN THE STATES OF THE S		
						the second second	e nasymus system

Methodology: Federal Register - 40 CFR, Part 136, October 26, 1984

Box 4942 / 1304 Buckley Rd. / Syracuse. NY / 13221 / (315) 457-1494

Comments:

OBG Laboratories, Inc.

PT: VALVE 6 a CAR

9.53

5.50 5.50 5.50 5.50 5.50 10.57

-₹-#= 3 ° .9

DATE 6-6-88 INJ. VOI. Incl.

COLUMN 10 ft 530m Methyl
Solicone Capillary Column

INSTRUMENT HP 5850

15.65 15.21

12.59

19.27 29.18 21.99 21.99

23.27

24.79

26.75

|დღ: ფული ფეგ

AREA %

enea type geeg s

୍ଟିଲ୍ଲ୍ଡି ଅନୁସ୍ଥାନ୍ତ ଓଡ଼ିଆ ପ୍ରାଧିକ ପ୍ରାଧିକ



```
17755
                              - 2.28
                      - 5.84
                                 SAMPLE I.D. MW-7 Product
                                 DATE 6-6-85 INJ. VOL. 1.0
                                 COLUMN ICEL 5301
                                 INSTRUMENT LP 5880
      19.48
      19.25
Carry over
         21.27
         21.39
         22.57
        23.95
        27.99
        24.29
        25.98
       27.55
       29.45
     1 ov: 5700 968
```

1601 58888 SAMPLER INJECTION 9 23:33 JUN 6, 1988 SAMPLE W : 10 COSE : 13 G7957

9528 %

27	4256	್ಲಾಕ್ಟ	A85A %
e.39	1451.25	33	9.311
9.58	12951300.00	3 ± 3	99.953
: .95	119.23	28	5.991
1.95	ي غ . 1 ليان	3.2	0.002
2.13	47.13	39	ହି. ମଧ୍ୟ

Commence of the second

97: V91V2 4 + 988

1.45 3.32 - 3.38 3.74

5,23

9:51 -1 7.39

A second 15,32

14,54

: 5. 53 15. 53 17.26

13.29

19.25

21.41

SAMPLE I.D. MIU-12 Product DATE 6-7-85 1111. VOL. COLUMN 10ft 530m INSTRUMENT_

1 291 8702 8514

€NPN 5889A SAMPLER INJECTION 9 39:12 JUN 7: 1988 SAMPLE # : 13 003€ : ja - 07958

AREA %

27

الإفادة فيهم gaga N

7 414

97: 9917**5** 6 + 698

.2757 2.23 4.53

SAMPLE I.D. MW-16 Product 5-TE 6-7- 88 INJ. VOL. 140 COLUMN 10ft 530u Mothul Capillary Column

INSTRUMENT HP 5380

1-.54 15:21 15.74 19.88

17.25

18.23

19.25

636

w. 53

SAMPLE I.D. MID-18 Product

SAMPLE I.D. MID-18 Product

SAMPLE I.D. MID-18 Product

SAMPLE I.D. MID-18 Product

SAMPLE I.D. MID-18 Product

SAMPLE I.D. MID-18 Product

SAMPLE I.D. MID-18 Product

SAMPLE I.D. MID-18 Product

SAMPLE I.D. MID-18 Product

SAMPLE I.D. MID-18 Product

SAMPLE I.D. MID-18 Product

SAMPLE I.D. MID-18 Product

SAMPLE I.D. MID-18 Product

SAMPLE I.D. MID-18 Product

SAMPLE I.D. MID-18 Product

SAMPLE I.D. MID-18 Product

SAMPLE I.D. MID-18 Product

SAMPLE I.D. MID-18 Product

SAMPLE I.D. MID-18 Product

SAMPLE I.D. MID-18 Product

SAMPLE I.D. MID-18 Product

SAMPLE I.D. MID-18 Product

SAMPLE I.D. MID-18 Product

SAMPLE I.D. MID-18 Product

SAMPLE I.D. MID-18 Product

SAMPLE I.D. MID-18 Product

SAMPLE I.D. MID-18 Product

SAMPLE I.D. MID-18 Product

SAMPLE I.D. MID-18 Product

SAMPLE I.D. MID-18 Product

SAMPLE I.D. MID-18 Product

SAMPLE I.D. MID-18 Product

SAMPLE I.D. MID-18 Product

SAMPLE I.D. MID-18 Product

SAMPLE I.D. MID-18 Product

SAMPLE I.D. MID-18 Product

SAMPLE I.D. MID-18 Product

SAMPLE I.D. MID-18 Product

SAMPLE I.D. MID-18 Product

SAMPLE I.D. MID-18 Product

SAMPLE I.D. MID-18 Product

SAMPLE I.D. MID-18 Product

SAMPLE I.D. MID-18 Product

SAMPLE I.D. MID-18 Product

SAMPLE I.D. MID-18 Product

SAMPLE I.D. MID-18 Product

SAMPLE I.D. MID-18 Product

SAMPLE I.D. MID-18 Product

SAMPLE I.D. MID-18 Product

SAMPLE I.D. MID-18 Product

SAMPLE I.D. MID-18 Product

SAMPLE I.D. MID-18 Product

SAMPLE I.D. MID-18 Product

SAMPLE I.D. MID-18 Product

SAMPLE I.D. MID-18 Product

SAMPLE I.D. MID-18 Product

SAMPLE I.D. MID-18 Product

SAMPLE I.D. MID-18 Product

SAMPLE I.D. MID-18 Product

SAMPLE I.D. MID-18 Product

SAMPLE I.D. MID-18 Product

SAMPLE I.D. MID-18 Product

SAMPLE I.D. MID-18 Product

SAMPLE I.D. MID-18 Product

SAMPLE I.D. MID-18 Product

SAMPLE I.D. MID-18 Product

SAMPLE I.D. MID-18 Product

SAMPLE I.D. MID-18 Product

SAMPLE I.D. MID-18 Product

SAMPLE I.D. MID-18 Product

SAMPLE I.D. MID-18 Product

SAMPLE I.D. MID-18 Product

SAMPLE I.D. MID-18 Product

SA

ت ن:

15.65 (6.21

13.93

Livi erge ege

```
THP1 53304 SAMPLER INJECTION 0 82:12 JUN 7: 1983
SAMPLE # : 10 UOUS :
17 STP30
SREG N
```

9- 9-64 TYPE APEA X 9-68 1233-6003.30 923 93.969 1.95 53.52 83 0.3000

RT: MALVE 6 - OFF

- 5.94

gara bir ir

15:21

is: #4

17:33

18.31

19.27

21.75

SAMPLE I.D. 1610ppm Gasoline DATE 6-6-88 INT. VOL. INSTRUMENT 10 5880

€ PP 3 38888 | SAMPLER INJECTION 9 17:33 | U60 | 6: 1988 SAMPLE # : 10 007E : 1999,345

BREA %

agga magga avgan.

13445800.90 355 13445800.90 355 0.939 9.49 ŵ.5ê



CLIENTNA	<u>VY</u>			N 80L	3543.	004 517							
DESCRIPTION	Camp Lejeune - Hadr	ot Point											
	Results reported as y	ppb			! 								
DATE COLLECTED _4	4-20 & 21, 1988 DATE RECD	4-22-	88	_DATE ANALYZ	ZED 4-29 (t	to 5-3, 1988	3						
	\$	1	1	ľ	1	i l	l	į	ļ	1	1	,	
Description		MW#1	MW#2	MW#3	MW#4	MW#5	MW#6	MW # 7	8#W:f	MW #9	MW#10	MW#11	MW#12
Sample #		G7934	G7935	G7936	G7937	G7938	G7939	G7940	G7941	G7942	G7943	G7944	G7945
Petroleum H	vdrocarbons and Solvents			ľ							,	l	
THE RESERVE OF THE PROPERTY.	Trap/GC - FA VEGE TE			12201		- T. T.				The second secon	-	-	
BENZENI A		#19000	29000	SEX1.	- XI.	4.5	5,600	28000.	19.	A.	51.	1	19000.
TOLUENE		36000	110000	2.		1.	1700	26000.		Cl.	1	1	17000
ETHYLBENZIN	E	3200	11000	~ <1 .= ·	- 44 F. cd	3(1.3)	1600	2800.	₹1.~	2.	9.	ζ1	1500
YYLENES	The state of the s	21000.	48000	4.	2.	2.	7100	12000	<1 <1	8.	14		8400
The state of the s	المنافعة الم	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	- 2 - 3				2) 22 A 25				سمهد محاشعت	- may refrant	
TRICHLORGET	HE/E	' <1000	<1000	<1.	<1	<1	<100	<1000	<1	<1	<1	<1.	<1000.
TETRACHLORO	ETHENE	<1000.	(1000)	4.33	Ži Š.		<100	<1000.	(1. 4	<1.	<1.	 (1.). 	<1000.
1,2-DICHLOR	ROETHANE	1000	` <1000.	<1.	<1	<1.	<100.	1000.	<1.	<1.	1.	<1.	2000.
The French Salary		The second secon			The said of the		ورادر هوم		200	7.7		y we some u.	
MTBE		<10000.	(<10000.	<10.	<10	<10.	<1000.	<10000.	, <10.	<10.	<10.	<10.	<10000
				200						VALUE OF	THE PARTY OF THE P	a tangahan di apada sahari Antangahan di apada sahari Antangahan di apada sahari	
TOTAL HYDRO		97000.	30000 <u>0</u> .	480.	16.	<10.	13000.	68000.	26.	92.	170.	<10.	50000.
The second secon				1. T. Wes			·						
COMMENTS		Gasoline	Gasoline	Gasoline	1	<u> </u>	Gasoline	Gasoline		Gasoline	Gasoline		Gasoline
								144	a sometime			The state of the s	
And the state of t	A CONTRACTOR OF THE PARTY OF TH	-X4:25- 2	- TOP	The same of	1300000			4		-			
		1		المناكلية و مناهوا سام 9 س					اخطىنىت⊞ى ئاك در . }		••	•	
									-		1		

Methodology Federal Register - 40 CFR Part 36 October 36 984

Units Img ((ppm) unless cinerwise noted

Comments

Authorized ONO

c. - June 9, 1988

MAHIT FARZ



JENTNAVY			OB N	o <u>3543.</u>	004.517							
SCRIPTION Camp Lejeune - Hadn	ot Point	_										
Results reported as p	pb											
ATE COLLECTED 4-20 & 21, 1988 DATE REC'D.	4-22-	88	_DATE ANALYZ	ED 4-29 t	<u>o 5-3, 198</u>	8						
1	i		ſ	Î	l	1	[ł	;	,	1	
Description	MW#13	MW#14	MW#15	MW#16	MW#17	MW#18	MW#19	MN#20	Replicate	Wash Blank	Q C Trip Blank	
Sample #	G7946	G7947	G7948	G7949	G7950	G7951	G7952	G7953	G7954	G7955	G7961	
Petroleum Hydrocarbons and Solvents										Ì		
by Purges (a Trap/GC									A STATE OF THE PARTY OF THE PAR	Share and the	The state of the same	
			4700	28000	71000.34	-24000	J. 540 21	60	12000,		7771.	
TOLUEVE	2.		13000.	28000.	13000	42000.	150.	160	35000	1		* ===============================
ETHYLBENZENE		तिहास्य स्थाप विदेशास्त्र	2400	4900	2500.4		\$ 253.7°	79.	2400			- Particular
XYLENES	8	2.	15000.	12000.	9100	12000	130.	96.	11000		انقاب المديقا	وم الراسمينية
						55 m . 348	A CONTRACTOR OF THE PROPERTY O	न्त्री हु अञ्चल		Section 2	इस्स्मेर्ट र	ر شکه ۱۳۵۳ د.
TRICHLOROETHENE	<1.	<1.	\<1000.	<1000.	<100.	<1000	<1.		<1000.	<1.	<1.	
ATETRACHLORGE THENE			<1000. Tw	.<1000.	₹<100 ·	₹1000.	45	I'm and	, <1000		[- K1]	-
1,2-DICHLOROETHANE	<1.		<1000.	1800.	200.	<1000.	<1.	<	<1000	<1.	<1.	-
								FR. 187		The state of the s		
MTBE	<10.	<10.	ķ10000.	K10000.	2800.	<10000.	<10.	<10.	<10000.	<10.	<10.	
	· · · · · · · · · · · · · · · · · · ·			2	1000			200 and	Select 1			4
TOTAL HYDROCARBONS	23.	11.	45000.	79000	42000	96000.	640.	870.	62000	<10.	<10.	
	To the same	13 mm 131 mm 131				-				2		محرمش
COMMENTS	-	-	Casoline		Gasoline	'Gasoline		<u>' </u>	· \	-	_	
	, and the second	1 2		The state of the s					المستقدد			
			The second second		3		22 25 25 25 25 25 25 25 25 25 25 25 25 2			6		
	There are a second	7 1087 g	<u> </u>		A CONTRACTOR OF STREET	-	100		-			

Methodology Federal Register — 40 CFR Part C6 October 26 984

Units mg ((ppm) unless other vise no ed

Comments

00417F09Z