

Final

**Remedial Investigation Report  
Operable Unit No. 14  
(Site 69)**

**Marine Corps Base  
Camp Lejeune, North Carolina**

**Appendices A-N  
Volume 1 of 2**



Prepared For:

**Department of the Navy  
Atlantic Division  
Naval Facilities  
Engineering Command  
Norfolk, Virginia**

Under the

**LANTDIV CLEAN Program**

**Comprehensive Long-Term  
Environmental Action Navy**

## **LIST OF APPENDICES**

<b>A</b>	<b>Site 69 Geophysical Investigation</b>
<b>B</b>	<b>Target's Site Screening Reports</b>
<b>C</b>	<b>Test Boring Logs</b>
<b>D</b>	<b>Test Boring and Well Logs</b>
<b>E</b>	<b>Chain-of-Custody Forms</b>
<b>F</b>	<b>Well Development Records</b>
<b>G</b>	<b>Investigative Derived Wastes</b>
<b>H</b>	<b>Site 69 Aquifer Characterization Data</b>
<b>I</b>	<b>Sampling Summary</b>
<b>J</b>	<b>Engineering Parameters Summary</b>
<b>K</b>	<b>Field Duplicate Summary</b>
<b>L</b>	<b>Quality Assurance/Quality Control Summary</b>
<b>M</b>	<b>Baker Draft Evaluation of Metals in Groundwater</b>
<b>N</b>	<b>COPC Selection Worksheet</b>
<b>O</b>	<b>Data and Frequency Summaries</b>
<b>P</b>	<b>Statistical Summary</b>
<b>Q</b>	<b>Chronic Daily Intake Estimations</b>
<b>R</b>	<b>White Oak River Basin Reference Stations</b>
<b>S</b>	<b>Sampling Station Characterization Data Sheets</b>
<b>T</b>	<b>Habitat Survey Results</b>
<b>U</b>	<b>Threatened and Endangered Species List</b>
<b>V</b>	<b>Fish Population Statistics</b>
<b>W</b>	<b>Benthic Macroinvertebrate</b>
<b>X</b>	<b>Pre-Treatability Study Groundwater Investigation Results</b>

**APPENDIX A**  
**SITE 69 GEOPHYSICAL INVESTIGATION**

---

## 1.0 INTRODUCTION AND INVESTIGATION OBJECTIVES

A surface geophysical survey was conducted from August 24 to September 3, and December 14 to 18, 1992, at Marine Corps Base (MCB) Camp Lejeune, Jacksonville, North Carolina. At Site 69 - Rifle Range Chemical Dump, the survey objectives were to delineate suspected disposal trenches and to identify areas of buried metal. Figure 1-1 shows the location of Site 69.

## 2.0 METHODS OF INVESTIGATION

Non-invasive geophysical techniques that were utilized to meet the objectives included electromagnetic (EM) terrain conductivity, magnetometry, and ground penetrating radar (GPR).

### 2.1 Survey Control

Due to heavy vegetation and understory at Site 69, geophysical traverses were referenced to an old road crossing the site and located by compass bearing and taped distance measurements. These east-west oriented traverses were subsequently located and stationed at 50-foot intervals by Hoggard-Eure. A second phase geophysical investigation at Site 69 was then conducted to further define areas of suspected burial. Figure 2-1 shows the survey grid and surface conditions noted at Site 69.

### 2.2 Electromagnetic Terrain Conductivity

Electromagnetic terrain conductivity profiling was performed to map the lateral extent of buried material and to identify buried metal objects and other debris. Instrumentation utilized for this survey included a Geonics model EM-31, with an effective penetration depth of approximately 15 feet when operated in the vertical dipole mode (VDM).

The conductivity of the soil or buried materials is determined by measuring the response of the ground to an induced magnetic field. Factors affecting in-situ conductivity include porosity, moisture content, clay content, and the conductivity of subsurface fluids and materials. Former excavations or landfill boundaries may be detected through measurement of lateral variations in soil conductivity. This method may also be used to infer the presence of buried metal objects, such as drums, tanks, or utilities.


Both the quadrature-phase (terrain conductivity) and in-phase components of the EM field were measured in the vertical dipole mode. The quadrature-phase mode provides a measurement of soil conductivity, while the in-phase mode is responsive to the effects of highly conductive, buried metallic objects. Terrain conductivity is measured in millimhos/meter (mmhos/m) and the in-phase component is measured in parts per thousand (ppt) of the primary magnetic field.

EM-31 data were acquired at 5-foot intervals along each geophysical traverse. Both conductivity and in-phase measurements were recorded using a digital datalogger then downloaded to a portable computer for data processing and interpretation.

### 2.3 Magnetometry

Magnetic profiling was performed to complement the EM interpretation of subsurface objects and debris. A digital proton precession magnetometer (Geometrics model G-856X) was utilized for this geophysical investigation. Perturbations to the ambient magnetic field are indicative of nearby ferrous metal. The magnitude of these perturbations are a function of the mass of the metal object. The magnetometer measures the magnitude of the magnetic field to a resolution of 1.0 gamma.






WESTON GEOPHYSICAL CORP. IS A WHOLLY OWNED SUBSIDIARY OF BAKER ENVIRONMENTAL, INC.






**Baker**  
Baker Environmental, Inc.

FIGURE 1-1  
 SITE LOCATION MAP  
 SITE 69 RIFLE RANGE CHEMICAL DUMP  
 REMEDIAL INVESTIGATION CTO-0212  
 MARINE CORPS BASE, CAMP LEJEUNE  
 NORTH CAROLINA



212203RI

**LEGEND**

-  MONITORING WELL
-  EM AND MAG SURVEY LINE
-  INTERPRETED LIMIT OF INCREASED CONDUCTIVITY(>10 mmhos/m)  
INDICATIVE OF BACKFILL MATERIALS AND/OR CONTAMINANT PLUME
-  INTERPRETED LIMIT OF INCREASED MAGNETIC INTENSITY  
INDICATIVE OF BURIED FERROUS METAL
-  BURIED METALLIC OBJECT

**FIGURE 2-1**  
**GEOPHYSICAL GRID RESULTS**  
**SITE 69 - RIFLE RANGE**  
**CHEMICAL DUMP**  
**REMEDIAL INVESTIGATION CTO-0212**  
**MARINE CORPS BASE, CAMP LEJEUNE**  
**NORTH CAROLINA**

**Baker**

Baker Environmental, Inc.

01762W01Z

Magnetic data were acquired at 10-foot stations along selected traverses, and a magnetic base station was reoccupied at approximately one hour intervals to facilitate adjustment of the data for natural daily variations due to solar activity.

The magnetic data were downloaded to a portable computer, corrected for diurnal drift, and profiled prior to interpretation. The magnetic data were then compared to EM conductivity and in-phase data to determine whether specific geophysical anomalies were caused by ferrous or non-ferrous buried objects or fill.

#### 2.4 Ground Penetrating Radar

Ground penetrating radar is an electromagnetic survey technique that reveals a graphic cross-sectional view of subsurface stratigraphy and buried objects (i.e., drums, pipelines, tanks, boulders, etc.). Data acquisition is continuous along lines of coverage and a graphic recorder provides an immediate view of the data, yielding both horizontal (lateral) and vertical (depth) control information. Penetration (typically 2 to 8 feet) and resolution are determined by the frequency of the antenna, but the overall effectiveness of GPR can be limited by highly reflective materials such as water-saturated clay, salt, slag, or highly conductive inorganic materials.

GPR profiling was completed with analog instrumentation that consisted of a GSSI SIR-7 mainframe, Adtek graphic recorder, and 500 megahertz antenna. This antenna was selected to provide high-resolution recordings of buried objects within the landfill.

GPR profiling was conducted in an attempt to provide further characterization of subsurface conditions and buried materials, e.g., to distinguish buried drums from concrete debris with steel rebar and to more precisely delineate the limits of any excavation.

### 3.0 RESULTS

The geophysical survey at Site 69 is presented in the following subsection.

#### 3.1 Site 69 - MCB Rifle Range Chemical Dump

Site 69 is located west of the New River estuary, within MCB Camp Lejeune. The site is approximately 10 to 12 acres and is heavily wooded. The site was used as a chemical waste dump and materials were reportedly disposed in pits and trenches. These materials may include chemical surety materials (CSM), such as blister or nerve agents. The area of investigation and lines of geophysical coverage are shown in Figure 2-1.

EM conductivity and magnetic intensity measurements were obtained along orthogonal traverses extending across the site. EM measurements showed background conductivity levels at 10 mmhos/m. A distinct increase in conductivity above 10 mmhos/m, representative of a lateral change in conductivity due to buried waste and fill material, was measured across two broad areas as shown on Figure 2-1. Within these two areas, EM in-phase and magnetic measurements indicated buried metallic and ferrous metallic objects.

The greater lateral extent of increased conductivity, to that of detected buried metal, may suggest that previous widespread burial of non-metallic debris on site may have occurred. Furthermore, zones of highest conductivity were not always coincident with the area of buried metal, suggesting widespread disposal on site. An alternative explanation for the lateral extent of increased conductivity, primarily to the south and north, may be the presence of a conductive contaminant plume.

#### 4.0 SUMMARY AND CONCLUSIONS

Conclusions of the geophysical investigations conducted at Site 69 is presented below.

##### 4.1 Site 69 - Rifle Range Chemical Dump

At Site 69, lateral changes in conductivity were observed across two broad areas located in the south and north portions of the site. In the central portion of the site and partially coincident with the increased conductivities, buried metallic and ferrous metallic objects were detected. The greater lateral extent of increased conductivity relative to that of the buried metal locations, may indicate the previous widespread burial of non-metallic materials and/or the limits of a conductive contaminant plume. The areas identified with geophysics appear to be coincident with burial trenches identified on 1956, 1958, and 1964 aerial photographs by EPIC.

**APPENDIX B**  
**TARGET'S SITE SCREENING REPORTS**

---

**APPENDIX B.1**  
**TARGET'S REPORT, 2/94**

---

---

**SITE SCREENING DATA**

**SITE 69  
MCB CAMP LEJEUNE  
JACKSONVILLE, NORTH CAROLINA**



---

**TARGET ENVIRONMENTAL SERVICES, INC.**

---

**SITE SCREENING DATA**

**SITE 69  
MCB CAMP LEJEUNE  
JACKSONVILLE, NORTH CAROLINA**

**PREPARED FOR**

**BAKER ENVIRONMENTAL, INC.  
420 ROUSER ROAD, BUILDING 3  
CORAOPOLIS, PENNSYLVANIA 15108**

**PREPARED BY**

**TARGET ENVIRONMENTAL SERVICES, INC.  
9180 RUMSEY ROAD  
COLUMBIA, MARYLAND 21045  
(410) 992-6622**

**FEBRUARY 1994**



## SAMPLE COLLECTION AND ANALYSIS

On January 6-7, 1994, TARGET Environmental Services, Inc. (TARGET) conducted a site screening survey at Site 69, MCB Camp Lejeune, Jacksonville, North Carolina. A total of 14 groundwater samples were collected at the site. Due to fluctuations in the groundwater table the sampling depths varied from 1 to 22 feet and are recorded in Table 1. The sampling locations are shown on the attached copy of the field map.

To collect the samples a van-mounted hydraulic probe was used to advance 3-foot sections of 1-3/8" OD threaded steel casing (EW rod) to the sampling depth. The steel casing was removed and a 5-foot section of 1" diameter slotted PVC pipe connected to one or more 5-foot sections of PVC riser pipe was inserted to the full depth of the hole. The pipe was allowed to sit for a period of time to allow groundwater to fill the pipe. A 21" long by 7/16" OD stainless steel bailer was then used to collect the sample. Samples were placed in 40 ml, teflon septum-sealed glass vials and acidified to pH 2 using a 50% hydrochloric acid solution, sealed, labeled and shipped on ice to the laboratory.

Samples NE-7A and SE-7A were surface samples taken from swampy areas of the site. They were collected with clean sampling gloves by submerging clean vials and preserving as described above.

Prior to the day's field activities and after collection of each sample, the steel casing and the bailer apparatus were decontaminated by washing with Alconox (a biodegradable, laboratory grade detergent), rinsing with distilled water and drying with filtered ambient air to ensure discrete sampling.

All of the samples collected during the field phase of the survey were prepared for analysis according to EPA Method 3810 (modified) by pouring 15 ml of sample into a 30 ml EPA clean vial and sealing with a teflon-faced butyl rubber septum. The vial was heated for 10 minutes to volatilize hydrocarbons from the water.

The samples were analyzed according to EPA Method 8010 on a gas chromatograph equipped with an electron capture detector (ECD), and using direct injection. Specific analytes standardized for the ECD analysis were:

trans-1,2-dichloroethene (t12DCE)

cis-1,2-dichloroethene (c12DCE)

trichloroethene (TCE)

tetrachloroethene (PCE)

The chlorinated hydrocarbons in this suite were chosen because of their common usage in industrial solvents, and/or their degradational relationship to commonly used compounds.

The analytical equipment was calibrated using a 3-point instrument-response curve and injection of known concentrations of the target analytes. Retention times of the standards were used to identify the peaks in the chromatograms of the field samples, and their response factors were used to calculate the analyte concentrations.

The tabulated results of the laboratory analysis of the soil gas samples are reported in parts per billion (ppb) in Table 1.

### Quality Assurance/Quality Control (QA/QC) Evaluation



#### Field QA/QC Samples

Field control samples were collected at the beginning and end of the first day's field activities, and at the end of the last day's field activities. These QA/QC samples were obtained

by rinsing distilled water through the decontaminated stainless steel bailer into sample vials. The laboratory results of the analysis of these samples are reported in Table 1. Concentrations of all analytes except t12DCE were below the reporting limit in all field control samples. A review of the sample collection and analysis orders indicates that the very low concentrations of t12DCE in Samples 11A and 12A should not have affected survey results.

#### Laboratory QA/QC Samples

An analysis was performed on the duplicate of every tenth field sample. Laboratory blanks of nitrogen gas were also analyzed after every tenth field sample. The results of these analyses are reported in Table 1. All duplicate analyses were within acceptable limits. Concentrations of all analytes were below the reporting limit in all laboratory blanks.



- LEGEND**
- ◇ 69GW2 EXISTING SHALLOW WELLS
  - ⊕ PLANNED DEEP WELL
  - ⊕ PLANNED SHALLOW WELL
  - ⊕ PLANNED PAIR OF SHALLOW AND DEEP WELLS
  - ◆ PLANNED HYDROPUNCH LOCATION
  - - - FENCE
  - VEGETATION
  - TOPOGRAPHIC ELEVATION LINES
  - ▲ GROUNDWATER SAMPLE LOCATIONS
- SOURCE: REVISED FROM LANTON, OCT. 1991

FIGURE 1. Groundwater Sample Locations



This map is integral to a written report and should be viewed in that context.

SITE 69  
RIFLE RANGE CHEMICAL DUMP  
MCB, CAMP LEJEUNE  
NORTH CAROLINA

TABLE 1

## ANALYTE CONCENTRATIONS VIA GC/ECD (ppb)

SAMPLE	DEPTH (FT)	t12DCE	c12DCE	TCE	PCE
REPORTING LIMIT		1.0	1.0	1.0	1.0
NE-1A	22	3.4	12	1.6	<1.0
NE-2A	22	1.2	2.7	2.0	1.0
NE-3A	15	<1.0	6.5	1.8	<1.0
NE-4A	15	<1.0	4.2	<1.0	<1.0
NE-5A	4	3.2	19	2.1	<1.0
NE-6A	7	1.7	1.5	<1.0	<1.0
NE-7A	0*	<1.0	<1.0	<1.0	<1.0
SE-1A	20	<1.0	2.5	<1.0	<1.0
SE-2A	3	7.8	30	<1.0	<1.0
SE-3A	3	<1.0	2.0	<1.0	<1.0
SE-4A	4	1.3	<1.0	<1.0	<1.0
SE-5A	3	<1.0	<1.0	<1.0	<1.0
SE-6A	1	<1.0	<1.0	<1.0	<1.0
SE-7A	0*	<1.0	<1.0	<1.0	<1.0
<u>FIELD CONTROL SAMPLES</u>					
10A	N/A	<1.0	<1.0	<1.0	<1.0
11A	N/A	1.4	<1.0	<1.0	<1.0
12A	N/A	1.2	<1.0	<1.0	<1.0
<u>FIELD DUPLICATE SAMPLES</u>					
NE-7A	0*	<1.0	<1.0	<1.0	<1.0
NE-7B	0*	<1.0	<1.0	<1.0	<1.0
<u>LABORATORY BLANKS</u>					
NE-7AB	N/A	<1.0	<1.0	<1.0	<1.0

\* SAMPLE COLLECTED FROM SURFACE WATER (SWAMP)

c12DCE = cis-1,2-dichloroethene

PCE = tetrachloroethene

t12DCE = trans-1,2-dichloroethene

TCE = trichloroethene

**APPENDIX B.2**  
**TARGET'S REPORT, 4/95**

---

**SOIL & GROUNDWATER DATA**  
**CAMP LEJEUNE, SITE 69**  
**JACKSONVILLE, NORTH CAROLINA**

**PREPARED FOR**

**BAKER ENVIRONMENTAL**  
**420 ROUSER ROAD**  
**CORAOPOLIS, PENNSYLVANIA 15108**

**PREPARED BY**

**TARGET ENVIRONMENTAL SERVICES, INC.**  
**9180 RUMSEY ROAD**  
**COLUMBIA, MARYLAND 21045**  
**(410) 992-6622**

**APRIL 1995**

## Introduction

On March 21-22, 1995, TARGET Environmental Services, Inc. (TARGET) conducted a soil and groundwater survey at Camp LeJeune, Site 69 in Jacksonville, North Carolina. A total of 9 soil and 10 groundwater samples were collected at the site from 0 to 10 feet below grade. All of the soil and groundwater samples were collected under Health & Safety Level B conditions. Sample specific details are recorded in the copies of the field notes and sample chain of custody forms included in this report.

## Sample Collection

### **Soil**

To collect the soil samples, a truck-mounted hydraulic probe was used to advance a 24" long, 1.125" ID/1.378" OD steel sampling tube (equipped with an acetate liner and a piston stop tip) attached to connected 3-foot sections of 1" OD threaded steel casing down to the sampling depth. The piston stop was then released and the pipe driven an additional 2 feet, allowing soil to enter the sampling tube. The sampling tube was retrieved, and the liner containing the soil core was removed from the casing. The sample was immediately relinquished within the liner to the on-site Baker Environmental representative. The sampling tube was decontaminated by scrubbing with a solution of Liquinox/distilled water, rinsing with distilled water and drying with clean paper towels prior to reuse. A new liner was used for each sample.

### **Groundwater:**

To collect the groundwater samples, the hydraulic probe was used to advance a permanent drive point connected to the bottom of the casing to the sampling depth within the corresponding soil boring. The steel casing was removed and connected 5-foot sections of 3/4" OD PVC slotted



screen and riser were inserted to the full depth of the hole. A water level sensor was used to detect the surface of the groundwater table and to ensure that a sufficient amount of water had entered the pipe to complete a sample. The water level sensor was removed and a 21" long by 7/16" OD stainless steel bailer was used to collect the sample. Samples were placed in 40 ml glass vials which were sealed, labeled and immediately relinquished to the TARGET's on-site mobile laboratory for analysis.

Prior to the day's field activities and after collection of each groundwater sample, the steel casing and the bailer were decontaminated by washing with a solution of Liquinox/distilled water, rinsing with distilled water and allowing to air dry to ensure discrete sampling. All PVC screen and riser were removed from the borings at the end of the sampling activities, and the borings were backfilled with bentonite.

### Sample Analysis

All of the groundwater samples collected during the field phase of the survey were prepared for analysis according to EPA Method 3810 (modified) by pouring 15 ml of the groundwater sample into a 30 ml EPA clean vial and sealing with a teflon-faced butyl rubber septum. The vial was heated for 10 minutes at 90°C to volatilize hydrocarbons from the water.

The prepared groundwater headspace samples collected were then subjected to dual analyses. One analysis was conducted according to EPA Method 8010 (modified) on a gas chromatograph equipped with an electron capture detector (ECD), and using direct injection.

Specific analytes standardized for this analysis were:

1,1-dichloroethene (11DCE)  
methylene chloride (CH<sub>2</sub>Cl<sub>2</sub>)  
trans-1,2-dichloroethene (t12DCE)

1,1-dichloroethane (11DCA)  
cis-1,2-dichloroethene (c12DCE)  
1,1,1-trichloroethane (111TCA)  
carbon tetrachloride (CCl<sub>4</sub>)  
trichloroethene (TCE)  
1,1,2-trichloroethane (112TCA)  
tetrachloroethene (PCE)

The chlorinated hydrocarbons in this suite were chosen because of their common usage in industrial solvents, and/or their degradational relationship to commonly used compounds.

The second analysis was conducted according to EPA Method 8020 (modified) on a gas chromatograph equipped with a flame ionization detector (FID), and using direct injection. The analytes selected for standardization in this analysis were:

benzene  
toluene  
ethylbenzene  
meta- and para- xylene  
ortho- xylene

These compounds were chosen because of their utility in evaluating the presence of fuel products, or petroleum based solvents.

The analytical equipment was calibrated using a 3-point instrument-response curve and injection of known concentrations of the target analytes. Retention times of the standards were used to identify the peaks in the chromatograms of the field samples, and their response factors were used to calculate the analyte concentrations.

Total FID Volatiles values were generated by summing the areas of all integrated chromatogram peaks and calculated using the instrument response factor for toluene. Injection peaks, which also contain the light hydrocarbon methane, were excluded to avoid the skewing of Total FID Volatiles values due to injection disturbances and biogenic methane. For samples with low hydrocarbon concentrations, the calculated Total FID Volatiles concentration is

occasionally lower than the sum of the individual analytes. This is because the response factor used for the Total FID Volatiles calculation is a constant, whereas the individual analyte response factors are compound specific. It is important to understand that the Total FID Volatiles levels reported are relative, not absolute, values.

The tabulated results of the laboratory analyses of the soil gas samples are reported in micrograms per liter-vapor ( $\mu\text{g/l-v}$ ) in Tables 1 and 2. Although "micrograms per liter" is equivalent to "parts per billion (volume/volume)" in water analyses, they are not equivalent in gas analyses, due to the difference in the mass of equal volumes of water and gas matrices. The xylenes concentrations reported in Table 1 are the sum of the m- and p-xylene and the o-xylene concentrations for each sample. With TARGET's analytical run conditions, 11DCE/TCTFA and  $\text{CCl}_4$ /12DCA occur as co-eluting pairs and are reported in Table 2 in concentrations of 11DCE and  $\text{CCl}_4$ , respectively.

### Quality Assurance/Quality Control (QA/QC) Evaluation

#### Equipment Rinseate Blanks

Equipment rinseate blanks were collected at the beginning and end of each day's field activities. These QA/QC blanks were obtained by rinsing distilled water through the decontaminated bailer (groundwater control blank) and soil sampling tube (soil control blank) into 40 ml vials and sealing them as previously described. Baker Environmental did not select the soil sampler rinseate blanks for analysis in the on-site mobile laboratory. The laboratory results of the analysis of the bailer rinseate blanks are reported in Tables 1 and 2. Concentrations of all analytes were below the reporting limit in all field control samples.

**Laboratory QA/QC Samples**

A duplicate analysis was performed on every tenth field sample. Laboratory blanks of nitrogen gas were also analyzed after every tenth field sample. The results of these analyses are reported in Tables 1 and 2. All duplicate analyses were within acceptable limits. Concentrations of all analytes were below the reporting limit in all laboratory blanks.

**TABLE 1****ANALYTE CONCENTRATIONS IN HEADSPACE  
OF WATER VIA GC/FID ( $\mu\text{g/l}$ )**

<b>SAMPLE</b>	<b>BENZENE</b>	<b>TOLUENE</b>	<b>ETHYL- BENZENE</b>	<b>XYLENES</b>	<b>TOTAL FID VOLATILES*</b>
REPORTING LIMIT	10	10	10	10	10
HP01W	ND	ND	ND	28	935
HP02W	ND	ND	ND	200	881
HP03W	ND	ND	ND	ND	ND
HP04W	ND	ND	ND	ND	ND
HP05W	ND	ND	ND	ND	ND
HP06W	ND	ND	ND	ND	ND
HP07W	ND	ND	ND	ND	ND
HP08W	ND	ND	ND	ND	ND
HP09W	ND	ND	ND	ND	ND
QC	ND	ND	ND	ND	77
<b><u>EQUIPMENT RINSEATE SAMPLES</u></b>					
101W	ND	ND	ND	ND	ND
102W	ND	ND	ND	ND	ND
103W	ND	ND	ND	ND	ND
104W	ND	ND	ND	ND	ND
<b><u>LABORATORY DUPLICATE ANALYSIS</u></b>					
HP06W	ND	ND	ND	ND	ND
HP06WDUP	ND	ND	ND	ND	ND
<b><u>LABORATORY BLANKS</u></b>					
BLANK (3-21)	ND	ND	ND	ND	ND
BLANK (3-22)	ND	ND	ND	ND	ND

\* CALCULATED USING THE SUM OF THE AREAS OF ALL INTEGRATED CHROMATOGRAM PEAKS  
AND THE INSTRUMENT RESPONSE FACTOR FOR TOLUENE

ND\* INDICATES NOT DETECTED AT OR ABOVE THE REPORTING LIMIT

TABLE 2

ANALYTE CONCENTRATIONS IN HEADSPACE  
OF WATER VIA GC/ECD (µg/l)

SAMPLE	11DCE	CH2Cl2	t12DCE	11DCA	c12DCE	111TCA	CCl4	TCE	112TCA	PCE
REPORTING LIMIT	10	10	10	10	10	1.0	1.0	1.0	1.0	1.0
HP01W	ND	ND	ND	ND	102	ND	ND	3.2	ND	ND
HP02W	ND	ND	1,110	ND	850	ND	ND	389	ND	59
HP03W	ND	ND	ND	ND	11	ND	ND	ND	ND	3.3
HP04W	ND	ND	15	ND	12	ND	ND	2.3	ND	ND
HP05W	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
HP06W	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
HP07W	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
HP08W	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
HP09W	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
QC	ND	ND	117	ND	160	ND	ND	9.7	ND	1.6

EQUIPMENT RINSEATE SAMPLES

101W	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
102W	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
103W	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
104W	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

LABORATORY DUPLICATE ANALYSIS

HP06W	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
HP06WDUP	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

LABORATORY BLANKS

BLANK (3-21)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
BLANK (3-22)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

11DCE = 1,1-dichloroethene

CH2Cl2 = methylene chloride

t12DCE = trans-1,2-dichloroethene

11DCA = 1,1-dichloroethane

c12DCE = cis-1,2-dichloroethene

TCE = trichloroethene

111TCA = 1,1,1-trichloroethane

CCl4 = carbon tetrachloride

112TCA = 1,1,2-trichloroethane

PCE = tetrachloroethene

11DCE/TCTFA and CCl4/12DCA are co-eluting pairs and are reported in concentrations of 11DCE and CCl4, respectively.

"ND" INDICATES NOT DETECTED AT OR ABOVE THE REPORTING LIMIT



AREA

SURFACE

SUBSURFACE

PROBE INFO.

JOB CODE

BE003

DATE: 3-21-95

SAMPLE NUMBER	GENERAL				SPECIAL				MATERIAL				COMPOSITION				MOISTURE				DEPTH	TYPE				ADDITIONAL OBSERVATIONS (WRITTEN DESCRIPTION OF SAMPLE LOCATIONS)																								
	WOODS	FIELD	LANDSCAPED/PLANTER	PAVED OR GRAVEL LOT	ROAD	INSIDE BLDG.	EXCAVATION	OTHER	U.S.I.	SURFACE TANKS	PUMPS/LINES	GROUND STAINS	DRUMS	JUNK/REFUSE	CONIFERS	VEGETATION	SOIL	GRAVEL	ASPHALT	CONCRETE		ORGANICS	CLAY	SILT	SAND		GRAVEL	FILL	DRY	DAMP	WET	LIQUID	RESIDUE	DECON PROBE	SOIL	RESIDUE	TIGHT	SUCTION	F.S.S. PROBE	SLIPPACKER PROBE	Post Run Tubing	ROTARY HAMMER	SLIDE HAMMER/DRIVE ROD	HYDRAULIC PROBE	SOIL GAS SAMPLE	WATER SAMPLE	SOIL SAMPLE	OTHER		
HP08W	X																																																	SAMPLES TAKEN FROM SAME LOCATION AS SOIL.
HP09W	X																																																"	
HP07W	X																																																"	
HP06W	X																																																"	
HP01W	X																																																"	
102S																																																	QA/QC END OF DAY BLANK 3-21-95 SUNNY, CLOUD, DISTILLED WATER	
102W																																																	QA/QC END OF DAY BLANK 3-21-95 SUNNY CLOUD, DISTILLED WATER	

ADDITIONAL NOTES:











**APPENDIX C**  
**TEST BORING LOGS**

---

**APPENDIX C.1**  
**SITE 69 ON-SITE**

---

# Baker

Baker Environmental, Inc

# TEST BORING RECORD

PROJECT: RT/ES OU #4 CAMP LETEUNE, NC.  
 S.O. NO.: 62470-212 BORING NO.: 69-5B01  
 COORDINATES: EAST: \_\_\_\_\_ NORTH: \_\_\_\_\_  
 ELEVATION: SURFACE: \_\_\_\_\_ TOP OF PVC CASING: \_\_\_\_\_

RIG: <u>HAND AUGER</u>					DATE	PROGRESS (FT)	WEATHER	WATER DEPTH (FT)	TIN
SPLIT SPOON	CASING	AUGERS	CORE BARREL						
SIZE (DIAM.)					<u>1/7/94</u>	<u>0-1'</u>	<u>-</u>	<u>-</u>	<u>-</u>
LENGTH									
TYPE									
HAMMER WT.									
FALL									
STICK UP									

REMARKS: 7 JANUARY 1994

SAMPLE TYPE						DEFINITIONS				
S = Split Spoon	A = Auger					SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')				
T = Shelby Tube	W = Wash					RQD = Rock Quality Designation (%)				
R = Air Rotary	C = Core					Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)				
D = Denison	P = Piston					Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis				
N = No Sample		HA = <u>HAND AUGER</u>								
Depth (Ft.)	Sample Type and No.	Samp. Rec. Ft. & %	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description			Elev.	
1	HA 00	-	-	-	0.0	0.0-0.2'	TOPSOIL			
2						0.2-0.5'	LIGHT GREY SILTY f SAND, MOIST, LOOSE			
3						0.5-1.0'	LIGHT BROWN SILTY f SAND, MOIST, LOOSE			
4										
5										
6										
7										
8										
9										
10										

Match to Sheet 2

DRILLING CO.: N/A  
 DRILLER: N/A

BAKER REP.: E.J. KLEINKAUF / W.M. PELKEY  
 BORING NO.: 69-5B01 SHEET 1 OF 1

# Baker

Baker Environmental, Inc

# TEST BORING RECORD

PROJECT: RI/FS OU# 4 CAMP LEJEUNE, NC  
 S.O. NO.: 62470-212 BORING NO.: 69-SB02  
 COORDINATES: EAST: \_\_\_\_\_ NORTH: \_\_\_\_\_  
 ELEVATION: SURFACE: \_\_\_\_\_ TOP OF PVC CASING: \_\_\_\_\_

RIG: <u>HAND AUGER</u>					DATE	PROGRESS (FT)	WEATHER	WATER DEPTH (FT)	TIN
SPLIT SPOON	CASING	AUGERS	CORE BARREL						
SIZE (DIAM.)					<u>1/7/94</u>	<u>0-1'</u>	<u>—</u>	<u>—</u>	<u>—</u>
LENGTH									
TYPE									
HAMMER WT.									
FALL									
STICK UP									

REMARKS: 7 JANUARY 1994

<p><b>SAMPLE TYPE</b></p> <p>S = Split Spoon    A = Auger          T = Shelby Tube    W = Wash          R = Air Rotary    C = Core          D = Denison    P = Piston          N = No Sample    HA = <u>HAND AUGER</u></p>	<p><b>DEFINITIONS</b></p> <p>SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')          RQD = Rock Quality Designation (%)          Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)          Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis</p>
--	--

Depth (Ft.)	Sample Type and No.	Samp. Rec. Ft. & %	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Eleva'
1	HA 00	—	—	—	0.0	0.0-0.2' TOPSOIL, DECOMPOSED ORGANIC MATTER	
2						0.2-1.0' LIGHT BROWN SILTY f SAND MOIST, LOOSE	
3							
4							
5							
6							
7							
8							
9							
10							

Match to Sheet 2

DRILLING CO.: N/A      BAKER REP.: E.J. KLEINKAUF / W.M. PELKEY  
 DRILLER: N/A      BORING NO.: 69-SB02      SHEET 1 OF 1



# Baker

Baker Environmental, Inc

# TEST BORING RECORD

PROJECT: RI/FS QU #4 CAMP LEJEUNE, NC  
 S.O. NO.: 62470-212 BORING NO.: 69-5803  
 COORDINATES: EAST: \_\_\_\_\_ NORTH: \_\_\_\_\_  
 ELEVATION: SURFACE: \_\_\_\_\_ TOP OF PVC CASING: \_\_\_\_\_

RIG: <u>HAND AUGER</u>					DATE	PROGRESS (FT)	WEATHER	WATER DEPTH (FT)	TIN
SPLIT SPOON	CASING	AUGERS	CORE BARREL						
SIZE (DIAM.)					<u>1/7/94</u>	<u>0-1'</u>	<u>—</u>	<u>—</u>	<u>—</u>
LENGTH									
TYPE									
HAMMER WT.									
FALL									
STICK UP									

REMARKS: 7 JANUARY 1994

<b>SAMPLE TYPE</b> S = Split Spoon    A = Auger T = Shelby Tube    W = Wash R = Air Rotary      C = Core D = Denison        P = Piston N = No Sample    HA = <u>HAND AUGER</u>	<b>DEFINITIONS</b> SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5') RQD = Rock Quality Designation (%) Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282) Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis
---	---

Depth (Ft.)	Sample Type and No.	Samp. Rec. Ft. & %	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Eleva
1	HA 00	—	—	—	0.0	0.0-0.3' MEDIUM BROWN SILTY F SAND, MOIST, SLIGHTLY LOOSE, ORGANIC	
2						0.3-1.0' LIGHT BROWN / LIGHT YELLOWISH BROWN SILTY F SAND, MOIST, LOOSE	
3							
4							
5							
6							
7							
8							
9							
10							

Match to Sheet 2

DRILLING CO.: N/A      BAKER REP.: E.J. KLEINKAUF/W.M. PELKEY  
 DRILLER: N/A      BORING NO.: 69-5803      SHEET 1 OF 1

# Baker

Baker Environmental, Inc

# TEST BORING RECORD

PROJECT: RI/FS OU#4 CAMP LEJEUNE, NC  
 S.O. NO.: 62470-212 BORING NO.: 69-SB04  
 COORDINATES: EAST: \_\_\_\_\_ NORTH: \_\_\_\_\_  
 ELEVATION: SURFACE: \_\_\_\_\_ TOP OF PVC CASING: \_\_\_\_\_

RIG: HAND AUGER					DATE	PROGRESS (FT)	WEATHER	WATER DEPTH (FT)	TIM
SIZE (DIAM.)	SPLIT SPOON	CASING	AUGERS	CORE BARREL					
LENGTH					1/7/94	0-1.5'	—	—	—
TYPE									
HAMMER WT.									
FALL									
STICK UP									

REMARKS: 7 JANUARY 1994


<p><b>SAMPLETYPE</b></p> <p>S = Split Spoon    A = Auger          T = Shelby Tube    W = Wash          R = Air Rotary    C = Core          D = Denison    P = Piston          N = No Sample    HA = <sup>HAND</sup> AUGER</p>	<p><b>DEFINITIONS</b></p> <p>SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')          RQD = Rock Quality Designation (%)          Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)          Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis</p>
---	--

Depth (Ft.)	Sample Type and No.	Samp. Rec. Ft. & %	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Eleva
1	HA 00	—	—	—	0.0	MEDIUM BROWN SILTY f SAND, MOIST, LOOSE (FILL)	
2						* LOCATED ON TOP OF 24" MOUND, R 3-4' IN Ø.	
3							
4							
5							
6							
7							
8							
9							
10							

Match to Sheet 2

DRILLING CO.: N/A  
 DRILLER: N/A

BAKER REP.: E.J. KLEINKAUF/W.M. PELKEY  
 BORING NO.: 69-SB04 SHEET 1 OF 1



# TEST BORING RECORD

PROJECT: RI/ES OU #4 CAMP LEJEUNE, NC  
 S.O. NO.: 62470-212 BORING NO.: 69-SB05  
 COORDINATES: EAST: \_\_\_\_\_ NORTH: \_\_\_\_\_  
 ELEVATION: SURFACE: \_\_\_\_\_ TOP OF PVC CASING: \_\_\_\_\_

RIG: <u>HAND AUGER</u>					DATE	PROGRESS (FT)	WEATHER	WATER DEPTH (FT)	TIN
SPLIT SPOON	CASING	AUGERS	CORE BARREL						
SIZE (DIAM.)					<u>1/7/94</u>	<u>0-1'</u>	<u>—</u>	<u>—</u>	<u>—</u>
LENGTH									
TYPE									
HAMMER WT.									
FALL									
STICK UP									

REMARKS: 7 JANUARY 1994

<p><b>SAMPLE TYPE</b></p> <p>S = Split Spoon    A = Auger          T = Shelby Tube    W = Wash          R = Air Rotary    C = Core          D = Denison    P = Piston          N = No Sample    HA = <sup>HAND</sup> AUGER</p>	<p><b>DEFINITIONS</b></p> <p>SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')          RQD = Rock Quality Designation (%)          Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)          Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis</p>
--	--

Depth (Ft.)	Sample Type and No.	Samp. Rec. Ft. & %	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Eleva
1	HA 00	—	—	—	0.0	LIGHT BROWN SILTY f SAND, MOIST LOOSE. SLIGHT LIGHT YELLOWISH BROWN COLOR.	
2							
3							
4							
5							
6							
7							
8							
9							
10							

Match to Sheet 2

DRILLING CO.: N/A  
 DRILLER: N/A

BAKER REP.: E.J. KLEINKAUF / W.M. PELKEY  
 BORING NO.: 69-SB05 SHEET 1 OF 1

# Baker

Baker Environmental, Inc

# TEST BORING RECORD

PROJECT: RI/FS OU#4 CAMP LEJEUNE, NC  
 S.O. NO.: 62470-212 BORING NO.: 69-SB06  
 COORDINATES: EAST: \_\_\_\_\_ NORTH: \_\_\_\_\_  
 ELEVATION: SURFACE: \_\_\_\_\_ TOP OF PVC CASING: \_\_\_\_\_

RIG: <u>HAND AUGER</u>					DATE	PROGRESS (FT)	WEATHER	WATER DEPTH (FT)	TIM
SPLIT SPOON	CASING	AUGERS	CORE BARREL						
SIZE (DIAM.)					<u>1/7/94</u>	<u>0-1'</u>	<u>—</u>	<u>—</u>	<u>—</u>
LENGTH									
TYPE									
HAMMER WT.									
FALL									
STICK UP									

REMARKS: 7 JANUARY 1994

**SAMPLE TYPE**  
 S = Split Spoon    A = Auger  
 T = Shelby Tube    W = Wash  
 R = Air Rotary    C = Core  
 D = Denison    P = Piston  
 N = No Sample    HA = HAND AUGER

**DEFINITIONS**  
 SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')  
 RQD = Rock Quality Designation (%)  
 Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)  
 Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis

Depth (Ft.)	Sample Type and No.	Samp. Rec. Ft. & %	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Eleva
1	HA 0.0	—	—	—	0.0 Bq 0.4 PS	0.0-0.3' MEDIUM BROWN SILTY & SAND MOIST, SLIGHTLY LOOSE, ORGANIC	
2						0.3-1.0' LIGHT YELLOWISH BROWN SILTY & SAND, MOIST, LOOSE	
3							
4							
5							
6							
7							
8							
9							
10							

Match to Sheet 2

DRILLING CO.: N/A  
 DRILLER: N/A

BAKER REP.: E.J. KLEINKAUF / W.M. PELKEY  
 BORING NO.: 69-SB06 SHEET 1 OF



# TEST BORING RECORD

PROJECT: RI/ES OU #4 CAMP LEJEUNE, NC  
 S.O. NO.: 62470-212 BORING NO.: 69-SB 07  
 COORDINATES: EAST: \_\_\_\_\_ NORTH: \_\_\_\_\_  
 ELEVATION: SURFACE: \_\_\_\_\_ TOP OF PVC CASING: \_\_\_\_\_

RIG: <u>HAND AUGER</u>									
	SPLIT SPOON	CASING	AUGERS	CORE BARREL	DATE	PROGRESS (FT)	WEATHER	WATER DEPTH (FT)	TIM
SIZE (DIAM.)					<u>1/7/94</u>	<u>0-1'</u>	<u>—</u>	<u>—</u>	<u>—</u>
LENGTH									
TYPE									
HAMMER WT.									
FALL									
STICK UP									

REMARKS: 7 JANUARY 1994

<p><b>SAMPLE TYPE</b></p> <p>S = Split Spoon    A = Auger          T = Shelby Tube    W = Wash          R = Air Rotary    C = Core          D = Denison    P = Piston          N = No Sample    HA = <u>HAND AUGER</u></p>	<p><b>DEFINITIONS</b></p> <p>SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')          RQD = Rock Quality Designation (%)          Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)          Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis</p>
--	--

Depth (Ft.)	Sample Type and No.	Samp. Rec. Ft. & %	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Eleva
1	HA 0.0	—	—	—	0.0	0.0 - 0.5' MEDIUM BROWN SILTY f SAND, MOIST, SLIGHTLY LOOSE, ORGANIC	
2						0.5 - 1.0' LIGHT BROWN / LIGHT YELLOWISH BROWN SILTY f SAND, MOIST, LOOSE	
3							
4							
5							
6							
7							
8							
9							
10							

Match to Sheet 2

DRILLING CO.: N/A  
 DRILLER: N/A

BAKER REP.: E.J. KLEINKAUF / W.M. PELKEY  
 BORING NO.: 69-SB 07 SHEET 1 OF \_\_\_\_\_

# Baker

Baker Environmental, Inc

# TEST BORING RECORD

PROJECT: RI/FS OU #4 CAMP LEJEUNE, NC  
 S.O. NO.: 62470-212 BORING NO.: 69-SB 08  
 COORDINATES: EAST: \_\_\_\_\_ NORTH: \_\_\_\_\_  
 ELEVATION: SURFACE: \_\_\_\_\_ TOP OF PVC CASING: \_\_\_\_\_

RIG: <u>HAND AUGER</u>					DATE	PROGRESS (FT)	WEATHER	WATER DEPTH (FT)	TIME
SPLIT SPOON	CASING	AUGERS	CORE BARREL						
SIZE (DIAM.)					<u>1/7/94</u>	<u>0-1'</u>	<u>—</u>	<u>—</u>	<u>—</u>
LENGTH									
TYPE									
HAMMER WT.									
FALL									
STICK UP									

REMARKS: 7 JANUARY 1994

**SAMPLE TYPE**  
 S = Split Spoon    A = Auger  
 T = Shelby Tube    W = Wash  
 R = Air Rotary    C = Core  
 D = Denison        P = Piston  
 N = No Sample    HA = HAND AUGER

**DEFINITIONS**  
 SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')  
 RQD = Rock Quality Designation (%)  
 Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)  
 Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis

Depth (Ft.)	Sample Type and No.	Samp. Rec. Ft. & %	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Eleva
1	<u>HA 00</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>0.0</u>	<u>0.0-0.5' LIGHT BROWN SILTY &amp; SAND MOIST, LOOSE</u>	
2						<u>0.5-1.0' LIGHT GREY AND BLACK SILTY &amp; SAND, MOIST, LOOSE</u>	
3							
4							
5							
6							
7							
8							
9							
10							

Match to Sheet 2

DRILLING CO.: N/A  
 DRILLER: N/A

BAKER REP.: E.J. KLEINKAUF / W.M. PELKEY  
 BORING NO.: 69-SB 08 SHEET 1 OF \_\_\_\_\_



# TEST BORING RECORD

PROJECT: RI/FS DV # 4 CAMP LEJEUNE, NC  
 S.O. NO.: 62470-212 BORING NO.: 69-SB 09  
 COORDINATES: EAST: \_\_\_\_\_ NORTH: \_\_\_\_\_  
 ELEVATION: SURFACE: \_\_\_\_\_ TOP OF PVC CASING: \_\_\_\_\_

RIG: HAND AUGER									
	SPLIT SPOON	CASING	AUGERS	CORE BARREL	DATE	PROGRESS (FT)	WEATHER	WATER DEPTH (FT)	TIN
SIZE (DIAM.)					1/7/94	0-1'	—	—	—
LENGTH									
TYPE									
HAMMER WT.									
FALL									
STICK UP									

REMARKS: 7 JANUARY 1994

<p><b>SAMPLE TYPE</b></p> <p>S = Split Spoon    A = Auger          T = Shelby Tube    W = Wash          R = Air Rotary    C = Core          D = Denison    P = Piston          N = No Sample    HA = <u>HAND AUGER</u></p>	<p><b>DEFINITIONS</b></p> <p>SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')          RQD = Rock Quality Designation (%)          Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)          Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis</p>
--	--

Depth (Ft.)	Sample Type and No.	Samp. Rec. Ft. & %	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevat
1	HA 00	—	—	—	0.0	0.0-0.3' MEDIUM BROWN SILTY f SAND MOIST, SLIGHTLY LOOSE, ORGANIC	
2						0.3-0.6' REDDISH BROWN SILTY f SAND MOIST, LOOSE	
3						0.6-1.0' LIGHT BROWN/LIGHT YELLOWISH BROWN SILTY f SAND, MOIST, LOOSE	
4							
5							
6							
7							
8							
9							
10							

Match to Sheet 2

DRILLING CO.: N/A      BAKER REP.: E.J. KLEINKAUF / W.M. PELKEY  
 DRILLER: N/A      BORING NO.: 69-SB 09      SHEET 1 OF

# Baker

Baker Environmental, Inc

# TEST BORING RECORD

PROJECT: RI/ES OU # 4 CAMP LEJEUNE, NC  
S.O. NO.: 62470-212 BORING NO.: 69-SB 10  
COORDINATES: EAST: \_\_\_\_\_ NORTH: \_\_\_\_\_  
ELEVATION: SURFACE: \_\_\_\_\_ TOP OF PVC CASING: \_\_\_\_\_

RIG: <u>HAND AUGER</u>									
	SPLIT SPOON	CASING	AUGERS	CORE BARREL	DATE	PROGRESS (FT)	WEATHER	WATER DEPTH (FT)	TIM
SIZE (DIAM.)					<u>1/7/94</u>	<u>0-1'</u>	<u>-</u>	<u>-</u>	<u>-</u>
LENGTH									
TYPE									
HAMMER WT.									
FALL									
STICK UP									

REMARKS: 7 JANUARY 1994

<b>SAMPLE TYPE</b> S = Split Spoon    A = Auger T = Shelby Tube    W = Wash R = Air Rotary      C = Core D = Denison        P = Piston N = No Sample    HA = <u>HAND AUGER</u>	<b>DEFINITIONS</b> SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5') RQD = Rock Quality Designation (%) Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282) Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis
---	---

Depth (Ft.)	Sample Type and No.	Samp. Rec. Ft. & %	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Eleva'
1	HA 00	-	-	-	0.0	LIGHT BROWN SILTY f SAND, MOIST LOOSE	
2							
3							
4							
5							
6							
7							
8							
9							
10							

Match to Sheet 2

DRILLING CO.: \_\_\_\_\_ N/A  
DRILLER: \_\_\_\_\_ N/A

BAKER REP.: E.J. KLEINKAUF/W.M. PELKEY  
BORING NO.: 69-SB 10 SHEET 1 OF \_\_\_\_\_



# Baker

Baker Environmental, Inc.

# TEST BORING RECORD

PROJECT: RI/FS OU#4 CAMP LEJEUNE, NC  
 S.O. NO.: 62470-212 BORING NO.: 69-SB 11  
 COORDINATES: EAST: \_\_\_\_\_ NORTH: \_\_\_\_\_  
 ELEVATION: SURFACE: \_\_\_\_\_ TOP OF PVC CASING: \_\_\_\_\_

RIG: <u>HAND AUGER</u>									
	SPLIT SPOON	CASING	AUGERS	CORE BARREL	DATE	PROGRESS (FT)	WEATHER	WATER DEPTH (FT)	TIME
SIZE (DIAM.)					<u>1/8/94</u>	<u>0-1'</u>	<u>—</u>	<u>—</u>	<u>—</u>
LENGTH									
TYPE									
HAMMER WT.									
FALL									
STICK UP									

REMARKS: 8 JANUARY 1994

**SAMPLE TYPE**  
 S = Split Spoon    A = Auger  
 T = Shelby Tube    W = Wash  
 R = Air Rotary    C = Core  
 D = Denison    P = Piston  
 N = No Sample    HA = HAND AUGER

**DEFINITIONS**  
 SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')  
 RQD = Rock Quality Designation (%)  
 Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)  
 Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis

Depth (Ft.)	Sample Type and No.	Samp. Rec. Ft. & %	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Eleva
1	HA 00	—	—	—	0.0	0.0-0.8' LIGHT BROWN / LIGHT BROWN SILTY f SAND, MOIST, LOOSE	
2						0.8-1.0' BLACK SILTY f SAND MOIST, LOOSE	
3							
4							
5							
6							
7							
8							
9							
10							

Match to Sheet 2

DRILLING CO.: \_\_\_\_\_ N/A  
 DRILLER: \_\_\_\_\_ N/A

BAKER REP.: E.J. KLEINKAUF / W.M. PELKEY  
 BORING NO.: 69-SB 11 SHEET 1 OF 1

# Baker

Baker Environmental, Inc

# TEST BORING RECORD

PROJECT: RI/FS OV # 4 CAMP LEJEUNE, NC  
S.O. NO.: 62470-212 BORING NO.: 69-SB 12  
COORDINATES: EAST: \_\_\_\_\_ NORTH: \_\_\_\_\_  
ELEVATION: SURFACE: \_\_\_\_\_ TOP OF PVC CASING: \_\_\_\_\_

RIG: <u>HAND AUGER</u>									
	SPLIT SPOON	CASING	AUGERS	CORE BARREL	DATE	PROGRESS (FT)	WEATHER	WATER DEPTH (FT)	TIME
SIZE (DIAM.)					<u>1/7/94</u>	<u>0-1'</u>	<u>—</u>	<u>—</u>	<u>—</u>
LENGTH									
TYPE									
HAMMER WT.									
FALL									
STICK UP									

REMARKS: 7 JANUARY 1994

<b>SAMPLE TYPE</b> S = Split Spoon    A = Auger T = Shelby Tube    W = Wash R = Air Rotary      C = Core D = Denison        P = Piston N = No Sample    HA = <u>HAND AUGER</u>	<b>DEFINITIONS</b> SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5') RQD = Rock Quality Designation (%) Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282) Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis
---	---

Depth (Ft.)	Sample Type and No.	Samp. Rec. Ft. & %	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Eleva'
1	HA 00	—	—	—	0.0	0.0 - 0.5' LIGHT BROWN SILTY f SAND MOIST, LOOSE	
2						0.5 - 1.0' LIGHT YELLOWISH BROWN TO LIGHT ORANGISH BROWN SILTY f SAND, MOIST, LOOSE.	
3							
4							
5							
6							
7							
8							
9							
10							

Match to Sheet 2

DRILLING CO.: N/A  
DRILLER: N/A

BAKER REP.: E.J. KLEINKAUF / W.M. PELKEY  
BORING NO.: 69-SB 12 SHEET 1 OF

# Baker

Baker Environmental, Inc

# TEST BORING RECORD

PROJECT: RI/FS OU # 4 CAMP LEJEUNE, NC  
 S.O. NO.: 62470-212 BORING NO.: 69-SB13  
 COORDINATES: EAST: \_\_\_\_\_ NORTH: \_\_\_\_\_  
 ELEVATION: SURFACE: \_\_\_\_\_ TOP OF PVC CASING: \_\_\_\_\_

RIG: <u>HAND AUGER</u>					DATE	PROGRESS (FT)	WEATHER	WATER DEPTH (FT)	TIN
SPLIT SPOON	CASING	AUGERS	CORE BARREL						
SIZE (DIAM.)					<u>1/7/94</u>	<u>0-1'</u>	<u>—</u>	<u>—</u>	<u>—</u>
LENGTH									
TYPE									
HAMMER WT.									
FALL									
STICK UP									

REMARKS: 7 JANUARY 1994

**SAMPLE TYPE**  
 S = Split Spoon    A = Auger  
 T = Shelby Tube    W = Wash  
 R = Air Rotary    C = Core  
 D = Denison        P = Piston  
 N = No Sample    HA = <sup>HAND</sup> AUGER

**DEFINITIONS**  
 SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')  
 RQD = Rock Quality Designation (%)  
 Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)  
 Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis

Depth (Ft.)	Sample Type and No.	Samp. Rec. Ft. & %	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Eleva
1	HA OP	—	—	—	0.2 Bq 0.4 PS	LIGHT BROWN/LIGHT YELLOWISH BROWN SILTY & SAND, MOIST, LOOSE	
2							
3							
4							
5							
6							
7							
8							
9							
10							

Match to Sheet 2

DRILLING CO.: N/A  
 DRILLER: N/A

BAKER REP.: E.J. KLEINKAUF / W.M. PELKEY  
 BORING NO.: 69-SB13 SHEET 1 OF 1

# Baker

Baker Environmental, Inc

# TEST BORING RECORD

PROJECT: RI/FS OU #4 CAMP LEJEUNE, NC  
S.O. NO.: 62470-212 BORING NO.: 69-SB 14  
COORDINATES: EAST: \_\_\_\_\_ NORTH: \_\_\_\_\_  
ELEVATION: SURFACE: \_\_\_\_\_ TOP OF PVC CASING: \_\_\_\_\_

RIG: <u>HAND AUGER</u>									
	SPLIT SPOON	CASING	AUGERS	CORE BARREL	DATE	PROGRESS (FT)	WEATHER	WATER DEPTH (FT)	TIME
SIZE (DIAM.)					<u>1/8/94</u>	<u>0-1'</u>	<u>—</u>	<u>—</u>	<u>—</u>
LENGTH									
TYPE									
HAMMER WT.									
FALL									
STICK UP									

REMARKS: 8 JANUARY 1994

**SAMPLE TYPE**  
S = Split Spoon    A = Auger  
T = Shelby Tube    W = Wash  
R = Air Rotary     C = Core  
D = Denison        P = Piston  
N = No Sample     HA = HAND AUGER

**DEFINITIONS**  
SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')  
RQD = Rock Quality Designation (%)  
Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)  
Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis

Depth (Ft.)	Sample Type and No.	Samp. Rec. Ft. & %	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Eleva
1	HA 00	—	—	—	0.0	0.0-0.2' LIGHT GREY SILTY f SAND MOIST, LOOSE, SLIGHTLY ORGANIC	
2						0.2-1.0' LIGHT BROWN SILTY f SAND, MOIST, LOOSE.	
3							
4							
5							
6							
7							
8							
9							
10							

Match to Sheet 2

DRILLING CO.: \_\_\_\_\_  
DRILLER: \_\_\_\_\_

BAKER REP.: E.J. KLEINKAUF / W.M. PELKEY  
BORING NO.: 69-SB 14 SHEET 1 OF \_\_\_\_\_



# TEST BORING RECORD

PROJECT: RI/FS 00<sup>th</sup> 4 CAMPLETEWWE, NC  
 S.O. NO.: 62470-212 BORING NO.: 69-SB 15  
 COORDINATES: EAST: \_\_\_\_\_ NORTH: \_\_\_\_\_  
 ELEVATION: SURFACE: \_\_\_\_\_ TOP OF PVC CASING: \_\_\_\_\_

RIG: <u>HAND AUGER</u>					DATE	PROGRESS (FT)	WEATHER	WATER DEPTH (FT)	TIME
	SPLIT SPOON	CASING	AUGERS	CORE BARREL					
SIZE (DIAM.)					<u>1/8/94</u>	<u>0-1'</u>	<u>—</u>	<u>—</u>	<u>—</u>
LENGTH									
TYPE									
HAMMER WT.									
FALL									
STICK UP									

REMARKS: 8 JANUARY 1994

<p><b>SAMPLE TYPE</b></p> <p>S = Split Spoon    A = Auger        T = Shelby Tube    W = Wash        R = Air Rotary    C = Core        D = Denison    P = Piston        N = No Sample    HA = <u>HAND AUGER</u></p>	<p><b>DEFINITIONS</b></p> <p>SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')        RQD = Rock Quality Designation (%)        Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)        Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis</p>
--	--

Depth (Ft.)	Sample Type and No.	Samp. Rec. Ft. & %	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Eleva
1	HA-00	—	—	—	0.0	LIGHT GREY / MEDIUM GREY SILTY f SAND, MOIST, LOOSE, SLIGHTLY ORGANIC	
2							
3							
4							
5							
6							
7							
8							
9							
10							

Match to Sheet 2

DRILLING CO.: N/A  
 DRILLER: N/A

BAKER REP.: E.J. KLEINKAUF / W.M. PELKEY  
 BORING NO.: 69-SB 15 SHEET 1 OF 1

# Baker

Baker Environmental, Inc

# TEST BORING RECORD

PROJECT: RI/FS OU#4 CAMP LEJEUNE, NC  
S.O. NO.: 62470-212 BORING NO.: 69-SB16  
COORDINATES: EAST: \_\_\_\_\_ NORTH: \_\_\_\_\_  
ELEVATION: SURFACE: \_\_\_\_\_ TOP OF PVC CASING: \_\_\_\_\_

RIG: <u>HAND AUGER</u>					DATE	PROGRESS (FT)	WEATHER	WATER DEPTH (FT)	TIME
SPLIT SPOON	CASING	AUGERS	CORE BARREL						
SIZE (DIAM.)					<u>1/8/94</u>	<u>0-1'</u>	<u>—</u>	<u>—</u>	<u>—</u>
LENGTH									
TYPE									
HAMMER WT.									
FALL									
STICK UP									

REMARKS: 8 JANUARY 1994

<b>SAMPLE TYPE</b> S = Split Spoon    A = Auger T = Shelby Tube    W = Wash R = Air Rotary      C = Core D = Denison        P = Piston N = No Sample    HA = <u>HAND AUGER</u>	<b>DEFINITIONS</b> SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5') RQD = Rock Quality Designation (%) Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282) Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis
---	---

Depth (Ft.)	Sample Type and No.	Samp. Rec. Ft. & %	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Eleva
1	HA 00	—	—	—	0.0	0.0-0.3' LIGHT/MEDIUM GREY SILTY f SAND, MOIST, LOOSE. SLIGHTLY ORGANIC	
2						0.3-1.0' LIGHT BROWN SILTY f SAND MOIST, LOOSE	
3							
4							
5							
6							
7							
8							
9							
10							

Match to Sheet 2

DRILLING CO.: \_\_\_\_\_ N/A  
DRILLER: \_\_\_\_\_ N/A

BAKER REP.: E.J. KLEINKAUF / W.M. PELKEY  
BORING NO.: 69-SB16 SHEET 1 OF \_\_\_\_\_

# Baker

Baker Environmental, Inc

# TEST BORING RECORD

PROJECT: RI/FS OV#4 CAMP LETEUNE, NC  
 S.O. NO.: 62740-212 BORING NO.: 69-SB 17  
 COORDINATES: EAST: \_\_\_\_\_ NORTH: \_\_\_\_\_  
 ELEVATION: SURFACE: \_\_\_\_\_ TOP OF PVC CASING: \_\_\_\_\_

RIG: <u>HAND AUGER</u>									
	SPLIT SPOON	CASING	AUGERS	CORE BARREL	DATE	PROGRESS (FT)	WEATHER	WATER DEPTH (FT)	TIN
SIZE (DIAM.)					<u>1/8/94</u>	<u>0-1'</u>	<u>—</u>	<u>—</u>	<u>—</u>
LENGTH									
TYPE									
HAMMER WT.									
FALL									
STICK UP									

REMARKS: 8 JANUARY 1994

<p><b>SAMPLE TYPE</b></p> <p>S = Split Spoon    A = Auger        T = Shelby Tube    W = Wash        R = Air Rotary    C = Core        D = Denison    P = Piston        N = No Sample    HA = <u>HAND AUGER</u></p>	<p><b>DEFINITIONS</b></p> <p>SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')        RQD = Rock Quality Designation (%)        Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)        Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis</p>
--	--

Depth (Ft.)	Sample Type and No.	Samp. Rec. Ft. & %	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Eleva
1	<u>HA 00</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>0.0</u>	<u>MEDIUM GREY SILTY f SAND, MOIST, LOOSE</u>	
2							
3							
4							
5							
6							
7							
8							
9							
10							

Match to Sheet 2

DRILLING CO.: N/A  
 DRILLER: N/A

BAKER REP.: E.J. KLEINKAUF / W.M. PELKEY  
 BORING NO.: 69-SB 17 SHEET 1 OF

# Baker

Baker Environmental, Inc

# TEST BORING RECORD

PROJECT: RI/FS OU#4 CAMP LEJEUNE, NC  
 S.O. NO.: 62470-212 BORING NO.: 69-SB18  
 COORDINATES: EAST: \_\_\_\_\_ NORTH: \_\_\_\_\_  
 ELEVATION: SURFACE: \_\_\_\_\_ TOP OF PVC CASING: \_\_\_\_\_

RIG: <u>HAND AUGER</u>					DATE	PROGRESS (FT)	WEATHER	WATER DEPTH (FT)	TIN
SPLIT SPOON	CASING	AUGERS	CORE BARREL						
SIZE (DIAM.)					<u>1/6/94</u>	<u>0-1'</u>	<u>—</u>	<u>—</u>	<u>—</u>
LENGTH									
TYPE									
HAMMER WT.									
FALL									
STICK UP									

REMARKS: 6 JANUARY 1994

**SAMPLE TYPE**  
 S = Split Spoon    A = Auger  
 T = Shelby Tube    W = Wash  
 R = Air Rotary    C = Core  
 D = Denison        P = Piston  
 N = No Sample    HA = HAND AUGER

**DEFINITIONS**  
 SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')  
 RQD = Rock Quality Designation (%)  
 Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)  
 Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis

Depth (Ft.)	Sample Type and No.	Samp. Rec. Ft. & %	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Eleva
1	HA 0.0	—	—	—	0.0	0.0-0.6' MEDIUM BROWN SILTY f SAND, MOIST, LOOSE 0.6-1.0' LT. YELLOW BROWN SILTY f SAND, MOIST, LOOSE.	
2							
3							
4							
5							
6							
7							
8							
9							
10							

Match to Sheet 2

DRILLING CO.: N/A  
 DRILLER: N/A

BAKER REP.: E.J. KLEINKAUF / W.M. PELKEY  
 BORING NO.: 69-SB18 SHEET 1 OF 1



# Baker

Baker Environmental, Inc

# TEST BORING RECORD

PROJECT: RI/FS OU#4 CAMP LEJEUNE, NC  
 S.O. NO.: 62470-212 BORING NO.: 69-SB19  
 COORDINATES: EAST: \_\_\_\_\_ NORTH: \_\_\_\_\_  
 ELEVATION: SURFACE: \_\_\_\_\_ TOP OF PVC CASING: \_\_\_\_\_

RIG: <u>HAND AUGER</u>					DATE	PROGRESS (FT)	WEATHER	WATER DEPTH (FT)	TIM
	SPLIT SPOON	CASING	AUGERS	CORE BARREL					
SIZE (DIAM.)					<u>1/6/94</u>	<u>0-1'</u>	<u>—</u>	<u>—</u>	<u>—</u>
LENGTH									
TYPE									
HAMMER WT.									
FALL									
STICK UP									

REMARKS: 6 JANUARY 1994

**SAMPLE TYPE**  
 S = Split Spoon    A = Auger  
 T = Shelby Tube    W = Wash  
 R = Air Rotary    C = Core  
 D = Denison    P = Piston  
 N = No Sample    HA = HAND AUGER

**DEFINITIONS**  
 SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')  
 RQD = Rock Quality Designation (%)  
 Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)  
 Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis

Depth (Ft.)	Sample Type and No.	Samp. Rec. Ft. & %	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Eleva
1	<u>HA 00</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>0.0</u>	<u>DARK BROWN SILTY f SAND, SATURATED, LOOSE.</u>	
2							
3							
4							
5							
6							
7							
8							
9							
10							

Match to Sheet 2

DRILLING CO.: N/A  
 DRILLER: N/A

BAKER REP.: E.J. KLEINKAUF / W.M. PELKEY  
 BORING NO.: 69-SB19 SHEET 1 OF



# TEST BORING RECORD

PROJECT: RI/FS OU #4 CAMP LEJEUNE, NC  
 S.O. NO.: 62470-212 BORING NO.: 69-SB 20  
 COORDINATES: EAST: \_\_\_\_\_ NORTH: \_\_\_\_\_  
 ELEVATION: SURFACE: \_\_\_\_\_ TOP OF PVC CASING: \_\_\_\_\_

RIG: <u>HAND AUGER</u>					DATE	PROGRESS (FT)	WEATHER	WATER DEPTH (FT)	TIM
SPLIT SPOON	CASING	AUGERS	CORE BARREL						
SIZE (DIAM.)					<u>1/6/94</u>	<u>0-1'</u>	<u>—</u>	<u>—</u>	<u>—</u>
LENGTH									
TYPE									
HAMMER WT.									
FALL									
STICK UP									

REMARKS: 6 JANUARY 1994

<p><b>SAMPLE TYPE</b></p> <p>S = Split Spoon    A = Auger          T = Shelby Tube    W = Wash          R = Air Rotary    C = Core          D = Denison    P = Piston          N = No Sample    HA = <u>HAND AUGER</u></p>	<p><b>DEFINITIONS</b></p> <p>SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')          RQD = Rock Quality Designation (%)          Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)          Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis</p>
--	--

Depth (Ft.)	Sample Type and No.	Samp. Rec. Ft. & %	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Eleva
1	HA 010	—	—	—	0.4 0.6 0.5 PS	DARK BROWN SILTY F SAND, MOIST LOOSE.	
2							
3							
4							
5							
6							
7							
8							
9							
10							

Match to Sheet 2

# Baker

Baker Environmental, Inc

# TEST BORING RECORD

PROJECT: RI/FS OU#4 CAMP LEJEUNE, NC  
 S.O. NO.: 62470-212 BORING NO.: 69-SB21  
 COORDINATES: EAST: \_\_\_\_\_ NORTH: \_\_\_\_\_  
 ELEVATION: SURFACE: \_\_\_\_\_ TOP OF PVC CASING: \_\_\_\_\_

RIG: <u>HAND AUGER</u>					DATE	PROGRESS (FT)	WEATHER	WATER DEPTH (FT)	TIN
	SPLIT SPOON	CASING	AUGERS	CORE BARREL					
SIZE (DIAM.)					<u>1/6/94</u>	<u>0-1'</u>	<u>—</u>	<u>—</u>	<u>—</u>
LENGTH									
TYPE									
HAMMER WT.									
FALL									
STICK UP									

REMARKS: 6 JANUARY 1994

<p><b>SAMPLE TYPE</b></p> <p>S = Split Spoon    A = Auger          T = Shelby Tube    W = Wash          R = Air Rotary    C = Core          D = Denison    P = Piston          N = No Sample    H = <u>HAND AUGER</u></p>	<p><b>DEFINITIONS</b></p> <p>SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')          RQD = Rock Quality Designation (%)          Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)          Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis</p>
---	--

Depth (Ft.)	Sample Type and No.	Samp. Rec. Ft. & %	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Eleva
1	HA 0.0	—	—	—	0.0	DARK BROWN SILTY f SAND, MOIST, LOOSE	
2							
3							
4							
5							
6							
7							
8							
9							
10							

Match to Sheet 2

DRILLING CO.: N/A  
 DRILLER: N/A

BAKER REP.: E.J. KLEINKAUF / W.M. PELKEY  
 BORING NO.: 69-SB21 SHEET 1 OF 1

# Baker

Baker Environmental, Inc

# TEST BORING RECORD

PROJECT: RI/FS OU#4 CAMP LEJEUNE, NC  
 S.O. NO.: 62470-212 BORING NO.: 69-SB 22  
 COORDINATES: EAST: \_\_\_\_\_ NORTH: \_\_\_\_\_  
 ELEVATION: SURFACE: \_\_\_\_\_ TOP OF PVC CASING: \_\_\_\_\_

RIG: <u>HAND AUGER</u>									
	SPLIT SPOON	CASING	AUGERS	CORE BARREL	DATE	PROGRESS (FT)	WEATHER	WATER DEPTH (FT)	TIN
SIZE (DIAM.)					<u>1/6/94</u>	<u>0-1'</u>	<u>—</u>	<u>—</u>	<u>—</u>
LENGTH									
TYPE									
HAMMER WT.									
FALL									
STICK UP									

REMARKS: 6 JANUARY 1994

**SAMPLE TYPE**  
 S = Split Spoon    A = Auger  
 T = Shelby Tube    W = Wash  
 R = Air Rotary    C = Core  
 D = Denison    P = Piston  
 N = No Sample    HA = HAND AUGER

**DEFINITIONS**  
 SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')  
 RQD = Rock Quality Designation (%)  
 Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)  
 Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis

Depth (Ft.)	Sample Type and No.	Samp. Rec. Ft. & %	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Eleva
1	HA 00	—	—	—	0.0	0.0-0.5' MEDIUM GREY SILTY f SAND MOIST, LOOSE	
2						0.5-1.0' LIGHT/MEDIUM BROWN SILTY f SAND, MOIST, LOOSE	
3							
4							
5							
6							
7							
8							
9							
10							

Match to Sheet 2

DRILLING CO.: N/A  
 DRILLER: N/A

BAKER REP.: E.J. KLEINKAUF / W.M. PELKEY  
 BORING NO.: 69-SB 22 SHEET 1 OF

# Baker

Baker Environmental, Inc

# TEST BORING RECORD

PROJECT: RI/ES OU#4 CAMP LEJEUNE, NC  
 S.O. NO.: 62470-212 BORING NO.: 69-SB 23  
 COORDINATES: EAST: \_\_\_\_\_ NORTH: \_\_\_\_\_  
 ELEVATION: SURFACE: \_\_\_\_\_ TOP OF PVC CASING: \_\_\_\_\_

RIG: <u>HAND AUGER</u>									
	SPLIT SPOON	CASING	AUGERS	CORE BARREL	DATE	PROGRESS (FT)	WEATHER	WATER DEPTH (FT)	TIM
SIZE (DIAM.)					<u>1/6/94</u>	<u>0-1'</u>	<u>—</u>	<u>—</u>	<u>—</u>
LENGTH									
TYPE									
HAMMER WT.									
FALL									
STICK UP									

REMARKS: 6 JANUARY 1994

<p><b>SAMPLE TYPE</b></p> <p>S = Split Spoon    A = Auger        T = Shelby Tube    W = Wash        R = Air Rotary    C = Core        D = Denison    P = Piston        N = No Sample    HA = <u>HAND AUGER</u></p>	<p><b>DEFINITIONS</b></p> <p>SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')        RQD = Rock Quality Designation (%)        Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)        Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis</p>
--	--

Depth (Ft.)	Sample Type and No.	Samp. Rec. Ft. & %	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Eleva
1	HA 00	—	—	—	0.0 BG 0.2 PS	0.0-0.6' LIGHT GREY SILTY f SAND MOIST LOOSE	
2						0.6-1.0' MEDIUM BROWN SILTY f SAND, MOIST, LOOSE	
3							
4							
5							
6							
7							
8							
9							
10							

Match to Sheet 2

DRILLING CO.: N/A  
 DRILLER: N/A

BAKER REP.: E.J. KLEINKAUF / W.M. PELKEY  
 BORING NO.: 69-SB 23 SHEET 1 OF 1

# Baker

Baker Environmental, Inc

# TEST BORING RECORD

PROJECT: RI/FS OU#4 CAMP LEEUNE, NC.

S.O. NO.: 62470-212

BORING NO.: 69-SB24

COORDINATES: EAST: \_\_\_\_\_

NORTH: \_\_\_\_\_

ELEVATION: SURFACE: \_\_\_\_\_

TOP OF PVC CASING: \_\_\_\_\_

RIG: <u>HAND AUGER</u>									
	SPLIT SPOON	CASING	AUGERS	CORE BARREL	DATE	PROGRESS (FT)	WEATHER	WATER DEPTH (FT)	TIME
SIZE (DIAM.)					<u>1/6/94</u>	<u>0-1'</u>	<u>—</u>	<u>—</u>	<u>—</u>
LENGTH									
TYPE									
HAMMER WT.									
FALL									
STICK UP									

REMARKS: 6 JANUARY 1994

<b>SAMPLE TYPE</b> S = Split Spoon    A = Auger T = Shelby Tube    W = Wash R = Air Rotary      C = Core D = Denison        P = Piston N = No Sample    HA = <u>HAND AUGER</u>				<b>DEFINITIONS</b> SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5') RQD = Rock Quality Designation (%) Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282) Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis			
---	--	--	--	---	--	--	--

Depth (Ft.)	Sample Type and No.	Samp. Rec. Ft. & %	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
1	<u>HA-00</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>0.0</u>	<u>LT. GREY SILTY f/fm SAND, MOIST LOOSE, [LT. BROWN SILTY f/fm SAND @ 1.0' DEPTH].</u>	
2							
3							
4							
5							
6							
7							
8							
9							
10							

Match to Sheet 2

DRILLING CO.: N/A  
DRILLER: N/A

BAKER REP.: E.J. KLEINKAUF / W.M. PELKEY  
BORING NO.: 69-SB24 SHEET 1 OF 1

# Baker

Baker Environmental, Inc.

# TEST BORING RECORD

PROJECT: RI/FS OU#4 CAMP LEJEUNE, NC  
 S.O. NO.: 62470-212 BORING NO.: 69-SB 25  
 COORDINATES: EAST: \_\_\_\_\_ NORTH: \_\_\_\_\_  
 ELEVATION: SURFACE: \_\_\_\_\_ TOP OF PVC CASING: \_\_\_\_\_

RIG: <u>HAND AUGER</u>									
	SPLIT SPOON	CASING	AUGERS	CORE BARREL	DATE	PROGRESS (FT)	WEATHER	WATER DEPTH (FT)	TIN
SIZE (DIAM.)					<u>1/8/94</u>	<u>0-1'</u>	<u>—</u>	<u>—</u>	<u>—</u>
LENGTH									
TYPE									
HAMMER WT.									
FALL									
STICK UP									

REMARKS: 8 JANUARY 1994

<p><b>SAMPLE TYPE</b></p> <p>S = Split Spoon    A = Auger        T = Shelby Tube    W = Wash        R = Air Rotary    C = Core        D = Denison    P = Piston        N = No Sample    HA = <u>HAND AUGER</u></p>	<p><b>DEFINITIONS</b></p> <p>SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')        RQD = Rock Quality Designation (%)        Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)        Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis</p>
--	--

Depth (Ft.)	Sample Type and No.	Samp. Rec. Ft. & %	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Eleva
1	HA 0.0	—	—	—	0.0	0.0-0.2' LIGHT GREY SILTY f SAND, MOIST, LOOSE, SLIGHTLY ORGANIC	
2						0.2-1.0' LIGHT BROWN SILTY f SAND MOIST, LOOSE.	
3							
4							
5							
6							
7							
8							
9							
10							

Match to Sheet 2

DRILLING CO.: \_\_\_\_\_ N/A  
 DRILLER: \_\_\_\_\_ N/A

BAKER REP.: E.I.J. KLEINKAUF / W.M. PELKEY  
 BORING NO.: 69-SB 25 SHEET 1 OF \_\_\_\_\_

**APPENDIX C.2**  
**SITE 69 MONITORING WELLS**

---





# TEST BORING RECORD

PROJECT: Sites 69, 74, E 41  
 S.O. NO.: 212 BORING NO.: 69-GW020W  
 COORDINATES: EAST: \_\_\_\_\_ NORTH: \_\_\_\_\_  
 ELEVATION: SURFACE: \_\_\_\_\_ TOP OF PVC CASING: \_\_\_\_\_

RIG: <u>Mobile B-47</u>					DATE	PROGRESS (FT)	WEATHER	WATER DEPTH (FT)	TIME
	SPLIT SPOON	CASING	AUGERS	CORE BARREL					
SIZE (DIAM.)	<u>1 3/8" ID</u>		<u>4 1/4" ID</u>		<u>1-9-94</u>	<u>0-6.0</u>	<u>Sunny, cool</u>	<u>6.0</u>	
LENGTH	<u>2.0'</u>		<u>5.0'</u>		<u>1-10-94</u>	<u>6.0-16.0</u>	<u>Sunny, cool</u>		
TYPE	<u>STD</u>		<u>HSA</u>		<u>1-21-94</u>	<u>16.0-50.0</u>			
HAMMER WT.	<u>140#</u>								
FALL	<u>30"</u>								
STICK UP	<u>2 1/2'</u>								

REMARKS: Continuous sampling to 50.0' (bgs). Hwu background is .5 ppm. Type II mont Well set 1-21

<b>SAMPLE TYPE</b> S = Split Spoon    A = Auger T = Shelby Tube    W = Wash R = Air Rotary    C = Core D = Denison    P = Piston N = No Sample					<b>DEFINITIONS</b> SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5') RQD = Rock Quality Designation (%) Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282) Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis				
---	--	--	--	--	---	--	--	--	--

Depth (Ft.)	Sample Type and No.	Samp. Rec. Ft. & %	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
1	Sample #01 is collected	1.0	1		BG	SAND, fine to medium grained and SILT w/ organics. Black to yellowish brown to grayish brown, loose to medium dense, damp to wet.	
2		2.0	3				
3	S-2	1.2	3		BG		
4		2.0	4				
5	Sample #03 is collected	1.5	4		5.5		
6		2.0	4				
7	S-4	1.6	4		1.5		SAND, fine to medium grained and SILT w/ trace to little CLAY.
8		2.0	1				
9	S-5	1.8	2		18		CLAY, w/ little to some SAND, fine grained, trace silt. Gray to black, very loose, wet.
10		2.0	1				

Match to Sheet 2

DRILLING CO.: Hardin Huber, Inc      BAKER REP.: S. Moffett / E. Kleinkauf

# TEST BORING RECORD

Baker Environmental, Inc

PROJECT: Sites 69, 74, & 41  
 S.O. NO.: 212

BORING NO.: 69-GW020

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon	A = Auger					SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')	
T = Shelby Tube	W = Wash					RQD = Rock Quality Designation (%)	
R = Air Rotary	C = Core					Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)	
D = Denison	P = Piston					Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
N = No Sample							
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
11	S-6	1.7 2.0	1 1 1		BG		
12		85%	1				
13	S-7	1.6 2.0	1 1 1		5.8	CLAY w/ trace to little SILT. Gray to black, soft, moist	
14		80%	1				
15	S-8	1.8 2.0	1 1 1		3.1		
16		90%	1				
17	S-9	24" 24"	1 2		.7		
18		100%	2				
19	S-10	24" 24"	2 1		.7		
20		100%	3				
21	S-11	24" 24"	2 2 2		1.2	SANDY CLAY, fine grained. Medium gray, cohesive, moist	
22		100%	2				
23	S-12	24" 24"	2 2 3		BG		
24		100%	3				
25	S-13	24" 24"	2 2 3		BG		
26		100%	2				
27	S-14	24" 24"	2 2 3		BG		
28		100%	2				
29	S-15	24" 24"	2 2 2		.8		
30		100%	3				

DRILLING CO.: 1-Gardin Huber, Inc  
 DRILLER: Jay Corron

BAKER REP.: E. Kleinkauf  
 BORING NO.: 69-GW020W

# TEST BORING RECORD

Baker Environmental, Inc

PROJECT: Sites 69, 74, & 41  
S.O. NO.: 212

BORING NO.: 69-GW020W

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon	A = Auger					SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')	
T = Shelby Tube	W = Wash					RQD = Rock Quality Designation (%)	
R = Air Rotary	C = Core					Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)	
D = Denison	P = Piston					Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
N = No Sample							
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
31	S-16	24"	2		.9	SAND and CLAY w/ little ?, cohesive, moist	
32		24"	2				
32.0		100%	3				
33	S-17	24"	1		.7		
34		24"	2				
34.0		100%	3				
35	S-18	24"	1		.8	LIMESTONE. Green, hard	
36		24"	1				
36.0		100%	32				
37	S-19	24"	52		BG	LIMESTONE / MARL w/ CLAY and shell fragments. White, hard	
38		24"	50				
38.0		100%	3"				
39	S-20	24"	15		BG	LIMESTONE / MARL and shell frag- ments. CLAYEY areas increase. Green to white, hard, increase in coarseness.	
40		24"	15				
40.0		100%	19				
41	S-21	24"	21		.7		
42		24"	26				
42.0		100%	26				
43	S-22	24"	6		1.2		
44		24"	8				
44.0		100%	17				
45	S-23	22"	8		BG	SILTY SAND, fine to fine to medium grained w/ shell and rock fragments. Green, moist	
46		24"	9				
46.0		91%	7				
47	S-24	22"	5		1.1	SILTY SAND, fine to fine to medium grained. Green, loose, moist	
48		24"	8				
48.0		91%	16				
49	S-25	22"	6		BG		
49		24"	8				
49		24"	9				
50	50.0	91%	23			TD: 50.0' END of Boring HWU background range: 3 to 5 ppm	

DRILLING CO.: Hardin Huber, Inc  
DRILLER: Jay Corran

BAKER REP.: E. Kleinkauf  
BORING NO.: 69-GW020W

# Baker

Baker Environmental, Inc

# TEST BORING RECORD

PROJECT: Sites 69, 74 & 41

S.O. NO.: 212

BORING NO.: 69GW0200

COORDINATES: EAST: \_\_\_\_\_

NORTH: \_\_\_\_\_

ELEVATION: SURFACE: \_\_\_\_\_

TOP OF PVC CASING: \_\_\_\_\_

RIG: Rig # 48									
	SPLIT SPOON	CASING	AUGERS	CORE BARREL	DATE	PROGRESS (FT)	WEATHER	WATER DEPTH (FT)	TIME
SIZE (DIAM.)	1 3/8" ID	12" / 8"	3 1/4" ID		5-17-94	0-12.0	clear, cool (60'S)	6.5	
LENGTH	2.0'	12' / 73'	5.0		5-18-94	12.0-73.0	clear, cool (50'S)		
TYPE	STD	Steel	HSA		5-19-94	73.0-127.0	clear, cool (50'S)		
HAMMER WT.	140*								
FALL	30"								
STICK UP									

REMARKS: Continuous sampling to 36.0' (bgs). MW background range is .2 to .4 pp.

SAMPLE TYPE						DEFINITIONS		
S = Split Spoon	A = Auger					SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')		
T = Shelby Tube	W = Wash					RQD = Rock Quality Designation (%)		
R = Air Rotary	C = Core					Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)		
D = Denison	P = Piston					Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis		
N = No Sample								
Depth (Ft.)	Sample Type and No.	Samp. Rec. Ft. & %	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation	
1	S-1	1.4 / 2.0	3		BG	SILTY SAND, fine grained. Dark brown to brown, loose, damp.		
2		70%	3					
3	S-2	1.1 / 2.0	9		BG	SAND, fine grained w/ trace silt. Brown to light gray, medium dense, damp. Oxidation streaking present		
4		55%	11					
5	S-3	1.4 / 2.0	10		BG			
6		70%	10					
7	S-4	1.5 / 2.0	2		BG	SAND, fine to medium grained w/ trace silt. Light brown to gray, very loose, wet to moist		
8		75%	2					
9	S-5	2.0 / 2.0	2		BG	CLAY w/ little to some SAND, fine grained w/ trace silt. Gray, very loose, moist.		
10		100%	2					

Match to Sheet 2

DRILLING CO.: Hardin-Huber, Inc.

BAKER REP.: J.E. Zimmerman

DRILLER: Chad Chism

BORING NO.: 69GW0200

SHEET 1 OF 1

# TEST BORING RECORD

PROJECT: Sites 69, 74, & 41

S.O. NO.: 212

BORING NO.: 69GW0200

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon	A = Auger					SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')	
T = Shelby Tube	W = Wash					RQD = Rock Quality Designation (%)	
R = Air Rotary	C = Core					Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)	
D = Denison	P = Piston					Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
N = No Sample							
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevatic
11	S-6	2.0 2.0	1 1 1		BG	CLAY w/ trace to little silt Gray to greenish gray, very soft to soft to medium stiff, moist.	
12		100%	1				
13							
14							
15	S-7	2.0 2.0	3 2 2		BG	SANDY CLAY; fine grained w/ trace silt. Greenish gray, soft to medium stiff, moist	
16		100%	3				
17	S-8	2.0 2.0	2 3 1		BG		
18		100%	1				
19	S-9	2.0 2.0	2 2 2		BG	SANDY CLAY; fine grained w/ trace silt. Greenish gray, soft to medium stiff, moist	
20		100%	2				
21	S-10	2.0 2.0	1 1 3		BG		
22		100%	2				
23	S-11	2.0 2.0	2 2 2		BG	SANDY CLAY; fine grained w/ trace silt. Greenish gray, soft to medium stiff, moist	
24		100%	2				
25	S-12	2.0 2.0	2 2 2		BG		
26		100%	2				
27	S-13	2.0 2.0	2 2 2		BG	SANDY CLAY; fine grained w/ trace silt. Greenish gray, soft to medium stiff, moist	
28		100%	2				
29	S-14	2.0 2.0	2 3 4		BG		
30		100%	3				

DRILLING CO.: Hardin-Huber, Inc

DRILLER: Chad Chism

BAKER REP.: J. E. Zimmerman

BORING NO.: 69GW0200

SHEET 2 OF 7

# TEST BORING RECORD

PROJECT: Sites 69, 74, & 41  
 S.O. NO.: 212

BORING NO.: 69GW0200

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon		A = Auger		SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')		RQD = Rock Quality Designation (%)	
T = Shelby Tube		W = Wash		Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)		Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
R = Air Rotary		C = Core					
D = Denison		P = Piston					
N = No Sample							
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
31	S-15	2.0	2		BG	SANDY CLAY, fine grained w/ trace silt. Greenish gray soft to medium stiff, moist	
32		2.0	1				
32		100%	2				
33	S-16	1.0	2		BG		
34		2.0	2				
34		50%	2				
35	S-17	1.5	2		BG	LIMESTONE. Dark green, medium dense, wet	
36		2.0	2				
36		75%	22				
37							
38							
39							
40							
40	S-18	1.3	7		BG.	LIMESTONE / MARL w/ shell fragments. Green and white medium dense, wet. Micrite cement is matrix only.	
41		2.0	16				
42		65%	32				
43							
44							
45	S-19	1.3	7		BG	SILTY SAND, fine to medium w/ trace to some shell material and fragment. Green and white, medium dense, wet.	
46		2.0	7				
47		65%	7				
48							
49							
50							

DRILLING CO.: Hardin-Huber, Inc  
 DRILLER: Chad Chism

BAKER REP.: J.E. Zimmerman  
 BORING NO.: 69GW0200

# TEST BORING RECORD

PROJECT: Sites 69, 74, & 41  
 S.O. NO.: 212

BORING NO.: 69GW0200

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon      A = Auger T = Shelby Tube      W = Wash R = Air Rotary      C = Core D = Denison          P = Piston N = No Sample						SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5') RQD = Rock Quality Designation (%) Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282) Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
51	S-20	1.5 2.0	6 6 7		BG	SILTY SAND, fine grained. Green, medium dense, wet.	
52		75%	14				
53							
54							
55	S-21	1.3 2.0	6 9 17		BG	SILTY SAND, fine grained w/ trace to little shell fragments (bottom 1/2 of sample only). Green and white, medium dense, wet.	
56		65%	28				
57							
58							
59							
60	S-22	1.6 2.0	9 23 27		BG	SILTY SAND, fine grained w/ trace shell material. Green and white, very dense, wet.	
61		80%	35				
62							
63							
64							
65	S-23	1.6 2.0	11 14 26		BG	SILTY SAND, fine grained w/ some shell fragments. Green and white, dense, wet.	
66		80%	27				
67							
68							
69							
70							

DRILLING CO.: Hardin-Huber, Inc  
 DRILLER: Chad Chism

BAKER REP.: J. E. Zimmerman  
 BORING NO.: 69GW0200

# TEST BORING RECORD

PROJECT: Sites 69, 74 & 41  
 S.O.NO.: 212

BORING NO.: 69GWO2DD

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon		A = Auger		SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')		RQD = Rock Quality Designation (%)	
T = Shelby Tube		W = Wash		Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)		Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
R = Air Rotary		C = Core		D = Denison		P = Piston	
D = Denison		N = No Sample					
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevatio
71	S-24	1.0 2.0	37 51		BG	SAND, fine to medium grained w/ little silt, shell fragments and pieces of FOSSILIFEROUS LIMESTONE Green and white, very dense, wet.	
72		50%	51				
73							
74							
75							
76	S-25	NR	51		-	NO RECOVERY	
77							
78							
79							
80							
81	S-26	1.0 2.0	17 33		BG	SAND, fine grained w/ little silt. Greenish gray, very dense, wet.	
82		50%	44				
83							
84							
85							
86	S-27	1.0 2.0	19 21		BG	SAND, fine grained w/ trace silt. Greenish gray, very dense, wet.	
87		50%	51				
88			51				
89							
90							



# TEST BORING RECORD

PROJECT: Sites 69, 74, & 41

S.O. NO.: 212

BORING NO.: 69GWO200

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon	A = Auger					SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')	
T = Shelby Tube	W = Wash					RQD = Rock Quality Designation (%)	
R = Air Rotary	C = Core					Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)	
D = Denison	P = Piston					Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
N = No Sample							
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
91	S-28	NR	30 5 1/5"		-	NO RECOVERY	
92							
93							
94							
95							
96	S-29	.7 2.0 35%	19 33 5 1/4"		BG	SAND, fine grained w/ trace silt. Greenish gray, very dense, wet. Faint yellow staining is occasional	
97							
98							
99							
100							
101	S-30	NR	33 5 1/5"		-	NO RECOVERY	
102							
103							
104							
105							
106	S-31	.3 2.0 15%	17 51 5 1/6"		BG	SAND, fine grained w/ trace silt. Greenish gray, very dense, wet.	
107							
108							
109							
110							

DRILLING CO.: Hardin-Huber, Inc.

DRILLER: Chad Chism

BAKER REP.: J.E. Zimmerman

BORING NO.: 69GWO200

SHEET 6 OF 7

# TEST BORING RECORD

PROJECT: Sites 69, 74, & 41  
 S.O. NO.: 212

BORING NO.: 69GW0200

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon	A = Auger					SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')	
T = Shelby Tube	W = Wash					RQD = Rock Quality Designation (%)	
R = Air Rotary	C = Core					Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)	
D = Denison	P = Piston					Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
N = No Sample							
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevatio.
111	S-32	1.0 2.0	22 31 51		BG	SAND, fine grained w/ trace silt. Greenish gray, very dense, wet	
112		50%	6"				
113							
114							
115							
116	S-33	1.8 2.0	11 17 22		BG	SAND, fine grained w/ trace silt. Green, dense, wet.	
117		90%	40				
118							
119							
120							
121	S-34	1.6 2.0	17 23 25		BG	SAND, fine grained w/ trace silt. Green, dense, wet.	
122		80%	5 1/2"				
123							
124							
125							
126	S-35	1.8 2.0	19 22 27		BG	SAND, fine grained w/ trace silt. Green, dense to very dense, wet.	
127		90%	40				
128							
129						End of Boring	
130						TD: 127.0'	

DRILLING CO.: Hardin-Huber, Inc  
 DRILLER: Chad Chism

BAKER REP.: J.E. Zimmerman  
 BORING NO.: 69GW0200

# Baker

Baker Environmental, Inc

# TEST BORING RECORD

PROJECT: Sites 69, 74, E 41  
 S.O. NO.: \_\_\_\_\_ BORING NO.: 69GW03 I  
 COORDINATES: EAST: \_\_\_\_\_ NORTH: \_\_\_\_\_  
 ELEVATION: SURFACE: \_\_\_\_\_ TOP OF PVC CASING: \_\_\_\_\_

RIG: Rig # 48					DATE	PROGRESS (FT)	WEATHER	WATER DEPTH (FT)	TIME
SPLIT SPOON	CASING	AUGERS	CORE BARREL						
SIZE (DIAM.)	1 3/8" ID	10"	3 1/4" ID		5-20-94	0-16.0	clear, cool (50's)	6.5	
LENGTH	2.0'	17'	5.0'		5-21-94	16.0-62.0	overcast, cool (50's)		
TYPE	STD	Steel	HSA						
HAMMER WT.	140*								
FALL	30"								
STICK UP									

REMARKS: Continuous sampling to 36.0' (bgs). H<sub>2</sub>O background range is .1 to .2 ppm

**SAMPLE TYPE**  
 S = Split Spoon    A = Auger  
 T = Shelby Tube    W = Wash  
 R = Air Rotary    C = Core  
 D = Denison    P = Piston  
 N = No Sample

**DEFINITIONS**  
 SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')  
 RQD = Rock Quality Designation (%)  
 Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)  
 Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis

Depth (Ft.)	Sample Type and No.	Samp. Rec. Ft. & %	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
1	S-1	1.2	5		BG	SAND, fine grained w/ trace silt. Brown to light brown to gray, very loose to loose to medium dense, damp to moist to wet.	
2		60%	4				
3	S-2	1.3	3		BG		
4		65%	4				
5	S-3	1.5	5		BG		
6		75%	6				
7	S-4	1.3	7		BG		
8		65%	10				
9	S-5	1.7	11		BG		
10		85%	7				

Match to Sheet 2

DRILLING CO.: Hardin-Huber, Inc.      BAKER REP.: J. E. Zimmerman  
 DRILLER: Chad Chism      BORING NO.: 69GW03 I      SHEET 1 OF 4

# TEST BORING RECORD

PROJECT: Sites 69, 74, E 41  
 S.O. NO.: 212

BORING NO.: 696W03E

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon	A = Auger					SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')	
T = Shelby Tube	W = Wash					RQD = Rock Quality Designation (%)	
R = Air Rotary	C = Core					Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)	
D = Denison	P = Piston					Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
N = No Sample							
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevatio
11	S-6	1.6 2.0	3 5 4		BG	SAWD, fine grained w/ trace silt and little CLAY (at bottom only). Gray, loose to medium dense, wet.	
12		80%	3				
13	S-7	1.4 2.0	2 3 3		BG	CLAY w/ little to some SAWD, fine grained w/ trace silt. Gray, loose to medium stiff, moist.	
14		70%	5				
15	S-8	2.0 2.0	1 2 1		BG	CLAY w/ trace to little silt. Gray to greenish gray, soft to very soft, moist.	
16		100%	1				
17							
18							
19	S-9	2.0 2.0	2 2 1		BG		
20		100%	2				
21	S-10	.5 2.0	1 1 1		BG		
22		25%	1				
23	S-11	2.0 2.0	1 1 2		BG	SANDY CLAY, fine grained w/ trace silt. Greenish gray, soft to medium stiff, moist	
24		100%	2				
25	S-12	2.0 2.0	1 2 2		BG		
26		100%	1				
27	S-13	2.0 2.0	3 2 2		BG		
28		100%	1				
29	S-14	2.0 2.0	1 2 2		BG		
30		100%	2				

DRILLING CO.: Hardin - Huber, Inc  
 DRILLER: Chad Chism

BAKER REP.: J. E. Zimmerman  
 BORING NO.: 696W03E

# TEST BORING RECORD

Baker Environmental, Inc

PROJECT: Sites 69, 74, & 41  
 S.O. NO.: 212

BORING NO.: 69GW03I

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon	A = Auger					SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')	
T = Shelby Tube	W = Wash					RQD = Rock Quality Designation (%)	
R = Air Rotary	C = Core					Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)	
D = Denison	P = Piston					Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
N = No Sample							
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
31	S-15	2.0	2		BG	SANDY CLAY, fine grained w/ trace silt. Greenish gray to dark green, soft to medium stiff, moist	
32		2.0	2				
32.0		100%	2				
33	S-16	2.0	2		BG		
34		2.0	2				
34.0		100%	2				
35	S-17	2.0	2		BG	LIMESTONE   MARL. Dark green, medium dense, wet	
36		2.0	2				
36.0		100%	15				
37							
38							
39							
40	S-18	2.0	7		BG	Limestone   MARL w/ shell fragments. Green to white medium dense, wet. Micrite cement is matrix only.	
41		2.0	8				
42		100%	9				
43							
44							
45	S-19	1.6	4		BG	SILTY SAND, fine to medium grained w/ shell material and fragments. Green and white, medium dense, wet.	
46		2.0	5				
47		80%	7				
48							
49							
50							

DRILLING CO.: Hardin-Huber, Inc  
 DRILLER: Chad Chism

BAKER REP.: J.E. Zimmerman  
 BORING NO.: 69GW03I

# TEST BORING RECORD

PROJECT: Sites 69, 74, & 41  
 S.O. NO.: 212

BORING NO.: 69GW03I

SAMPLETYPE						DEFINITIONS	
S = Split Spoon	A = Auger					SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')	
T = Shelby Tube	W = Wash					RQD = Rock Quality Designation (%)	
R = Air Rotary	C = Core					Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)	
D = Denison	P = Piston					Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
N = No Sample							
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevatic
51	S-20	1.6	5		BG	SILTY SAND, fine grained. Green, medium dense, wet.	
52		2.0	6				
		80%	10				
53							
54							
55	S-21	.3	10		BG	SILTY SAND, fine grained w/ trace to little shell fragments. Green and white, medium dense, wet.	
56		2.0	14				
57		15%	15				
58							
59							
60							
61	S-22	NR	13		-	NO RECOVERY	
62			29				
			39				
			45				
3						End of Boring	
4						TD: 62.0'	
5							
6							
7							
8							
9							
0							

DRILLING CO.: Hardin-Huber, Inc  
 DRILLER: Chad Chism

BAKER REP.: J.E. Zimmerman  
 BORING NO.: 69GW03I

# Baker

Baker Environmental, Inc

# TEST BORING RECORD

PROJECT: \_\_\_\_\_  
 S.O. NO.: \_\_\_\_\_ BORING NO.: 69-62W09  
 COORDINATES: EAST: \_\_\_\_\_ NORTH: \_\_\_\_\_  
 ELEVATION: SURFACE: \_\_\_\_\_ TOP OF PVC CASING: \_\_\_\_\_

RIG: <u>Mobile B-47</u>									
	SPLIT SPOON	CASING	AUGERS	CORE BARREL	DATE	PROGRESS (FT)	WEATHER	WATER DEPTH (FT)	TIM
SIZE (DIAM.)	<u>1 3/8" ID</u>		<u>4 1/4" ID</u>		<u>1-8-94</u>	<u>0.0 to 2.0</u>	<u>Sunny High 40's</u>		
LENGTH	<u>20'</u>		<u>50'</u>						
TYPE	<u>Std.</u>		<u>HSA</u>						
HAMMER WT.	<u>140 lbs</u>								
FALL	<u>30"</u>								
STICK UP									

REMARKS: Background (BG) is 0.4 ppc per million (ppm)

<p><b>SAMPLE TYPE</b></p> <p>S = Split Spoon    A = Auger        T = Shelby Tube    W = Wash        R = Air Rotary    C = Core        D = Denison    P = Piston        N = No Sample</p>	<p><b>DEFINITIONS</b></p> <p>SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5")        RQD = Rock Quality Designation (%)        Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)        Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis</p>
--	--

Depth (Ft.)	Sample Type and No.	Samp. Rec. Ft. & %	SPT or RQD	TIME Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevat
1	S-1	1.7 85%	2 2 3	0926	2.0	<u>fine to medium sand and silt, trace silts, pine needles and decaying vegetation</u> <u>Black, damp, loose</u>	
2			4			<u>Fine to medium sand and silt, brownish black to grayish brown, damp, loose</u>	
3	S-2	1.6 80%	3 4 4	0922	BG	<u>Fine to medium sand, trace to little silt, grayish brown to yellowish brown, damp to moist, loose</u>	
4			4				<u>3.8'</u>
5	S-3	1.3 65%	2 4 5	1006	2.0	<u>CLAY, little to some fine to medium sand, trace silt</u> <u>Brownish gray, moist, strong reddish orange mottles</u> <u>loose</u>	
6			5				
7	S-4	1.7 85%	2 3 4	1022	BG		
8			4				
9	S-5	1.5 75%	2 3 3	1036	BG		
10			4			<u>Water at approximately 10 feet</u>	<u>9.7'</u>

Match to Sheet 2

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon		A = Auger		SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')			
T = Shelby Tube		W = Wash		RQD = Rock Quality Designation (%)			
R = Air Rotary		C = Core		Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)			
D = Denison		P = Piston		Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis			
N = No Sample							
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	TIME Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
11	S-6	1.6 85%	2 2 3 4	1046	3.2	FINE SAND AND SILT, trace to little clay, Brownish gray wet, strong reddish orange mottles, loose	
12						SAND content and grain size increases with depth	
13	S-7	1.4 78%	2 2 3 3	1055	86		
14							14.0'
15	S-8	1.8 90%	3 1 1	1105	86	Fine to coarse SAND, trace to little fine gravel Trace to little clay, trace silt, mottled greenish blue and dark brown spikes (little oxidized copper), wet, very loose	
16							
17	S-9	1.7 85%	1 1 2	1115	86		17.5'
18						Fine to medium sand, little to some silt, trace clay Brownish gray, wet, very loose	
19	S-10	1.4 78%	1 1 1	1125	86		
20							
21	A-1					Bottom of Bore hole at 21.0 Feet	
22							
23							
24							
25							
26							
27							
28							
29							
30							



# Baker

Baker Environmental, Inc

# TEST BORING RECORD

PROJECT: \_\_\_\_\_  
 S.O. NO.: \_\_\_\_\_ BORING NO.: 69-GW10  
 COORDINATES: EAST: \_\_\_\_\_ NORTH: \_\_\_\_\_  
 ELEVATION: SURFACE: \_\_\_\_\_ TOP OF PVC CASING: \_\_\_\_\_

RIG: <u>Mobile B-47</u>									
	SPLIT SPOON	CASING	AUGERS	CORE BARREL	DATE	PROGRESS (FT)	WEATHER	WATER DEPTH (FT)	TIM
SIZE (DIAM.)	<u>1 3/8" FD</u>		<u>4 1/4" FD</u>		<u>1-9-94</u>	<u>0.0 to 17.0</u>	<u>Sunny low 40's</u>		
LENGTH	<u>2.0</u>		<u>5.0'</u>						
TYPE	<u>SOD</u>		<u>HSA</u>						
HAMMER WT.	<u>140 lbs</u>								
FALL	<u>30"</u>								
STICK UP									

REMARKS: Rock Ground (RG) is 0.5 parts per million (ppm)

<p><b>SAMPLE TYPE</b></p> <p>S = Split Spoon      A = Auger        T = Shelby Tube      W = Wash        R = Air Rotary      C = Core        D = Denison      P = Piston        N = No Sample</p>	<p><b>DEFINITIONS</b></p> <p>SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')        RQD = Rock Quality Designation (%)        Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)        Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis</p>
--	--

Depth (FL)	Sample Type and No.	Samp. Rec. Ft. & %	SPT or RQD	THAO Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elev
1	S-1 <u>69-GW10-01</u>	1.5 75%	2 2 3	1040	1.9	<u>Fine medium sand SILT, leaves pine needles and decaying vegetation in first few inches, yellow brown to greenish brown, DAMP TO wet, loose to medium dense</u>	
2							
3	S-2	1.8 90%	3 4 4 8	1045	RG		
4						<u>Trace clay from 3.5 to 4.0 feet</u>	
5	S-3 <u>69-GW10-03</u>	1.7 85%	4 8 12 13	1103	RG		
6						<u>water at approximately 5.5 feet</u>	
7	S-4	1.5 75%	2 4 5 6	1113	2.0		
8						<u>Black to grayish black at 7.5 feet</u>	
9	S-5	1.3 65%	4 6 6 8	1122	RG		
10							

Match to Sheet 2

DRILLING CO.: Hamm-Huber, Inc.      BAKER REP.: S. Moffett  
 DRILLER: P. Callahan      BORING NO.: 69-GW10      SHEET 1 OF

# TEST BORING RECORD

Baker Environmental, Inc

PROJECT: \_\_\_\_\_

S.O. NO.: \_\_\_\_\_

BORING NO.: 69-GW10

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon	A = Auger					SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')	
T = Shelby Tube	W = Wash					RQD = Rock Quality Designation (%)	
R = Air Rotary	C = Core					Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)	
D = Denison	P = Piston					Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
N = No Sample							
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevati
11	S-6	1.8 50%	5 2	1147	BL	Fine to medium sand and silt, grayish black, wet loose to medium dense	120'
12							
13	S-7	1.8 70%	1 3	1155	BL	Fine to medium sand and silt, trace to little clay, grayish black, wet, very loose to loose	
14							
15	S-8	1.8 90%	2 1	1200	BL		
16							
17	A-2					Bottom of Borehole at 17.0 feet	
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							

DRILLING CO.: Hardin - Huber Inc

DRILLER: P Callahan

BAKER REP.: S. Moffatt

BORING NO.: 69-GW10

SHEET 2 OF

# Baker

Baker Environmental, Inc

# TEST BORING RECORD

PROJECT: \_\_\_\_\_  
 S.O. NO.: \_\_\_\_\_ BORING NO.: 69-GW11  
 COORDINATES: EAST: \_\_\_\_\_ NORTH: \_\_\_\_\_  
 ELEVATION: SURFACE: \_\_\_\_\_ TOP OF PVC CASING: \_\_\_\_\_


RIG: <u>Mobile B-47</u>									
	SPLIT SPOON	CASING	AUGERS	CORE BARREL	DATE	PROGRESS (FT)	WEATHER	WATER DEPTH (FT)	TIM
SIZE (DIAM.)	<u>1 3/8" ID</u>		<u>4 1/4" ID</u>		<u>1-7-94</u>	<u>0.0 to 19.0</u>	<u>Sunny low 60's</u>		
LENGTH	<u>20'</u>		<u>5.0'</u>						
TYPE	<u>Std.</u>		<u>HSA</u>						
HAMMER WT.	<u>140 lbs</u>								
FALL	<u>30"</u>								
STICK UP									

REMARKS: Background (BG) is 0.5 parts per million (ppm)

SAMPLE TYPE						DEFINITIONS		
S = Split Spoon	A = Auger					SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')		
T = Shelby Tube	W = Wash					RQD = Rock Quality Designation (%)		
R = Air Rotary	C = Core					Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)		
D = Denison	P = Piston					Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis		
N = No Sample								
Depth (Ft.)	Sample Type and No.	Samp. Rec. Ft. & %	SPT or RQD	TIME Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevat	
1	S-1	1.3 65%	3 2	0925	BG	<del>Leaves, pine needles and decaying vegetation, trace, DAMP, loose</del> Fine to medium sand, trace to little silt, grayish brown to yellowish brown, DAMP to MOIST, loose	2.0	
2	S-2	1.3 65%	5 6	0920	BG		4.0	
3	S-3	0.3 15%	3 4	1006	BG	CLAY, little fine to medium sand, trace to little silt, orangeish brown, DAMP, stiff	5.0'	
4	S-4	1.4 70%	3 10	1015	BG	Fine to medium sand, trace to little silt, grayish brown to yellowish brown, DAMP to wet medium dense	6.0'	
5	S-5	1.6 80%	3 5	1026	BG	water at approximately 7.5 feet	9.5'	
6			5 4			CLAY, little to some fine sand, trace silt light gray, wet, areas of orangeish staining, loose	10.0	

Match to Sheet 2

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon		A = Auger		SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')		RQD = Rock Quality Designation (%)	
T = Shelby Tube		W = Wash		RQD = Rock Quality Designation (%)		Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)	
R = Air Rotary		C = Core		Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis			
D = Denison		P = Piston					
N = No Sample							
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	TIME Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevat
11	S-6	1.5 75%	1 3	1036	5.0	CLAY, little to some fine sand, trace silt, <sup>light gray</sup> wet Areas of orangish staining, loose  Becomes A DARK bluish gray color at 15 Feet large areas of orangish staining	
12							
13	S-7	1.8 90%	2 3	1043	BG		
14							
15	S-8	1.7 85%	4 3	1335	BG		
16							
17	S-9	0.9 45%	4 5	1353	BG		
18							
19	A-N					Bottom of Borehole at 19. Feet	19.0'
20	:						
21	.						
22							
23							
24							
25							
26							
27							
28							
29							
30							



# TEST BORING RECORD

PROJECT: \_\_\_\_\_  
 S.O. NO.: \_\_\_\_\_ BORING NO.: 109-GW-12  
 COORDINATES: EAST: \_\_\_\_\_ NORTH: \_\_\_\_\_  
 ELEVATION: SURFACE: \_\_\_\_\_ TOP OF PVC CASING: \_\_\_\_\_

RIG: <u>MOBILE B-47</u>									
	SPLIT SPOON	CASING	AUGERS	CORE BARREL	DATE	PROGRESS (FT)	WEATHER	WATER DEPTH (FT)	TIME
SIZE (DIAM.)	<u>1 3/8" ID</u>		<u>4 1/4" ID</u>		<u>1-6-94</u>	<u>0.0 to 13.5</u>	<u>SUNNY, High 30's</u>		
LENGTH	<u>2.0'</u>		<u>5.0'</u>						
TYPE	<u>STD</u>		<u>HSA</u>						
HAMMER WT.	<u>140 lbs.</u>								
FALL	<u>30"</u>								
STICK UP									

REMARKS: Back Ground (BG) is 0.3 parts per million (ppm)

SAMPLE TYPE						DEFINITIONS			
S = Split Spoon	A = Auger					SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')			
T = Shelby Tube	W = Wash					RQD = Rock Quality Designation (%)			
R = Air Rotary	C = Core					Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)			
D = Denison	P = Piston					Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis			
N = No Sample									
Depth (Ft.)	Sample Type and No.	Samp. Rec. Ft. & %	SPT or RQD	TIME Lab. Class. or Pen. Rate	PID (ppm)	Visual Description			Elevat
1	S-1 109-GW-01	1.5 75%	2 3	0925	12 1.5	Fines Medium Sand and SILT, Black, Moist, wet, some leaves and decaying vegetation in the first few inches of sample white from 0.6 to 0.8 feet, very loose to loose			
2									
3	S-2	0.3 15%	1 2	0950	1.0	TREE ROOT struck in spoon, poor recovery water at approximately 3.0 feet			
4									
5	S-3	2.0 100%	2 1	1010	BG	Fines Medium Sand and SILT, Trace clay, Black, wet, very loose			4.5
6									
7	S-4	2.0 100%	1 2	1025	1.5				7.6'
8									
9	S-5	1.6 80%	5 3	1033	BG	Fines Medium Sand and SILT, Black to grayish brown, wet, loose silt content decreases with depth			
10						Fines Medium Sand, trace to little silt, grayish brown, wet, loose			Match to Sheet 2

DRILLING CO.: HARDY-HUDER, INC.  
 DRILLER: P. CALLAHAN

BAKER REP.: S. MUFFETT  
 BORING NO.: 109-GW12 SHEET 1 OF 1

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon      A = Auger T = Shelby Tube      W = Wash R = Air Rotary        C = Core D = Denison            P = Piston N = No Sample						SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5') RQD = Rock Quality Designation (%) Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282) Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevati
11	S-6	0.9 45%	4 3 2 2	1040	BG	fine to medium SAND, trace to little silt, grayish brown, wet, loose	
12	R-D						
13	A-N						13.5
13.5						Bottom of Bore hole at 13.5 feet	
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							

# Baker

Baker Environmental, Inc

# TEST BORING RECORD

PROJECT: Sites 69, 74, & 41

S.O. NO.: 212

BORING NO.: 69-GW120W

COORDINATES: EAST: \_\_\_\_\_

NORTH: \_\_\_\_\_

ELEVATION: SURFACE: \_\_\_\_\_

TOP OF PVC CASING: \_\_\_\_\_

RIG: <u>Mobile B-47</u>									
	SPLIT SPOON	CASING	AUGERS	CORE BARREL	DATE	PROGRESS (FT)	WEATHER	WATER DEPTH (FT)	TIME
SIZE (DIAM.)	<u>1 3/8" ID</u>		<u>4 1/4" ID</u>		<u>1-8-94</u>	<u>0-20.0</u>	<u>Sunny, Cool</u>	<u>3.0</u>	
LENGTH	<u>2.0'</u>		<u>5.0'</u>		<u>1-22-94</u>	<u>20.0-60.0</u>			
TYPE	<u>STO</u>		<u>HSA</u>						
HAMMER WT.	<u>140#</u>								
FALL	<u>30"</u>								
STICK UP	<u>2 1/2'</u>								

REMARKS: Continuous sampling to 6.0' (bgs). Type II monitoring well set 1-22-94

### SAMPLE TYPE

S = Split Spoon    A = Auger  
 T = Shelby Tube    W = Wash  
 R = Air Rotary    C = Core  
 D = Denison        P = Piston  
 N = No Sample

### DEFINITIONS

SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')  
 RQD = Rock Quality Designation (%)  
 Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)  
 Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis

Depth (Ft.)	Sample Type and No.	Samp. Rec. Ft. & %	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
1	Sample #01 is collected	1.0	1		7.3	SAND, fine to medium grained and SILT w/ organics. Black to white to gray, very loose to loose, moist to wet.  CLAY w/ little to some SAND, fine to medium grained and trace SILT.	
2		2.0	2				
3	S-2	1.0	1		5.5		
4		2.0	2				
5	S-3	.6	4		BG		
6		2.0	2				
7	S-4	1.4	2		BG		
8		2.0	2				
9	S-5	1.6	1		BG		
10		2.0	2				
		80%	2			Match to Sheet 2	

DRILLING CO.: Hardin Huber, Inc  
 DRILLER: Pat Callahan

BAKER REP.: S. Moffett / E. Kleinkauf  
 BORING NO.: 69-GW120W SHEET 1 OF 4

# TEST BORING RECORD

Baker Environmental, Inc

PROJECT: Sites 69, 74, & 41.  
 S.O. NO.: 212


BORING NO.: 69-GW12DW

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon	A = Auger					SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')	
T = Shelby Tube	W = Wash					RQD = Rock Quality Designation (%)	
R = Air Rotary	C = Core					Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)	
D = Denison	P = Piston					Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
N = No Sample							
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
11	S-6	1.7 2.0	1 1 3		BG	Mottled greenish blue and reddish orange, very loose to loose, wet. CLAY and SAND, fine to medium grained w/ trace to little SILT and trace fine gravel. Mottled green/blue/dark brown, loose to medium dense, wet.	
12	12.0	85%	3				
13	S-7	1.3 2.0	2 6 4		BG	SAND, fine to coarse grained w/ shell fragments and trace CLAY and SILT. Greenish blue, medium dense, wet.	
14	14.0	65%	7				
15	S-8	1.6 2.0	6 7 8		BG		
16	16.0	80%	10				
17	S-9	1.5 2.0	4 7 11		BG		
18	18.0	75%	17				
19	S-10	1.4 2.0	4 6 5		BG		
20	20.0	70%	7				
21	S-11	18" 24"	5 4 7		BG		
22	22.0	75%	8				
23	S-12	24" 24"	4 5 7		BG		
24	24.0	100%	12				
25	S-13	24" 24"	5 5 12		.6	SILTY SAND, fine to fine to medium grained w/ little CLAY. Green, loose, moist	
26	26.0	100%	21				
27	S-14	22" 24"	6 9 10		BG		
28	28.0	91%	16				
29	S-15	24" 24"	4 5 7		.7		
30	30.0	100%	10				

DRILLING CO.: Hardin Huber, Inc  
 DRILLER: Jay Corron

BAKER REP.: E. Kleinkauf  
 BORING NO.: 69-GW12DW SHEET 2 OF 4





# TEST BORING RECORD

PROJECT: Sites 69, 74, & 41  
 S.O. NO.: 212 BORING NO.: 69-GW12DW

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon	A = Auger					SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')	
T = Shelby Tube	W = Wash					RQD = Rock Quality Designation (%)	
R = Air Rotary	C = Core					Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)	
D = Denison	P = Piston					Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
N = No Sample							
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
31	S-16	19" 24"	7 15 19		BG		
32	32.0	79%	25				
33						No sample from 32' to 34' (bqs). Driller miscalculated depth.	
34							
35							
36	36.0						
37	S-17	23" 24"	8 12 25		BG	SILTY SAND, fine to fine to medium grained w/ little CLAY. Green, loose, moist	
38	38.0	95%	23				
39	S-18	22" 24"	10 13 22		BG		
40	40.0	91%	24				
41	S-19	23" 24"	7 14 23		BG	SILTY SAND, fine to fine to medium grained w/ little CLAY and occasional shells. Green, loose, moist	
42	42.0	95%	47				
43	S-20	24" 24"	10 14 20		BG		
44	44.0	100%	48				
45	44.9	10" 24" 41.9%	46 50.5"		BG	SILTY LIMESTONE fragments w/ trace CLAY. Light gray to tan, loose, hard, wet	
46	46.0				BG		
47							
48						No sampling attempted	
49							
50	50.0						

# TEST BORING RECORD

Baker Environmental, Inc

PROJECT: Sites 69, 74, E 41  
 S.O. NO.: 212

BORING NO.: 69-GW12

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon      A = Auger T = Shelby Tube      W = Wash R = Air Rotary      C = Core D = Denison      P = Piston N = No Sample						SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5') RQD = Rock Quality Designation (%) Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282) Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
51	50.9 S-23	8 1/4" / 33%	30 / 50 1/4"		BG	SILTY SAND, fine to fine to medium grained. Light gray to tan, loose to hard/dense, moist to wet. Slight increase in CLAY from 54' to 56' (bgs)	
52	52.0						
53	53.0 S-24	6 1/4" / 25%	25 / 50 1/2"		BG		
54	54.0						
55	55.0 S-25	18" / 24"	20 / 23 / 33		BG		
56	56.0	75%	50 1/2"				
57	57.0 S-26	19" / 24"	23 / 51 / 32		BG	SILTY SAND, fine grained w/ trace of CLAY. Light green to gray, slightly dense, moist to wet.	
58	58.0	79%	35				
59	59.0 S-27	17" / 24"	17 / 20 / 25		BG		
60	60.0	70%	31				
1						End of Boring	
2						TD: 60.0'	
3						H2O background range .2 to .5ppm	
4							
5							
6							
7							
8							
9							
0							

DRILLING CO.: Hardin Huber, Inc  
 DRILLER: Jay Corson

BAKER REP.: E. Kleinkauf  
 BORING NO.: 69-GW12DW

# Baker

Baker Environmental, Inc

# TEST BORING RECORD

PROJECT: Sites 69, 74, & 41

S.O. NO.: 212

BORING NO.: 69GW13

COORDINATES: EAST: \_\_\_\_\_

NORTH: \_\_\_\_\_

ELEVATION: SURFACE: \_\_\_\_\_

TOP OF PVC CASING: \_\_\_\_\_

RIG: Rig #48					DATE	PROGRESS (FT)	WEATHER	WATER DEPTH (FT)	TIME
	SPLIT SPOON	CASING	AUGERS	CORE BARREL					
SIZE (DIAM.)	1 3/8" ID		3 1/4" ID		5-24-94	0-13.0	partly cloudy warm, (80's)	6.5	
LENGTH	2.0'		5.0'						
TYPE	STD		HSA						
HAMMER WT.	140*								
FALL	30"								
STICK UP									

REMARKS: Continuous sampling to 13.0' (logs). Hsu background is .3 ppm

<p><b>SAMPLETYPE</b></p> <p>S = Split Spoon    A = Auger  T = Shelby Tube    W = Wash  R = Air Rotary      C = Core  D = Denison        P = Piston  N = No Sample</p>	<p><b>DEFINITIONS</b></p> <p>SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')  RQD = Rock Quality Designation (%)  Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)  Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis</p>
---	--

Depth (Ft.)	Sample Type and No.	Samp. Rec. Ft. & %	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
1	S-1	1.2	1		BG	SILTY SAND, fine grained. Gray to dark brown, loose, damp	
		2.0	2				
2		60%	3				
			4				
3	S-2	1.0	1		BG	SAND, fine grained w/trace silt. Dark brown to brown, loose to medium dense, damp to moist to wet.	
		2.0	3				
4		50%	9				
5	S-3	1.0	3		BG		
		2.0	3				
6		50%	5				
7	S-4	1.5	10		BG		
		2.0	12				
8		75%	8				
9	S-5	1.8	5		BG	WOOD, dark brown, medium dense, wet.	
		2.0	6				
10		90%	7				
						SAND, fine grained w/trace silt. Greenish gray, medium dense, wet	
						WOOD, dark brown, loose, wet	Match to Sheet 2

DRILLING CO.: Hardin-Huber, Inc

BAKER REP.: J. E. Zimmerman

# TEST BORING RECORD

PROJECT: Sites 69, 74, & 41  
 S.O. NO.: 212

BORING NO.: 696W13

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon      A = Auger T = Shelby Tube      W = Wash R = Air Rotary        C = Core D = Denison            P = Piston N = No Sample						SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5') RQD = Rock Quality Designation (%) Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282) Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
11	5-6	.4 2.0	5 3 2		BG	WOOD, dark brown, loose, wet.	
12	12.0	20%	1			CLAY, w/ little to some SAND, fine grained w/ trace silt. Greenish Gray, soft to medium stiff, moist.	
13							
14						End of Boring TD: 13.5'	
15							
16							
17						* Original well location abandoned and moved 12.0' due North.	
18						Lithologic descriptions are adapted from original well location.	
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							

DRILLING CO.: Hardin - Huber, Inc  
 DRILLER: Chad Chism

BAKER REP.: J.E. Zimmerman  
 BORING NO.: 696W13

# Baker

Baker Environmental, Inc

# TEST BORING RECORD

PROJECT: Sites 69, 74, & 41

S.O. NO.: 212

BORING NO.: 69GW13I

COORDINATES: EAST: \_\_\_\_\_

NORTH: \_\_\_\_\_

ELEVATION: SURFACE: \_\_\_\_\_

TOP OF PVC CASING: \_\_\_\_\_

RIG: Rig #48									
	SPLIT SPOON	CASING	AUGERS	CORE BARREL	DATE	PROGRESS (FT)	WEATHER	WATER DEPTH (FT)	TIME
SIZE (DIAM.)	3/8" ID	10"	3/4" ID		5-21-94	0-22.0	overcast, cool (50's)	6.5	
LENGTH	2.0	23'	5.0'		5-23-94	22.0-62.0	clear, mild (60's)		
TYPE	STD	steel	HSA						
HAMMER WT.	140*								
FALL	30"								
STICK UP									

REMARKS: Continuous sampling to 38.0' (bgs). H<sub>2</sub>O background is .3 ppm.

**SAMPLE TYPE**

- S = Split Spoon      A = Auger
- T = Shelby Tube    W = Wash
- R = Air Rotary      C = Core
- D = Denison        P = Piston
- N = No Sample

**DEFINITIONS**

- SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')
- RQD = Rock Quality Designation (%)
- Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)
- Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis

Depth (Ft.)	Sample Type and No.	Samp. Rec. Ft. & %	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
1	S-1	1.0	3		BG	SILTY SAND, fine grained. Gray to brown, medium dense, damp  SAND, fine grained w/ trace silt. Brown to dark brown to greenish gray, very loose to loose to medium dense, damp to moist to wet.	
2		2.0	5				
3	S-2	1.2	4		BG		
4		4.0	6				
5	S-3	1.8	8		BG		
6		6.0	6				
7	S-4	1.7	5		BG		
8		8.0	8				
9	S-5	1.5	2		BG		
10		10.0	7				

Match to Sheet 2

DRILLING CO.: Hardin-Huber, Inc

BAKER REP.: J.E. Zimmerman

DRILLER: Bob Chivers

BORING NO.: 69GW13I SHEET 1 OF 1

# TEST BORING RECORD

Baker Environmental, Inc

PROJECT: Sites 69, 74, & 41  
 S.O. NO.: 212

BORING NO.: 69GW13I

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon	A = Auger					SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')	
T = Shelby Tube	W = Wash					RQD = Rock Quality Designation (%)	
R = Air Rotary	C = Core					Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)	
D = Denison	P = Piston					Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
N = No Sample							
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
11	S-6	.6 2.0	1 1 1		BG	SAND, fine grained w/trace silt Greenish gray, very loose to loose, wet.	
12		30%	1				
13	S-7	1.8 2.0	woH 24"		BG	CLAY w/ little to some SAND fine grained w/trace silt. Greenish gray, soft, moist.	
14		90%					
15	S-8	1.1 2.0	5 5 5		BG	SAND, fine grained w/trace silt. Gray, medium dense, wet.	
16		55%	5				
17	S-9	1.8 2.0	1 1 2 3		BG	CLAY w/trace to little silt and trace SAND, fine grained.	
18		90%	3				
19	S-10	1.7 2.0	1 3 4 3		BG	Greenish gray, soft to medium stiff, moist. Oxidation streaking	
20		85%	3				
21	S-11	1.8 2.0	1 2 3 3		BG		
22		90%	3				
23	S-12	2.0 2.0	3 3 5 4		BG	SANDY CLAY, fine grained w/ trace silt. Greenish	
24		100%	4				
25	S-13	2.0 2.0	woH 6"		BG	gray, soft to medium stiff, moist	
26		100%	3				
27	S-14	2.0 2.0	2 3 3 3		BG		
28		100%	3				
29	S-15	2.0 2.0	2 2 2		BG		
30		100%	3				

# TEST BORING RECORD

PROJECT: Sites 69, 74, & 41

S.O. NO.: 212

BORING NO.: 69GW13I

SAMPLE TYPE						DEFINITIONS		
S = Split Spoon	A = Auger					SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')		
T = Shelby Tube	W = Wash					RQD = Rock Quality Designation (%)		
R = Air Rotary	C = Core					Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)		
D = Denison	P = Piston					Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis		
N = No Sample								
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation	
31	S-16	2.0	1		BG	SANDY CLAY, fine grained w/ trace silt. Greenish gray soft to medium stiff to hard, moist.		
32		2.0	1					
33	S-17	100%	1					
34		2.0	2					
35	S-18	2.0	3		BG	SAND, fine to medium grained w/ trace of coarse gravel well rounded Greenish gray to dark green, medium dense, wet		
36		2.0	2					
37	S-19	100%	3					
38		1.8	9					
39	S-20	2.0	23		BG	LIMESTONE / MARL w/ shell fragments. Dark green to green to white, medium dense, wet Micrite cement is matrix only		
40		2.0	7					
41	S-21	90%	9					
42		1.4	18					
43	S-22	70%	19		BG	SILTY SAND, fine to medium grained w/ shell material and fragments. Green and white, medium dense, wet.		
44		1.6	5					
45	S-23	2.0	7					
46		2.0	11					
47	S-24	80%	14					
48		1.1	11					
49	S-25	2.0	11					
50		2.0	17					
51	S-26	55%	21					
52		1.7	11					
53	S-27	2.0	11					
54		2.0	17					
55	S-28	55%	21					
56		1.7	11					
57	S-29	2.0	11					
58		2.0	17					
59	S-30	55%	21					
60		1.7	11					
61	S-31	2.0	11					
62		2.0	17					
63	S-32	55%	21					
64		1.7	11					
65	S-33	2.0	11					
66		2.0	17					
67	S-34	55%	21					
68		1.7	11					
69	S-35	2.0	11					
70		2.0	17					
71	S-36	55%	21					
72		1.7	11					
73	S-37	2.0	11					
74		2.0	17					
75	S-38	55%	21					
76		1.7	11					
77	S-39	2.0	11					
78		2.0	17					
79	S-40	55%	21					
80		1.7	11					
81	S-41	2.0	11					
82		2.0	17					
83	S-42	55%	21					
84		1.7	11					
85	S-43	2.0	11					
86		2.0	17					
87	S-44	55%	21					
88		1.7	11					
89	S-45	2.0	11					
90		2.0	17					
91	S-46	55%	21					
92		1.7	11					
93	S-47	2.0	11					
94		2.0	17					
95	S-48	55%	21					
96		1.7	11					
97	S-49	2.0	11					
98		2.0	17					
99	S-50	55%	21					
100		1.7	11					

# TEST BORING RECORD

Baker Environmental, Inc

PROJECT: Sites 69, 74, & 41  
 S.O. NO.: 212

BORING NO.: 69GW13I

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon	A = Auger					SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')	
T = Shelby Tube	W = Wash					RQD = Rock Quality Designation (%)	
R = Air Rotary	C = Core					Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)	
D = Denison	P = Piston					Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
N = No Sample							
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
51	S-22	1.0 2.0	6 7 13		BG	SILTY SAND, fine grained w/ trace shell material. Green and white, medium dense, wet.	
52	52.0	50%	15				
53							
54							
55	55.0						
56	S-23	1.0 2.0	6 6 7		BG	SILTY SAND, fine grained w/ trace to little shell fragments. Green and white, medium dense, wet.	
57	57.0	50%	9				
58							
59							
60	60.0						
61	S-24	NR	9 14 16		-	No RECOVERY	
62	62.0		26				
3						End of Boring TD: 62.0'	
4							
5							
6							
7							
8							
9							
0							

DRILLING CO.: Hardin-Huber, Inc  
 DRILLER: chad chism

BAKER REP.: J. E. Zimmerman  
 BORING NO.: 69GW13I



# Baker

Baker Environmental, Inc.

# TEST BORING RECORD

PROJECT: RI OU No. 4 MCB CAMP LEJEUNE, NC  
 S.O. NO.: 62470-212 BORING NO.: 69-GW14  
 COORDINATES: EAST: \_\_\_\_\_ NORTH: \_\_\_\_\_  
 ELEVATION: SURFACE: \_\_\_\_\_ TOP OF PVC CASING: \_\_\_\_\_

RIG: <u>MOBILE</u>									
	SPLIT SPOON	CASING	AUGERS	CORE BARREL	DATE	PROGRESS (FT)	WEATHER	WATER DEPTH (FT)	TIME
SIZE (DIAM.)	<u>1 3/8" ID</u>								
LENGTH	<u>2.0'</u>								
TYPE	<u>STD</u>								
HAMMER WT.	<u>140#</u>								
FALL	<u>30"</u>								
STICK UP	<u>2 1/2'</u>								

### REMARKS:

SAMPLE TYPE						DEFINITIONS			
S = Split Spoon	A = Auger					SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')			
T = Shelby Tube	W = Wash					RQD = Rock Quality Designation (%)			
R = Air Rotary	C = Core					Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)			
D = Denison	P = Piston					Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis			
N = No Sample									
Depth (Ft.)	Sample Type and No.	Samp. Rec. Ft. & %	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description			Elevation
1	SS	1.3'	1		0.1	SILTY SAND; FINE GRAINED, DARK BROWN			
2	S-1	65%	2		(OG)	SAND; FINEGRAINED, TRACE SILT, LOOSE, BROWN, DAMP			
3	SS	1.3'	3		0.1	SAND; FINE GRAINED, TRACE SILT, LOOSE, BROWN, MOIST TO WET.			
4	S-2	65%	4		(OG)				
5	SS	1.8'	4		0.1	SAND; FINE GRAINED, TRACE SILT, MEDIUM DENSE, LIGHT GRAY, WET			
6	S-3	90%	5		(OG)				
7	SS	1.9'	2		0.1	SAND; FINE TO MEDIUM GRAINED, TRACE SILT, LITTLE CLAY (AT BOTTOM), LOOSE TO SOFT, LIGHT BROWN / GRAY, WET TO MOIST			
8	S-4	95%	2		(OG)				
9	SS	2.0'	3		0.1	CLAY; LITTLE TO SOME FINE GRAINED SAND, TRACE SILT, SOFT TO LOOSE, GRAY MOIST			
10	S-5	100%	1		(OG)				

DRILLING CO.: HARDIN-HUGER, Inc.  
 DRILLER: JAY CORRAN

BAKER REP.: J.E. ZIMMERMAN  
 BORING NO.: 69-GW14 SHEET 1 OF 2

# TEST BORING RECORD

Baker Environmental, Inc

PROJECT: RI 00 No. 4 MCB CAMP LEJEUNE, NC  
 S.O. NO.: 62470-212 BORING NO.: 69-GW14

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon	A = Auger					SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')	
T = Shelby Tube	W = Wash					RQD = Rock Quality Designation (%)	
R = Air Rotary	C = Core					Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)	
D = Denison	P = Piston					Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
N = No Sample							
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
11	SS	1.8'	1		0.1	CLAY: TRACE TO LITTLE SILT, VERY SOFT, GRAY, MOIST	
12	S-6	90%	2		(NG)		
13	SS	1.8'	1		0.1	SAME	
14	S-7	90%	2		(NG)		
15						BOTTOM OF BORING AT 14.0'	
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							

DRILLING CO.: HARDIN-HUBER, INC.  
 DRILLER: JAY CORRAN

BAKER REP.: J. E. ZIMMERMAN  
 BORING NO.: 69-GW14 SHEET 2 OF 2

# Baker

Baker Environmental, Inc

# TEST BORING RECORD

PROJECT: RI OU No. 4 MCB CAMP LESTEVNE, NC  
 S.O. NO.: 62470-212 BORING NO.: 69-GW14IW  
 COORDINATES: EAST: \_\_\_\_\_ NORTH: \_\_\_\_\_  
 ELEVATION: SURFACE: \_\_\_\_\_ TOP OF PVC CASING: \_\_\_\_\_

RIG: <u>MOBILE</u>									
	SPLIT SPOON	CASING	AUGERS	CORE BARREL	DATE	PROGRESS (FT)	WEATHER	WATER DEPTH (FT)	TIME
SIZE (DIAM.)	<u>1 3/8" ID</u>								
LENGTH	<u>2.0'</u>								
TYPE	<u>STD</u>								
HAMMER WT.	<u>140*</u>								
FALL	<u>30"</u>								
STICK UP	<u>2 1/2'</u>								

### REMARKS:

SAMPLE TYPE						DEFINITIONS			
S = Split Spoon	A = Auger					SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')			
T = Shelby Tube	W = Wash					RQD = Rock Quality Designation (%)			
R = Air Rotary	C = Core					Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)			
D = Denison	P = Piston					Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis			
N = No Sample									
Depth (Ft.)	Sample Type and No.	Samp. Rec. Ft. & %	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description			Elevation
1	SS	1.4'	3		0.1	SILTY SAND: FINE GRAINED, DARK BROWN WOOD			
2	S-1	70%	4		(OG)	SAND: FINE GRAINED, TRACE SILT, LOOSE BROWN, DAMP			
3	SS	1.5'	3		0.1	SAME (MEDIUM DENSE)			
4	S-2	75%	4		(OG)				
5	SS	1.3'	5		0.1	SAND: FINE GRAINED, TRACE SILT, MEDIUM DENSE, LIGHT GRAY, DAMP TO MOIST			
6	S-3	65%	4		(OG)	SAND: FINE TO MEDIUM GRAINED, TRACE SILT, LITTLE CLAY (AT BOTTOM) LOOSE TO SOFT, LIGHT BROWN TO GRAY, WET TO MOIST.			
7	SS	1.4'	2		0.1				
8	S-4	70%	2		(OG)	CLAY: LITTLE TO SOME FINE GRAINED SAND, TRACE SILT, SOFT TO LOOSE, GRAY, MOIST			
9	SS	2.0'	1		0.1				
10	S-5	100%	1		(OG)	Match to Sheet 2			

DRILLING CO.: HARDIN-HUBER, INC.  
 DRILLER: JAY CORRAN

BAKER REP.: J.E. ZIMMERMAN  
 BORING NO.: 69-GW14IW SHEET 1 OF 4

# TEST BORING RECORD

Baker Environmental, Inc

PROJECT: RI OU No. 4 MCB CAMP LEJEUNE, NC  
 S.O. NO.: 62470-212 BORING NO.: 69-GW14 IL

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon	A = Auger					SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')	
T = Shelby Tube	W = Wash					RQD = Rock Quality Designation (%)	
R = Air Rotary	C = Core					Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)	
D = Denison	P = Piston					Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
N = No Sample							
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
11	SS	2.0'	1		Oil	CLAY: TRACE TO LITTLE SILT, VERY SOFT, GRAY, MOIST	
12	S-6	100%	2		(OG)		
13						* 6" $\phi$ CASING (STEEL) SET AT 12' AND GROUTED	
14							
15							
16						NO SAMPLING UNTIL 30.0'	
17							
18						(FROM <u>69-GW14DW LOG</u> )	
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							

DRILLING CO.: HARDIN-HUBER, Inc.  
 DRILLER: JAY CORRAN

BAKER REP.: J. E. ZIMMERMAN  
 BORING NO.: 69-GW14 IW SHEET 2 OF 4

# TEST BORING RECORD

PROJECT: RI OV No. 4 MCB CAMP LEJEUNE, NC  
 S.O. NO.: 62470-212 BORING NO.: 69-GW14IW

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon		A = Auger		SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')		RQD = Rock Quality Designation (%)	
T = Shelby Tube		W = Wash		Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)		Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
R = Air Rotary		C = Core					
D = Denison		P = Piston					
N = No Sample							
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
31	SS	2.0'	3		0.1	SANDY CLAY: FINE GRAINED, TRACE SILT, MEDIUM STIFF, GREENISH GRAY, MOIST	
	S-7	100%	3		(BG)		
32							
33							
34							
35	SS	1.0'	7		0.1	LIMESTONE / MARL / SHELL FRAGMENTS, MICRITE CEMENT IS MATRIX, DENSE, DARK GREEN / GREEN / WHITE, WET	
36	S-8	50%	15		(BG)		
37			18				
38			22				
39							
40							
41	SS	1.3'	19		0.1	SAME	
	S-9	65%	15		(BG)		
42			16				
43			15				
44							
45							
46	SS	1.8'	6		0.1	SILTY SAND: FINE TO MEDIUM GRAINED, TRACE TO SOME SHELL MATERIAL, MEDIUM DENSE, GREEN / WHITE, WET	
	S-10	90%	8		(BG)		
47			17				
48			20				
49							
50							

DRILLING CO.: HARDIN-HUGER, Inc.  
 DRILLER: JAY GORRAN

BAKER REP.: J.E. ZIMMERMAN  
 BORING NO.: 69-GW14IW SHEET 3 OF 4

# TEST BORING RECORD

PROJECT: RI OU No. 4 MCA CAMP LEJEUNE, NC  
 S.O. NO.: 62470-212 BORING NO.: 69-GW14I

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon    A = Auger T = Shelby Tube    W = Wash R = Air Rotary    C = Core D = Denison    P = Piston N = No Sample						SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5') RQD = Rock Quality Designation (%) Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282) Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
51	SS	1.8'	8 16 22		0.1 (BG)	SILTY SAND: FINE GRAINED, DENSE, GREEN, WET	
52	S-11	90%	25				
53							
54							
55	SS	1.8'	7 23		0.1 (BG)	SILTY SAND: FINE GRAINED, TRACE TO LITTLE SHELL FRAGMENTS (BOTTOM 1/2 OF SAMPLE), DENSE, GREEN/WHITE, WET	
56	S-12	90%	50/5"				
57							
58							
59							
60	SS	1.6'	20 40		0.1 (BG)	SAME	
61	S-13	80%	50/3"				
62						BOTTOM OF BORING AT 62.0'	
63							
64							
65							
66							
67							
68							
69							
70							

DRILLING CO.: HARDIN-HUGGER, INC.  
 DRILLER: JAY CORRAN

BAKER REP.: J.E. ZIMMERMAN  
 BORING NO.: 69-GW14IW SHEET 4 OF 4



# TEST BORING RECORD

PROJECT: RI - OU No. 4 MCB CAMP LETEUNE, NC  
 S.O. NO.: 62470-212 BORING NO.: 69-GW14DW  
 COORDINATES: EAST: \_\_\_\_\_ NORTH: \_\_\_\_\_  
 ELEVATION: SURFACE: \_\_\_\_\_ TOP OF PVC CASING: \_\_\_\_\_

RIG: <u>MOBILE</u>									
	SPLIT SPOON	CASING	AUGERS	CORE BARREL	DATE	PROGRESS (FT)	WEATHER	WATER DEPTH (FT)	TIME
SIZE (DIAM.)	<u>1 3/8" ID</u>								
LENGTH	<u>2.0'</u>								
TYPE	<u>STD</u>								
HAMMER WT.	<u>140*</u>								
FALL	<u>30"</u>								
STICK UP	<u>2 1/2"</u>								

REMARKS:

<p><b>SAMPLE TYPE</b></p> <p>S = Split Spoon    A = Auger        T = Shelby Tube    W = Wash        R = Air Rotary    C = Core        D = Denison    P = Piston        N = No Sample</p>	<p><b>DEFINITIONS</b></p> <p>SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')        RQD = Rock Quality Designation (%)        Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)        Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis</p>
--	--

Depth (Ft.)	Sample Type and No.	Samp. Rec. Ft. & %	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation	
1						No SAMPLE		
2								
3								
4								
5	SS	1.4'	6 5 4		0.1 (BG)		SAND: FINE GRAINED, TRACE SILT, LOOSE TO MEDIUM DENSE, LIGHT GRAY, DAMP TO MOIST.	
6	S-1		4					
7	SS	1.5	3 2 2		0.1 (BG)		SAND: FINE TO MEDIUM GRAINED, TRACE SILT, LITTLE CLAY (AT BOTTOM), LOOSE TO SOFT, LIGHT BROWN TO GRAY, WET TO MOIST.	
8	S-2	75%	1					
9	SS	2.0	1/8"		0.1		CLAY: LITTLE TO SOME FINE GRAINED SAND, TRACE SILT, SOFT TO LOOSE, GRAY, MOIST.	
10	S-3	100%	1/8"		(BG)			Match to Sheet 2

DRILLING CO.: HARDIN HUBER, Inc. BAKER REP.: J. E. ZIMMERMAN  
 DRILLER: JAY CORRAN BORING NO.: 69-GW14DW SHEET 1 OF 1

# TEST BORING RECORD

Baker Environmental, Inc

PROJECT: RI 00 No. 4 MCB CAMP LETEUNE, NC  
 S.O. NO.: 62470-212 BORING NO.: 69-GW14DW

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon	A = Auger					SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')	
T = Shelby Tube	W = Wash					RQD = Rock Quality Designation (%)	
R = Air Rotary	C = Core					Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)	
D = Denison	P = Piston					Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
N = No Sample							
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
11	SS	2.0'	3 2 2		0.1	CLAY: TRACE TO LITTLE SILT, VERY SOFT, GRAY, MOIST. * 10" φ CASING (STEEL) SET AT 12.0' AND GROUTED	
12	S-4	100%	2		(BG)		
15	SS	2.0'	2 2 2		0.2	CLAY: TRACE TO LITTLE SILT, SOFT TO MEDIUM STIFF, GREENISH GRAY, MOIST	
16	S-5	100%	2		(BG)		
20	SS	2.0'	3 3 4		0.2	SANDY CLAY: FINE GRAINED, TRACE SILT, SOFT TO MEDIUM STIFF, GREENISH GRAY, MOIST	
21	S-6	100%	4		(BG)		
25	SS	2.0'	1 2 2		0.2	SAME	
26	S-7	100%	2		(BG)		

DRILLING CO.: HARDIN - HUBER, INC.  
 DRILLER: JAY CORRAN

BAKER REP.: J. E. ZIMMERMAN  
 BORING NO.: 69-GW14DW SHEET 2 OF 7



PROJECT: RI OU No. 4 MCB CAMP LEJEUNE  
 S.O. NO.: 62470-212 BORING NO.: 69-GW14DW

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon		A = Auger				SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')	
T = Shelby Tube		W = Wash				RQD = Rock Quality Designation (%)	
R = Air Rotary		C = Core				Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)	
D = Denison		P = Piston				Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
N = No Sample							
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
31	SS	2.0'	2		0.2	SANDY CLAY: FINE GRAINED, TRACE SILT, SOFT TO MEDIUM STIFF, GREENISH GRAY, MOIST	
32	S-8	100%	2		(BG)		
33							
34							
35	SS	2.0'	5		0.2	LIMESTONE / MARL / SHELL FRAGMENTS THROUGHOUT. MICRITE CEMENT MATRIX, DENSE, DARK GREEN / GREEN / WHITE, WET.	
36	S-9	100%	23		(BG)		
37							
38							
39							
40	SS	2.0'	9		0.2	SAME (MEDIUM DENSE)	
41	S-10	100%	11		(BG)		
42							
43							
44							
45	SS	1.8'	7		0.2	SILTY SAND: FINE TO MEDIUM GRAINED, TRACE TO SOME SHELL FRAGMENTS, MEDIUM DENSE, GREEN / WHITE, WET.	
46	S-11		12		(BG)		
47							
48							
49							
50							

DRILLING CO.: HARDIN-HUGER, INC.  
 DRILLER: JAY CORRAN

BAKER REP.: J. E. ZIMMERMAN  
 BORING NO.: 69-GW14DW SHEET 3 OF 7

# TEST BORING RECORD

PROJECT: RI DU No. 4 MCB CAMP LEJEUNE, NC  
 S.O. NO.: 62470-212 BORING NO.: 69-GW14D1

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon		A = Auger		SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')		RQD = Rock Quality Designation (%)	
T = Shelby Tube		W = Wash		Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)		Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
R = Air Rotary		C = Core					
D = Denison		P = Piston					
N = No Sample							
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
51	SS	1.8'	7 18 19		0.2 (BG)	SILTY SAND: FINE GRAINED, DENSE, GREEN, WET	
52	S-12		20				
53							
54							
55	SS	1.9'	18 23 24		0.2 (BG)	SILTY SAND: FINE GRAINED, TRACE TO LITTLE SHELL FRAGMENTS (BOTTOM 1/2 OF SAMPLE), DENSE, GREEN/WHITE, WET	
56	S-13		50/3"				
57							
58							
59							
60	SS		25 50/4"		0.2 (BG)	SILTY SAND: FINE GRAINED, TRACE SHELL FRAGMENTS, VERY DENSE, GREEN/WHITE, WET.	
61	S-14						
62							
63							
64							
65	SS		18 28 50/4"		0.2 (BG)	SILTY SAND: FINE GRAINED, SOME SHELL FRAGMENTS, VERY DENSE, GREEN/WHITE, WET	
66	S-15						
67							
68							
69							
70							

DRILLING CO.: HARDIN-HUBER, Inc.  
 DRILLER: JAY CORRAN

BAKER REP.: J.E. ZIMMERMAN  
 BORING NO.: 69-GW14DW SHEET 4 OF 7

# TEST BORING RECORD

PROJECT: RI OU No. 4 MCR CAMP LEJEUNE, NC  
 S.O. NO.: 62470-212 BORING NO.: 69-GW14DW

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon	A = Auger					SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')	
T = Shelby Tube	W = Wash					RQD = Rock Quality Designation (%)	
R = Air Rotary	C = Core					Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)	
D = Denison	P = Piston					Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
N = No Sample							
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
71	SS	110'	42		0.2	SAND: FINE TO MEDIUM GRAINED, LITTLE SILT, SHELL FRAGMENTS AND PIECES OF FRACTURED FOSSILIFEROUS LIMESTONE, VERY DENSE, GREEN/LIGHT GRAY/WHITE, WET  * 6" $\phi$ CASING (STEEL) SET TO 72' AND GROUDED.	
72	S-16	100%	50/4		(BG)		
73							
74							
75	SS	NR	100/5		-	NO RECOVERY	
76	S-17						
77							
78							
79							
80	SS	0.9	35		0.3	SAND: FINE GRAINED, LITTLE SILT, VERY DENSE, GREENISH GRAY, WET.	
81	S-18	98%	50/5		(BG)		
82							
83							
84							
85	SS	0.9	32		0.3	SAND: FINE GRAINED, TRACE SILT, VERY DENSE, GREENISH GRAY, WET.	
86	S-19	100%	50/3		(BG)		
87							
88							
89							
90							

DRILLING CO.: HARDIN-HUBER, INC.  
 DRILLER: JAY CORRAN

BAKER REP.: J. E. ZIMMERMAN  
 BORING NO.: 69-GW14DW SHEET 5 OF 7

# TEST BORING RECORD

PROJECT: RI DU No. 4 MCB CAMP LETEUNE, NC  
 S.O. NO.: 62470-212 BORING NO.: 69-GW14

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon    A = Auger T = Shelby Tube    W = Wash R = Air Rotary    C = Core D = Denison    P = Piston N = No Sample						SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5') RQD = Rock Quality Designation (%) Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282) Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
91	SS	NR	38		-	NO RECOVERY	
	S-20		50/3"				
92							
93							
94							
95	SS	0.3'	40		0.3	SAND: FINE GRAINED, TRACE SILT, VERY DENSE, GREENISH GRAY, WET	
96	S-21	36%	50/4"		(BG)		
97							
98							
99							
100	SS	1.0'	100%		0.3	SAME	
101	S-22	100%	5"		(BG)		
102							
103							
104							
105	SS	0.8'	100%		0.3	SAME	
106	S-23	87%	7"		(BG)		
107							
108							
109							
110							

DRILLING CO.: HARDIN-HUBER, INC.  
 DRILLER: JAY CORRAN

BAKER REP.: J.E. ZIMMERMAN  
 BORING NO.: 69-GW14.DW SHEET 6 OF 5

PROJECT: RI 00 No. 4 MCB CAMP LEJEUNE, NC  
 S.O. NO.: 62470-212 BORING NO.: 69-GW14DW

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon		A = Auger		SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')		RQD = Rock Quality Designation (%)	
T = Shelby Tube		W = Wash		Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)		Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
R = Air Rotary		C = Core					
D = Denison		P = Piston					
N = No Sample							
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
111	SS	1.1'	28		0.3	SAND; FINE GRAINED, TRACE SILT, VERY DENSE, GREENISH GRAY, WET	
112	S-24	100%	50/5"		(BG)		
113							
114							
115	SS	1.6'	28		0.3	SAND; FINE GRAINED, TRACE SILT, VERY DENSE, GREEN, WET.	
116	S-25	100%	34		(BG)		
117							
118							
119							
120	SS	1.6'	32		0.2	SAME	
121	S-26	100%	50/5"		(BG)		
122							
123							
124							
125	SS	1.5'	34		0.2	SAME	
126	S-27	100%	50/5"		(BG)		
127						BOTTOM OF BORING @ 127.0'	
128							
129							
130							

DRILLING CO.: HARDIN-HUBER, INC.  
 DRILLER: JAY CORRAN

BAKER REP.: J. E. ZIMMERMAN  
 BORING NO.: 69-GW14DW SHEET 7 OF 7

# BAKER

## WELL CONSTRUCTION LOG

BOREHOLE NUMBER:

69-GW15

SHEET: 1 OF 1

PROJECT NUMBER: 62470-212  
 PROJECT NAME: SITE 69 - CHEMICAL STORAGE AREA  
 LOCATION: MCB CAMP LEJEUNE, NC  
 DRILLING COMPANY: PARROTT-WOLFF, INC.  
 RIG TYPE & NUMBER: ATV (TRACK) RIG  
 DRILLING METHOD: AUGERS  
 WEATHER: SUNNY, WARM, HUMID  
 GEOLOGIST: E. J. KLEINKAUF  
 ENV. SCIENTIST: -  
 DATE BEGUN: 3/23/95 DATE COMPLETED: 3/23/95

GROUND SURFACE ELEVATION: 35.70' me l  
 TOP OF PVC CASING ELEVATION: 16.07' me l

WELL DETAILS (FT)

STICKUP: 1.7  
 LENGTH OF RISER (2" I.D.): 3.0  
 LENGTH OF SCREEN (2" I.D.): 10.0  
 THICKNESS OF GROUT: 1.0  
 THICKNESS OF SEAL: 1.0  
 THICKNESS OF SAND PACK: 11.0

ELEVATION	DEPTH	SOIL SAMPLES	SAMPLE NO.	SAMPLE METHOD	BLOBS/O'S	RECOVERY (FT)	PID (PPM)		LITHOLOGY	DESCRIPTION	DEPTH	WELL INSTALLATION
							BG	PS				
39:00	4.0									4.0		
38:00	3.0									3.0		
37:00	2.0									2.0		
36:00	1.0									1.0		
35:00	0.0									0.0		
34:00	1.0									1.0		
33:00	2.0									2.0		
32:00	3.0									3.0		
31:00	4.0									4.0		
30:00	5.0									5.0		
29:00	6.0									6.0		
28:00	7.0									7.0		
27:00	8.0									8.0		
26:00	9.0									9.0		
25:00	10.0									10.0		
24:00	11.0									11.0		
23:00	12.0									12.0		
22:00	13.0									13.0		
21:00	14.0									14.0		
20:00	15.0									15.0		
19:00	16.0									16.0		
18:00	17.0									17.0		
17:00	18.0									18.0		
16:00	19.0									19.0		
15:00	20.0									20.0		
14:00	21.0									21.0		
13:00	22.0									22.0		
12:00	23.0									23.0		
	24.0									24.0		

No samples collected. Augered to 13'.  
 Refer to well 69-GW15IW log for lithology.

BOTTOM OF BOREHOLE • 13.0'  
 NOTE:  
 1) Groundwater encountered • 3.0' during drilling



BAKER

WELL CONSTRUCTION LOG

BOREHOLE NUMBER:

69-GW151W


SHEET: 2 OF 3

ELEVATION	DEPTH	SOIL SAMPLES	SAMPLE NO.	SAMPLE METHOD	BLOWS/0.5'	RECOVERY (FT)	PID (PPM)		LITHOLOGY	DESCRIPTION	DEPTH	WELL INSTALLATION
							BG	PS				
20.0	20.0									20.0		
15.00	21.0									21.0		
14.00	22.0									22.0		
13.00	23.0									23.0		
12.00	24.0									24.0		
11.00	25.0									25.0		
10.00	26.0		S-11	SS	NOH NOH NOH	2.0	0.0	0.0		26.0		
9.00	27.0									27.0		
8.00	28.0									28.0		
7.00	29.0									29.0		
6.00	30.0									30.0		
5.00	31.0		S-12	SS	NOH NOH NOH	2.0	0.0	0.0		31.0		
4.00	32.0									32.0		
3.00	33.0									33.0		
2.00	34.0									34.0		
1.00	35.0									35.0		
0.00	36.0		S-13	SS	NOH NOH NOH	1.75	0.0	0.0		36.0		
1.00	37.0									37.0		
2.00	38.0									38.0		
3.00	39.0									39.0		
4.00	40.0									40.0		
5.00	41.0		S-14	SS	8 28 16 16	1.80	-	-		41.0		
6.00	42.0									42.0		
7.00	43.0									43.0		
8.00	44.0									44.0		
9.00	45.0									45.0		
10.00	46.0		S-15	SS	8 14 13 16	1.70	-	-		46.0		
11.00	47.0									47.0		
12.00	48.0									48.0		
13.00	49.0									49.0		
14.00	50.0									50.0		
15.00	51.0		S-16	SS	3 6 8 10	1.80	-	-		51.0		
16.00	52.0									52.0		

CLAYEY SILT: trace fine grained sand, grey/green, damp to wet, soft

SILT AND SAND: fine grained, trace clay, grey/green, damp to moist, soft

SILTY SAND: fine grained, shell and limestone fragments, green and white, moist to wet, dense/very dense







**APPENDIX C.3**  
**SITE 69 BACKGROUND**

---

# Baker

Baker Environmental, Inc

# TEST BORING RECORD

PROJECT: RI/FS OU#4 CAMP LEJEUNE, NC  
 S.O. NO.: 62470-212 BORING NO.: 69-BB-5B01  
 COORDINATES: EAST: \_\_\_\_\_ NORTH: \_\_\_\_\_  
 ELEVATION: SURFACE: \_\_\_\_\_ TOP OF PVC CASING: \_\_\_\_\_

RIG: <u>HAND AUGER</u>					DATE	PROGRESS (FT)	WEATHER	WATER DEPTH (FT)	TIME
SPLIT SPOON	CASING	AUGERS	CORE BARREL						
SIZE (DIAM.)					<u>1/8/94</u>	<u>0-1'</u>	<u>—</u>	<u>—</u>	<u>—</u>
LENGTH									
TYPE									
HAMMER WT.									
FALL									
STICK UP									

REMARKS: 8 JANUARY 1994

**SAMPLE TYPE**  
 S = Split Spoon    A = Auger  
 T = Shelby Tube    W = Wash  
 R = Air Rotary    C = Core  
 D = Denison    P = Piston  
 N = No Sample    HA = HAND AUGER

**DEFINITIONS**  
 SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')  
 RQD = Rock Quality Designation (%)  
 Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)  
 Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis

Depth (Ft.)	Sample Type and No.	Samp. Rec. Ft. & %	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Eleva
1	HA 00	—	—	—	0.0 PS 1.5 PS 0.4 PS	LIGHT BROWN / LIGHT GREY SILTY & SAND, MOIST, LOOSE.	
2							
3							
4							
5							
6							
7							
8							
9							
10							

Match to Sheet 2

DRILLING CO.: N/A  
 DRILLER: N/A

BAKER REP.: E.J. KLEINKAUF / W.M. PELKEY  
 BORING NO.: 69-BB-5B01 SHEET 1 OF

# Baker

Baker Environmental, Inc

# TEST BORING RECORD

PROJECT: RI/FS OU #4 CAMP LEJEUNE, NC  
 S.O. NO.: 62470-212 BORING NO.: 69-BB-SB02  
 COORDINATES: EAST: \_\_\_\_\_ NORTH: \_\_\_\_\_  
 ELEVATION: SURFACE: \_\_\_\_\_ TOP OF PVC CASING: \_\_\_\_\_

RIG: <u>HAND AUGER</u>					DATE	PROGRESS (FT)	WEATHER	WATER DEPTH (FT)	TIN
SPLIT SPOON	CASING	AUGERS	CORE BARREL						
SIZE (DIAM.)					<u>1/8/94</u>	<u>0-1'</u>	<u>—</u>	<u>—</u>	<u>—</u>
LENGTH									
TYPE									
HAMMER WT.									
FALL									
STICK UP									

REMARKS: 8 JANUARY 1994

**SAMPLE TYPE**  
 S = Split Spoon    A = Auger  
 T = Shelby Tube    W = Wash  
 R = Air Rotary    C = Core  
 D = Denison    P = Piston  
 N = No Sample    HA = HAND AUGER

**DEFINITIONS**  
 SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')  
 RQD = Rock Quality Designation (%)  
 Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)  
 Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis

Depth (Ft.)	Sample Type and No.	Samp. Rec. Ft. & %	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Eleva
1	HA 00	—	—	—	0.0	0.0-0.3' LIGHT GREY SILTY f SAND MOIST, LOOSE, SLIGHTLY ORGANIC	
2							
3						0.3-1.0' LIGHT BROWN SILTY f SAND, MOIST, LOOSE	
4							
5							
6							
7							
8							
9							
10							

Match to Sheet 2

DRILLING CO.: N/A  
 DRILLER: N/A

BAKER REP.: E.J. KLEINKAUF / W.M. PELKEY  
 BORING NO.: 69-BB-SB02 SHEET 1 OF

# Baker

Baker Environmental, Inc.

# TEST BORING RECORD

PROJECT: RI/FS OU#4 CAMP LEJEUNE, NC  
 S.O. NO.: 62470-212 BORING NO.: 69-BB-SB 03  
 COORDINATES: EAST: \_\_\_\_\_ NORTH: \_\_\_\_\_  
 ELEVATION: SURFACE: \_\_\_\_\_ TOP OF PVC CASING: \_\_\_\_\_

RIG: <u>HAND AUGER</u>					DATE	PROGRESS (FT)	WEATHER	WATER DEPTH (FT)	TIN
SIZE (DIAM.)	SPLIT SPOON	CASING	AUGERS	CORE BARREL					
LENGTH					<u>1/8/94</u>	<u>0-1'</u>	<u>—</u>	<u>—</u>	<u>—</u>
TYPE									
HAMMER WT.									
FALL									
STICK UP									

REMARKS: 8 JANUARY 1994

**SAMPLE TYPE**  
 S = Split Spoon    A = Auger  
 T = Shelby Tube    W = Wash  
 R = Air Rotary    C = Core  
 D = Denison    P = Piston  
 N = No Sample    HA = HAND AUGER

**DEFINITIONS**  
 SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')  
 RQD = Rock Quality Designation (%)  
 Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)  
 Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis

Depth (Ft.)	Sample Type and No.	Samp. Rec. Ft. & %	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Eleva
1	HA 00	—	—	—	0.0 PS 1.0 PS	0.0-0.5' LIGHT BROWN SILTY SAND, LITTLE TRACE CLAY MOIST, LOOSE	
2							
3						0.5-1.0' LIGHT YELLOWISH BROWN/ORANGE SANDY CLAY LITTLE SILT, MOIST	
4							
5							
6							
7							
8							
9							
10							

Match to Sheet 2

DRILLING CO.: N/A  
 DRILLER: N/A

BAKER REP.: E.J. KLEINKAUF/W.M. PELKEY  
 BORING NO.: 69-BB-SB 03 SHEET 1 OF 1

# Baker

Baker Environmental, Inc

# TEST BORING RECORD

PROJECT: RI/ES OU#4 CAMP LEJEUNE, NC  
 S.O. NO.: 62470-212 BORING NO.: 69-BB-SB C  
 COORDINATES: EAST: \_\_\_\_\_ NORTH: \_\_\_\_\_  
 ELEVATION: SURFACE: \_\_\_\_\_ TOP OF PVC CASING: \_\_\_\_\_

RIG: <u>HAND AUGER</u>					DATE	PROGRESS (FT)	WEATHER	WATER DEPTH (FT)	TIP
SPLIT SPOON	CASING	AUGERS	CORE BARREL						
SIZE (DIAM.)					<u>1/8/94</u>	<u>0-1'</u>	<u>—</u>	<u>—</u>	<u>—</u>
LENGTH									
TYPE									
HAMMER WT.									
FALL									
STICK UP									

REMARKS: 8 JANUARY 1994

**SAMPLE TYPE**  
 S = Split Spoon    A = Auger  
 T = Shelby Tube    W = Wash  
 R = Air Rotary    C = Core  
 D = Denison        P = Piston  
 N = No Sample    HA = HAND AUGER

**DEFINITIONS**  
 SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')  
 RQD = Rock Quality Designation (%)  
 Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)  
 Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis

Depth (Ft.)	Sample Type and No.	Samp. Rec. Ft. & %	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Eleva
1	HA 00	—	—	—	0.0 PS 0.4 PS	0.0-0.7' LIGHT BROWN SILTY f SAND SLIGHT CLAY, MOIST, LOOSE	
2						0.7-1.0' LIGHT YELLOWISH BROWN / ORANGE CLAYEY f SAND, SOME SILT, MOIST, LOOSE	
3							
4							
5							
6							
7							
8							
9							
10							

Match to Sheet 2

DRILLING CO.: \_\_\_\_\_ N/A  
 DRILLER: \_\_\_\_\_ N/A

BAKER REP.: E.J. KLEINKAUF / W.M. PELKEY  
 BORING NO.: 69-BB-SB 04 SHEET 1 OF \_\_\_\_\_

**APPENDIX D**  
**TEST BORING & WELL LOGS**

---

# Baker

Baker Environmental, Inc

# TEST BORING RECORD

PROJECT: Sites 69, 74, E 41

S.O. NO.: 212

BORING NO.: 69-GW020W

COORDINATES: EAST: \_\_\_\_\_

NORTH: \_\_\_\_\_

ELEVATION: SURFACE: \_\_\_\_\_

TOP OF PVC CASING: \_\_\_\_\_

RIG: <u>Mobile B-47</u>									
	SPLIT SPOON	CASING	AUGERS	CORE BARREL	DATE	PROGRESS (FT)	WEATHER	WATER DEPTH (FT)	TIME
SIZE (DIAM.)	<u>1 3/8" ID</u>		<u>4 1/4" ID</u>		<u>1-9-94</u>	<u>0-6.0</u>	<u>Sunny, cool</u>	<u>6.0</u>	
LENGTH	<u>2.0'</u>		<u>5.0'</u>		<u>1-10-94</u>	<u>6.0-16.0</u>	<u>Sunny, cool</u>		
TYPE	<u>STD</u>		<u>HSA</u>		<u>1-21-94</u>	<u>16.0-50.0</u>			
HAMMER WT.	<u>140#</u>								
FALL	<u>30"</u>								
STICK UP	<u>2 1/2'</u>								

REMARKS: Continuous sampling to 50.0' (bgs). Hwu background is .5 ppm. Type II mont. Well set 1-21-94

SAMPLE TYPE						DEFINITIONS			
S = Split Spoon	A = Auger					SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')			
T = Shelby Tube	W = Wash					RQD = Rock Quality Designation (%)			
R = Air Rotary	C = Core					Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)			
D = Denison	P = Piston					Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis			
N = No Sample									
Depth (Ft.)	Sample Type and No.	Samp. Rec. Ft. & %	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description			Elevation
1	Sample #01 is collected	1.0 / 2.0	1 / 3		BG	SAND, fine to medium grained and SILT w/ organics. Black to yellowish brown to grayish brown, loose to medium dense, damp to wet.  SAND, fine to medium grained and SILT w/ trace to little CLAY.  CLAY, w/ little to some SAND, fine grained, trace silt. Gray to black, very loose, wet.			
2	2.0	50%	2						
3	S-2	1.2 / 2.0	3 / 4		BG				
4	4.0	60%	11						
5	Sample #03 is collected	1.5 / 2.0	4 / 4		5.5				
6	6.0	75%	11						
7	S-4	1.6 / 2.0	4 / 2		1.5				
8	8.0	80%	2						
9	S-5	1.8 / 2.0	2 / 1		18				
10	10.0	90%	1						

Match to Sheet 2

DRILLING CO.: Hardin Huber, Inc

DRILLER: Don Callahan

BAKER REP.: S. Moffett / E. Kleinkauf

BORING NO.: 69-GW020W SHEET 1 OF 3



# TEST BORING RECORD

Baker Environmental, Inc

PROJECT: Sites 69, 74, & 41  
 S.O. NO.: 212

BORING NO.: 69-GW020

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon	A = Auger					SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')	
T = Shelby Tube	W = Wash					RQD = Rock Quality Designation (%)	
R = Air Rotary	C = Core					Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)	
D = Denison	P = Piston					Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
N = No Sample							
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
11	S-6	1.7 2.0	1 1 1		BG		
12		85%	1				
13	S-7	1.6 2.0	1 1 1		5.8	CLAY w/ trace to little SILT. Gray to black, soft, moist	
14		80%	1				
15	S-8	1.8 2.0	1 1 1		3.1		
16		90%	1				
17	S-9	24" 24"	1 2		.7		
18		100%	2				
19	S-10	24" 24"	2 1		.7		
20		100%	3				
21	S-11	24" 24"	2 2 2		1.2	SANDY CLAY, fine grained. Medium gray, cohesive, moist	
22		100%	2				
23	S-12	24" 24"	1 2 3		BG		
24		100%	3				
25	S-13	24" 24"	2 2 3		BG		
26		100%	2				
27	S-14	24" 24"	2 2 3		BG		
28		100%	2				
29	S-15	24" 24"	2 2 3		.8		
30		100%	3				

DRILLING CO.: 1-lardin Huber Inc  
 DRILLER: Jay Carron

BAKER REP.: E. Kleinkauf  
 BORING NO.: 69-GW020W

# TEST BORING RECORD

PROJECT: Sites 69, 74, & 41  
 S.O. NO.: 212 BORING NO.: 69-GW020W

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon	A = Auger					SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')	
T = Shelby Tube	W = Wash					RQD = Rock Quality Designation (%)	
R = Air Rotary	C = Core					Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)	
D = Denison	P = Piston					Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
N = No Sample							
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
31	S-16	24" 24" 100%	2 2 3		.9	SAND and CLAY w/ little ?, cohesive, moist	
32			3				
33	S-17	24" 24" 100%	1 2 3		.7		
34							
35	S-18	24" 24" 100%	1 1 8		.8	LIMESTONE. Green, hard	
36			32				
37	S-19	24" 24" 100%	52 50 3"		BG	LIMESTONE / MARL w/ CLAY and shell fragments. White, hard	
38							
39	S-20	24" 24" 100%	15 15 27		BG	LIMESTONE / MARL and shell frag- ments. CLAYEY areas increase. Green to white, hard, increase in coarseness.	
40			19				
41	S-21	24" 24" 100%	21 26 24		.7		
42			26				
43	S-22	24" 24" 100%	6 8 10		1.2		
44			17				
45	S-23	22" 24" 91%	8 9 7		BG	SILTY SAND, fine to fine to medium grained w/ shell and rock fragments. Green, moist	
46							
47	S-24	22" 24" 91%	5 8 12		1.1	SILTY SAND, fine to fine to medium grained. Green, loose, moist	
48			16				
49	S-25	22" 24" 91%	6 8 9		BG		
50			23				
TD: 50.0'						END of Boring	HW background range: 3 to 5 ppm

DRILLING CO.: Hardin Huber, Inc  
 DRILLER: Jay Corron

BAKER REP.: E. Kleinkauf  
 BORING NO.: 69-GW020W SHEET 3 OF 3

# FIELD WELL CONSTRUCTION LOG

**Baker**

Baker Environmental, Inc

PROJECT: Sites 69, 74, & 41

DATE: 1-21-94

CTO NO.: 212

BORING NO.: 69-GW02 DW

COORDINATES: EAST: \_\_\_\_\_

NORTH: \_\_\_\_\_




ELEVATION: SURFACE: \_\_\_\_\_

TOP OF STEEL CASING: \_\_\_\_\_

## Pay Items

Item	Quantity	Unit	Remarks
Sand	12 bags		#1 Sand
Bentonite Pellets	1 bucket		
PVC Pipe	52.5'		10' of screen
(1) Steel surface protective casing (4) bollards and (1) 5x5 cement pad			

WELL INFORMATION	DIAM. (INCHES)	TYPE	TOP DEPTH (FT.)	BOTTOM DEPTH (FT.)
Well Casing	2.0"	Schedule 40 PVC	+2.5' (bgs)	40.0' (bgs)
Well Screen	2.0"	Schedule 40 PVC 10 slot	40.0' (bgs)	50.0' (bgs)



DRILLING CO.: Hardin Huber, Inc

BAKER REP.: E. Kleinkauf


DRILLER: Jay Corron

BORING NO.: 69-GW02 DW SHEET 1 OF 3

## FIELD WELL CONSTRUCTION LOG

PROJECT: Sites 69, 74 & 41  
 CTO NO.: 212

DATE: 1-21-94  
 BORING NO.: 69-GW020W



DRILLING CO.: Hardin Huber, Inc  
 DRILLER: Jay Corron

BAKER REP.: E. Kleinkauf  
 BORING NO.: 69-GW020W SHEET 2 OF 3


**Baker**

Baker Environmental, Inc.

# FIELD WELL CONSTRUCTION LOG

PROJECT: Sites 69, 74, & 41  
CTO NO.: 212

DATE: 1-21-94  
BORING NO.: 69-GW020W



DRILLING CO.: Hardin Huber, Inc  
DRILLER: Jay Corson

BAKER REP.: E. Kleinkauf  
BORING NO.: 69-GW020W SHEET 3 OF 3

# Baker

Baker Environmental, Inc

# TEST BORING RECORD

PROJECT: Sites 69, 74 & 41

S.O. NO.: 212

BORING NO.: 69GW0200

COORDINATES: EAST: \_\_\_\_\_

NORTH: \_\_\_\_\_

ELEVATION: SURFACE: \_\_\_\_\_

TOP OF PVC CASING: \_\_\_\_\_

RIG: Rig # 48									
	SPLIT SPOON	CASING	AUGERS	CORE BARREL	DATE	PROGRESS (FT)	WEATHER	WATER DEPTH (FT)	TIME
SIZE (DIAM.)	1 3/8" ID	12" / 8"	3/4" ID		5-17-94	0-12.0	clear, cool (60'S)	6.5	
LENGTH	2.0'	12' / 73'	5.0		5-18-94	12.0-73.0	clear, cool (50'S)		
TYPE	STD	steel	HSA		5-19-94	73.0-127.0	clear, cool (50'S)		
HAMMER WT.	140 #								
FALL	30"								
STICK UP									

REMARKS: Continuous sampling to 36.0' (bgs). H<sub>2</sub>O background range is .2 to .4 ppv

SAMPLE TYPE						DEFINITIONS	
S	= Split Spoon	A	= Auger				
T	= Shelby Tube	W	= Wash	SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')			
R	= Air Rotary	C	= Core	RQD = Rock Quality Designation (%)			
D	= Denison	P	= Piston	Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)			
N	= No Sample			Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis			
Depth (Ft.)	Sample Type and No.	Samp. Rec. Ft. & %	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
1	S-1	1.4 / 2.0	3		BG	SILTY SAND, fine grained. Dark brown to brown, loose, damp.	
2	2.0	70%	3				
3	S-2	1.1 / 2.0	9		BG	SAND, fine grained w/ trace silt. Brown to light gray, medium dense, damp. Oxidation streaking present	
4	4.0	55%	11				
5	S-3	1.4 / 2.0	10		BG		
6	6.0	70%	10			SAND, fine to medium grained w/ trace silt. Light brown to gray, very loose, wet to moist	
7	S-4	1.5 / 2.0	2		BG		
8	8.0	75%	2			CLAY w/ little to some SAND, fine grained w/ trace silt. Gray, very loose, moist.	
9	S-5	2.0 / 2.0	2		BG		
10	10.0	100%	2				

Match to Sheet 2

DRILLING CO.: Hardin-Huber, Inc.

BAKER REP.: J.E. Zimmerman

DRILLER: Chad Chism

BORING NO.: 69GW0200

SHEET 1 OF 2

# TEST BORING RECORD

PROJECT: Sites 69, 74, & 41  
 S.O. NO.: 212

BORING NO.: 69GW0200

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon		A = Auger		SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')		RQD = Rock Quality Designation (%)	
T = Shelby Tube		W = Wash		Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)		Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
R = Air Rotary		C = Core					
D = Denison		P = Piston					
N = No Sample							
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
11	S-6	2.0 2.0	1 1 1		BG	CLAY w/ trace to little silt Gray to greenish gray, very soft to soft to medium stiff, moist.	
12		100%	1				
13							
14							
15	S-7	2.0 2.0	1 2 3		BG	SANDY CLAY; fine grained w/ trace silt. Greenish gray, soft to medium stiff, moist	
16		100%	3				
17	S-8	2.0 2.0	2 3 1		BG		
18		100%	1				
19	S-9	2.0 2.0	2 2 2		BG		
20		100%	2				
21	S-10	2.0 2.0	1 1 3		BG		
22		100%	2				
23	S-11	2.0 2.0	2 2 2		BG		
24		100%	2				
25	S-12	2.0 2.0	2 2 2		BG		
26		100%	2				
27	S-13	2.0 2.0	2 2 2		BG		
28		100%	2				
29	S-14	2.0 2.0	2 3 4		BG		
30		100%	3				

DRILLING CO.: Hardin-Huber, Inc  
 DRILLER: Chad Chismo

BAKER REP.: J.E. Zimmerman  
 BORING NO.: 69GW0200 SHEET 2 OF 7

# TEST BORING RECORD

Baker Environmental, Inc

PROJECT: Sites 69, 74, & 41  
 S.O.NO.: 212

BORING NO.: 69GW0200

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon	A = Auger					SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')	
T = Shelby Tube	W = Wash					RQD = Rock Quality Designation (%)	
R = Air Rotary	C = Core					Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)	
D = Denison	P = Piston					Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
N = No Sample							
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
31	S-15	2.0	2		BG	SANDY CLAY, fine grained w/ trace silt. Greenish gray soft to medium stiff, moist	
32		2.0	1				
32		100%	2				
33	S-16	1.0	2		BG		
34		2.0	2				
34		50%	2				
35	S-17	1.5	2		BG	LIMESTONE. Dark green, medium dense, wet	
36		2.0	3				
36		75%	22				
37							
38							
39							
40	S-18	1.3	7		BG.	LIMESTONE / MARL w/ shell fragments. Green and white medium dense, wet. Micrite cement is matrix only.	
41		2.0	16				
42		65%	32				
43							
44							
45	S-19	1.3	7		BG	SILTY SAND, fine to medium w/ trace to some shell material and fragment. Green and white, medium dense, wet.	
46		2.0	7				
47		65%	7				
48							
49							
50							

DRILLING CO.: Hardin-Huber, Inc  
 DRILLER: Chad Chism

BAKER REP.: J. E. Zimmerman  
 BORING NO.: 69GW0200



# TEST BORING RECORD

PROJECT: Sites 69, 74, & 41  
 S.O. NO.: 212

BORING NO.: 69GW0200

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon	A = Auger					SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')	
T = Shelby Tube	W = Wash					RQD = Rock Quality Designation (%)	
R = Air Rotary	C = Core					Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)	
D = Denison	P = Piston					Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
N = No Sample							
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
51	S-20	1.5 2.0	6 7		BG	SILTY SAND, fine grained. Green, medium dense, wet.	
52	52.0	75%	14				
53							
54							
55							
55.0							
56	S-21	1.3 2.0	6 9		BG	SILTY SAND, fine grained w/ trace to little shell fragments (bottom 1/2 of sample only). Green and white, medium dense, wet.	
57	57.0	65%	17 28				
58							
59							
60							
60.0							
61	S-22	1.6 2.0	9 23		BG	SILTY SAND, fine grained w/ trace shell material. Green and white, very dense, wet.	
62	62.0	80%	27 35				
63							
64							
65							
65.0							
66	S-23	1.6 2.0	11 14		BG	SILTY SAND, fine grained w/ some shell fragments. Green and white, dense, wet.	
67	67.0	80%	26 27				
68							
69							
70	70.0						

DRILLING CO.: Hardin-Huber, Inc  
 DRILLER: Chad Chism

BAKER REP.: J. E. Zimmerman  
 BORING NO.: 69GW0200



# TEST BORING RECORD

PROJECT: Sites 69, 74 & 41  
 S.O. NO.: 212 BORING NO.: 69GWO2DD

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon	A = Auger					SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')	
T = Shelby Tube	W = Wash					RQD = Rock Quality Designation (%)	
R = Air Rotary	C = Core					Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)	
D = Denison	P = Piston					Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
N = No Sample							
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
71	S-24	1.0	37		BG	SAND, fine to medium grained w/ little silt, shell fragments and pieces of FOSSILIFEROUS LIMESTONE Green and white, very dense, wet.	
72		2.0	51				
75.0		50%	5"				
76	S-25	NR	51		-	NO RECOVERY	
77			4"				
80	S-26	1.0	17		BG	SAND, fine grained w/ little silt. Greenish gray, very dense, wet.	
81		2.0	33				
82		50%	38				44
85	S-27	1.0	19		BG	SAND, fine grained w/ trace silt. Greenish gray, very dense, wet.	
86		2.0	21				
87		50%	51				5"
90							

# TEST BORING RECORD

Baker Environmental, Inc

PROJECT: Sites 69, 7A, & 41  
 S.O.NO.: 212

BORING NO.: 69GW0200

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon	A = Auger					SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')	
T = Shelby Tube	W = Wash					RQD = Rock Quality Designation (%)	
R = Air Rotary	C = Core					Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)	
D = Denison	P = Piston					Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
N = No Sample							
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
91	S-28	NR	30 5 1/5"		-	NO RECOVERY	
92							
93							
94							
95							
96	S-29	1.7 2.0 35%	19 33 5 1/4"		BG	SAND, fine grained w/ trace silt. Greenish gray, very dense, wet. Faint yellow staining is occasional	
97							
98							
99							
100							
101	S-30	NR	33 5 1/5"		-	NO RECOVERY	
102							
103							
104							
105							
106	S-31	.3 2.0 15%	17 51 5 1/6"		BG	SAND, fine grained w/ trace silt. Greenish gray, very dense, wet.	
107							
108							
109							
110							

DRILLING CO.: Hardin-Huber, Inc.  
 DRILLER: Chad Chism

BAKER REP.: J.E. Zimmerman  
 BORING NO.: 69GW0200

SAMPLE TYPE						DEFINITIONS		Elevation
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description		
111	S-32	1.0 2.0 50%	22 31 51 6"		BG	SAND, fine grained w/ trace silt. Greenish gray, very dense, wet		
112								
113								
114								
115								
116	S-33	1.8 2.0 90%	11 17 22 40		BG	SAND, fine grained w/ trace silt. Green, dense, wet.		
117								
118								
119								
120								
121	S-34	1.6 2.0 80%	17 23 25 5 1/8"		BG	SAND, fine grained w/ trace silt. Green, dense, wet.		
122								
123								
124								
125								
126	S-35	1.8 2.0 90%	19 22 27 40		BG	SAND, fine grained w/ trace silt. Green, dense to very dense, wet.		
127								
128						End of Boring		
129						TD: 127.0'		
130								




# FIELD WELL CONSTRUCTION LOG



PROJECT: Sites 69, 74, & 41      DATE: 5-19-94  
 CTO NO.: 212      BORING NO.: 69GW0200  
 COORDINATES: EAST: \_\_\_\_\_      NORTH: \_\_\_\_\_  
 ELEVATION: SURFACE: \_\_\_\_\_      TOP OF STEEL CASING: \_\_\_\_\_

Pay Items			
Item	Quantity	Unit	Remarks
Sand	9.5 bags		#1 Sand
Bentonite pellets	2 buckets		
PVC pipe	127.5'		10' of screen
(1) steel surface protective casing			
(4) bollards and (1) 5x5 cement pad			

WELL INFORMATION	DIAM. (INCHES)	TYPE	TOP DEPTH (FT.)	BOTTOM DEPTH (FT.)
Well Casing	2.0	Schedule 40 PVC	+2.5'	115.0' (bgs)
Well Screen	2.0	Schedule 40 PVC 10 slot	115.0' (bgs)	125.0' (bgs)




DRILLING CO.: Hardin-Huber, Inc  
 DRILLER: Chad Chism

BAKER REP.: J.E. Zimmerman  
 BORING NO.: 69GW0200      SHEET 1 OF 7

# FIELD WELL CONSTRUCTION LOG

PROJECT: Sites 69, 74, & 41  
S.O. NO.: 212

BORING NO.: 69GW0200



DRILLING CO.: Hardin-Huber, Inc  
DRILLER: Chad Chism


BAKER REP.: J. E. Zimmerman  
BORING NO.: 69GW0200

# FIELD WELL CONSTRUCTION LOG


PROJECT: Sites 69, 74, & 41

S.O. NO.: 212


BORING NO.: 696W0200



**Backfill Key**



**Well Key**



DRILLING CO.: Hardin-Huber, Inc

DRILLER: chad chism

BAKER REP.: J. E. Zimmerman


BORING NO.: 696W0200

SHEET 3 OF 7

# FIELD WELL CONSTRUCTION LOG

PROJECT: Sites 69, 74 & 41  
S.O. NO.: 212

BORING NO.: 69GW0200



DRILLING CO.: Hardin-Huber, Inc  
DRILLER: Chad Chism

BAKER REP.: J.E. Zimmerman  
BORING NO.: 69GW0200 SHEET 4 OF 7




# FIELD WELL CONSTRUCTION LOG

PROJECT: Sites 69, 74, & 41

S.O. NO.: 212

BORING NO.: 69GW0200



DRILLING CO.: Hardin-Huber, Inc

DRILLER: Chad Chism

BAKER REP.: J.E. Zimmerman


BORING NO.: 69GW0200

SHEET 5 OF 7



# FIELD WELL CONSTRUCTION LOG

PROJECT: Sites 69, 74, & 41  
 S.O. NO.: 212 BORING NO.: 69GW0200




DRILLING CO.: Hardin-Huber, Inc  
 DRILLER: Chad Chism

BAKER REP.: J. E. Zimmerman  
 BORING NO.: 69GW0200 SHEET 6 OF 7

# FIELD WELL CONSTRUCTION LOG

PROJECT: Sites 69, 74, & 41  
 S.O. NO.: 212

BORING NO.: 69GW0200



DRILLING CO.: Hardin-Huber, Inc  
 DRILLER: Chad Chism

BAKER REP.: J.E. Zimmerman  
 BORING NO.: 69GW0200

# Baker

Baker Environmental, Inc

# TEST BORING RECORD

PROJECT: Sites 69, 74, E 41

S.O. NO.: \_\_\_\_\_

BORING NO.: 69GW03 I

COORDINATES: EAST: \_\_\_\_\_

NORTH: \_\_\_\_\_

ELEVATION: SURFACE: \_\_\_\_\_

TOP OF PVC CASING: \_\_\_\_\_

RIG: Rig # 48									
	SPLIT SPOON	CASING	AUGERS	CORE BARREL	DATE	PROGRESS (FT)	WEATHER	WATER DEPTH (FT)	TIME
SIZE (DIAM.)	1 3/8" ID	10"	3 1/4" ID		5-20-94	0-16.0	clear, cool (50'S)	6.5	
LENGTH	2.0'	17'	5.0'		5-21-94	16.0-62.0	overcast, cool (50'S)		
TYPE	STD	Steel	HSA						
HAMMER WT.	140*								
FALL	30"								
STICK UP									

REMARKS: Continuous sampling to 36.0' (bgs). H<sub>2</sub>O background range is .1 to .2 ppm

SAMPLE TYPE			DEFINITIONS		
S = Split Spoon	A = Auger		SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')		
T = Shelby Tube	W = Wash		RQD = Rock Quality Designation (%)		
R = Air Rotary	C = Core		Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)		
D = Denison	P = Piston		Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis		
N = No Sample					

Depth (Ft.)	Sample Type and No.	Samp. Rec. Ft. & %	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
1	S-1	1.2	5		BG	SILTY SAND, fine grained. Gray to brown, loose damp.  SAND, fine grained w/ trace silt. Brown to light brown to gray, very loose to loose to medium dense, damp to moist to wet.	
2		60%	4				
3	S-2	1.3	3		BG		
4		65%	4				
5	S-3	1.5	5		BG		
6		75%	6				
7	S-4	1.3	7		BG		
8		65%	10				
9	S-5	1.7	11		BG		
10		85%	7				

Match to Sheet 2

DRILLING CO.: Hardin-Huber, Inc.  
DRILLER: Chad Chism

BAKER REP.: J. E. Zimmerman  
BORING NO.: 69GW03 I SHEET 1 OF 4

# TEST BORING RECORD

Baker Environmental, Inc

PROJECT: Sites 69, 74, & 41  
 S.O. NO.: 212

BORING NO.: 69GWO3I

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon	A = Auger					SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')	
T = Shelby Tube	W = Wash					RQD = Rock Quality Designation (%)	
R = Air Rotary	C = Core					Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)	
D = Denison	P = Piston					Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
N = No Sample							
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevatic
11	S-6	1.6	3		BG	SAND, fine grained w/ trace silt and little CLAY (at bottom only). Gray, loose to medium dense, wet.	
12		2.0	4				
12		80%	3				
13	S-7	1.4	2		BG	CLAY w/ little to some SAND, fine grained w/ trace silt. Gray, loose to medium stiff, moist.	
14		2.0	3				
14		70%	5				
15	S-8	2.0	1		BG	CLAY w/ trace to little silt. Gray to greenish gray, soft to very soft, moist.	
16		2.0	2				
16		100%	1				
17							
18							
19	S-9	2.0	2		BG		
20		2.0	2				
20		100%	2				
21	S-10	.5	1		BG		
22		2.0	1				
22		25%	1				
23	S-11	2.0	1		BG	SANDY CLAY, fine grained w/ trace silt. Greenish gray, soft to medium stiff, moist	
24		2.0	2				
24		100%	2				
25	S-12	2.0	1		BG		
26		2.0	2				
26		100%	1				
27	S-13	2.0	3		BG		
28		2.0	2				
28		100%	1				
29	S-14	2.0	1		BG		
30		2.0	2				
30		100%	2				

DRILLING CO.: Hardin - Huber, Inc  
 DRILLER: Chad Chism

BAKER REP.: J.E. Zimmerman  
 BORING NO.: 69GWO3I

Baker Environmental, Inc

PROJECT: Sites 69, 74, & 41  
 S.O. NO.: 212

BORING NO.: 69GW03I

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon	A = Auger					SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')	
T = Shelby Tube	W = Wash					RQD = Rock Quality Designation (%)	
R = Air Rotary	C = Core					Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)	
D = Denison	P = Piston					Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
N = No Sample							
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevatio
31	S-15	$\frac{2.0}{2.0}$	2		BG	SANDY CLAY, fine grained w/ trace silt. Greenish gray to dark green, soft to medium stiff, moist	
32		100%	2				
33	S-16	$\frac{2.0}{2.0}$	2		BG		
34		100%	2				
35	S-17	$\frac{2.0}{2.0}$	2		BG	LIMESTONE / MARL. Dark green, medium dense; wet	
36		100%	15				
37							
38							
39							
40							
41	S-18	$\frac{2.0}{2.0}$	7		BG	Limestone / MARL w/ shell fragments. Green to white medium dense, wet. Micrite cement is matrix only.	
42		100%	8				
43			9				
44							
45							
46	S-19	$\frac{1.6}{2.0}$	4		BG	SILTY SAND, fine to medium grained w/ shell material and fragments. Green and white, medium dense, wet.	
47		80%	5				
48			7				
49							
50							

DRILLING CO.: Hardin-Huber, Inc  
 DRILLER: Chad Chism

BAKER REP.: J.E. Zimmerman  
 BORING NO.: 69GW03I

# TEST BORING RECORD

Baker Environmental, Inc

PROJECT: Sites 69, 74, & 41  
 S.O. NO.: 212

BORING NO.: 69GW03I

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon	A = Auger					SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')	
T = Shelby Tube	W = Wash					RQD = Rock Quality Designation (%)	
R = Air Rotary	C = Core					Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)	
D = Denison	P = Piston					Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
N = No Sample							
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
51	S-20	1.6	5		BG	SILTY SAND, fine grained. Green, medium dense, wet.	
52		2.0	6				
52.0		80%	10				
53							
54							
55	S-21	.3	10		BG	SILTY SAND, fine grained w/ trace to little shell fragments. Green and white, medium dense, wet.	
56		2.0	14				
57		15%	15				
58							
59							
60							
61	S-22	NR	13		-	NO RECOVERY	
62			29				
62.0			39				
			45				
3						End of Boring	
4						TD: 62.0'	
5							
6							
7							
8							
9							
0							

DRILLING CO.: Hardin-Huber, Inc  
 DRILLER: Chad Chism

BAKER REP.: J.E. Zimmerman  
 BORING NO.: 69GW03I

# FIELD WELL CONSTRUCTION LOG


**Baker**

Baker Environmental, Inc.

PROJECT: Sites 69, 74, & 41 DATE: 5-21-94  
 CTO NO.: 212 BORING NO.: 69GW03I  
 COORDINATES: EAST: \_\_\_\_\_ NORTH: \_\_\_\_\_  
 ELEVATION: SURFACE: \_\_\_\_\_ TOP OF STEEL CASING: \_\_\_\_\_

Pay Items			
Item	Quantity	Unit	Remarks
Sand	8 bags		#1 sand
Bentonite pellets	2 buckets		
PVC pipe	62.5'		10' of screen
(1) steel surface protective casing			
(4) bollards and (1) 5x5 cement pad			

WELL INFORMATION	DIAM. (INCHES)	TYPE	TOP DEPTH (FT.)	BOTTOM DEPTH (FT.)
Well Casing	2.0	Schedule 40 PVC	+ 2.5'	50.0' (bgs)
Well Screen	2.0	Schedule 40 PVC 10 slot	50.0' (bgs)	60.0' (bgs)




DRILLING CO.: Hardin-Huber, Inc BAKER REP.: J.E. Zimmerman  
 DRILLER: Chad Chism BORING NO.: 69GW03I SHEET 1 OF 4



# FIELD WELL CONSTRUCTION LOG

PROJECT: Sites 69, 74, & 41  
S.O. NO.: 212

BORING NO.: 69GW03I




DRILLING CO.: Hardin-Huber, Inc  
DRILLER: Chad Chism

BAKER REP.: J.E. Zimmerman  
BORING NO.: 69GW03I

# FIELD WELL CONSTRUCTION LOG

PROJECT: Sites 69, 74, & 41  
 S.O. NO.: 212 BORING NO.: 69GW03I




**Baker**

Baker Environmental, Inc.

# FIELD WELL CONSTRUCTION LOG

PROJECT: Sites 69, 74, & 41  
S.O. NO.: 212

BORING NO.: 69GW03I



DRILLING CO.: Hardin-Hubbs, Inc  
DRILLER: Chad Chism

BAKER REP.: J.E. Zimmerman  
BORING NO.: 69GW03I

SHEET 4 OF 4

# Baker

Baker Environmental, Inc

# TEST BORING RECORD

PROJECT: \_\_\_\_\_  
 S.O. NO.: \_\_\_\_\_ BORING NO.: 69-GW09  
 COORDINATES: EAST: \_\_\_\_\_ NORTH: \_\_\_\_\_  
 ELEVATION: SURFACE: \_\_\_\_\_ TOP OF PVC CASING: \_\_\_\_\_

RIG: <u>Mobile B-47</u>					DATE	PROGRESS (FT)	WEATHER	WATER DEPTH (FT)	TIME
SIZE (DIAM.)	<u>1 3/8" ID</u>	CASING	<u>4 1/4" ID</u>	CORE BARREL	<u>1-8-94</u>	<u>0.0 to 2.0</u>	<u>Sunny High 40's</u>		
LENGTH	<u>20'</u>		<u>50'</u>						
TYPE	<u>Std.</u>		<u>HSA</u>						
HAMMER WT.	<u>140 lbs</u>								
FALL	<u>30"</u>								
STICK UP									

REMARKS: Background (BG) is 0.4 parts per million (ppm)

<b>SAMPLE TYPE</b> S = Split Spoon    A = Auger T = Shelby Tube    W = Wash R = Air Rotary    C = Core D = Denison        P = Piston N = No Sample	<b>DEFINITIONS</b> SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5') RQD = Rock Quality Designation (%) Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282) Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis
---	---

Depth (Ft.)	Sample Type and No.	Samp. Rec. Ft. & %	SPT or RQD	TIME Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
1	S-1	1.7	2	0926	2.0	Fine to medium sand and silt, brown, pine needles and decaying vegetation Black, damp, loose	9.7'
		85%	2				
2			3			Fine to medium sand and silt, brownish black to grayish brown, damp, loose	
3	S-2	1.6	3	0922	BG	Fine to medium sand, trace to little silt, grayish brown to yellowish brown, damp to moist, loose	3.0'
4	69-GW09-02	80%	4				
5	S-3	1.3	2	1006	2.0	Clay, little to some fine to medium sand, trace silt Brownish gray, moist, strong reddish orange mottles loose	
6		65%	4				
7	S-4	1.7	2	1022	BG		
8		85%	3				
9	S-5	1.5	2	1036	BG		
10	69-GW09-05	75%	3				
10			4			Water at approximately 10 feet	Match to Sheet 2

DRILLING CO.: Hardin-Huber, Inc.  
 DRILLER: P. Callahan

BAKER REP.: S. Moffett  
 BORING NO.: 69-GW09

# TEST BORING RECORD

Baker Environmental, Inc

PROJECT: \_\_\_\_\_ BORING NO.: 69-6W09

S.O. NO.: \_\_\_\_\_

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon	A = Auger					SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')	
T = Shelby Tube	W = Wash					RQD = Rock Quality Designation (%)	
R = Air Rotary	C = Core					Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)	
D = Denison	P = Piston					Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
N = No Sample							
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	TIME Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
11	S-6	1.6 88%	2 2 3 4	1046	3.2	Five SAND AND SILT, trace to little clay, Brownish gray wet, strong reddish orange mottles, loose	
12						SAND content and grain size increases with depth	
13	S-7	1.4 78%	2 2 3 3	1055	BG		
14							14.0'
15	S-8	1.8 98%	3 1 1 1	1105	BG	Five to coarse SAND, trace to little fine gravel Trace to little clay, trace silt, mottled greenish blue with dark brown spots (like oxidized copper), wet, very loose	
16							
17	S-9	1.7 85%	1 1 1 2	1115	BG		17.5'
18						Five to medium SAND, little to some silt, trace clay Brownish gray, wet, very loose	
19	S-10	1.4 78%	1 1 1 1	1125	BG		
20							
21	A-1					Bottom of Bore hole at 21.0 Feet	
22							
23							
24							
25							
26							
27							
28							
29							
30							

# FIELD WELL CONSTRUCTION LOG

PROJECT: \_\_\_\_\_  
 S.O. NO.: \_\_\_\_\_ BORING NO.: 69-GW09  
 COORDINATES: EAST: \_\_\_\_\_ NORTH: \_\_\_\_\_  
 ELEVATION: SURFACE: \_\_\_\_\_ TOP OF STEEL CASING: \_\_\_\_\_


Well Development \_\_\_\_\_

### Pay Items


Item	Quantity	Unit	Remarks
2" PVC well Screen	10	feet	
2" PVC well casing	13.2	feet	
well point and cap	1	each	
sand filter pack	8.5	bag	
bentonite pellets	2	pull	

WELL INFORMATION	DIAM. (INCHES)	TYPE	TOP DEPTH (FT.)	BOTTOM DEPTH (FT.)
Well Casing	2	PVC	-3.2	10.0
Well Screen	2	PVC	10.0	20.5


### Backfill Key



### Well Installation Detail



### Well Key




DRILLING CO.: Hamm-Whitaker, Inc.  
 DRILLER: p. Callahan

BAKER REP.: S. Moffatt  
 BORING NO.: 69-GW09 SHEET 1 OF 2

# FIELD WELL CONSTRUCTION LOG

PROJECT: \_\_\_\_\_ BORING NO.: 69-GW09  
 S.O. NO.: \_\_\_\_\_



DRILLING CO.: Hamm-Nebel, Inc.  
 DRILLER: P. Callahan

BAKER REP.: S. Moffett  
 BORING NO.: 69-GW09

# Baker

Baker Environmental, Inc

# TEST BORING RECORD

PROJECT: \_\_\_\_\_  
 S.O. NO.: \_\_\_\_\_ BORING NO.: 69-GW10  
 COORDINATES: EAST: \_\_\_\_\_ NORTH: \_\_\_\_\_  
 ELEVATION: SURFACE: \_\_\_\_\_ TOP OF PVC CASING: \_\_\_\_\_

RIG: <u>Mobile B-47</u>									
	SPLIT SPOON	CASING	AUGERS	CORE BARREL	DATE	PROGRESS (FT)	WEATHER	WATER DEPTH (FT)	TIME
SIZE (DIAM.)	<u>1 3/8" ID</u>		<u>4 1/4" ID</u>		<u>1-9-94</u>	<u>0.0 to 17.0</u>	<u>Sunny, low 40's</u>		
LENGTH	<u>2.0</u>		<u>5.0'</u>						
TYPE	<u>SOD</u>		<u>HSA</u>						
HAMMER WT.	<u>140 lbs</u>								
FALL	<u>30"</u>								
STICK UP									

REMARKS: Background (BG) is 0.5 parts per million (PPM)

SAMPLE TYPE						DEFINITIONS			
S = Split Spoon	A = Auger					SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')			
T = Shelby Tube	W = Wash					RQD = Rock Quality Designation (%)			
R = Air Rotary	C = Core					Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)			
D = Denison	P = Piston					Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis			
N = No Sample									
Depth (Ft.)	Sample Type and No.	Sample Rec. Ft. & %	SPT or RQD	Time Lab. Class. or Pen Rate	PID (ppm)	Visual Description			Elevation
1	S-1 69-GW10-01	1.5 75%	2 2 3	1040	1.9	Fine medium sand, silt, leaves, pine needles and decaying vegetation in first few inches, yellow brown, to grayish brown, damp to wet, loose to medium dense			
2						TRACE clay from 3.5 to 4.0 feet			
3	S-2	1.8 90%	3 4 8	1045	BG				
4									
5	S-3 69-GW10-03	1.7 85%	4 8 12 13	1103	BG	water at approximately 5.5 feet			
6									
7	S-4	1.5 75%	7 4 5 6	1113	2.0	Black to grayish black at 7.5 feet			
8									
9	S-5	1.3 65%	4 6 8	1122	BG				
10									

Match to Sheet 2

DRILLING CO.: HANSEN-HUBER, Inc.  
 DRILLER: D. Callahan

BAKER REP.: S. Moffatt  
 BORING NO.: 69-GW10

SHEET 1 OF



Baker Environmental, Inc

PROJECT: \_\_\_\_\_

S.O. NO.: \_\_\_\_\_

BORING NO.: 69-GW10

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon		A = Auger		SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')		RQD = Rock Quality Designation (%)	
T = Shelby Tube		W = Wash		Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)		Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
R = Air Rotary		C = Core					
D = Denison		P = Piston					
N = No Sample							
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
11	S-6	1.0 50%	5 2	1147	BL	Fine to medium sand and silt, grayish black, wet loose to medium dense	12.0'
12	S-7	1.8 70%	1 3	1155	BL	Fine to medium sand and silt, trace to little clay, grayish black, wet, very loose to loose	14.0'
13	S-8	1.8 90%	2 2	1200	BL		
14							
15							
16							
17	A-2					Bottom of Borehole at 17.0 Feet	
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							

DRILLING CO.: Harden - Huber, Inc

DRILLER: P Callahan

BAKER REP.: S. Moffett

BORING NO.: 69-GW10

SHEET 2 OF

# FIELD WELL CONSTRUCTION LOG




PROJECT: \_\_\_\_\_  
 S.O. NO.: \_\_\_\_\_ BORING NO.: 69-GWB  
 COORDINATES: EAST: \_\_\_\_\_ NORTH: \_\_\_\_\_  
 ELEVATION: SURFACE: \_\_\_\_\_ TOP OF STEEL CASING: \_\_\_\_\_

Well Development \_\_\_\_\_

Pay Items			
Item	Quantity	Unit	Remarks
2" PVC well screen	10	Feet	
2" PVC well casing	10	Feet	
well point and cap	1	each	
SAND Filter Pack	5.5	bag	
bentonite pellets	2	pack	

WELL INFORMATION	DIAM. (INCHES)	TYPE	TOP DEPTH (FT.)	BOTTOM DEPTH (FT.)
Well Casing	2	PVC	-4.5	5.5
Well Screen	2	PVC	5.5	16.0

6.0






DRILLING CO.: Harwin Huber Inc  
 DRILLER: P Callahan

BAKER REP.: S. Willett  
 BORING NO.: 69-GWB

# FIELD WELL CONSTRUCTION LOG

PROJECT: \_\_\_\_\_ BORING NO.: 69-GW10  
 S.O. NO.: \_\_\_\_\_



DRILLING CO.: Harrow-Huber, Inc  
 DRILLER: P Callahan

BAKER REP.: S. Moffatt  
 BORING NO.: 69-GW10

# Baker

Baker Environmental, Inc

# TEST BORING RECORD

PROJECT: \_\_\_\_\_  
 S.O. NO.: \_\_\_\_\_ BORING NO.: 69-GW11  
 COORDINATES: EAST: \_\_\_\_\_ NORTH: \_\_\_\_\_  
 ELEVATION: SURFACE: \_\_\_\_\_ TOP OF PVC CASING: \_\_\_\_\_

RIG: <u>Mobile B-47</u>									
	SPLIT SPOON	CASING	AUGERS	CORE BARREL	DATE	PROGRESS (FT)	WEATHER	WATER DEPTH (FT)	TIME
SIZE (DIAM.)	<u>1 3/8" ID</u>		<u>4 1/4" ID</u>		<u>1-7-94</u>	<u>0.0 to 19.0</u>	<u>Sunny low 60's</u>		
LENGTH	<u>2.0'</u>		<u>5.0'</u>						
TYPE	<u>Std.</u>		<u>HSA</u>						
HAMMER WT.	<u>140 lbs</u>								
FALL	<u>30"</u>								
STICK UP									

REMARKS: Background (BG) is 0.5 parts per million (ppm)

<b>SAMPLE TYPE</b> S = Split Spoon    A = Auger T = Shelby Tube    W = Wash R = Air Rotary    C = Core D = Denison        P = Piston N = No Sample	<b>DEFINITIONS</b> SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5') RQD = Rock Quality Designation (%) Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282) Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis
---	---

Depth (Ft.)	Sample Type and No.	Samp. Rec. Ft. & %	SPT or RQD	TIME Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
1	S-1	1.3 65%	3 2 3	0925	BG	<u>Leaves, pine needles and decaying vegetation, damp, loose</u> <u>Fine to medium sand, trace to little silt, grayish brown to yellowish brown, damp to moist, loose</u>	0.3'
2							
3	S-2	1.3 65%	5 6 6	0920	BG		
4							
5	S-3	0.3 15%	3 4 5 6	1006	BG		5.0'
6						<u>CLAY, little fine to medium sand, trace to little silt, orangeish brown, damp, stiff</u>	6.0'
7	S-4	1.4 70%	3 10 8 8	1015	BG	<u>Fine to medium sand, trace to little silt, grayish brown to yellowish brown, damp to wet medium dense</u>	
8						<u>water at approximately 7.5 feet</u>	
9	S-5	1.6 80%	3 5 5 4	1026	BG		9.5'
10						<u>CLAY, little to some fine sand, trace silt gray, wet, areas of orangeish staining, loose</u>	

Match to Sheet 2

# TEST BORING RECORD

Baker Environmental, Inc

PROJECT: \_\_\_\_\_

S.O. NO.: \_\_\_\_\_

BORING NO.: 69-GW11

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon		A = Auger		SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')		RQD = Rock Quality Designation (%)	
T = Shelby Tube		W = Wash		RQD = Rock Quality Designation (%)		Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)	
R = Air Rotary		C = Core		Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)		Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
D = Denison		P = Piston		Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis			
N = No Sample							
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	TIME Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
11	S-6	1.5 75%	1 3 4	1036	50	CLAY, little to some fine sand, trace silt, <sup>light</sup> gravel, wet Areas of orangish staining, loose	
12							
13	S-7	1.8 90%	2 3 4	1043	BG		
14							
15	S-8	1.7 85%	4 3 4	1335	BG	Becomes A DARK bluish gray color at 15 feet large areas of orangish staining	
16							
17	S-9	0.9 45%	4 5 4	1353	BG		
18							
19	A-N						19.0'
20						BOTTOM of Borehole at 19. feet	
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							

DRILLING CO.: Hardin Huber, Inc

DRILLER: P. Callahan

BAKER REP.: S. Muffett

BORING NO.: 69-GW11

SHEET 2 OF 2




# FIELD WELL CONSTRUCTION LOG

PROJECT: \_\_\_\_\_  
 S.O. NO.: \_\_\_\_\_ BORING NO.: 69-GW11  
 COORDINATES: EAST: \_\_\_\_\_ NORTH: \_\_\_\_\_  
 ELEVATION: SURFACE: \_\_\_\_\_ TOP OF STEEL CASING: \_\_\_\_\_

Well Development \_\_\_\_\_




Pay Items			
Item	Quantity	Unit	Remarks
2" PVC well screen	10	feet	
2" PVC well casing	10	feet	
well point and cap	1	each	
Sand Filter pack	6.5	bag	
Bentonite pellets	1.5	PAUL	

WELL INFORMATION	DIAM. (INCHES)	TYPE	TOP DEPTH (FT.)	BOTTOM DEPTH (FT.)
Well Casing	2	PVC	-	8.5
Well Screen	2	PVC	8.5	19.0




# FIELD WELL CONSTRUCTION LOG

PROJECT: \_\_\_\_\_  
 S.O. NO.: \_\_\_\_\_ BORING NO.: 109-GW11



DRILLING CO.: Hardin Huber, Inc  
 DRILLER: Pi Callahan

BAKER REP.: S Muffett  
 BORING NO.: 109-GW11



# TEST BORING RECORD

PROJECT: \_\_\_\_\_  
 S.O. NO.: \_\_\_\_\_ BORING NO.: 69-GW-12  
 COORDINATES: EAST: \_\_\_\_\_ NORTH: \_\_\_\_\_  
 ELEVATION: SURFACE: \_\_\_\_\_ TOP OF PVC CASING: \_\_\_\_\_

RIG: <u>MOBILE B-47</u>									
	SPLIT SPOON	CASING	AUGERS	CORE BARREL	DATE	PROGRESS (FT)	WEATHER	WATER DEPTH (FT)	TIME
SIZE (DIAM.)	<u>1 3/8" ID</u>		<u>4 1/4" ID</u>		<u>1-6-94</u>	<u>0.0 to 13.5</u>	<u>SUNNY, High 30's</u>		
LENGTH	<u>2.0'</u>		<u>5.0'</u>						
TYPE	<u>Std</u>		<u>HSA</u>						
HAMMER WT.	<u>140 lbs.</u>								
FALL	<u>30"</u>								
STICK UP									

REMARKS: Back Ground (BG) is 0.3 parts per million (ppm)

<p><b>SAMPLE TYPE</b></p> <p>S = Split Spoon    A = Auger        T = Shelby Tube    W = Wash        R = Air Rotary    C = Core        D = Denison    P = Piston        N = No Sample</p>	<p><b>DEFINITIONS</b></p> <p>SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')        RQD = Rock Quality Designation (%)        Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)        Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis</p>
--	--

Depth (Ft.)	Sample Type and No.	Samp. Rec. Ft. & %	SPT or RQD	TIME Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
1	S-1	1.5	2 2 3	0925	12	<u>Fine to Medium Sand and Silt, Black, Moist, some leaves and decaying vegetation in the first few inches of sample</u> <u>White from 0.6 to 0.8 feet, very loose to loose</u>	
2	S-1	75%	3		1.5		
3	S-2	0.3	1 2	0950	1.0	<u>TREE ROOT struck w spoon, poor recovery</u> <u>water at approximately 3.0 feet</u>	
4	S-2	15%	3				
5	S-3	2.0	2 1	1010	BG	<u>Fine to Medium Sand and Silt, Trace clay, Black, wet, very loose</u>	4.5'
6	S-3	100%	1				
7	S-4	2.0	1 2	1025	1.5	<u>Fine to Medium Sand and Silt, Black to grayish brown, wet, loose</u> <u>Silt content decreases with depth</u>	7.6'
8	S-4	100%	1				
9	S-5	1.6	5 3	1033	BG	<u>Fine to Medium Sand, trace to little silt, grayish brown</u> <u>wet, loose</u>	
10	S-5	80%	5				Match to Sheet 2



SAMPLE TYPE						DEFINITIONS	
S = Split Spoon      A = Auger T = Shelby Tube      W = Wash R = Air Rotary        C = Core D = Denison            P = Piston N = No Sample						SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5') RQD = Rock Quality Designation (%) Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282) Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
11	SL6	0.9 45%	4 3 2 2	1040	86	Hard to Medium SAND, trace to little SILT, grayish brown, wet, loose	
12							
13	A-N						13.5
14						Bottom of Bore hole at 13.5 feet	
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							

**Baker**

Baker Environmental, Inc.




# FIELD WELL CONSTRUCTION LOG

PROJECT: \_\_\_\_\_  
 S.O. NO.: \_\_\_\_\_ BORING NO.: 69-GW12  
 COORDINATES: EAST: \_\_\_\_\_ NORTH: \_\_\_\_\_  
 ELEVATION: SURFACE: \_\_\_\_\_ TOP OF STEEL CASING: \_\_\_\_\_

Well Development \_\_\_\_\_

Pay Items			
Item	Quantity	Unit	Remarks
2" PVC well Screen	10	feet	
2" PVC well casing	5.3	feet	
Well point AND CAP	1	each	
SAND Filter pack	2.5	bag	
bentonite pellets	1.5	lb	

WELL INFORMATION	DIAM. (INCHES)	TYPE	TOP DEPTH (FT.)	BOTTOM DEPTH (FT.)
Well Casing	2	PVC	-2.8	2.0
Well Screen	2	PVC	2.0	12.5






DRILLING CO.: Harcam-Huber, Inc.  
 DRILLER: P. Callahan

BAKER REP.: S. Moffett  
 BORING NO.: 69-GW12

SHEET 1 OF 2

# FIELD WELL CONSTRUCTION LOG

PROJECT: \_\_\_\_\_  
 S.O. NO.: \_\_\_\_\_ BORING NO.: 69-GW12



DRILLING CO.: Harwin Huber, Inc  
 DRILLER: P. Callahan

BAKER REP.: S. Moffett  
 BORING NO.: 69-GW12

# Baker

Baker Environmental, Inc

# TEST BORING RECORD

PROJECT: Sites 69, 74, & 41

S.O. NO.: 212

BORING NO.: 69-GW12DW

COORDINATES: EAST: \_\_\_\_\_

NORTH: \_\_\_\_\_

ELEVATION: SURFACE: \_\_\_\_\_

TOP OF PVC CASING: \_\_\_\_\_

RIG: <u>Mobile B-47</u>									
	SPLIT SPOON	CASING	AUGERS	CORE BARREL	DATE	PROGRESS (FT)	WEATHER	WATER DEPTH (FT)	TIME
SIZE (DIAM.)	<u>1 3/8" ID</u>		<u>4 1/4" ID</u>		<u>1-8-94</u>	<u>0-20.0</u>	<u>Sunny, cool</u>	<u>3.0</u>	
LENGTH	<u>2.0'</u>		<u>5.0'</u>		<u>1-22-94</u>	<u>20.0-60.0</u>			
TYPE	<u>STO</u>		<u>HSA</u>						
HAMMER WT.	<u>140#</u>								
FALL	<u>30"</u>								
STICK UP	<u>2 1/2'</u>								

REMARKS: Continuous sampling to 6.0' (bgs). Type II monitoring well set 1-22-94

SAMPLE TYPE						DEFINITIONS			
S = Split Spoon	A = Auger					SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')			
T = Shelby Tube	W = Wash					RQD = Rock Quality Designation (%)			
R = Air Rotary	C = Core					Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)			
D = Denison	P = Piston					Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis			
N = No Sample									
Depth (Ft.)	Sample Type and No.	Samp. Rec. Ft. & %	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description			Elevation
1	Sample #01 is collected	1.0	1		7.3	SAND, fine to medium grained and SILT w/ organics. Black to white to gray, very loose to loose, moist to wet.  CLAY w/ little to some SAND, fine to medium grained and trace SILT.			
2		2.0	2						
3	S-2	1.0	1		5.5				
4		2.0	2						
5	S-3	1.6	4		BG				
6		2.0	2						
7	S-4	1.4	2		BG				
8		2.0	2						
9	S-5	1.6	1		BG				
10		2.0	2						
		80%	2			Match to Sheet 2			

DRILLING CO.: Hardin Huber, Inc

DRILLER: Pat Callahan

BAKER REP.: S. Moffett / E. Kleinkauf

BORING NO.: 69-GW12DW SHEET 1 OF 4

# TEST BORING RECORD

Baker Environmental, Inc

PROJECT: Sites 69, 74, & 41.  
 S.O. NO.: 212

BORING NO.: 69-GW12DW

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon	A = Auger			SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')			
T = Shelby Tube	W = Wash			RQD = Rock Quality Designation (%)			
R = Air Rotary	C = Core			Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)			
D = Denison	P = Piston			Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis			
N = No Sample							
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
11	S-6	$\frac{1.7}{2.0}$	1 3		BG	Mottled greenish blue and reddish orange, very loose to loose, wet. CLAY and SAND, fine to medium grained w/ trace to little SILT and trace fine gravel. Mottled green/blue/ dark brown, loose to medium dense, wet.	
12		85%	3				
13	S-7	$\frac{1.3}{2.0}$	2 6		BG		
14		65%	4 7				
15	S-8	$\frac{1.6}{2.0}$	6 7		BG	SAND, fine to coarse grained w/ shell fragments and trace CLAY and SILT. Greenish blue, medium dense, wet.	
16		80%	8 10				
17	S-9	$\frac{1.5}{2.0}$	4 7		BG		
18		75%	11 17				
19	S-10	$\frac{1.4}{2.0}$	4 6		BG		
20		70%	5 7				
21	S-11	$\frac{18"}{24"}$	5 4		BG		
22		75%	7 8				
23	S-12	$\frac{24"}{24"}$	4 5		BG		
24		100%	7 12				
25	S-13	$\frac{24"}{24"}$	5 5		.6	SILTY SAND, fine to fine to medium grained w/ little CLAY. Green, loose, moist	
26		100%	12 21				
27	S-14	$\frac{22"}{24"}$	6 9		BG		
28		91%	10 16				
29	S-15	$\frac{24"}{24"}$	4 5		.7		
30		100%	7 10				

DRILLING CO.: Hardin Huber, Inc

DRILLER: Jay Corron

BAKER REP.: E. Kleinkauf

BORING NO.: 69-GW12DW

SHEET 2 OF 4

# TEST BORING RECORD

Baker Environmental, Inc

PROJECT: Sites 69, 74, & 41  
 S.O. NO.: 212

BORING NO.: 69-GW12DW

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon	A = Auger					SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')	
T = Shelby Tube	W = Wash					RQD = Rock Quality Designation (%)	
R = Air Rotary	C = Core					Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)	
D = Denison	P = Piston					Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
N = No Sample							
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
31	S-16	19" 24"	7 15 19		BG		
32		79%	25				
33						No sample from 32' to 34' (bgs). Driller miscalculated depth.	
34							
35							
36							
37	S-17	23" 24"	8 12 25		BG	SILTY SAND, fine to fine to medium grained w/ little CLAY. Green, loose, moist	
38		95%	23				
39	S-18	22" 24"	10 13 22		BG		
40		91%	24				
41	S-19	23" 24"	7 14 23		BG	SILTY SAND, fine to fine to medium grained w/ little CLAY and occasional shells. Green, loose, moist	
42		95%	47				
43	S-20	24" 24"	10 14 20		BG		
44		100%	48				
45	S-21	10" 24" 41%	46 50" 5"		BG	SILTY LIMESTONE fragments w/ trace CLAY. Light gray to tan, loose, hard, wet	
46	S-22				BG		
47							
48						No sampling attempted	
49							
50							

DRILLING CO.: Hardin Huber, Inc  
 DRILLER: Jay Corron

BAKER REP.: E. Kleinkauf  
 BORING NO.: 69-GW12DW

# TEST BORING RECORD

Baker Environmental, Inc

PROJECT: Sites 69, 74 & 41  
 S.O. NO.: 212

BORING NO.: 69-GW120

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon	A = Auger	SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')					
T = Shelby Tube	W = Wash	RQD = Rock Quality Designation (%)					
R = Air Rotary	C = Core	Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)					
D = Denison	P = Piston	Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis					
N = No Sample							
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
51	50.9 S-23	8 24" / 33%	30 / 50%		BG	SILTY SAND, fine to fine to medium grained. Light gray to tan, loose to hard/dense, moist to wet. Slight increase in CLAY from 54' to 56' (bgs)	
52	52.0						
53	53.0 S-24	6 24" / 25%	25 / 50%		BG		
54	54.0						
55	55.0 S-25	18" / 24"	20 / 23 / 33		BG		
56	56.0	75%	50 / 5"				
57	57.0 S-26	19" / 24"	23 / 51 / 32		BG		
58	58.0	79%	35				
59	59.0 S-27	17" / 24"	17 / 20 / 25		BG		
60	60.0	70%	31				
1						End of Boring	
2						TD: 60.0'	
3						HNu background range .2 to .5 ppm	
4							
5							
6							
7							
8							
9							
0							

DRILLING CO.: Hardin Huber, Inc  
 DRILLER: Jay Corron

BAKER REP.: E. Kleinkauf  
 BORING NO.: 69-GW120W SHEET 4 OF 4

# FIELD WELL CONSTRUCTION LOG




**Baker**

Baker Environmental, Inc.

PROJECT: Sites 69, 74, & 41 DATE: 1-22-94  
 CTO NO.: 212 BORING NO.: 69-GW120W  
 COORDINATES: EAST: \_\_\_\_\_ NORTH: \_\_\_\_\_  
 ELEVATION: SURFACE: \_\_\_\_\_ TOP OF STEEL CASING: \_\_\_\_\_

Pay Items			
Item	Quantity	Unit	Remarks
Sand	9 bags		#1 Sand
Bentonite Pellets	1 bucket		
PVC Pipe	61.5'		10' of screen
(1) steel surface protective casing			
(4) ballards and (1) 5x5 cement pad			

WELL INFORMATION	DIAM. (INCHES)	TYPE	TOP DEPTH (FT.)	BOTTOM DEPTH (FT.)
Well Casing	2.0"	schedule 40 PVC	+2.5' (bas)	48.0' (bgs)
Well Screen	2.0"	schedule 40 PVC 10 slot	48.0' (bgs)	58.0' (bgs)



DRILLING CO.: Hardin Huber, Inc  
 DRILLER: Jay Corron




BAKER REP.: E. Kleinkauf  
 BORING NO.: 69-GW120W SHEET 1 OF 4





# FIELD WELL CONSTRUCTION LOG

PROJECT: Sites 69, 74, & 41  
 S.O. NO.: 212 BORING NO.: 69-GW12DW






DRILLING CO.: Hardin Huber, Inc  
 DRILLER: Jay Corron

BAKER REP.: E. Kleinkauf  
 BORING NO.: 69-GW12DW SHEET 2 OF 4



# FIELD WELL CONSTRUCTION LOG

PROJECT: Sites 69, 74, E 41  
 S.O. NO.: 212 BORING NO.: 69-GW120W



DRILLING CO.: Hardin Huber, Inc  
 DRILLER: Jay Corron




BAKER REP.: E. Kleinkauf  
 BORING NO.: 69-GW120W SHEET 3 OF 4



# FIELD WELL CONSTRUCTION LOG

PROJECT: Sites 69, 74, & 41  
S.O. NO.: 212

BORING NO.: 69-GW12DW



DRILLING CO.: Hardin Huber, Inc  
DRILLER: Jay Corron

BAKER REP.: E. Kleinkauf  
BORING NO.: 69-GW12DW SHEET 4 OF 4

# Baker

Baker Environmental, Inc

# TEST BORING RECORD

PROJECT: Sites 69, 74, & 41

S.O. NO.: 212

BORING NO.: 69GW13

COORDINATES: EAST: \_\_\_\_\_

NORTH: \_\_\_\_\_

ELEVATION: SURFACE: \_\_\_\_\_

TOP OF PVC CASING: \_\_\_\_\_

RIG: Rig #48									
	SPLIT SPOON	CASING	AUGERS	CORE BARREL	DATE	PROGRESS (FT)	WEATHER	WATER DEPTH (FT)	TIME
SIZE (DIAM.)	1 3/8" ID		3 1/4" ID		5-24-94	0-13.0	partly cloudy warm, (80's)	6.5	
LENGTH	2.0'		5.0'						
TYPE	STD		HSA						
HAMMER WT.	140*								
FALL	30"								
STICK UP									

REMARKS: Continuous sampling to 13.0' (bgs). Hwu background is .3 ppm

**SAMPLE TYPE**  
 S = Split Spoon    A = Auger  
 T = Shelby Tube    W = Wash  
 R = Air Rotary    C = Core  
 D = Denison    P = Piston  
 N = No Sample

**DEFINITIONS**  
 SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')  
 RQD = Rock Quality Designation (%)  
 Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)  
 Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis

Depth (Ft.)	Sample Type and No.	Samp. Rec. Ft. & %	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
1	S-1	1.2	1		BG	SILTY SAND, fine grained. Gray to dark brown, loose, damp	
		2.0	2				
			3				
2		60%	4				
3	S-2	1.0	1		BG	SAND, fine grained w/trace silt. Dark brown to brown, loose to medium dense, damp to moist to wet.	
		2.0	3				
4		50%	9				
5	S-3	1.0	3		BG		
		2.0	3				
6		50%	5				
7	S-4	1.5	10		BG		
		2.0	12				
8		75%	9				
9	S-5	1.8	5		BG	WOOD, dark brown, medium dense, wet.	
		2.0	6				
10		90%	7				

SAND, fine grained w/trace silt. Greenish gray, medium dense, wet  
 WOOD, dark brown, loose, wet Match to Sheet 2

DRILLING CO.: Hardin-Huber, Inc  
DRILLER: Chad Chism

BAKER REP.: J.E. Zimmerman  
BORING NO.: 69GW13

# TEST BORING RECORD

PROJECT: Sites 69, 74, E 41

S.O. NO.: 212

BORING NO.: 69GW13

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon      A = Auger T = Shelby Tube    W = Wash R = Air Rotary       C = Core D = Denison          P = Piston N = No Sample						SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5') RQD = Rock Quality Designation (%) Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282) Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
		.4	5			WOOD, dark brown, loose, wet.	
11	S-6	2.0	3		BG	CLAY, w/ little to some SAND, fine grained w/ trace silt. Greenish Gray, soft to medium stiff, moist.	
12	12.0	20%	2				
13			1				
14						End of Boring TD: 13.5'	
15							
16							
17						* Original well location abandoned and moved 12.0' due North.	
18						Lithologic descriptions are adapted from original well location.	
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							

# FIELD WELL CONSTRUCTION LOG




**Baker**

Baker Environmental, Inc

PROJECT: Sites 69, 74, & 41 DATE: 5-24-94  
 CTO NO.: 212 BORING NO.: 69GW13  
 COORDINATES: EAST: \_\_\_\_\_ NORTH: \_\_\_\_\_  
 ELEVATION: SURFACE: \_\_\_\_\_ TOP OF STEEL CASING: \_\_\_\_\_

Pay Items			
Item	Quantity	Unit	Remarks
Sand	10 bags		#1 Sand
Bentonite granular	1 bag		
PVC pipe	15.5'		10' of screen
(1) steel surface protective casing (4) ballards and (1) 5x5 cement pad			

WELL INFORMATION	DIAM. (INCHES)	TYPE	TOP DEPTH (FT.)	BOTTOM DEPTH (FT.)
Well Casing	2.0	Schedule 40 PVC	+2.5'	3.0' (bgs)
Well Screen	2.0	Schedule 40 PVC 10 slot	3.0' (bgs)	13.0' (bgs)




DRILLING CO.: Hardin-Huber, Inc BAKER REP.: J.E. Zimmerman  
 DRILLER: Chad Chism BORING NO.: 69GW13 SHEET 1 OF 2



# FIELD WELL CONSTRUCTION LOG

PROJECT: Sites 69, 74, & 41  
 S.O. NO.: 212 BORING NO.: 69GW13



DRILLING CO.: Hardin-Huber, Inc  
 DRILLER: Chad Chism

BAKER REP.: J. E. Zimmerman  
 BORING NO.: 69GW13 SHEET 2 OF 2

# Baker

Baker Environmental, Inc

# TEST BORING RECORD

PROJECT: Sites 69, 74, & 41

S.O. NO.: 212

BORING NO.: 69GW13I

COORDINATES: EAST: \_\_\_\_\_

NORTH: \_\_\_\_\_

ELEVATION: SURFACE: \_\_\_\_\_

TOP OF PVC CASING: \_\_\_\_\_

RIG: Rig #48									
	SPLIT SPOON	CASING	AUGERS	CORE BARREL	DATE	PROGRESS (FT)	WEATHER	WATER DEPTH (FT)	TIME
SIZE (DIAM.)	1 3/8" ID	10"	3/4" ID		5-21-94	0-22.0	overcast, cool (50's)	6.5	
LENGTH	2.0	23'	5.0'		5-23-94	22.0-62.0	clear, mild (60's)		
TYPE	STD	steel	HSA						
HAMMER WT.	140#								
FALL	30"								
STICK UP									

REMARKS: Continuous sampling to 38.0' (bgs). Know background is .3 ppm.

**SAMPLE TYPE**

- S = Split Spoon      A = Auger
- T = Shelby Tube    W = Wash
- R = Air Rotary      C = Core
- D = Denison        P = Piston
- N = No Sample

**DEFINITIONS**

- SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')
- RQD = Rock Quality Designation (%)
- Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)
- Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis

Depth (Ft.)	Sample Type and No.	Samp. Rec. Ft. & %	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
1	S-1	1.0	3		BG	SILTY SAND, fine grained. Gray to brown, medium dense, damp  SAND, fine grained w/ trace silt. Brown to dark brown to greenish gray, very loose to loose to medium dense, damp to moist to wet.	
2		2.0	5				
3	S-2	1.2	4		BG		
4		2.0	4				
5	S-3	60%	6		BG		
6		1.8	6				
7	S-4	90%	6		BG		
8		1.7	5				
9	S-5	85%	8		BG		
10		1.5	10				
		75%	8				
			2				
			9				
			9				
			7				

Match to Sheet 2

DRILLING CO.: Hardin-Huber, Inc

BAKER REP.: J.E. Zimmerman

DRILLER: Chad Chism

BORING NO.: 69GW13I

SHEET 1 OF 4





# TEST BORING RECORD

Baker Environmental, Inc

PROJECT: Sites 69, 74, & 41  
 S.O. NO.: 212

BORING NO.: 69GW13I

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon    A = Auger T = Shelby Tube    W = Wash R = Air Rotary    C = Core D = Denison    P = Piston N = No Sample						SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5') RQD = Rock Quality Designation (%) Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282) Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
11	S-6	.6 2.0	1 1 1		BG	SAND, fine grained w/trace silt Greenish gray, very loose to loose, wet.	
12		12.0	30%				
13	S-7	1.8 2.0	Woh 24"		BG	CLAY w/ little to some SAND fine grained w/trace silt. Greenish gray, soft, moist.	
14		14.0	90%				
15	S-8	1.1 2.0	5 5 5		BG	SAND, fine grained w/trace silt. Gray, medium dense, wet.	
16		16.0	55%				
17	S-9	1.8 2.0	1 1 2 3		BG	CLAY w/trace to little silt and trace SAND, fine grained.	
18		18.0	90%				
19	S-10	1.7 2.0	1 3 4 3		BG	Greenish gray, soft to medium stiff, moist. Oxidation streaking	
20		20.0	85%				
21	S-11	1.8 2.0	1 2 3 3		BG		
22		22.0	90%				
23	S-12	2.0 2.0	3 3 5 4		BG	SANDY CLAY, fine grained w/ trace silt. Greenish	
24		24.0	100%				
25	S-13	2.0 2.0	Woh 6"		BG	gray, soft to medium stiff, moist	
26		26.0	100%				
27	S-14	2.0 2.0	2 3 3 3		BG		
28		28.0	100%				
29	S-15	2.0 2.0	2 2 2		BG		
30		30.0	100%				

DRILLING CO.: Hardin-Huber, Inc  
 DRILLER: Chad Chism

BAKER REP.: J.E. Zimmerman  
 BORING NO.: 69GW13I SHEET 2 OF 4

# Baker

Baker Environmental, Inc

# TEST BORING RECORD

PROJECT: RI OU No. 4 MCB CAMP LEJEUNE, NC  
 S.O. NO.: 62470-212 BORING NO.: 69-GW14IW  
 COORDINATES: EAST: \_\_\_\_\_ NORTH: \_\_\_\_\_  
 ELEVATION: SURFACE: \_\_\_\_\_ TOP OF PVC CASING: \_\_\_\_\_

RIG: <u>MOBILE</u>					DATE	PROGRESS (FT)	WEATHER	WATER DEPTH (FT)	TIME
	SPLIT SPOON	CASING	AUGERS	CORE BARREL					
SIZE (DIAM.)	<u>1 3/8" ID</u>								
LENGTH	<u>2.0'</u>								
TYPE	<u>STD</u>								
HAMMER WT.	<u>140*</u>								
FALL	<u>30"</u>								
STICK UP	<u>2 1/2'</u>								

### REMARKS:

SAMPLE TYPE						DEFINITIONS		
S = Split Spoon	A = Auger					SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')		
T = Shelby Tube	W = Wash					RQD = Rock Quality Designation (%)		
R = Air Rotary	C = Core					Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)		
D = Denison	P = Piston					Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis		
N = No Sample								
Depth (Ft.)	Sample Type and No.	Samp. Rec. Ft. & %	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation	
1	SS	1.4'	3		0.1	SILTY SAND: FINE GRAINED, DARK BROWN WOOD		
	S-1	70%	4		(OG)			
2	SS	1.5'	3		0.1	SAND: FINE GRAINED, TRACE SILT, LOOSE BROWN, DAMP		
	S-2	75%	4		(OG)			
3	SS	1.3'	3		0.1	SAME (MEDIUM DENSE)		
	S-3	65%	5		(OG)			
4	SS	1.3'	5		0.1	SAND: FINE GRAINED, TRACE SILT, MEDIUM DENSE, LIGHT GRAY, DAMP TO MOIST		
	S-4	70%	5		(OG)			
5	SS	1.4'	3		0.1	SAND: FINE TO MEDIUM GRAINED, TRACE SILT, LITTLE CLAY (AT BOTTOM) LOOSE TO SOFT, LIGHT BROWN TO GRAY, WET TO MOIST.		
	S-5	100%	2		(OG)			
6	SS	2.0'	2		0.1	CLAY: LITTLE TO SOME FINE GRAINED SAND, TRACE SILT, SOFT TO LOOSE, GRAY, MOIST		
	S-5	100%	1		(OG)			
7	SS	2.0'	1		0.1	CLAY: LITTLE TO SOME FINE GRAINED SAND, TRACE SILT, SOFT TO LOOSE, GRAY, MOIST		
	S-5	100%	1		(OG)			

DRILLING CO.: HARDIN-HUBER, INC.  
 DRILLER: JAY CORRAN

BAKER REP.: J. E. ZIMMERMAN  
 BORING NO.: 69-GW14IW SHEET 1 OF 4

# TEST BORING RECORD

PROJECT: Sites 69, 74, & 41  
 S.O. NO.: 212

BORING NO.: 69GW13I

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon    A = Auger T = Shelby Tube    W = Wash R = Air Rotary    C = Core D = Denison    P = Piston N = No Sample						SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5') RQD = Rock Quality Designation (%) Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282) Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
31	S-16	2.0 / 2.0	1		BG	SANDY CLAY, fine grained w/ trace silt. Greenish gray soft to medium stiff to hard, moist.	
32		100%	1				
33	S-17	2.0 / 2.0	2		BG		
34		100%	3				
35	S-18	1.8 / 2.0	3		BG	SAND, fine to medium grained w/ trace of coarse gravel well rounded Greenish gray to dark green, medium dense, wet	
36		90%	23				
37	S-19	1.4 / 2.0	7		BG		
38		70%	19				
40	S-20	1.6 / 2.0	5		BG	LIMESTONE / MARL w/ shell fragments. Dark green to green to white, medium dense, wet Micrite cement is matrix only	
41			7				
42		80%	14				
45	S-21	1.1 / 2.0	11		BG	SILTY SAND, fine to medium grained w/ shell material and fragments. Green and white, medium dense, wet.	
46			11				
47		55%	21				
48							
49							
50							

DRILLING CO.: Hardin-Huber, Inc  
 DRILLER: Chad Chism

BAKER REP.: J.E. Zimmerman  
 BORING NO.: 69GW13I

# TEST BORING RECORD

Baker Environmental, Inc

PROJECT: Sites 69, 74, & 41  
 S.O. NO.: 212

BORING NO.: 69GW13I

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon		A = Auger		SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')		RQD = Rock Quality Designation (%)	
T = Shelby Tube		W = Wash		Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)		Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
R = Air Rotary		C = Core					
D = Denison		P = Piston					
N = No Sample							
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
51	S-22	1.0	6		BG	SILTY SAND, fine grained w/ trace shell material. Green and white, medium dense, wet.	
52		2.0	7				
		50%	13				
53			15				
54							
55							
56	S-23	1.0	6		BG	SILTY SAND, fine grained w/ trace to little shell fragments. Green and white, medium dense, wet.	
57		2.0	6				
		50%	7				
58			9				
59							
60							
61	S-24	NR	9		-	No RECOVERY	
62			14				
			16				
			26				
3						End of Boring	
4						TD: 62.0'	
5							
6							
7							
8							
9							
0							

DRILLING CO.: Hardin-Huber, Inc  
 DRILLER: Chad Chism

BAKER REP.: J.E. Zimmerman  
 BORING NO.: 69GW13I SHEET 4 OF 4


# FIELD WELL CONSTRUCTION LOG




PROJECT: Sites 69, 74, & 41      DATE: 5-23-  
 CTO NO.: 212      BORING NO.: 69GW13I  
 COORDINATES: EAST: \_\_\_\_\_      NORTH: \_\_\_\_\_  
 ELEVATION: SURFACE: \_\_\_\_\_      TOP OF STEEL CASING: \_\_\_\_\_

Pay Items			
Item	Quantity	Unit	Remarks
Sand	7 bags		#1 sand
Bentonite pellets	2 buckets		
PVC pipe	62.5'		10' of screen
(1) steel surface protective casing			
(4) ballards and (1) 5x5 cement pad			

WELL INFORMATION	DIAM. (INCHES)	TYPE	TOP DEPTH (FT.)	BOTTOM DEPTH (FT.)
Well Casing	2.0	Schedule 40 PVC	+ 2.5'	50.0' (60')
Well Screen	2.0	Schedule 40 PVC 10 slot	50.0' (bgs)	60.0' (bgs)






DRILLING CO.: Hardin-Huber, Inc      BAKER REP.: J.E. Zimmerman  
 DRILLER: Chad Chism      BORING NO.: 69GW13I      SHEET 1 OF 4



# FIELD WELL CONSTRUCTION LOG

PROJECT: Sites 69, 74, E 41  
 S.O. NO.: 212 BORING NO.: 69GW13I



DRILLING CO.: Hardin-Huber, Inc  
 DRILLER: Chad Chism




BAKER REP.: J. E. Zimmerman  
 BORING NO.: 69GW13I SHEET 2 OF 4



# FIELD WELL CONSTRUCTION LOG

PROJECT: Sites 69, 74, E, 41  
 S.O. NO.: 212

BORING NO.: 69GW13I



DRILLING CO.: Hardin-Huber, Inc  
 DRILLER: Chad Chism


BAKER REP.: J.E. Zimmerman  
 BORING NO.: 69GW13I SHEET 3 OF 4

## FIELD WELL CONSTRUCTION LOG

PROJECT: Sites 69, 74, & 41

S.O. NO.: 212

BORING NO.: 69GW13I



DRILLING CO.: Hardin-Huber, Inc  
 DRILLER: Chad Chism

BAKER REP.: J. E. Zimmerman  
 BORING NO.: 69GW13I SHEET 4 OF 4



# Baker

Baker Environmental, Inc

# TEST BORING RECORD

PROJECT: RI 00 No. 4 MCB CAMP LEJEUNE, NC  
 S.O. NO.: 62470-212 BORING NO.: 69-GW14  
 COORDINATES: EAST: \_\_\_\_\_ NORTH: \_\_\_\_\_  
 ELEVATION: SURFACE: \_\_\_\_\_ TOP OF PVC CASING: \_\_\_\_\_

RIG: <u>MOBILE</u>									
	SPLIT SPOON	CASING	AUGERS	CORE BARREL	DATE	PROGRESS (FT)	WEATHER	WATER DEPTH (FT)	TIME
SIZE (DIAM.)	<u>1 3/8" ID</u>								
LENGTH	<u>2.0'</u>								
TYPE	<u>STD</u>								
HAMMER WT.	<u>140#</u>								
FALL	<u>30"</u>								
STICK UP	<u>2 1/2'</u>								

REMARKS:

<p><b>SAMPLE TYPE</b></p> <p>S = Split Spoon    A = Auger        T = Shelby Tube    W = Wash        R = Air Rotary    C = Core        D = Denison    P = Piston        N = No Sample</p>	<p><b>DEFINITIONS</b></p> <p>SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')        RQD = Rock Quality Designation (%)        Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)        Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis</p>
--	--

Depth (Ft.)	Sample Type and No.	Samp. Rec. Ft. & %	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
1	SS	1.3'	1		0.1	SILTY SAND; FINE GRAINED, DARK BROWN	
2	S-1	65%	2		(OG)	SAND; FINEGRAINED, TRACE SILT, LOOSE, BROWN, DAMP	
3	SS	1.3'	3		0.1	SAND; FINE GRAINED, TRACE SILT, LOOSE, BROWN, MOIST TO WET.	
4	S-2	65%	4		(OG)		
5	SS	1.8'	4		0.1	SAND; FINE GRAINED, TRACE SILT, MEDIUM DENSE, LIGHT GRAY, WET	
6	S-3	90%	5		(OG)		
7	SS	1.9'	2		0.1	SAND; FINE TO MEDIUM GRAINED, TRACE SILT, LITTLE CLAY (AT BOTTOM), LOOSE TO SOFT, LIGHT BROWN / GRAY, WET TO MOIST	
8	S-4	95%	2		(OG)		
9	SS	2.0'	1		0.1	CLAY; LITTLE TO SOME FINE GRAINED SAND, TRACE SILT, SOFT TO LOOSE, GRAY MOIST	
10	S-5	100%	1		(OG)		

DRILLING CO.: HARDIO-HUBER, Inc. BAKER REP.: J.E. ZIMMERMAN  
 DRILLER: JAY CORRAN BORING NO.: 69-GW14 SHEET 1 OF 2

Match to Sheet 2

Baker Environmental, Inc.

PROJECT: RI 00 No. 4 MCB CAMPLETEUNE, NC  
 S.O. NO.: 62470-212 BORING NO.: 69-GW14

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon      A = Auger T = Shelby Tube      W = Wash R = Air Rotary        C = Core D = Denison            P = Piston N = No Sample						SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5') RQD = Rock Quality Designation (%) Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282) Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
11	SS	1.8'	1 2		0.1	CLAY: TRACE TO LITTLE SILT, VERY SOFT, GRAY, MOIST	
	S-6	90%	2		(BG)		
12	SS	1.8'	1 2		0.1	SAME	
	S-7	90%	1		(BG)		
14	BOTTOM OF BORING AT 14.0'						
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							

DRILLING CO.: HARDIN-HUBER, INC.  
 DRILLER: JAY CORRAN

BAKER REP.: J. E. ZIMMERMAN  
 BORING NO.: 69-GW14 SHEET 2 OF 2




# FIELD WELL CONSTRUCTION LOG



PROJECT: RI 00 No. 4 MCB CAMP LESTER DATE: 12/17/94  
 CTO NO.: 212 BORING NO.: 69-GW14  
 COORDINATES: EAST: \_\_\_\_\_ NORTH: \_\_\_\_\_  
 ELEVATION: SURFACE: \_\_\_\_\_ TOP OF STEEL CASING: \_\_\_\_\_

Pay Items			
Item	Quantity	Unit	Remarks




WELL INFORMATION	DIAM. (INCHES)	TYPE	TOP DEPTH (FT.)	BOTTOM DEPTH (FT.)
Well Casing	—	—	—	—
Well Screen	2"	PVC	310	1310



DRILLING CO.: HARDIN-HUBER, INC. BAKER REP.: J.E. ZIMMERMAN  
 DRILLER: JAY CORRAN BORING NO.: 69-GW14 SHEET 1 OF 2

# FIELD WELL CONSTRUCTION LOG

PROJECT: RI 00 No. 4 MCB CAMP LEJEUNE, NC  
 S.O. NO.: 62470-212 BORING NO.: 69-GW14



DRILLING CO.: HARDIN-HUBER, INC.  
 DRILLER: JAY CORRAN

BAKER REP.: J. E. ZIMMERMAN  
 BORING NO.: 69-GW14 SHEET 2 OF 2

# TEST BORING RECORD

Baker Environmental, Inc

PROJECT: RI OU No. 4 MCB CAMP LEJEUNE, NC  
 S.O. NO.: 62470-212 BORING NO.: 69-GW14-I

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon		A = Auger		SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')		RQD = Rock Quality Designation (%)	
T = Shelby Tube		W = Wash		Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)		Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
R = Air Rotary		C = Core					
D = Denison		P = Piston					
N = No Sample							
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevatio
11	SS	2.0'	1		0.1	CLAY: TRACE TO LITTLE SILT, VERY SOFT, GRAY, MOIST	
12	S-6	100%	2		(OG)		
13						* 6" $\phi$ CASING (STEEL) SET AT 12' AND GROUTED	
14							
15							
16						NO SAMPLING UNTIL 30.0'	
17							
18						(FROM 69-GW14DW LOG)	
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							

DRILLING CO.: HARDIN-HUBER, Inc.  
 DRILLER: JAY CORRAN

BAKER REP.: J. E. ZIMMERMAN  
 BORING NO.: 69-GW14 IW SHEET 2 OF 4

# TEST BORING RECORD

PROJECT: RI 0V No. 4 MCB CAMP LEJEUNE, NC  
 S.O. NO.: 62470-212 BORING NO.: 69-GW14IW

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon	A = Auger					SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')	
T = Shelby Tube	W = Wash					RQD = Rock Quality Designation (%)	
R = Air Rotary	C = Core					Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)	
D = Denison	P = Piston					Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
N = No Sample							
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
31	SS	2.0'	3		0.1	SANDY CLAY: FINE GRAINED, TRACE SILT, MEDIUM STIFF, GREENISH GRAY, MOIST	
	S-7	100%	3		(BG)		
32							
33							
34							
35	SS	1.0'	7		0.1	LIMESTONE / MARL / SHELL FRAGMENTS, MICRITE CEMENT IS MATRIX, DENSE, DARK GREEN / GREEN / WHITE, WET	
36	S-8	50%	15		(BG)		
37			18				
38							
39							
40	SS	1.3'	19		0.1	SAME	
41	S-9	65%	15		(BG)		
42			16				
43							
44							
45	SS	1.8'	6		0.1	SILTY SAND: FINE TO MEDIUM GRAINED, TRACE TO SOME SHELL MATERIAL, MEDIUM DENSE, GREEN / WHITE, WET	
46	S-10	90%	8		(BG)		
47			17				
48							
49							
50							

DRILLING CO.: HARDIN-HUGER, INC.  
 DRILLER: JAY CORRAN

BAKER REP.: J.E. ZIMMERMAN  
 BORING NO.: 69-GW14IW SHEET 3 OF 4

# TEST BORING RECORD

PROJECT: RI DU No. 4 MCA CAMP LETEUNE, NC  
 S.O. NO.: 62470-212 BORING NO.: 69-GW14E

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon	A = Auger					SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')	
T = Shelby Tube	W = Wash					RQD = Rock Quality Designation (%)	
R = Air Rotary	C = Core					Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)	
D = Denison	P = Piston					Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
N = No Sample							
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
51	SS	1.8'	8 16 22		0.1 (OG)	SILTY SAND; FINE GRAINED, DENSE, GREEN, WET	
52	S-11	90%	25				
53							
54							
55	SS	1.8'	7 23		0.1	SILTY SAND; FINE GRAINED, TRACE TO LITTLE SHELL FRAGMENTS (BOTTOM 1/2 OF SAMPLE), DENSE, GREEN/WHITE, WET	
56	S-12	90%	50 1/5"		(OG)		
57							
58							
59							
60	SS	1.6'	20 40		0.1	SAME	
61	S-13	80%	41 50 1/3"		(OG)		
62						BOTTOM OF BORING AT 62.0'	
63							
64							
65							
66							
67							
68							
69							
70							

# FIELD WELL CONSTRUCTION LOG




**Baker**

Baker Environmental, Inc.

PROJECT: RI OU No. 4 MCB CAMP LEJEUNE DATE: 12/17/94  
 CTO NO.: 212 BORING NO.: 69-GW14IW  
 COORDINATES: EAST: \_\_\_\_\_ NORTH: \_\_\_\_\_  
 ELEVATION: SURFACE: \_\_\_\_\_ TOP OF STEEL CASING: \_\_\_\_\_

Pay Items			
Item	Quantity	Unit	Remarks

WELL INFORMATION	DIAM. (INCHES)	TYPE	TOP DEPTH (FT.)	BOTTOM DEPTH (FT.)
Well Casing	6"	STEEL	0.0	12.0
Well Screen	2"	PVC	45.0	60.0






DRILLING CO.: HARDIN-HOGER, INC. BAKER REP.: J.E. ZIMMERMAN  
 DRILLER: JAY CORRAW BORING NO.: 69-GW14IW SHEET 1 OF 4





# FIELD WELL CONSTRUCTION LOG

PROJECT: RI OU No. 4 MCB CAMP LEJEUNE, NC  
S.O. NO.: 62470-212 BORING NO.: 69-GW14IW




DRILLING CO.: HARDIN-HOGER, Inc  
DRILLER: JAY CORRAW

BAKER REP.: J. E. ZIMMERMAN  
BORING NO.: 69-GW14IW SHEET 2 OF 4



# FIELD WELL CONSTRUCTION LOG

PROJECT: RI 00 No. 4 MCB CAMP LEJEUNE, NC  
 S.O. NO.: 62470-212 BORING NO.: 69-GW14IW






DRILLING CO.: HARDIN-HUGER, INC.  
 DRILLER: JAY CORRAW

BAKER REP.: J.E. ZIMMERMAN  
 BORING NO.: 69-GW14IW SHEET 3 OF 4



# FIELD WELL CONSTRUCTION LOG

PROJECT: RI OU No. 4 MCR CAMP LETEUNE, NC  
 S.O. NO.: 62470-212 BORING NO.: 69-GW14IW



DRILLING CO.: HARDIN-HUBER, INC.      BAKER REP.: J.E. ZIMMERMAN  
 DRILLER: JAY CORRAU      BORING NO.: 69-GW14IW      SHEET 4 OF 4

# Baker

Baker Environmental, Inc

# TEST BORING RECORD

PROJECT: RI - OU No. 4 MCB CAMP LEJEUNE, NC  
 S.O. NO.: 62470-212 BORING NO.: 69-GW14DW  
 COORDINATES: EAST: \_\_\_\_\_ NORTH: \_\_\_\_\_  
 ELEVATION: SURFACE: \_\_\_\_\_ TOP OF PVC CASING: \_\_\_\_\_

RIG: <u>MOBILE</u>					DATE	PROGRESS (FT)	WEATHER	WATER DEPTH (FT)	TIME
SIZE (DIAM.)	SPLIT SPOON	CASING	AUGERS	CORE BARREL					
LENGTH	<u>2.0'</u>								
TYPE	<u>STD</u>								
HAMMER WT.	<u>140*</u>								
FALL	<u>30"</u>								
STICK UP	<u>2 1/2"</u>								

REMARKS:

SAMPLE TYPE						DEFINITIONS			
S = Split Spoon	A = Auger					SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')			
T = Shelby Tube	W = Wash					RQD = Rock Quality Designation (%)			
R = Air Rotary	C = Core					Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)			
D = Denison	P = Piston					Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis			
N = No Sample									
Depth (Ft.)	Sample Type and No.	Samp. Rec. Ft. & %	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description			Elevation
1						No SAMPLE			
2									
3									
4									
5	SS	1.4'	6 5		0.1 (BG)	SAND: FINE GRAINED, TRACE SILT, LOOSE TO MEDIUM DENSE, LIGHT GRAY, DAMP TO MOIST.			
6	S-1		4						
7	SS	1.5	3 2		0.1 (BG)	SAND: FINE TO MEDIUM GRAINED, TRACE SILT, LITTLE CLAY (AT BOTTOM), LOOSE TO SOFT, LIGHT BROWN TO GRAY, WET TO MOIST			
8	S-2	75%	2 1						
9	SS	2.0	1/8"		0.1	CLAY: LITTLE TO SOME FINE GRAINED SAND, TRACE SILT, SOFT TO LOOSE, GRAY, MOIST.			
10	S-3	100%	1/8"		(BG)				

DRILLING CO.: HARDIN HUBER, Inc.  
 DRILLER: JAY CORRAN

BAKER REP.: J. E. ZIMMERMAN  
 BORING NO.: 69-GW14DW SHEET 1 OF 7

# TEST BORING RECORD

Baker Environmental, Inc

PROJECT: RI 00 No. 4 MCB CAMP LEJEUNE, NC  
 S.O. NO.: 62470-212 BORING NO.: 69-GW14DW

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon	A = Auger			SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')			
T = Shelby Tube	W = Wash			RQD = Rock Quality Designation (%)			
R = Air Rotary	C = Core			Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)			
D = Denison	P = Piston			Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis			
N = No Sample							
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
11	SS	2.0'	3		0.1	CLAY: TRACE TO LITTLE SILT, VERY SOFT, GRAY, MOIST. * 10" φ CASING (STEEL) SET AT 12.0' AND GROUTED	
12	S-4	100%	2		(BG)		
13							
14							
15	SS	2.0'	2		0.2	CLAY: TRACE TO LITTLE SILT, SOFT TO MEDIUM STIFF, GREENISH GRAY, MOIST	
16	S-5	100%	2		(BG)		
17							
18							
19							
20	SS	2.0'	3		0.2	SANDY CLAY: FINE GRAINED, TRACE SILT, SOFT TO MEDIUM STIFF, GREENISH GRAY, MOIST	
21	S-6	100%	4		(BG)		
22			4				
23							
24							
25	SS	2.0'	1		0.2	SAME	
26	S-7	100%	2		(BG)		
27							
28							
29							
30							

DRILLING CO.: HARDIN - HUBER, INC.  
 DRILLER: JAY CORRAN

BAKER REP.: J. E. ZIMMERMAN  
 BORING NO.: 69-GW14DW SHEET 2 OF 7

# TEST BORING RECORD

PROJECT: RI DU No. 4 MCR CAMP LEJEUNE  
 S.O. NO.: 62470-212 BORING NO.: 69-GW14DW

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon		A = Auger		SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')		RQD = Rock Quality Designation (%)	
T = Shelby Tube		W = Wash		Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)		Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
R = Air Rotary		C = Core		D = Denison		P = Piston	
N = No Sample							
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
31	SS	2.0'	2		0.2	SANDY CLAY: FINE GRAINED, TRACE SILT, SOFT TO MEDIUM STIFF, GREENISH GRAY, MOIST	
32	S-8	100%	2		(BG)		
33							
34							
35	SS	2.0'	5		0.2	LIMESTONE/MARL/SHELL FRAGMENTS THROUGHOUT. MICRITE CEMENT MATRIX, DENSE, DARK GREEN/GREEN/WHITE, WET.	
36	S-9	100%	23		(BG)		
37							
38							
39							
40	SS	2.0'	9		0.2	SAME (MEDIUM DENSE)	
41			11				
42	S-10	100%	11		(BG)		
43							
44							
45	SS	1.8'	7		0.2	SILTY SAND: FINE TO MEDIUM GRAINED, TRACE TO SOME SHELL FRAGMENTS, MEDIUM DENSE, GREEN/WHITE, WET.	
46			12				
47	S-11		18		(BG)		
48							
49							
50							

DRILLING CO.: HARDIN-HUBER, INC. BAKER REP.: J. E. ZIMMERMAN  
 DRILLER: JAY CORRAN BORING NO.: 69-GW14DW SHEET 3 OF 7

# TEST BORING RECORD

PROJECT: RI DU No. 4 MCB CAMP LEJEUNE, NC  
 S.O. NO.: 62470-212 BORING NO.: 69-GW14D

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon		A = Auger		SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')		RQD = Rock Quality Designation (%)	
T = Shelby Tube		W = Wash		Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)		Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
R = Air Rotary		C = Core					
D = Denison		P = Piston					
N = No Sample							
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
51	SS	1.8'	7 18 19		0.2 (BG)	SILTY SAND: FINE GRAINED, DENSE, GREEN, WET	
52	S-12		20				
53							
54							
55	SS	1.9'	18 23 24		0.2 (BG)	SILTY SAND: FINE GRAINED, TRACE TO LITTLE SHELL FRAGMENTS (BOTTOM 1/2 OF SAMPLE), DENSE, GREEN/WHITE, WET	
56	S-13		50/3"				
57							
58							
59							
60	SS		25 50/4"		0.2 (BG)	SILTY SAND: FINE GRAINED, TRACE SHELL FRAGMENTS, VERY DENSE, GREEN/WHITE, WET.	
61	S-14						
62							
63							
64							
65	SS		18 28 50/4"		0.2 (BG)	SILTY SAND: FINE GRAINED, SOME SHELL FRAGMENTS, VERY DENSE, GREEN/WHITE, WET	
66	S-15						
67							
68							
69							
70							

DRILLING CO.: HARDIN-HUBER, INC.  
 DRILLER: JAY CORRAN

BAKER REP.: J.E. ZIMMERMAN  
 BORING NO.: 69-GW14D SHEET 4 OF 7

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon    A = Auger T = Shelby Tube    W = Wash R = Air Rotary      C = Core D = Denison          P = Piston N = No Sample						SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5') RQD = Rock Quality Designation (%) Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282) Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
Depth (Ft.)	Sample Type and No.	Sampl. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
71	SS	110'	42		0.2	SAND: FINE TO MEDIUM GRAINED, LITTLE SILT, SHELL FRAGMENTS AND PIECES OF FRACTURED FOSSILIFEROUS LIMESTONE, VERY DENSE, GREEN/LIGHT GRAY/WHITE, WET	
	S-16	100%	50/4		(BG)		
72						* 6" $\phi$ CASING (STEEL) SET TO 72' AND GROUTED.	
73							
74						NO RECOVERY	
75	SS	NR	100/5		-		
76	S-17						
77							
78							
79							
80	SS	0.9	35		0.3	SAND: FINE GRAINED, LITTLE SILT, VERY DENSE, GREENISH GRAY, WET.	
81	S-18	98%	50/5		(BG)		
82							
83							
84							
85	SS	0.9	32		0.3	SAND: FINE GRAINED, TRACE SILT, VERY DENSE, GREENISH GRAY, WET.	
86	S-19	100%	50/3		(BG)		
87							
88							
89							
90							



# TEST BORING RECORD

PROJECT: RI DU No. 4 MCB CAMP LEJEUNE, NC  
 S.O. NO.: 62470-212 BORING NO.: 69-GW14J

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon    A = Auger T = Shelby Tube    W = Wash R = Air Rotary      C = Core D = Denison          P = Piston N = No Sample						SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5') RQD = Rock Quality Designation (%) Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282) Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevatic
91	SS S-20	NR	38 50/3"		-	No RECOVERY	
92							
93							
94							
95	SS S-21	0.3' 36%	40 50/4"		0.3 (BG)	SAND: FINE GRAINED, TRACE SILT, VERY DENSE, GREENISH GRAY, WET	
96							
97							
98							
99							
100	SS S-22	1.0' 100%	100/ 5"		0.3 (BG)	SAME	
101							
102							
103							
104							
105	SS S-23	0.8' 87%	100/ 7"		0.3 (BG)	SAME	
106							
107							
108							
109							
110							

DRILLING CO.: HARDIN-HUBER, Inc.  
 DRILLER: JAY CORREAN

BAKER REP.: J.E. ZIMMERMAN  
 BORING NO.: 69-GW14DW SHEET 6 OF 7

PROJECT: RI 00 No. 4 MCB CAMP LEJEUNE, NC  
 S.O. NO.: 62470-212 BORING NO.: 69-GW14DW

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon	A = Auger					SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')	
T = Shelby Tube	W = Wash					RQD = Rock Quality Designation (%)	
R = Air Rotary	C = Core					Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)	
D = Denison	P = Piston					Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
N = No Sample							
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
111	SS	1.1'	28		0.3	SAND; FINE GRAINED, TRACE SILT, VERY DENSE, GREENISH GRAY, WET	
112	S-24	100%	50/5"		(BG)		
113							
114							
115	SS	1.6'	28		0.3	SAND; FINE GRAINED, TRACE SILT, VERY DENSE, GREEN, WET.	
116	S-25	100%	34		(BG)		
117			50/4"				
118							
119							
120	SS	1.6'	32		0.2	SAME	
121	S-26	100%	50/5"		(BG)		
122							
123							
124							
125	SS	1.5'	34		0.2	SAME	
126	S-27	100%	50/5"		(BG)		
127							
128						BOTTOM OF BORING @ 127.0'	
129							
130							

DRILLING CO.: HARDIN-HUBER, INC.  
 DRILLER: JAY CORRAN

BAKER REP.: J. E. ZIMMERMAN  
 BORING NO.: 69-GW14DW SHEET 7 OF 7




# FIELD WELL CONSTRUCTION LOG



PROJECT: RE OU No. 4 MCB CAMP LESTUNE DATE: 12/16/94  
 CTO NO.: 212 BORING NO.: 69-GW14DW  
 COORDINATES: EAST: \_\_\_\_\_ NORTH: \_\_\_\_\_  
 ELEVATION: SURFACE: \_\_\_\_\_ TOP OF STEEL CASING: \_\_\_\_\_

Pay Items			
Item	Quantity	Unit	Remarks




WELL INFORMATION	DIAM. (INCHES)	TYPE	TOP DEPTH (FT.)	BOTTOM DEPTH (FT.)
Well Casing	10" / 6"	STEEL	0.0 / 0.0	12' / 7.5'
Well Screen	2" ID	PVC	11.0'	12.5'



DRILLING CO.: HARDIN-HUBER, INC. BAKER REP.: J.E. ZIMMERMAN  
 DRILLER: JAY CORRAN BORING NO.: 69-GW14DW SHEET 1 OF 7

# FIELD WELL CONSTRUCTION LOG

PROJECT: RI 00 No. 4 MCB CAMP LEJUNE, NC  
S.O. NO.: 62470-212 BORING NO.: 69-GW14DW




DRILLING CO.: HARDIN-HUGER, INC.  
DRILLER: JAY CORRAN

BAKER REP.: J.E. ZIMMERMAN  
BORING NO.: 69-GW14DW SHEET 2 OF 7

# FIELD WELL CONSTRUCTION LOG

PROJECT: RI 00 No. 4 MCB CAMP LETEUNE, NC  
S.O. NO.: 62470-212 BORING NO.: 69-GW14DW




DRILLING CO.: HARDIN-HUBER, INC.  
DRILLER: JAY CORRAN

BAKER REP.: J.E. ZIMMERMAN  
BORING NO.: 69-GW14DW SHEET 3 OF 7




# FIELD WELL CONSTRUCTION LOG


PROJECT: RI OU No. 4 MCB CAMP LETEUNE, NC  
 S.O. NO.: 62470-212 BORING NO.: 69-GW14DW



**Backfill Key**



**Well Key**




DRILLING CO.: HARDIN-HUBER, INC.  
 DRILLER: JAY CORRAN

BAKER REP.: J. E. ZIMMERMAN  
 BORING NO.: 69-GW14DW SHEET 4 OF 7

# FIELD WELL CONSTRUCTION LOG

PROJECT: RI OUNo. 4 MCB CAMP LEJEUNE, NC  
 S.O. NO.: 62470-212 BORING NO.: 69-GW14DW




DRILLING CO.: HARDIN-HUBER, INC.  
 DRILLER: JAY CORRAN

BAKER REP.: J.E. ZIMMERMAN  
 BORING NO.: 69-GW14DW SHEET 5 OF 7

## FIELD WELL CONSTRUCTION LOG

PROJECT: RI DU No. 4 MCB CAMP LEJEUNE, NC  
S.O. NO.: 62470-212 BORING NO.: 69-GW14DW




DRILLING CO.: HARDIN-HUBER, INC.  
DRILLER: JAY CORRAN

BAKER REP.: J. E. ZIMMERMAN  
BORING NO.: 69-GW14DW SHEET 6 OF 7



# FIELD WELL CONSTRUCTION LOG

PROJECT: RE OU No. 4 MCB CAMP LEJEUNE  
 S.O. NO.: 62470-212 BORING NO.: 69-GW14DW



DRILLING CO.: HARDIN-HUGER, INC.  
 DRILLER: JAY CORRAN

BAKER REP.: J. E. ZIMMERMAN  
 BORING NO.: 69-GW14DW SHEET 7 OF 7

BAKER

WELL CONSTRUCTION LOG

BOREHOLE NUMBER:

69-GW15

SHEET: 1 OF 1

PROJECT NUMBER: 62470-212  
 PROJECT NAME: SITE 69 - CHEMICAL STORAGE AREA  
 LOCATION: MCB CAMP LEJEUNE, NC  
 DRILLING COMPANY: PARROTT-WOLFF, INC.  
 RIG TYPE & NUMBER: ATV (TRACK) RIG  
 DRILLING METHOD: AUGERS  
 WEATHER: SUNNY, WARM, HUMID  
 GEOLOGIST: E. J. KLEINKAUF  
 ENV. SCIENTIST: -  
 DATE BEGUN: 3/23/95 DATE COMPLETED: 3/23/95

GROUND SURFACE ELEVATION: 35.70'  $\pm$  1  
 TOP OF PVC CASING ELEVATION: 16.07'  $\pm$  1

WELL DETAILS (FT)

STICKUP: 1.7  
 LENGTH OF RISER (2" I.D.): 3.0  
 LENGTH OF SCREEN (2" I.D.): 10.0  
 THICKNESS OF GROUT: 1.0  
 THICKNESS OF SEAL: 1.0  
 THICKNESS OF SAND PACK: 11.0


ELEVATION	DEPTH	SOIL SAMPLES	SAMPLE NO.	SAMPLE METHOD	BLDN'S/D. 5'	RECOVERY (FT)	PID (PPM)		LITHOLOGY	DESCRIPTION	DEPTH	WELL INSTALLATION
							B6	PS				
39:00	4.0											
38:00	3.0											
37:00	2.0											
36:00	1.0											
35:00	0.0											
34:00	1.0											
33:00	2.0											
32:00	3.0											
31:00	4.0											
30:00	5.0											
29:00	6.0											
28:00	7.0											
27:00	8.0											
26:00	9.0											
25:00	10.0											
24:00	11.0											
23:00	12.0											
22:00	13.0											
21:00	14.0											
20:00	15.0											
19:00	16.0											
18:00	17.0											
17:00	18.0											
16:00	19.0											
15:00	20.0											
14:00	21.0											
13:00	22.0											
12:00	23.0											
	24.0											

No samples collected. Augered to 13'.  
 Refer to well 69-GW15IW log for lithology.

BOTTOM OF BOREHOLE • 13.0'

NOTE:

- 1) Groundwater encountered • 3.0' during drilling







BAKER

WELL CONSTRUCTION LOG

BOREHOLE NUMBER

69-GW151W

SHEET 3 OF 3

ELEVATION	DEPTH	SOIL SAMPLES	SAMPLE NO.	SAMPLE METHOD	BLOMS/O'S	RECOVERY (FT)	PID (PPM)		LITHOLOGY	DESCRIPTION	DEPTH	WELL INSTALLATION
							BG	PS				
15:00	50.0											
16:00	51.0											
17:00	52.0											
18:00	53.0											
19:00	54.0											
20:00	55.0											
21:00	56.0		S-17	SS	6	2.0	-	-				
22:00	57.0				8							
23:00	58.0				10							
24:00	59.0				15							
25:00	60.0		S-18	SS	8	2.0	-	-				
26:00	61.0				25							
27:00	62.0				35							
28:00	63.0											
29:00	64.0											
30:00	65.0											
31:00	66.0											
32:00	67.0											
33:00	68.0											
34:00	69.0											
35:00	70.0											
36:00	71.0											
37:00	72.0											
38:00	73.0											
39:00	74.0											
40:00	75.0											
41:00	76.0											
42:00	77.0											
43:00	78.0											
44:00	79.0											
45:00	80.0											
46:00	81.0											
	82.0											


DESCRIPTION

SILTY SAND: Fine grained, shell and limestone fragments, green and white, damp to wet, dense/very dense

BOTTOM OF BOREHOLE 60.0'

NOTES:

- 1) Groundwater encountered @ 3.0' during drilling.



# Baker

Baker Environmental, Inc

# TEST BORING RECORD

PROJECT: SITE 69-REMEDIAL INVESTIGATION  
S.O. NO.: 62470-212 BORING NO.: 69-MW02BCH  
COORDINATES: EAST: 2472202.4 NORTH: 305119.5  
ELEVATION: SURFACE: 34.4' TOP OF PVC CASING: 36.79'

RIG:					DATE	PROGRESS (FT)	WEATHER	WATER DEPTH (FT)	TIME
	SPLIT SPOON	CASING	AUGERS	CORE BARREL					
SIZE (DIAM.)	2"								
LENGTH	30'								
TYPE									
HAMMER WT.	140								
FALL	30"								
STICK UP									

REMARKS:

SAMPLE TYPE						DEFINITIONS		
S = Split Spoon	A = Auger					SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')		
T = Shelby Tube	W = Wash					RQD = Rock Quality Designation (%)		
R = Air Rotary	C = Core					Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)		
D = Denison	P = Piston					Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis		
N = No Sample								

Depth (Ft.)	Sample Type and No.	Samp. Rec. Ft. & %	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
1						REFER TO PREVIOUS LOGS AT LOCATIONS 69-MW02, 69-MW02DW, 69-MW02DD FOR LITHOLOGIC DESCRIPTIONS. THIS WELL LOCATION WAS ONLY SAMPLED BELOW 120'.	
2							
3							
4							
5							
6							
7							
8							
9							
10							

Match to Sheet 2

DRILLING CO.: PARRATT-WOLFF, Inc BAKER REP.: J. E. ZIMMERMAN  
DRILLER: WILLIAM RICE BORING NO.: 69-MW02BCH SHEET 1 OF 7

# Baker

Baker Environmental, Inc

# TEST BORING RECORD

PROJECT: SITE 69 - REMEDIAL INVESTIGATION  
S.O. NO.: 62470-212 BORING NO.: 69-MW02BCH

SAMPLE TYPE						DEFINITIONS		
S = Split Spoon	A = Auger					SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')		
T = Shelby Tube	W = Wash					RQD = Rock Quality Designation (%)		
R = Air Rotary	C = Core					Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)		
D = Denison	P = Piston					Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis		
N = No Sample								
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation	
120			7			OLIVE GREEN FINE SAND TRACE SILT, WET, MEDIUM DENSE.		
121	S-1	1.3'	7 9 8		0.9			
122			4 8					
123	S-2	1.8'	15 20		0.9		- SAME -	
124			7 12					
125	S-3	1.8'	18 19		0.9	- SAME -		
126			11 16					
127	S-4	2.0'	20 24		0.9	- SAME -		
128			5 7					
129	S-5	2.0'	14 24		0.9	- SAME -		
130								
131								
132								
133								
134								
135								
136	S-6	1.8'	4 6 10 9		0.9	- SAME -		
137								
138								
139								

DRILLING CO.: PARRATT-WOLFF, INC.  
DRILLER: WILLIAM RICE

BAKER REP.: J. E. ZIMMERMAN  
BORING NO.: 69-MW02BCH SHEET 2 OF 5

# TEST BORING RECORD

Baker Environmental, Inc

PROJECT: SITE 69 - REMEDIAL INVESTIGATION  
 S.O. NO.: 62470-212 BORING NO.: 69-MW02BCH

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon	A = Auger					SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')	
T = Shelby Tube	W = Wash					RQD = Rock Quality Designation (%)	
R = Air Rotary	C = Core					Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)	
D = Denison	P = Piston					Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
N = No Sample							
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	MO (ppm)	Visual Description	Elevation
140							
141	S-7	2.0'	6 7 8 11		0.9	OLIVE GREEN FINE SAND, LITTLE/SOME SILT, WET/MOIST, MEDIUM DENSE.	
142							
143							
144							
145						OLIVE GREEN FINE SAND, LITTLE SILT, LITTLE CLAY, MOIST, MEDIUM DENSE.	
146	S-8	2.0'	4 5 5 6		0.9		
147							
148							
149						OLIVE GREEN FINE SAND, SOME SILT, LITTLE/TRACE CLAY, MOIST/WET, MEDIUM DENSE	
150							
151	S-9	1.8'	4 6 6 5		0.9		
152							
153							
154							
155							
156	S-10	1.0'	4 5 7 13		0.9	- SAME -	
157							
158							
159							

DRILLING CO.: PARRATT - WOLFF, INC.  
 DRILLER: William Rice

BAKER REP.: J.E. ZIMMERMAN  
 BORING NO.: 69-MW02BCH SHEET 3 OF 7



# Baker

Baker Environmental, Inc

# TEST BORING RECORD

PROJECT: SITE 69-REMEDIAL INVESTIGATION  
S.O. NO.: 62470-212 BORING NO.: 69-MW02 BCLT

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon	A = Auger					SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')	
T = Shelby Tube	W = Wash					RQD = Rock Quality Designation (%)	
R = Air Rotary	C = Core					Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)	
D = Denison	P = Piston					Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
N = No Sample							
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
160							
161	X S-11	0.2'	3 5 8		0.9	OLIVE GREEN FINE SAND, LITTLE/SOME SILT, WET, MEDIUM DENSE	
162							
163							
164							
165							
166	X S-12	2.0'	5 5 8 12		0.9	- SAME -	
167							
168							
169							
170							
171	X S-13	2.0'	5 7 8 13		0.9	- SAME -	
172							
173							
174							
175							
176	X S-14	1.8'	7 9 12 14		0.9	- SAME -	
177							
178							
179							

DRILLING CO.: PARRATT-WOLFE, INC.  
DRILLER: William Rice

BAKER REP.: J. E. ZIMMERMAN  
BORING NO.: 69-MW02 BCLT SHEET 4 OF 5

# TEST BORING RECORD

Baker Environmental, Inc

PROJECT: SITE 69 - REMEDIAL INVESTIGATION

S.O. NO.: 62470-212

BORING NO.: 69-MW02BCH

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon	A = Auger					SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')	
T = Shelby Tube	W = Wash					RQD = Rock Quality Designation (%)	
R = Air Rotary	C = Core					Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)	
D = Denison	P = Piston					Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
N = No Sample							
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
180							
181	X S-15	1.9'	6 7 9 11		0.9	- SAME -	
182							
183							
184							
185							
186	X S-16	1.7'	3 4 5 7		0.9	OLIVE GREEN SILTY SAND, FINE GRAINED, MOIST TO DAMP, LOOSE / MEDIUM DENSE	
187							
188							
189							
190							
191	X S-17	0.5'	4 4 6 8		0.9	- SAME -	
192							
193							
194							
195							
196	X S-18	2.0'	5 6 7 8		0.9	- SAME (TRACE CLAY) -	
197							
198							
199							

DRILLING CO.: PARRATT - WOLFF, Inc.

BAKER REP.: J. E. ZIMMERMAN

DRILLER: WILLIAM RICE

BORING NO.: 69-MW02BCH SHEET 5 OF 7

# TEST BORING RECORD

PROJECT: SITE 69-REMEDIAL INVESTIGATION  
 S.O. NO.: 62470-212 BORING NO.: 69-MW02 BCH

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon	A = Auger					SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')	
T = Shelby Tube	W = Wash					RQD = Rock Quality Designation (%)	
R = Air Rotary	C = Core					Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)	
D = Denison	P = Piston					Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
N = No Sample							
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
200	S-19	1.7	7	0.9	0.9	OLIVE GREEN FINE SAND, SOME SILT, MOIST/WET, MEDIUM DENSE.	
201			8				
202			13				
203			16				
204	S-20	2.0	6	0.9	0.9	OLIVE GREEN SILTY SAND, FINE GRAINED, TRACE/LITTLE CLAY, DAMP, MEDIUM DENSE TO STIFF	
205			7				
206			9				
207			9				
208	S-21	0.1	59	0.9	0.9	FOSSILIFEROUS LIMESTONE/ CEMENTED SANDSTONE MODULES W/LITTLE SAND (FINE GRAINED), TRACE SILT, WET, VERY DENSE/MEDIUM DENSE LIGHT GRAY/WHITE	
209			1/2				
210							
211							
212	S-22	1.8	11	0.6	0.6	- SAME -	
213			11				
214			13				
215			18				
216							
217							
218							
219							

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon	A = Auger					SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')	
T = Shelby Tube	W = Wash					RQD = Rock Quality Designation (%)	
R = Air Rotary	C = Core					Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)	
D = Denison	P = Piston					Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
N = No Sample							
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
220	S-23	0.8'	7		0.6	LIGHT GRAY/TAN/WHITE FINE SAND, SOME/AND SILT, TRACE CLAY, TRACE FOSSILIFEROUS LIMESTONE, TRACE SHELL MATERIAL, TRACE CEMENTED SANDSTONE NODULES (MICRITE CEMENT), WET, VERY DENSE/MEDIUM DENSE / LOOSE.	
221			5 1/4"				
222							
223	S-24	1.2'	5		0.6	— SAME —	
224			14				
225			11				
226	S-25	0.6'	8		0.6	— SAME —	
227			1				
228			2				
229			2				
230			1				
231			2				
232			1				
233	BORING TERMINATED @ 233'						
234	NOTES:						
235	1) 10" $\phi$ CASING INSTALLED @ 12'						
236	2) 6" $\phi$ CASING INSTALLED @ 132'						
237	3) 2" $\phi$ PVC MONITORING WELL INSTALLED @ 230'						
238							
239							




# FIELD WELL CONSTRUCTION LOG



PROJECT: SITE 69-REMEDIAL INVEST. DATE: 4/18/96  
 CTO NO.: 62470-212 BORING NO.: 69-MW02BCH  
 COORDINATES: EAST: 2472202.4 NORTH: 305119.5  
 ELEVATION: SURFACE: 34.4' TOP OF STEEL CASING: 36.79'

Pay Items			
Item	Quantity	Unit	Remarks
10" $\phi$ STEEL CASING	12	FEET	
6" $\phi$ STEEL CASING	132	FEET	

WELL INFORMATION	DIAM. (INCHES)	TYPE	TOP DEPTH (FT.)	BOTTOM DEPTH (FT.)
Well Casing	2"	PVC	+2.39	220
Well Screen	2"	PVC	220	230




DRILLING CO.: PARRATE-WOLFF, INC.  
 DRILLER: WILLIAM RICE

BAKER REP.: J. E. ZIMMERMAN  
 BORING NO.: 69-MW02BCH SHEET 1 OF 5

# FIELD WELL CONSTRUCTION LOG

PROJECT: SITE 69-REMEDIATION INVESTIGATION  
 S.O. NO.: 62470-212 BORING NO.: 69-MW02BCH



DRILLING CO.: PARRATT-WOLFF, INC  
 DRILLER: WILLIAM RICE


BAKER REP.: J. E. ZIMMERMAN  
 BORING NO.: 69-MW02BCH SHEET 2 OF 5

**Baker**

Baker Environmental, Inc.

# FIELD WELL CONSTRUCTION LOG

PROJECT: SITE 69-REMEDIAL INVESTIGATION  
S.O. NO.: 62470-212 BORING NO.: 69-MW02BCH




DRILLING CO.: PARRATT-WOLFF, INC.  
DRILLER: WILLIAM RICE

BAKER REP.: J.E. KLEINKAUF  
BORING NO.: 69-MW02BCH SHEET 3 OF 5



# FIELD WELL CONSTRUCTION LOG

PROJECT: SITE 69-REMEDIATION INVESTIGATION  
 S.O. NO.: 62470-212 BORING NO.: 69-MW02BCH



DRILLING CO.: PARRATT-WOLFE, INC.  
 DRILLER: WILLIAM RICE

BAKER REP.: J. E. ZIMMERMAN  
 BORING NO.: 69-MW02BCH SHEET 4 OF 5






**Baker**

Baker Environmental, Inc.

# FIELD WELL CONSTRUCTION LOG

PROJECT: SITE 69 - REMEDIAL INVESTIGATION  
S.O. NO.: 62470-212 BORING NO.: 69-MW02BCH



DRILLING CO.: PARRATT-WOLFF, INC.  
DRILLER: WILLIAM RICE

BAKER REP.: J.E. ZIMMERMAN  
BORING NO.: 69-MW02BCH SHEET 5 OF 5

# Baker

Baker Environmental, Inc

# TEST BORING RECORD

PROJECT: SITE 69-REMEDIAL INVESTIGATION  
 S.O. NO.: 62470-212 BORING NO.: 69-MW03 BCH  
 COORDINATES: EAST: 2472370.3 NORTH: 305203.2  
 ELEVATION: SURFACE: 36.0' TOP OF PVC CASING: 38.62'

RIG:					DATE	PROGRESS (FT)	WEATHER	WATER DEPTH (FT)	TIME
SPLIT SPOON	CASING	AUGERS	CORE BARREL						
SIZE (DIAM.)	2"								
LENGTH	30"								
TYPE									
HAMMER WT.	140								
FALL	30"								
STICK UP									

### REMARKS:

SAMPLE TYPE	DEFINITIONS
S = Split Spoon    A = Auger T = Shelby Tube    W = Wash R = Air Rotary    C = Core D = Denison    P = Piston N = No Sample	SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5') RQD = Rock Quality Designation (%) Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282) Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis

Depth (Ft.)	Sample Type and No.	Samp. Rec. Ft. & %	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
1						REFER TO PREVIOUS LOGS AT LOCATIONS 69-MW03 AND 69-MW03 IW FOR LITHOLOGIC DESCRIPTIONS. THIS WELL LOCATION WAS ONLY SAMPLED BELOW 120'.	
2							
3							
4							
5							
6							
7							
8							
9							
10							

Match to Sheet 2

DRILLING CO.: PARRATT-WOLFF, INC    BAKER REP.: E. J. KLEINKAUF  
 DRILLER: WILLIAM RICE    BORING NO.: 69-MW03 BCH    SHEET 1 OF 5

# TEST BORING RECORD

PROJECT: SITE 69 - REMEDIAL INVESTIGATION  
 S.O. NO.: 62470-212 BORING NO.: 69-MW03 B

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon	A = Auger					SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')	
T = Shelby Tube	W = Wash					RQD = Rock Quality Designation (%)	
R = Air Rotary	C = Core					Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)	
D = Denison	P = Piston					Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
N = No Sample							
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
120	S-1	1.0'	4		0	GREENISH GREY FINE SAND, SOME/LITTLE SILT, WET, LOOSE	
121			4				
122			8				
122	S-2	1.3'	10		0	GREENISH GREY FINE SAND, LITTLE/SOME SILT, TRACE CLAY, WET, MEDIUM DENSE.	
123			9				
124			14				
124	S-3	1.3'	22		0	- SAME -	
125			5				
126			12				
126	S-4	1.2'	37		0	- SAME -	
127			11				
128			12				
128	S-5	1.5'	29		0	- SAME -	
129			46				
129			7				
129	S-6	1.0'	13		0	- SAME (MOIST) -	
130			25				
130			36				
131							
132							
133							
134							
135							
135	S-6	1.0'	4		0	- SAME (MOIST) -	
136			11				
137			27				
137							
138							
139							

DRILLING CO.: PARRATT - WOLFF, INC.  
 DRILLER: WILLIAM RICE

BAKER REP.: E. J. KLEINKAUF  
 BORING NO.: 69-MW03 B CH1 SHEET 2 OF 5

# Baker

Baker Environmental, Inc

# TEST BORING RECORD

PROJECT: SITE 69 - REMEDIAL INVESTIGATION  
S.O. NO.: 62470-212 BORING NO.: 69-MW03BCH

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon	A = Auger					SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')	
T = Shelby Tube	W = Wash					RQD = Rock Quality Designation (%)	
R = Air Rotary	C = Core					Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)	
D = Denison	P = Piston					Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
N = No Sample							
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
140			3				
141	S-7	0.7'	6 16 33		0	- SAME -	
142							
143							
144						GREENISH GREY FINE SAND, SOME CLAY, LITTLE SILT, MOIST, MEDIUM DENSE.	
145			2				
146	S-8	1.3'	5 9 13		0		
147							
148							
149						GREENISH GREY CLAY, SOME/ LITTLE SAND, LITTLE SILT, MOIST, STIFF.	
150			5				
151	S-9	2.0'	7 7 8		0		
152							
153							
154							
155			4				
156	S-10	2.0'	5 5 3		0	- SAME -	
157							
158							
159							

DRILLING CO.: PARRATT-WOLFF, INC.  
DRILLER: WILLIAM RICE

BAKER REP.: E.J. KLEINKAUF  
BORING NO.: 69-MW03BCH SHEET 3 OF 5

# TEST BORING RECORD

PROJECT: SITE 69 - REMEDIAL INVESTIGATION  
 S.O. NO.: 62470-212 BORING NO.: 69-MW03BCH

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon	A = Auger					SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')	
T = Shelby Tube	W = Wash					RQD = Rock Quality Designation (%)	
R = Air Rotary	C = Core					Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)	
D = Denison	P = Piston					Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
N = No Sample							
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
160	S-11	2.0'	5		0	GREENISH GREY CLAY AND FINE SAND, LITTLE SILT, MOIST, VERY STIFF/MEDIUM DENSE.	
161			7				
162			10				
163							
164	S-12	2.0'	7		0	GREENISH GREY FINE SAND, SOME SILT, TRACE CLAY, OCCASIONAL SHELL FRAGMENTS, WET, MEDIUM DENSE.	
165			10				
166			12				
167			16				
168							
169							
170	S-13	1.9'	-		0	- SAME (FEWER SHELL FRAGMENTS) -	
171			13				
172			11				
173							
174							
175	S-14	1.8'	11		0	- SAME -	
176			16				
177			18				
178			26				
179							

DRILLING CO.: PARRATT - WOLFF, INC.  
 DRILLER: WILLIAM RICE

BAKER REP.: E. J. KLEINKAUF  
 BORING NO.: 69-MW03BCH SHEET 4 OF 7

# Baker

Baker Environmental, Inc

# TEST BORING RECORD

PROJECT: SITE 69 - REMEDIAL INVESTIGATION  
S.O. NO.: 62470-212 BORING NO.: 69-MW03BCH

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon	A = Auger					SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')	
T = Shelby Tube	W = Wash					RQD = Rock Quality Designation (%)	
R = Air Rotary	C = Core					Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)	
D = Denison	P = Piston					Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
N = No Sample							
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevator
180							
181	X	S-15 1.8'	5 9 13 18		0	- SAME (NO SHELL FRAGMENTS) -	
182							
183							
184							
185						GREENISH GREY FINE SAND, SOME CLAY, LITTLE SILT, MOIST/ WET, MEDIUM DENSE	
186	X	S-16 2.0'	6 7 8 9		0		
187							
188							
189							
190							
191	X	S-17 2.0'	6 6 10 12		0	- SAME -	
192							
193							
194							
195							
196	X	S-18 0.8'	6 7 7 7		0	- SAME -	
197							
198							
199							

DRILLING CO.: PARRATT-WOLFF, INC  
DRILLER: WILLIAM RICE

BAKER REP.: E. J. KLEINKAUF  
BORING NO.: 69-MW03BCH SHEET 5 OF 5

# Baker

Baker Environmental, Inc

# TEST BORING RECORD

PROJECT: SITE 69-REMEDIATION INVESTIGATION  
S.O. NO.: 62470-212 BORING NO.: 69-MW03 BCH

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon	A = Auger					SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')	
T = Shelby Tube	W = Wash					RQD = Rock Quality Designation (%)	
R = Air Rotary	C = Core					Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)	
D = Denison	P = Piston					Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
N = No Sample							
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
200						GREENISH GREY FINE SAND, SOME SILT, TRACE CLAY, WET, MEDIUM DENSE.	
201	S-19	2.0'	7 12 13 15		0		
202							
203							
204						GREENISH GREY FINE SAND, SOME CLAY, LITTLE SILT, MOIST, MEDIUM DENSE. POSSIBLE FINE ROCK FRAGMENTS OR SHELL FRAGMENTS AT BOTTOM OF SAMPLE.	
205							
206	S-20	0.5'	8 7 8 8		0		
207						ENCOUNTERED HARD MATERIAL @ 207',	
208						POSSIBLE LIMESTONE	
209							
210							
211	S-21	-	50/2"		-	TAN/WHITE SILT AND CLAY, SOME/LITTLE FINE TO FINE/MEDIUM SAND, WET, HARD/VERY DENSE POSSIBLE TRACE ROCK FRAGMENTS	
212							
213							
214							
215							
216	S-22	0.75'	4 50/5"				
217							
218							
219							

DRILLING CO.: PARRATT-WOLFF, INC.  
DRILLER: WILLIAM RICE

BAKER REP.: E. J. KLEINKAUF  
BORING NO.: 69-MW03 BCH SHEET 6 OF 7

# TEST BORING RECORD

PROJECT: SITE 69 - REMEDIAL INVESTIGATION  
 S.O. NO.: 62470-212 BORING NO.: 69-MW03 BCH

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon	A = Auger					SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')	
T = Shelby Tube	W = Wash					RQD = Rock Quality Designation (%)	
R = Air Rotary	C = Core					Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)	
D = Denison	P = Piston					Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
N = No Sample							
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
220						TAN/WHITE FINE/MEDIUM SAND. SOME SILT, LITTLE CLAY, TRACE ROCK FRAGMENTS, WET, DENSE / VERY DENSE	
221	X S-23	1.3'	9 8 26 50/5		0		
222							
223							
224							
225						- SAME -	
226	X S-24	1.6'	4 18 14 13		0		
227							
228							
229						TAN/WHITE/V. LIGHT GREEN SILT AND CLAY, LITTLE FINE/MEDIUM SAND, TRACE ROCK FRAGMENTS, WET, VERY LOOSE TO MEDIUM DENSE	
230	X S-25	1.8'	3 2 3 8		0		
231							
232							
233						BORING TERMINATED @ 233'  NOTES: 1) 10" $\phi$ CASING INSTALLED @ 12' 2) 6" $\phi$ CASING INSTALLED @ 133' 3) 2" $\phi$ PVC MONITORING WELL INSTALLED AT 230'	
234							
235							
236							
237							
238							
239							




# FIELD WELL CONSTRUCTION LOG



PROJECT: SITE 69 - REMEDIAL INVEST. DATE: 4/09/96  
 CTO NO.: 62470-212 BORING NO.: 69-MW03 BCH  
 COORDINATES: EAST: 2472370.3 NORTH: 305203.2  
 ELEVATION: SURFACE: 36.0' TOP OF STEEL CASING: 38.52'

Pay Items			
Item	Quantity	Unit	Remarks
10" $\phi$ STEEL CASING	12	FEET	
6" $\phi$ STEEL CASING	133	FEET	

WELL INFORMATION	DIAM. (INCHES)	TYPE	TOP DEPTH (FT.)	BOTTOM DEPTH (FT.)
Well Casing	2"	PVC	+ 2.52	220
Well Screen	2"	PVC	220	230






DRILLING CO.: PARRATT-WOLFF, INC. BAKER REP.: E.J. KLEINKAUF  
 DRILLER: WILLIAM RICE BORING NO.: 69-MW03 BCH SHEET 1 OF 5



# FIELD WELL CONSTRUCTION LOG

PROJECT: SITE 69-REMEDIAL INVESTIGATION  
S.O. NO.: 62470-212 BORING NO.: 69-MW03 BCH




DRILLING CO.: PARRATT-WOLFE, INC. BAKER REP.: E. J. KLEINKAUF  
DRILLER: WILLIAM RICE BORING NO.: 69-MW03 BCH SHEET 2 OF 5

**Baker**

Baker Environmental, Inc

# FIELD WELL CONSTRUCTION LOG

PROJECT: SITE 69-REMEDIAL INVESTIGATION  
S.O. NO.: 62470-212 BORING NO.: 69-MW03 BCH






DRILLING CO.: PARRATT-WOLFF, INC. BAKER REP.: E. J. KLEINKAUF  
DRILLER: WILLIAM RICE BORING NO.: 69-MW03 BCH SHEET 3 OF 5



# FIELD WELL CONSTRUCTION LOG

PROJECT: SITE 69-REMEDIATION INVESTIGATION  
 S.O. NO.: 62470-212 BORING NO.: 69-MW03 BCH



DRILLING CO.: PARRAT-WOLFF, INC.  
 DRILLER: WILLIAM RICE


BAKER REP.: E. J. KLEINKAUF  
 BORING NO.: 69-MW03 BCH SHEET 4 OF 5

**Baker**

Baker Environmental, Inc.

# FIELD WELL CONSTRUCTION LOG

PROJECT: SITE 69 - REMEDIAL INVESTIGATION  
S.O. NO.: 62470-212 BORING NO.: 69-MW03 BCH



DRILLING CO.: PARRATT-WOLFF, INC.  
DRILLER: WILLIAM RICE

BAKER REP.: E. J. KLEINKAUF  
BORING NO.: 69-MW03 BCH SHEET 5 OF 5

# Baker

Baker Environmental, Inc

# TEST BORING RECORD

PROJECT: SITE 69 - REMEDIAL INVESTIGATION

S.O. NO.: 62470-212

BORING NO.: 69-MW15BCH

COORDINATES: EAST: 2472254.9

NORTH: 305268.4

ELEVATION: SURFACE: 36.20'

TOP OF PVC CASING: 38.63'

RIG:					DATE	PROGRESS (FT)	WEATHER	WATER DEPTH (FT)	TIME
	SPLIT SPOON	CASING	AUGERS	CORE BARREL					
SIZE (DIAM.)	2"								
LENGTH	30'								
TYPE									
HAMMER WT.	140								
FALL	30"								
STICK UP									

### REMARKS:

#### SAMPLE TYPE

S = Split Spoon    A = Auger  
T = Shelby Tube    W = Wash  
R = Air Rotary    C = Core  
D = Denison    P = Piston  
N = No Sample

#### DEFINITIONS

SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')  
RQD = Rock Quality Designation (%)  
Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)  
Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis

Depth (Ft.)	Sample Type and No.	Samp. Rec. Ft. & %	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
1						REFER TO PREVIOUS LOGS AT LOCATIONS 69-MW15, 69-MW15IW AND 69-MW15DW FOR LITHOLOGIC DESCRIPTIONS. THIS WELL LOCATION WAS ONLY SAMPLED BELOW 120'.	
2							
3							
4							
5							
6							
7							
8							
9							
10							

Match to Sheet 2

DRILLING CO.: PARRATI - WOLFF, INC.

DRILLER: WILLIAM RICE

BAKER REP.: E. J. KLEINKAUF

BORING NO.: 69-MW15BCH

SHEET 1 OF 8

# TEST BORING RECORD

PROJECT: SITE 69 - REMEDIAL INVESTIGATION  
 S.O. NO.: 62470-212 BORING NO.: 69-MW15 BC

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon	A = Auger					SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')	
T = Shelby Tube	W = Wash					RQD = Rock Quality Designation (%)	
R = Air Rotary	C = Core					Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)	
D = Denison	P = Piston					Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
N = No Sample							
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
120	S-1	1.5'	6			GREEN SILTY FINE SAND, MOIST, MEDIUM DENSE	
121			8		0		
122			11				
122	S-2	2.0'	9			GREENISH GREY FINE-COARSE SAND, SOME SILT, TRACE SHELL FRAGMENTS, MOIST, DENSE	
123			14		0		
124			32				
124	S-3	2.0'	8			GREEN FINE SAND, SOME SILT, MOIST, MEDIUM DENSE	
125			11		0		
126			16				
126	S-4	1.4'	28				
127			10		0		
128			14				
128	S-5	2.0'	19				
129			26		0		
130			5				
130	S-6	2.0'	10			GREENISH GREY FINE SAND, LITTLE / SOME SILT, MOIST, MEDIUM DENSE	
131			16		0		
132			23				
133							
134							
135							
136							
137							
138							
139							

DRILLING CO.: PARRAT-WOLFF, INC.  
 DRILLER: WILLIAM RICE

BAKER REP.: E. J. KLEINKAUF  
 BORING NO.: 69-MW15 BCH SHEET 2 OF 2

# TEST BORING RECORD

Baker Environmental, Inc

PROJECT: SITE 69 - REMEDIAL INVESTIGATION  
 S.O. NO.: 62470-212 BORING NO.: 69-MW15 BCH

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon	A = Auger					SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')	
T = Shelby Tube	W = Wash					RQD = Rock Quality Designation (%)	
R = Air Rotary	C = Core					Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)	
D = Denison	P = Piston					Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
N = No Sample							
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
140							
141	X	S-7 2.0'	6 7 12 14		0	- SAME -	
142							
143							
144							
145							
146	X	S-8 2.0'	4 8 10 10		1	GREENISH GREY CLAY, LITTLE FINE SAND, TRACE SILT, MOIST, MEDIUM STIFF	
147							
148							
149							
150							
151	X	S-9 2.0'	3 3 5 5		0	- SAME -	
152							
153							
154							
155							
156	X	S-10 2.0'	4 5 5 6		0	- SAME (INCREASE IN SAND AND SILT CONTENT) -	
157							
158							
159							

DRILLING CO.: PARRATT-WOLFF, INC.  
 DRILLER: WILLIAM RICE

BAKER REP.: E.J. KLEINKAUF  
 BORING NO.: 69-MW15BCH SHEET 3 OF 8



# TEST BORING RECORD

PROJECT: SITE 69 - REMEDIAL INVESTIGATION  
 S.O. NO.: 62470-212 BORING NO.: 69-MW15BC

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon	A = Auger					SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')	
T = Shelby Tube	W = Wash					RQD = Rock Quality Designation (%)	
R = Air Rotary	C = Core					Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)	
D = Denison	P = Piston					Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
N = No Sample							
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevati
160						GREENISH GREY FINE SAND, SOME SILT, TRACE CLAY, WET, LOOSE	
161	S-11	1.7'	4 4 5 7		0		
162							
163							
164						GREENISH GREY FINE SAND, SOME SILT, POSSIBLE TRACE CLAY, MOIST/WET, MEDIUM DENSE	
165							
166	S-12	1.5'	5 7 10 12		1		
167							
168							
169							
170						- SAME -	
171	S-13	1.5'	5 7 9 12		4		
172							
173							
174							
175						- SAME (TRACE SHELL FRAGMENTS) -	
176	S-14	1.8'	6 8 12 14		4		
177							
178							
179							

DRILLING CO.: FARRATT-WOLFF, INC.  
 DRILLER: WILLIAM RICE

BAKER REP.: E. J. KLEINKAUF  
 BORING NO.: 69-MW15BCH SHEET 4 OF 4

PROJECT: SITE 69 - REMEDIAL INVESTIGATION  
 S.O. NO.: 62470-212 BORING NO.: 69-MW15BCH

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon	A = Auger					SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')	
T = Shelby Tube	W = Wash					RQD = Rock Quality Designation (%)	
R = Air Rotary	C = Core					Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)	
D = Denison	P = Piston					Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
N = No Sample							
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
180	S-15	1.8'	8		5	- SAME (OCCASIONAL SHELL FRAGMENTS) -	
181			10				
182			16				
183	S-16	1.8'	4		4	GREENISH GREY FINE SAND, SOME SILT, TRACE/LITTLE CLAY, WET, LOOSE.	
184			4				
185			4				
186			10				
187	S-17	2.0'	5		1	- SAME -	
188			4				
189			6				
190	S-18	1.1'	7		0	- SAME -	
191			5				
192			7				
193			8				
194							
195							
196							
197							
198							
199							

DRILLING CO.: PARRATT - WOLFF, INC  
 DRILLER: WILLIAM RICE

BAKER REP.: E. J. KLEINKAUF  
 BORING NO.: 69-MW15BCH SHEET 5 OF 8

# TEST BORING RECORD

PROJECT: SITE 69 - REMEDIAL INVESTIGATION  
 S.O. NO.: 62470-212 BORING NO.: 69-MW15BCH

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon	A = Auger					SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')	
T = Shelby Tube	W = Wash					RQD = Rock Quality Designation (%)	
R = Air Rotary	C = Core					Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)	
D = Denison	P = Piston					Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
N = No Sample							
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
200	S-19	2.0'	10		0	GREENISH GREY FINE SAND, SOME SILT, WET, MEDIUM DENSE	
201			10				
202			12				
203							
204						GREENISH GREY FINE SAND, LITTLE/SOME CLAY, LITTLE SILT, WET, MEDIUM DENSE	
205	S-20	2.0'	7				
206			7				
207			8		0		
208			10				
209						HARD MATERIAL; NO SAMPLE ATTEMPTED, PROBABLE LIMESTONE	
210							
211	S-21	-	-		-		
212							
213							
214						TAN/WHITE SILT, SOME CLAY, LITTLE FINE/MEDIUM SAND, TRACE LIMESTONE FRAGMENTS, WET, MEDIUM STIFF	
215	S-22	2.0'	3				
216			3				
217			6		0		
218			24				
219							

DRILLING CO.: FARRATT-WOLFF, INC.  
 DRILLER: WILLIAM RICE

BAKER REP.: E. J. KLEINKAUF  
 BORING NO.: 69-MW15BCH SHEET 6 OF 8

# TEST BORING RECORD

PROJECT: SITE 69 - REMEDIAL INVESTIGATION  
 S.O. NO.: 62470-212 BORING NO.: 69-MW15BCH

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon	A = Auger					SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')	
T = Shelby Tube	W = Wash					RQD = Rock Quality Designation (%)	
R = Air Rotary	C = Core					Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)	
D = Denison	P = Piston					Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
N = No Sample							
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevation
220							
221	X S-23	1.8'	22 13 16 50/4"		0	- SAME (LESS CLAY) -	
222							
223							
224							
225							
226	X S-24	1.8'	11 10 6 7		-	TAN/WHITE SILT, SOME FINE - FINE/MEDIUM SAND, TRACE CLAY, WET, VERY STIFF.	
227							
228							
229							
230							
231	X S-25	1.8'	3 2 2 5		0	TAN/WHITE FINE/MEDIUM SAND AND/SOME SILT, TRACE CLAY, WET, VERY LOOSE/SOFT.	
232							
233							
234							
235							
236	X S-26	1.7'	2 2 50/5"		0	TAN/WHITE CLAY, LITTLE/SOME SILT, LITTLE FINE/MEDIUM SAND, TRACE ROCK FRAGMENTS, WET, VERY SOFT / VERY DENSE	
237							
238							
239							

DRILLING CO.: PARRATT - WOLFF, INC.  
 DRILLER: WILLIAM RICE

BAKER REP.: E. J. KLEINKAUF  
 BORING NO.: 69-MW15BCH SHEET 1 OF 1

# TEST BORING RECORD

PROJECT: SITE 69 - REMEDIAL INVESTIGATION  
 S.O. NO.: 62470-212 BORING NO.: 69-MW156

SAMPLE TYPE						DEFINITIONS	
S = Split Spoon	A = Auger					SPT = Standard Penetration Test (ASTM D-1586) (Blows/0.5')	
T = Shelby Tube	W = Wash					RQD = Rock Quality Designation (%)	
R = Air Rotary	C = Core					Lab Class. = USCS (ASTM D-2487) or AASHTO (ASTM D-3282)	
D = Denison	P = Piston					Lab Moist. = Moisture Content (ASTM D-2216) Dry Weight Basis	
N = No Sample							
Depth (Ft.)	Sample Type and No.	Samp. Rec. (Ft. & %)	SPT or RQD	Lab. Class. or Pen. Rate	PID (ppm)	Visual Description	Elevati
240	S-27	1.8'		27	0	TAN/WHITE FINE/COARSE SAND, LITTLE SILT, TRACE CLAY, TRACE CEMENTED ROCK FRAGMENTS, WET, MEDIUM DENSE.	
241				15			
242				13			
243	S-28	1.3'		31	0	TAN/WHITE/LIGHT GREEN FINE/MEDIUM SAND, LITTLE SILT, TRACE CLAY, GLAUCONITIC, WET, DENSE/VERY DENSE	
244				31			
245				50/5"			
246	S-29	0.7'		46	0	-SAME (INCREASE IN CLAY)-	
247				50/4"			
248							
249	BORING TERMINATED @ 250.9'						
250							
251							
252	NOTES:						
	1) 10" $\phi$ CASING INSTALLED TO 12'						
	2) 8" $\phi$ CASING INSTALLED TO 50'						
	3) 6" $\phi$ CASING INSTALLED TO 126'						
	4) 2" $\phi$ PVC MONITORING WELL INSTALLED TO 230'.						

DRILLING CO.: PARRATT - WOLFF, INC.  
 DRILLER: WILLIAM RICE

BAKER REP.: E. J. KLEWKAUF  
 BORING NO.: 69-MW150CH SHEET 8 OF 1




# FIELD WELL CONSTRUCTION LOG



PROJECT: SITE 69 - REMEDIAL INVEST.      DATE: 4/03/96  
 CTO NO.: 62470-212      BORING NO.: 69-MW15BCH  
 COORDINATES: EAST: 2472254.9      NORTH: 305268.4  
 ELEVATION: SURFACE: 36.2'      TOP OF STEEL CASING: 38.63'

Pay Items			
Item	Quantity	Unit	Remarks
10" $\phi$ STEEL CASING	12	FT.	
8" $\phi$ STEEL CASING	50	FT.	
6" $\phi$ STEEL CASING	126	FT.	

WELL INFORMATION	DIAM. (INCHES)	TYPE	TOP DEPTH (FT.)	BOTTOM DEPTH (FT.)
Well Casing	2	PVC	+2.43	220
Well Screen	2	PVC	220	230



DRILLING CO.: PARRATT-WOLFF, INC.  
 DRILLER: WILLIAM RICE


BAKER REP.: E. J. KLEINKAUF  
 BORING NO.: 69-MW15BCH      SHEET 1 OF 6

**Baker**

Baker Environmental, Inc.

# FIELD WELL CONSTRUCTION LOG

PROJECT: SITE 69 - REMEDIAL INVESTIGATION  
S.O. NO.: 62470-212 BORING NO.: 69-MWISBCH




DRILLING CO.: PARRATT-WOLFF, INC.  
DRILLER: WILLIAM RICE

BAKER REP.: E. J. KLEINKAUF  
BORING NO.: 69-MWISBCH SHEET 2 OF 6

# FIELD WELL CONSTRUCTION LOG

PROJECT: SITE 69 - REMEDIAL INVESTIGATION  
S.O. NO.: 62470-212 BORING NO.: 69-MW15 BCH




DRILLING CO.: PARRATT-WOLFF, INC. BAKER REP.: E. J. KLEINKAUF  
DRILLER: WILLIAM RICE BORING NO.: 69-MW15 BCH SHEET 3 OF 6





# FIELD WELL CONSTRUCTION LOG

PROJECT: SITE 69-REMEDIAL INVESTIGATION  
 S.O. NO.: 62470-212 BORING NO.: 69-MW150CH




DRILLING CO.: PARRATT-WOLFF, INC.  
 DRILLER: WILLIAM RICE

BAKER REP.: E.J. KLEINKAUF  
 BORING NO.: 69-MW150CH SHEET 4 OF 6



# FIELD WELL CONSTRUCTION LOG

PROJECT: SITE 69-REMEDIAL INVESTIGATION  
 S.O. NO.: 62470-212 BORING NO.: 69-MW15BCH




DRILLING CO.: PARRATT-WOLFE, INC. BAKER REP.: E.J. KLEINKAUF  
 DRILLER: WILLIAM RICE BORING NO.: 69-MW15BCH SHEET 5 OF 6



# FIELD WELL CONSTRUCTION LOG

PROJECT: SITE 69 - REMEDIAL INVESTIGATION  
 S.O. NO.: 62470-212 BORING NO.: 69-MW15 BCH



DRILLING CO.: PARRISH-WOLFE, INC.  
 DRILLER: WILLIAM RICE

BAKER REP.: E.T. KLEINKAUF  
 BORING NO.: 69-MW15 BCH SHEET 6 OF 6

**APPENDIX E**  
**CHAIN OF CUSTODY FORMS**

---

# GP ENVIRONMENTAL SERVICES, INC.

202 Perry Parkway  
Gaithersburg, Maryland 20877  
(301) 926-6802

# 0001

Contract #/Billing Reference

19212

of Pgs.

Project: 19212 - sites 69, 74, 41					Turnaround Time <i>Routine</i>								
Client: BAKER ENVIRONMENTAL					# of Container								
Send Results To: MATT BARTMAN					Container Type 6 6 6 6 6 6								
Address: 420 ROUSER RD. BLDG 3 CORAOPOLIS PA. 15108					Preservative Used NA								
Phone: 412-269-2053					Type of Analysis								
Sample ID#	Date	Time	Sample Matrix	Sampler's Initials	TCL-VOA	TCL-SVOA	PEST/PCB	CSM (Deg Products)	TAL-METALS	THIOXY/COX	CLIENT COMMENTS		
69-CSA-SB18-00	11/6/94	1122	SOIL	ETK	X	X	X	X	X	X			
69-CSA-SAT-00	11/6/94	1142	SOIL	ETK	X	X	X	X	X	X			
69-CSA-SB24	11/6/94	1058	SOIL	ETK	X	X	X	X	X	X			
69-TB-01	11/6/94	1150	Liquid	P.A.M.	X						TRIP BLANK		
69-GW12-01	11/6/94	0925	SOIL	SKM RKO	X	X	X		X				
69-RS-01	11/6/94	1240	Liquid	ETK	X	X	X	X	X	X	RWSATE HAND RUBER BUCKET		

Relinquished By: <i>Peter A. Mendley</i>	Date/Time 11/6/94 1400	Received By:	Relinquished By:	Received for Laboratory By:	Date/Time
Relinquished By:	Date/Time	Received By:	Date/Time	Shipper:	Airbill No.: Fed-ex 0825847260
Relinquished By:	Date/Time	Received By:	Lab Comments:	Temp:	

# GP ENVIRONMENTAL SERVICES, INC.

202 Perry Parkway  
Gaithersburg, Maryland 20877  
(301) 926-6802

Contract #/Billing Reference

62470-212

of Pgs.

# 0002

Project: 62470-212 - site - 69					Turnaround Time	Route								CLIENT COMMENTS					
Client BAKER ENVIRONMENTAL					# of Container	NA NA NA NA NA NA NA HNO <sub>3</sub> TCL-VOA TCL-SVOA (TCL) PEST/PCB CSM (DEP. PROD.) TAL-METALS THIODYANCOLO TAL-METALS													
Send Results To: MATT BARTMAN					Container Type														
Address: 420 ROUSER ROAD BLDG 3					Preservative Used														
CORANAPOLIS, PA. 15108					Type of Analysis														
Phone: 412-269-2053																			
Sample ID#	Date	Time	Sample Matrix	Sampler's Initials															
69-CSA-SB20-00	11/6/94	1430	SOIL	ETK	X	X	X	X	X	X									
69-CSA-SB21-00	11/6/94	1435	SOIL	ETK	X	X	X	X	X	X									
69-CSA-SB22-00	11/6/94	1455	SOIL	ETK	X	X	X	X	X	X									
69-CSA-SB23-00	11/6/94	1512	SOIL	ETK	X	X	X	X	X	X									
69-FB-01	11/6/94	1630	LIQUID	SKM/RKP	X	X	X	X		X	X								POTABLE WATER
69-FB-02	11/6/94	1645	LIQUID	PAM	X	X	X	X		X	X								BAKER DECOR WATER
69-TB-02	11/7/94	1045	LIQUID	PAM	X														TRIP BLANK
Relinquished By:	Date/Time	Received By:			Relinquished By:			Received for Laboratory By:			Date/Time								
<i>[Signature]</i>	11/7/94 1300																		
Relinquished By:	Date/Time	Received By:			Date/Time	Shipper:	Airbill No.: FEDEX 0825847256												
Relinquished By:	Date/Time	Received By:			Lab Comments:					Temp:									

# GP ENVIRONMENTAL SERVICES, INC.

202 Perry Parkway  
Gaithersburg, Maryland 20877  
(301) 926-6802

C.O.C.# 003

Contract #/Billing Reference:  
62470-212-B

\_\_\_\_\_ of \_\_\_\_\_ Pgs.

Project: 62470-212 - SITE 69		Turnaround Time	<i>ROUTINE</i> <i>TCL-VOA</i> <i>TCL-SUB</i> <i>CSM (DEQ PROJ)</i> <i>TEL PEST / PCB</i> <i>THIOPYGLYCOL</i> <i>TAL-METALS HNO3</i> <i>ADDITIONAL RE-EXTRACT VOL.</i>									
Client: BAKER ENVIRONMENTAL		# of Container										
Send Results To: MATT PARTMAN		Container Type										
Address: 420 ROUSER RD. BLDG 3		Preservative Used										
CORADOLIS, PA 15108		Type of Analysis										
Phone: 412-269-2053												

Sample ID#	Date	Time	Sample Matrix	Sampler's Initials	TCL-VOA	TCL-SUB	CSM (DEQ PROJ)	TEL PEST / PCB	THIOPYGLYCOL	TAL-METALS	ADDITIONAL RE-EXTRACT VOL.	CLIENT COMMENTS
69-OS-SW03	11/7/94	1545	Liquid	SKP/RKH RWK	X	X	X	X	X	X	X	
69-OS-SW02	11/7/94	1615	Liquid	SKP/RKH RWK	X	X	X	X	X	X	X	
69-RS-02	11/7/94	1700	Liquid	EJK	X	X	X	X	X			HOLD - DO NOT ANALYZE
69-TB-03	11/8/94	0930	Liquid	P.A.M.	X							TRIP BLANK.

Relinquished By: <i>Debra Monday</i>	Date/Time: 11/9/94 1300	Received By:	Relinquished By:	Received for Laboratory By:	Date/Time:
Relinquished By:	Date/Time:	Received By:	Date/Time:	Shipper:	Airbill No.: Fed-ex 0825847245
Relinquished By:	Date/Time:	Received By:	Lab Comments: PLEASE CONSULT w/ MATT BARTMAN CONCERNING 69-TB-03		Temp:

# GP ENVIRONMENTAL SERVICES, INC.

COC.# 0004

202 Perry Parkway  
Gaithersburg, Maryland 20877  
(301) 926-6802

Contract #/Billing Reference  
62470-212

1 of 2 Pgs.

Project: 62470-212 SITE 69					Turnaround Time <i>RawMat</i>															
Client: BAKER					# of Container															
Send Results To: MATT BARTMAN					Container Type															
Address: 420 ROUSER RD. BLDG 3 CORADOLIS, PA, 15108.					Preservative Used															
Phone: 412-269-2053					Type of Analysis															
					<i>TOL-VOLATILES</i> <i>TOL-SVOA</i> <i>TOL-PEST/PCB</i> <i>CSM (Dep. Metals)</i> <i>TRU-METALS</i> <i>TRIGLYCOL</i>															
Sample ID#	Date	Time	Sample Matrix	Sampler's Initials											CLIENT COMMENTS					
69-6W11-02	11/7/94	0920	SOLID	SKM/RKP	X	X	X			X										
69-6W11-04	11/7/94	1015	SOLID	SKM/RKP	X	X	X			X										
69-CSA-SB01-00	11/7/94	0836	SOLID	ETK	X	X	X	X		X	X									
69-CSA-SB02-00	11/7/94	0815	SOLID	ETK	X	X	X	X		X	X									
69-CSA-SB03-00	11/7/94	0855	SOLID	ETK	X	X	X	X		X	X									
69-CSA-SB03-00D	11/7/94	0855	SOLID	ETK	X	X	X	X		X	X									
69-CSA-SB04-00	11/7/94	0957	SOLID	ETK	X	X	X	X		X	X									
69-CSA-SB06-00	11/7/94	0935	SOLID	ETK	X	X	X	X		X	X									
69-CSA-SB07-00	11/7/94	1025	SOLID	ETK	X	X	X	X		X	X									
69-CSA-SB09-00	11/7/94	1040	SOLID	ETK	X	X	X	X		X	X									
69-OS-SB03-06	11/7/94	1600	SOLID	SKM/RKP	X	X	X	X		X	X									
69-OS-SB02-06	11/7/94	1630	SOLID	SKM/RKP	X	X	X	X		X	X									
Relinquished By: <i>Fred a. Mendley</i>		Date/Time: 11/6/94 1300		Received By:			Relinquished By:			Received for Laboratory By:			Date/Time:							
Relinquished By:		Date/Time:		Received By:			Date/Time:		Shipper:		Airbill No.: <i>FED-ex</i> <i>0825847245</i>									
Relinquished By:		Date/Time:		Received By:			Lab Comments:					Temp:								



# GP ENVIRONMENTAL SERVICES, INC.

202 Perry Parkway  
Gaithersburg, Maryland 20877  
(301) 926-6802

Contract #/Billing Reference

62470-212

2 of 2 Pgs.

C.O.C.# 004

Project: 62470-212 site 69.					Turnaround Time <i>Range</i>							CLIENT COMMENTS			
Client <i>BAKER ENV.</i>					# of Container										
Send Results To:					Container Type										
Address:					Preservative Used										
Phone:					Type of Analysis										
					<i>TOL-VOL</i> <i>TOL-SOL</i> <i>TOL-PEST PCB</i> <i>CSM (DEP. PROD.)</i> <i>TAL-METALS</i> <i>THIOCYANIDE</i>										
Sample ID#	Date	Time	Sample Matrix	Sampler's Initials											
69-CSA-5205-00	11/7/94	1503	SOLID	ETK	X	X	X	X	X	X					
69-CSA-5208-00	11/7/94	1521	SOLID	ETK	X	X	X	X	X	X				Note - MS/MSD	
69-CSA-5208-00D	11/7/94	1521	SOLID	ETK	X	X	X	X	X	X					
69-CSA-5210-00	11/7/94	1425	SOLID	ETK	X	X	X	X	X	X					
69-CSA-5212-00	11/7/94	1515	SOLID	ETK	X	X	X	X	X	X					
69-CSA-522-00	11/7/94	1416	SOLID	ETK	X	X	X	X	X	X					
69-TB-04	11/8/94	1100	Liquid	BAM	X									TRIP-BLANK	
69-CSA-5216-00	11/8/94	0835	SOLID	ETK	X	X	X	X	X	X				Note - MS/MSD	
69-CSA-5216-00D	11/8/94	0835	SOLID	ETK	X	X	X	X	X	X					
Relinquished By: <i>Roberta Mondy</i>					Date/Time: 11/9/94 1300		Received By:			Relinquished By:			Received for Laboratory By:		Date/Time:
Relinquished By:					Date/Time:		Received By:			Date/Time:		Shipper:		Airbill No.: Fed-ex 0825847245	
Relinquished By:					Date/Time:		Received By:			Lab Comments:				Temp:	

# GP ENVIRONMENTAL SERVICES, INC.

C.O.O. # 0005

202 Perry Parkway  
Gaithersburg, Maryland 20877  
(301) 926-6802

Contract #/Billing Reference  
**62470-212**

1 of 2 Pgs.

Project: <b>62470-212 SITE 69</b>					Turnaround Time	<i>ROUTING</i>									
Client: <b>BAKER ENV.</b>					# of Container										
Send Results To: <b>MATT BARTMAN</b>					Container Type										
Address: <b>420 ROUSER RD. BLDG. 3 CORAOPOLIS, PA 15108</b>					Preservative Used										
Phone: <b>412/269-2053</b>					Type of Analysis	<i>TCL VOA</i> <i>TCL-SVOA</i> <i>TCL-TEST/PCB</i> <i>C5M</i> <i>(SPEC. PRODUCTS)</i> <i>TAL METALS</i> <i>TRIMETHYLYCOL</i> <i>TAL-METAL</i> <i>AWD</i>									

Sample ID#	Date	Time	Sample Matrix	Sampler's Initials	TCL VOA	TCL-SVOA	TCL-TEST/PCB	C5M	(SPEC. PRODUCTS)	TAL METALS	TRIMETHYLYCOL	TAL-METAL	AWD	CLIENT COMMENTS
69-CSA-SB11	1/8/94	1030	SOLID	EJK	✓	✓	✓	✓	✓	✓				
69-CSA-SB14	1/8/94	1015	SOLID	EJK	✓	✓	✓	✓	✓	✓				
69-CSA-SB17	1/8/94	0820	SOLID	EJK	✓	✓	✓	✓	✓	✓				
69-CSA-SB15	1/8/94	1000	SOLID	EJK	✓	✓	✓	✓	✓	✓				
69-CSA-SB25	1/8/94	0905	SOLID	EJK	✓	✓	✓	✓	✓	✓				
69-OS-SD01	1/8/94	1040	SOLID	RWK	✓	✓	✓	✓	✓	✓				MS/MSD
69-OS-SD01B	1/8/94	1040	SOLID	RWK	✓	✓	✓	✓	✓	✓				DUPLICATE
69-OS-SD01C	1/8/94	1040	SOLID	RWK	✓					✓				
69-OS-SW01	1/8/94	0950	WATER	RWK	✓	✓	✓	✓	N/A	✓	✓			EXTRA VOLUME FOR REEXTRACT INCLUDES MS/MSD
69-OS-SD01	1/8/94	1040	SOLID	RWK		✓	✓	✓	✓					
69-OS-SW01B	1/8/94	0950	WATER	RWK	✓	✓	✓	✓	N/A	✓	✓			DUPLICATE
69-TB-OS	1/8/94	1150	WATER	PAM	✓									

Relinquished By: <i>[Signature]</i>	Date/Time: <i>1/8/94 1:00</i>	Received By:	Relinquished By:	Received for Laboratory By:	Date/Time:
Relinquished By:	Date/Time:	Received By:	Date/Time:	Shipper:	Airbill No.: <i>0825947245</i>
Relinquished By:	Date/Time:	Received By:	Lab Comments: <i>LAB FOR 69-OS-SD06 ARE</i>	Temp:	



# GP ENVIRONMENTAL SERVICES, INC.

C.O.C. # 0006

202 Perry Parkway  
Gaithersburg, Maryland 20877  
(301) 926-6802

Contract #/Billing Reference

62470-212

1 of 2 Pgs.

Project: 62470-212 SITE 69					Turnaround Time										CLIENT COMMENTS
Client: BAKER ENVIRONMENTAL INC					# of Container										
Send Results To: MITT PARTMAN					Container Type										
Address:					Preservative Used										
Phone:					Type of Analysis										
Sample ID#	Date	Time	Sample Matrix	Sampler's Initials	TEL-VOA	TEL-SVOA	TEL-REST/PCP	CSM (DEP, PROD)	TAL-METALS	THIOGLYCOL	EXTRA VOL FOR RE-EXTRACT	TAL-METALS			
69-DA-SW01	1/8/94	1505	LIQUID	RWK	X	X	X	X	X	X	X				
69-DA-SW02	1/8/94	1540	LIQUID	RWK	X	X	X	X	X	X	X				
69-DA-S01-06	1/8/94	1520	SOLID	RWK	X	X	X	X	X		X				
69-DA-S02-06	1/8/94	1400	SOLID	RWK	X	X	X	X	X		X				
69-6W12DW-01	1/8/94	1505	SOLID	SKM/RKP	X	X	X				X				
69-BB-SB01-00	1/8/94	1425	SOLID	ETK	X	X	X	X	X		X				
69-BB-SB02-00	1/8/94	1612	SOLID	ETK	X	X	X	X	X		X				
69-PR-SR02-00	1/8/94	1545	SOLID	ETK	X	X	X	X	X		X				
69-BB-SB04-00	1/8/94	1515	SOLID	ETK	X	X	X	X	X		X				
69-DA-SW04	1/9/94	0826	LIQUID	ETK	X	X	X	X	X	X					
69-DA-SW03	1/9/94	0956	LIQUID	ETK	X	X	X	X	X	X					
69-DA-S016-06	1/9/94	0955	SOLID	ETK	X	X	X	X	X		X				
Relinquished By: <i>Petera Monday</i>		Date/Time: 1/10/94 1300		Received By:			Relinquished By:			Received for Laboratory By:			Date/Time:		
Relinquished By:		Date/Time:		Received By:			Date/Time:		Shipper:		Airbill No.: Fed-ex 0825 84 72 34				
Relinquished By:		Date/Time:		Received By:			Lab Comments:					Temp:			

# GP ENVIRONMENTAL SERVICES, INC.

202 Perry Parkway  
Gaithersburg, Maryland 20877  
(301) 926-6802

C.O.C.#0006

Contract #/Billing Reference

62470-212

2 of 2 Pgs.

Project: 62470-212 - SITE 19					Turnaround Time <i>ROUTINE</i>																
Client: BAKER ENVIRONMENTAL INC.					# of Container																
Send Results To: MATT PARTMAN					Container Type																
Address:					Preservative Used																
Phone:					Type of Analysis																
					<i>TCL-VOA</i> <i>TCL-SVOA</i> <i>TCL-Pest/PCB</i> <i>CSM(Org. Prod)</i> <i>TR-METALS</i> <i>TR-DYGLYLOL</i>																
Sample ID#	Date	Time	Sample Matrix	Sampler's Initials											CLIENT COMMENTS						
69-0A-SD04-06	11/19/06	0830	SOLID	EJK	X	X	X	X	X	X											
69-TR-06	11/10/06	1025	L:Q:W	PAYN	X																TRIP BLANK.

Relinquished By: <i>Asha Mondak</i>	Date/Time: <i>11/19/06 1300</i>	Received By:	Relinquished By:	Received for Laboratory By:	Date/Time:
Relinquished By:	Date/Time:	Received By:	Date/Time:	Shipper:	Airbill No.: <i>Fed-ex</i> <i>0825847234</i>
Relinquished By:	Date/Time:	Received By:	Lab Comments:	Temp:	

# GP ENVIRONMENTAL SERVICES, INC.

C.O.C. # 0007

202 Perry Parkway  
Gaithersburg, Maryland 20877  
(301) 926-6802

Contract #/Billing Reference  
**62470-212**

1 of 1 Pgs.

Project: <b>62470-212</b>					Turnaround Time																								
Client: <b>PAKER ENVIRONMENTAL INC.</b>					# of Container																								
Send Results To: <b>MATT BARTMAN.</b>					Container Type																								
Address:					Preservative Used																								
Phone:					Type of Analysis																								
Sample ID#	Date	Time	Sample Matrix	Sampler's Initials	Type of Analysis										CLIENT COMMENTS														
					TCL-VOA	TCL-SVOA	TCL-Pest/PCB	TAL-METALS	PARTICLE SIZE	ANIONIC LIMITS																			
69-6W10-01	1/9/94	1040	SOLID	SKM/RKP	X	X	X	X																					
69-6W10-03	1/9/94	1102	SOLID	SKM/RKP	X	X	X	X																					
69-6W02NW-04	1/9/94	1535	SOLID	SKM/RKP	X	X	X	X																					
69-6W02NW-03	1/9/94	1600	SOLID	SKM/RKP	X	X	X	X																					
69-6W02NW	1/9/94	1615	SOLID	CKM/RKP						X	X					ENV. PARAMETERS													
69-TB-07	1/9/94	1130	LIQUID	RWK	X											TRIP BLANK.													
Relinquished By: <i>Kate a Mando</i>					Date/Time: 1/10/93 1300					Received By:					Relinquished By:					Received for Laboratory By:					Date/Time:				
Relinquished By:					Date/Time:					Received By:					Date/Time:					Shipper:					Airbill No.: Fed-ex. 08258472 34				
Relinquished By:					Date/Time:					Received By:					Lab Comments:					Temp:									

# GP ENVIRONMENTAL SERVICES, INC.

202 Perry Parkway  
Gaithersburg, Maryland 20877  
(301) 926-6802

C.O.C.# 0008

Contract #/Billing Reference

62470-212

1 of 1 Pgs.

Project: <u>62470-212 Site 69</u>					Turnaround Time <u> Routine</u>													
Client: <u>BAKER</u>					# of Container													
Send Results To: <u>MAT BARTMAN</u>					Container Type													
Address:					Preservative Used													
Phone:					Type of Analysis													
					<u>TCL-VOA</u> <u>TCL-SVOA</u> <u>TCL-DEST/DB</u> <u>TAL METALS</u> <u>CYANIDE</u>													
Sample ID#	Date	Time	Sample Matrix	Sampler's Initials											CLIENT COMMENTS			
<u>69-6W02DW-01</u>	<u>11/24/94</u>	<u>0740</u>	<u>solid</u>	<u>PAM</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>									<u>note-MS/MSD</u>
<u>69-6W02DW-01D</u>	<u>11/24/94</u>	<u>0740</u>	<u>solid</u>	<u>PAM</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>	<u>X</u>									
<u>69-TB-08</u>	<u>11/24/94</u>	<u>0800</u>	<u>Liquid</u>	<u>PAM</u>	<u>X</u>													<u>TRIP BLANK</u>
Relinquished By:		Date/Time		Received By:			Relinquished By:			Received for Laboratory By:			Date/Time					
<u>[Signature]</u>		<u>11/24/94</u>		<u>1300</u>														
Relinquished By:		Date/Time		Received By:			Date/Time		Shipper:		Airbill No.: <u>Fed-ex</u>							
											<u>0825846991</u>							
Relinquished By:		Date/Time		Received By:			Lab Comments:					Temp:						

# GP ENVIRONMENTAL SERVICES, INC.

202 Perry Parkway  
Gaithersburg, Maryland 20877  
(301) 926-6802

COG# 00009

Contract #/Billing Reference  
62470-212

1 of 1 Pgs.

Project: 62470-212 - SITE 69					Turnaround Time 7 DAY Routine										CLIENT COMMENTS	
Client: BAKER					# of Container											
Send Results To: MATT BARTMAN					Container Type											
Address:					Preservative Used											
Phone:					Type of Analysis											
Sample ID#	Date	Time	Sample Matrix	Sampler's Initials	TCL-VOA*	TCL-SVOA	TCL-POST/PCB	CSM (DEG. PROD.)	THIOXY-LYCOL	TAL-TOTAL METALS	DISS. METALS	CYANIDE	HNO <sub>3</sub>	HNO <sub>3</sub>		NaOH
69-6w12-01	1/20/94	1045	LIQID	PAM/MDS	X	X	X	X	X	X	X	X				(1.)
69-6w11-01	1/20/94	1215	LIQID	PAM/MDS	X	X	X	X	X	X	X	X				(1.)
69-6w09-01	1/20/94	1445	LIQID	PAM/MDS	X	X	X	X	X	X	X	X				(1.)
69-6w10-01	1/20/94	1515	LIQID	PAM/MDS	X	X	X	X	X	X	X	X				(1.)
69-RS-03	1/21/94	0930	LIQID	PAM/MDS	X	X	X	X	X	X	X	X				RINSE-TETRAFLUOR
69-TB-09	1/21/94	1100	LIQID	PAM/MDS	X											TRIP BLANK.

Relinquished By: <i>[Signature]</i>	Date/Time: 1/21/94 1210	Received By:	Relinquished By:	Received for Laboratory By:	Date/Time:
Relinquished By:	Date/Time:	Received By:	Date/Time:	Shipper:	Airbill No.: Fed-Ex 0825846910
Relinquished By:	Date/Time:	Received By:	Lab Comments: (1) VOA - 7 DAY TURN, ROUTINE FOR ALL OTHER ANALYSES REQUESTED.		Temp:



# GP ENVIRONMENTAL SERVICES, INC.

202 Perry Parkway  
Gaithersburg, Maryland 20877  
(301) 926-6802

C.O.C.#0011

Contract #/Billing Reference

62470-212

of \_\_\_\_\_ Pgs.

Project: 62470-212 SITE 69.					Turnaround Time <u>ROUTINE</u>																								
Client <u>BAKER</u>					# of Container																								
Send Results To: <u>MAT BARTMAN</u>					Container Type																								
Address:					Preservative Used																								
Phone:					Type of Analysis																								
					<u>TCL-VOA</u> <u>TCL-SVOA</u> <u>TCL-POST/PCB</u> <u>CSM(DIST. PROD.)</u> <u>TRI-N-OH/94KOL</u> <u>TAL-TOTAL METALS</u> <u>HNO<sub>3</sub></u> <u>HNO<sub>3</sub></u> <u>NaOH</u>																								
Sample ID#	Date	Time	Sample Matrix	Sampler's Initials											CLIENT COMMENTS														
69-6W08-01	1/21/94	1415	LIQUID	ETK/WP	X	X	X	X	X	X	X	X	X																
69-6W06-01	1/21/94	1525	LIQUID	ETK/WP	X	X	X	X	X	X	X	X	X																
69-6W05-01	1/21/94	1510	LIQUID	PAM/ADS	X	X	X	X	X	X	X	X	X																
69-RS-04	1/21/94	1730	LIQUID	PAM/ADS	X	X	X	X	X	X	X	X	X		RINSEATE - HOLD NO. DATA														
69-TB-10	1/22/94	0800	LIQUID	PAM/ADS	X										TRIP BLANK.														
Relinquished By:					Date/Time					Received By:					Relinquished By:					Received for Laboratory By:					Date/Time				
<u>John A. Manning</u>					1/22/94 15:00																								
Relinquished By:					Date/Time					Received By:					Date/Time					Shipper:					Airbill No.: <u>Fed-ex</u>				
																									0825846825				
Relinquished By:					Date/Time					Received By:					Lab Comments:					Temp:									

# GP ENVIRONMENTAL SERVICES, INC.

C.O.C.# 0011

202 Perry Parkway  
Gaithersburg, Maryland 20877  
(301) 926-6802

Contract #/Billing Reference

62470-212

1 of 1 Pgs.

Project: 62470-212 site 69.					Turnaround Time												
Client BAKER ENVIRONMENTAL INC.					# of Container												
Send Results To: MAT BARTMAN.					Container Type												
Address:					Preservative Used												
Phone:					Type of Analysis												
Sample ID#	Date	Time	Sample Matrix	Sampler's Initials	TCL-SUBA	TCL-PEST/PCB	CSM (Dep. Mod.)	THIOCYANIDE	TAL-TOTAL METALS	DISS. METALS	CYANIDE	BOD	STANDARD PLATE COUNT, TKN	TOTAL PHOSPHORUS	TSS	H <sub>2</sub> SO <sub>4</sub> TDS, ALKALINITY	CLIENT COMMENTS
69-6w02-01	1/22/94	1350	Liquid	PAM/MDS	X	X	X	X	X	X	X	X	X	X	X		
69-6w02-01	1/22/94	1350	Liquid	PAM/MDS	X	X	X	X	X	X	X						Note ms/msd
69-6w02-dD	1/22/94	1350	Liquid	PAM/MDS	X	X	X	X	X	X	X						
69-6w04-d	1/22/94	1100	Liquid	PAM/MDS	X	X	X	X	X	X	X						
69-R5-C5	1/22/94	0900	Liquid	PAM/MDS	X	X	X	X	X	X	X						RINSE - TEFLEX BAGS
Relinquished By: <i>Peter Monday</i>					Received By:				Relinquished By:				Received for Laboratory By:				Date/Time
Date/Time: 1/24/94 1600																	
Relinquished By:					Received By:				Date/Time		Shipper:		Airbill No.: FED-ox				
													0825846792				
Relinquished By:					Received By:				Lab Comments:				Temp:				

# GP ENVIRONMENTAL SERVICES, INC.

202 Perry Parkway  
Gaithersburg, Maryland 20877  
(301) 926-6802

C.O.C.# 512

Contract #/Billing Reference  
62470-212

1 of 1 Pgs.

Project: <u>62470-212 SITE 69</u>					Turnaround Time											CLIENT COMMENTS							
Client: <u>BAKER ENVIRONMENTAL INC.</u>					# of Container	/											/						
Send Results To: <u>MATT BARTMAN</u>					Container Type	/											/						
Address:					Preservative Used	/											/						
Phone:					Type of Analysis	/											/						
Sample ID#	Date	Time	Sample Matrix	Sampler's Initials	TCL-VOA	TCL-SVOA	TCL-pest/PCB	CSM (DEQ. PROD.)	THIOD/64/COI	TAL-TOTAL-METALS	DSS-METALS	CYANIDE	HNO3		HNO3		NaOH		CLIENT COMMENTS				
69-6W02-01	1/22/94	1350	Liquid	PAM/MDS	X														Note MS/MSD				
69-6W02-01D	1/22/94	1350	Liquid	PAM/MDS	X																		
69-6W04-01	1/22/94	1100	Liquid	PAM/MDS	X																		
69-R5-05	1/23/94	0900	Liquid	PAM/MDS	X																		
69-6W07-01	1/22/94	1000	Liquid	PAM/MDS	X	X	X	X	X	X	X	X	X	X	X	X	X	X					
69-6W03-01	1/22/94	1530	Liquid	PAM/MDS	X	X	X	X	X	X	X	X	X	X	X	X	X	X					
69-6W01-01	1/22/94	1630	Liquid	PAM/MDS	X	X	X	X	X	X	X	X	X	X	X	X	X	X					
69-TB-11	1/23/94	1200	Liquid	PAM/MDS	X														TRIP BLANK				
Relinquished By: <u>Peter a Monday</u>					Date/Time: <u>1/24/94 1600</u>		Received By:					Relinquished By:					Received for Laboratory By:					Date/Time:	
Relinquished By:					Date/Time:		Received By:					Date/Time:		Shipper:			Airbill No.: <u>Fed-ex</u> <u>0825846792</u>						
Relinquished By:					Date/Time:		Received By:					Lab Comments:					Temp:						

# GP ENVIRONMENTAL SERVICES, INC.

C.O.C.#0013

202 Perry Parkway  
Gaithersburg, Maryland 20877  
(301) 926-6802

Contract #/Billing Reference

62470-212

1 of 1 Pgs.

Project: 62470-212 Site 69					Turnaround Time * Routine																								
Client: BAKER ENVIRONMENTAL INC.					# of Container																								
Send Results To: MAT BARTMAN					Container Type																								
Address:					Preservative Used																								
Phone:					Type of Analysis																								
Sample ID#	Date	Time	Sample Matrix	Sampler's Initials	TCL-VOA	TCL-SVOA	TCL-pest/PCB	TAL-METALS	DISSOLVED METALS	CYANIDE	CSM (Res. Med.)	THIOCYANATE	EMPA PARAMETERS	EMPA COUNT	TOTAL METALS	TOTAL METALS	CLIENT COMMENTS												
69-6W02DW-01	2/17/94	1420	Liquid	RWK/RKP	X	X	X	X	X	X	X	X					* NOTE MS/MSD												
69-6W02DW-01	2/17/94	1420	Liquid	RWK/RKP					X								* MS/MSD-ALS												
69-6W02DW-01D	2/17/94	1420	Liquid	RWK/RKP	X	X	X	X	X	X	X	X																	
69-6W02DW-01D	2/17/94	1420	Liquid	RWK/RKP					X																				
69-6W12DW-01	2/18/94	0930	Liquid	RWK/WMP	X																								
1A-RS-06	2/18/94	1115	Liquid	RWK/WMP	X																								
69-TB-12	2/18/94	1800	Liquid	PAM	X																								
Relinquished By: <i>Peter A. Monahan</i>					Date/Time: 2/18/94 1600					Received By:					Relinquished By:					Received for Laboratory By:					Date/Time:				
Relinquished By:					Date/Time:					Received By:					Date/Time:					Shipper:					Airbill No.: Fed-ex				
Relinquished By:					Date/Time:					Received By:					Lab Comments: * Note VOA - Quick Turn - Just for					Temp:									
															SAMPLE # 69-6W02DW-01 & 69-6W12DW-01														

# GP ENVIRONMENTAL SERVICES, INC.

202 Perry Parkway  
Gaithersburg, Maryland 20877  
(301) 926-6802

C.O.C.# 0014

Contract #/Billing Reference

62470-212

1 of 1 Pg

Project: 62470-212 SITE 69					Turnaround Time		Routine									
Client: PAKER ENVIRONMENTAL INC.					# of Container											
Send Results To: MATT BARTMAN					Container Type											
Address:					Preservative Used											
Phone:					Type of Analysis											
Sample ID#	Date	Time	Sample Matrix	Sampler's Initials	TEL-SVOA	TEL-PEST/PCB	TEL-METALS	DISSOLVED METALS	CYANIDE	CSM(Dev. PROD.)	THIOCYANATE	CLIENT COMMENTS				
69-6W12DW-01	2/18/94	0930	Liquid	RWF/WMP	X	X	X		X	X	X					
69-6W12DW-01	2/18/94	0930	Liquid	RWF/WMP				X								
69-RS-06	2/18/94	1255	Liquid	RWF/WMP	X	X	X		X	X	X					
69-RSD-06	2/18/94	1115	Liquid	RWF/WMP				X								
212-PB-01	2/18/94	1330	Liquid	RWF/WMP		X			X			Preservation Blank				
Relinquished By: <i>P. L. ...</i>					Date/Time: 2/18/94 1600		Received By:			Relinquished By:			Received for Laboratory By:		Date/Time:	
Relinquished By:					Date/Time:		Received By:			Date/Time:		Shipper:		Airbill No.: Fed-ex 0825847024		
Relinquished By:					Date/Time:		Received By:			Lab Comments:				Temp:		

# GP ENVIRONMENTAL SERVICES, INC.

202 Perry Parkway  
Gaithersburg, Maryland 20877  
(301) 926-6802

C.O.C.#41027

Contract #/Billing Reference

62470-212

1 of 1 Pgs.

Project: 62470-212 Sites 41 & 69.					Turnaround Time <b>7 DAYS</b>																								
Client: BAKER ENVIRONMENTAL, INC.					# of Container																								
Send Results To: MATT BARTMAN.					Container Type																								
Address:					Preservative Used																								
Phone:					Type of Analysis																								
					<div style="display: flex; justify-content: space-between;"> <span>TCL-VOA</span> <span>TCL-SVOA</span> <span>Tot-Pest/PCB</span> <span>TAL-METALS</span> <span>HNO<sub>3</sub></span> <span>TCL-PCB</span> <span>MiREx</span> <span>CSM (Dep Prod.)</span> <span>TRIOX/GYCOL</span> <span>Full TCLP</span> <span>REACTIVITY</span> <span>RCRA</span> <span>SPILLABILITY</span> </div>																								
Sample ID#	Date	Time	Sample Matrix	Sampler's Initials	CLIENT COMMENTS																								
41-RB-01	2/19/94	1600	SOLID	PAM/ETK																									
69-RB-01	2/19/94	1350	SOLID	PAM/ETK																									
41-TK-01	2/19/94	1630	LIQUID	PAM/ETK	X	X	X	X																					
69-TK-01	2/19/94	1410	LIQUID	PAM/ETK	X	X	X	X																					
212-DW-01	2/19/94	1400	LIQUID	PAM	X	X	X	X																					
Relinquished By: <i>P. G. Monday</i>					Date/Time: <i>2/19/94 1600</i>					Received By:					Received for Laboratory By:					Date/Time:									
Relinquished By:					Date/Time:					Received By:					Date/Time:					Shipper:					Airbill No.: <b>FED EX</b> <b>0825846921</b>				
Relinquished By:					Date/Time:					Received By:					Lab Comments: <i>note - 7 DAY TURN AROUND</i>					Temp:									

# GP ENVIRONMENTAL SERVICES, INC.

202 Perry Parkway  
Gaithersburg, Maryland 20877  
(301) 926-6802

C.O.# 69025

Contract #/Billing Reference

62470-212

1 of 2 Pgs.

Project: 62470-212					Turnaround Time 14 DAYS														
Client: PAREL ENVIRONMENTAL INC.					# of Container														
Send Results To: MATT BARTMAN					Container Type														
Address: 420 Nousek Rd. CORAOPOLIS PA 15108					Preservative Used														
Phone: 412-269-6000					Type of Analysis														
Sample ID#	Date	Time	Sample Matrix	Sampler's Initials	TCL-VOC	SEMI-VOC	PEST/PCB	HAL-METALS	DISSOLVED METALS										CLIENT COMMENTS
69-6W13I-01	6/6/94	1010	Liquid	TFT/MT	X	X	X	X											
69-6W13I-01	6/6/94	1010	Liquid						X										
69-6W13-d	6/6/94	1110	Liquid		X	X	X	X											
69-6W13D-d	6/6/94	1110	Liquid						X										
69-6W03I-01	6/6/94	1430	Liquid		X	X	X	X											
69-6W03ID-01	6/6/94	1430	Liquid						X										
69-RS-15	6/6/94	1920	Liquid		X	X	X	X											Rinsate - Teflon
69-RSD-15	6/6/94	1920	Liquid						X										Barrel
69-6W02DD-01	6/6/94	1630	Liquid		X	X	X	X											
69-6W02DD-01	6/6/94	1630	Liquid						X										
69-TB-15	6/7/94	1030	Liquid	YAM	X*														Note TRIP BLANK Preserved HCL.

Relinquished By:	Date/Time	Received By:	Relinquished By:	Received for Laboratory By:	Date/Time
<i>John A. Monday</i>	6/7/94 1600				
Relinquished By:	Date/Time	Received By:	Date/Time	Shipper:	Airbill No.: Fed-Air
					0825847186
Relinquished By:	Date/Time	Received By:	Lab Comments: * HCL Preserved	Temp:	

# GP ENVIRONMENTAL SERVICES, INC.

202 Perry Parkway  
Gaithersburg, Maryland 20877  
(301) 926-6802

C.O.C. #69025

Contract #/Billing Reference

62470-212

2 of 2 Pgs

Project:					Turnaround Time <u>4 DAYS</u>																	
Client <u>PAKER</u>					# of Container																	
Send Results To:					Container Type																	
Address:					Preservative Used																	
Phone:					Type of Analysis																	
					TCL-VOA										CLIENT COMMENTS							
																Sample ID#	Date	Time	Sample Matrix	Sampler's Initials		
<u>69-6w0200-010</u>					<u>6/14/14</u>	<u>1630</u>	<u>LIQUID</u>	<u>TET/AGT</u>	<u>X</u>													
<u>69-6w0200-011</u>					<u>6/14/14</u>	<u>1630</u>	<u>LIQUID</u>	<u>I</u>	<u>X</u>												<u>* Note (ms)</u>	
Relinquished By:			Date/Time		Received By:			Relinquished By:			Received for Laboratory By:			Date/Time								
Relinquished By:			Date/Time		Received By:			Date/Time		Shipper:		Airbill No.: <u>Fed-ex</u>										
Relinquished By:			Date/Time		Received By:			Lab Comments:								Temp:						



C.O.C.# 69036

~~HALLIBURTON~~ Environmental GP ENVIRONMENTAL SERVICES INC.  
 Corporation and Subsidiaries

CHAIN OF CUSTODY RECORD

PROJECT NO.:		SITE NAME:		NO. OF CONTAINERS	SEMI-VOLIS	DEST/PCB	TAR-METALS	DISSOLVED METALS	REMARKS	
62470-212		SITE 69/BAKER								
SAMPLERS (SIGNATURE):										
STATION NO.	DATE	TIME	COMP	GRAB	STATION LOCATION					
	6/6/94	1630		X	69-6W02 DD-01D	3	X	X	X	
	6/6/94	1630		X	69-6W02 DDD-01D	1			X	
	6/6/94	1630		X	69-6W02 DD-01	3	X	X	X	* note (MS/MSD)
	6/6/94	1630		X	69-6W02 DDD-01	2			X	* note (MS/MSD)
RELINQUISHED BY (SIGNATURE): <i>[Signature]</i> DATE/TIME: 6/7/94 1600 RECEIVED BY (SIGNATURE): RELINQUISHED BY (SIGNATURE): DATE/TIME: RECEIVED BY (SIGNATURE): RELINQUISHED BY (SIGNATURE): DATE/TIME: RECEIVED FOR LABORATORY BY (SIGNATURE): DATE/TIME: REMARKS: Fed-ex 0825847186										

**Microbac**

Microbac Laboratories, Inc.

Mid-Atlantic Division  
604 Morris Drive, Newport News, VA 23605  
804/825-1000 Fax: 804/825-1200  
Air • Fuel • Water • Food • Wastes

### CHAIN-OF-CUSTODY RECORD

Company	BAKER ENVIRONMENTAL, INC.
Contact	Ed Kleinkauf
Mailing Address	1770 ROUTER Rd. AOP Building #3 Pottsville, PA 15108
Phone & Fax	610-769-6000
Billing Address	SAME
Job Number	12470-212-0000-00530
Purchase Order No.	

#### LAB USE ONLY

Due Date \_\_\_\_\_  
W/O#: \_\_\_\_\_  
# of Bottles: \_\_\_\_\_  
Special Instructions: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Sample ID	Sample Location	Date/Time Collected	Collectors Initials	Matrix	Preservative	Analysis
696W09	5.10 69	2-21-95 1430	KWJ		NAI	VOC 601
696W135		↓ 1640	↓		↓	
69FB		↓ 1545	↓		↓	
69ER		↓ 1700				
TRIP BLANK						

Special Instructions: \_\_\_\_\_

Possible Hazard Identification: (Please indicate if sample(s) are hazardous materials and/or suspected of containing levels of hazardous substances.)

Nonhazardous  Flammable  Skin Irritant  Highly Toxic  Biological  Other \_\_\_\_\_ Please Specify

Turnaround Time Required: (Rush must be approved by appropriate Manager and is subject to surcharge.)\*

Normal \_\_\_\_\_ \*Rush \_\_\_\_\_ 24 \_\_\_\_\_ 48 \_\_\_\_\_ Other 3 days

Sample Disposal: Return to Client \_\_\_\_\_ or Disposal by Lab \_\_\_\_\_ (Laboratory reserves the right to return hazardous samples to client)

Relinquished By: Signature [Signature] Company BAKER Date/Time 2-21-95 1800  
Received By: Signature \_\_\_\_\_ Company \_\_\_\_\_ Date/Time \_\_\_\_\_

Relinquished By: Signature \_\_\_\_\_ Company \_\_\_\_\_ Date/Time \_\_\_\_\_  
Received By: Signature \_\_\_\_\_ Company \_\_\_\_\_ Date/Time \_\_\_\_\_

Relinquished By: Signature \_\_\_\_\_ Company \_\_\_\_\_ Date/Time \_\_\_\_\_  
Received By: Signature \_\_\_\_\_ Company \_\_\_\_\_ Date/Time \_\_\_\_\_



Microbac Laboratories, Inc.  
 Mid-Atlantic Division  
 604 Morris Drive, Newport News, VA 23605  
 804/825-1000 Fax: 804/825-1200  
 Air • Fuel • Water • Food • Wastes

# CHAIN-CUSTODY RECORD

Company	BAKER Environmental, # 2
Contact	ED KLEIN KALE
Mailing Address	420 ROUSSEY Rd APT 2606 BRADPOLEIS, PA 15108
Phone & Fax	412-267-6000
Billing Address	JANE
Job Number	12476-212-0000-00530
Purchase Order No.	

## LAB USE ONLY

Due Date \_\_\_\_\_  
 W/O#: \_\_\_\_\_  
 # of Bottles: \_\_\_\_\_  
 Special Instructions: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

Sample ID	Sample Location	Date/Time Collected	Collectors Initials	Matrix	Preservative	Analysis
696W13 DW	SITE 69	7-22-95 1025	ky		Hel	601 VOC
696W 11	↓	1150	↓		↓	
696W 12	↓	1605	↓		↓	
69ER2	↓	1155	↓		↓	HOLD
69 FBZ	↓	1200	↓		↓	HOLD
TRIP blank						

Special Instructions: \_\_\_\_\_  
 Possible Hazard Identification: (Please indicate if sample(s) are hazardous materials and/or suspected of containing levels of hazardous substances.)  
 Nonhazard  Flammable  Skin Irritant  Highly Toxic  Biological  Other \_\_\_\_\_  
Please Specify  
 Turnaround Time Required: (Rush must be approved by appropriate Manager and is subject to surcharge.)\*  
 Normal \_\_\_\_\_ \*Rush 24 48 Other 3 DAY  
 Sample Disposal: Return to Client \_\_\_\_\_ or Disposal by Lab \_\_\_\_\_ (Laboratory reserves the right to return hazardous samples to client)

Relinquished By: Signature *[Signature]* Company BAKER Date/Time 7-22-95 1800  
 Received By: Signature \_\_\_\_\_ Company \_\_\_\_\_ Date/Time \_\_\_\_\_

Relinquished By: Signature \_\_\_\_\_ Company \_\_\_\_\_ Date/Time \_\_\_\_\_  
 Received By: Signature \_\_\_\_\_ Company \_\_\_\_\_ Date/Time \_\_\_\_\_

Relinquished By: Signature \_\_\_\_\_ Company \_\_\_\_\_ Date/Time \_\_\_\_\_  
 Received By: Signature \_\_\_\_\_ Company \_\_\_\_\_ Date/Time \_\_\_\_\_



Microbac Laboratories, Inc.  
 Mid-Atlantic Division  
 604 Morris Drive, Newport News, VA 23605  
 804/825-1000 Fax: 804/825-1200  
 Air • Fuel • Water • Food • Wastes

### CHAIN-OF-CUSTODY RECORD

Company	BANK ENVIRONMENTAL, Inc
Contact	Ed Kleinkauf
Mailing Address	420 ROUSER Rd ACP Bldg 3 CORAOPOLIS, PA 15108
Phone & Fax	412-269-6000
Billing Address	SAME
Job Number	62470-212-0000-00550
Purchase Order No.	

**LAB USE ONLY**

Due Date \_\_\_\_\_

W/O#: \_\_\_\_\_

# of Bottles: \_\_\_\_\_

Special Instructions: \_\_\_\_\_

Sample ID	Sample Location	Date/Time Collected	Collectors Initials	Matrix	Preservative	Analysis
69GW12DW	SITE 69	2-23-95 0920	JK		11ml	101 VOC
69FB3	↓	0820	↓		↓	↓
69ER3	↓	0950	↓		↓	↓
69GW14DW	↓	1225	↓		↓	↓
69GW14IW	↓	1450	↓		↓	↓
69GW14IWA	↓	1500	↓		↓	↓
69GW10	↓	1700	↓		↓	↓
TRIP BLANK	LAB					

Special Instructions: 2-COC/ERS SENT

Possible Hazard Identification: (Please indicate if sample(s) are hazardous materials and/or suspected of containing levels of hazardous substances.)

- Nonhazard  Flammable  Skin Irritant  Highly Toxic  Biological  Other \_\_\_\_\_  
Please Specify

Turnaround Time Required: (Rush must be approved by appropriate Manager and is subject to surcharge.)\*

Normal \_\_\_\_\_ \*Rush \_\_\_\_\_ 24 \_\_\_\_\_ 48 \_\_\_\_\_ Other 30 day

Sample Disposal: Return to Client \_\_\_\_\_ or Disposal by Lab \_\_\_\_\_ (Laboratory reserves the right to return hazardous samples to client)

Relinquished By: Signature [Signature] Company Bank Date/Time 2-23-95 1800

Received By: Signature \_\_\_\_\_ Company \_\_\_\_\_ Date/Time \_\_\_\_\_

Relinquished By: Signature \_\_\_\_\_ Company \_\_\_\_\_ Date/Time \_\_\_\_\_

Received By: Signature \_\_\_\_\_ Company \_\_\_\_\_ Date/Time \_\_\_\_\_

Relinquished By: Signature \_\_\_\_\_ Company \_\_\_\_\_ Date/Time \_\_\_\_\_

Received By: Signature \_\_\_\_\_ Company \_\_\_\_\_ Date/Time \_\_\_\_\_



**Microbac Laboratories, Inc.**  
 Mid-Atlantic Division  
 604 Morris Drive, Newport News, VA 23605  
 804/825-1000 Fax: 804/825-1200  
 Air • Fuel • Water • Food • Wastes

**CHAIN-OF-CUSTODY RECORD**

Company	BAKER ENVIRONMENTAL, INC
Contact	Ed KLEINAVE
Mailing Address	470 ROWER RD AOP #2163 WARRINGTON, VA 22096
Phone & Fax	412-269-6000
Billing Address	SAME
Job Number	62470-212-0000-00530
Purchase Order No.	

**LAB USE ONLY**

Due Date \_\_\_\_\_  
 W/O#: \_\_\_\_\_  
 # of Bottles: \_\_\_\_\_  
 Special Instructions: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

Sample ID	Sample Location	Date/Time Collected	Collectors Initials	Matrix	Preservative	Analysis
69GW 14	SITE 69	2-24-95 1130	JK		HPL	601 VOC
69FB 4	↓	↓ 1035	↓		↓	HOLD
69ER 4	↓	↓ 1145	↓		↓	HOLD
69GW 02 DD	↓	↓ 1345	↓		↓	
69GW 02 DW	↓	↓ 1515	↓		↓	
69GW 02	↓	↓ 1700	↓		↓	
69GW 02A	↓	↓ 1715	↓		↓	
TRIP BLANK	LAB					

Special Instructions: \_\_\_\_\_

Possible Hazard Identification: (Please indicate if sample(s) are hazardous materials and/or suspected of containing levels of hazardous substances.)

Nonhazard  Flammable  Skin Irritant  Highly Toxic  Biological  Other \_\_\_\_\_  
Please Specify

Turnaround Time Required: (Rush must be approved by appropriate Manager and is subject to surcharge.)\*

Normal \_\_\_\_\_ \*Rush 24 \_\_\_\_\_ 48 \_\_\_\_\_ Other 30 days

Sample Disposal: Return to Client \_\_\_\_\_ or Disposal by Lab \_\_\_\_\_ (Laboratory reserves the right to return hazardous samples to client)

Relinquished By: Signature \_\_\_\_\_ Company \_\_\_\_\_ Date/Time 2-24-95 1800

Received By: Signature \_\_\_\_\_ Company \_\_\_\_\_ Date/Time \_\_\_\_\_

Relinquished By: Signature \_\_\_\_\_ Company \_\_\_\_\_ Date/Time \_\_\_\_\_

Received By: Signature \_\_\_\_\_ Company \_\_\_\_\_ Date/Time \_\_\_\_\_

Relinquished By: Signature \_\_\_\_\_ Company \_\_\_\_\_ Date/Time \_\_\_\_\_

Received By: Signature \_\_\_\_\_ Company \_\_\_\_\_ Date/Time \_\_\_\_\_



Microbac Laboratories, Inc.  
 Mid-Atlantic Division  
 604 Morris Drive, Newport News, VA 23605  
 804/825-1000 Fax: 804/825-1200  
 Air • Fuel • Water • Food • Wastes

### CHAIN-OF-CUSTODY RECORD

Company	BAKER ENVIRONMENTAL, INC
Contact	Ed KLEINKAUF
Mailing Address	470 ROUSER Rd ACP Bldg 3 CORAOPOLIS, PA 15108
Phone & Fax	412-269-6000
Billing Address	SAME
Job Number	62470-212-0000-00530
Purchase Order No.	

**LAB USE ONLY**

Due Date \_\_\_\_\_

W/O#: \_\_\_\_\_

# of Bottles: \_\_\_\_\_

Special Instructions: \_\_\_\_\_

Sample ID	Sample Location	Date/Time Collected	Collectors Initials	Matrix	Preservative	Analysis
69GW03DW	SITE 69	2-25-95 0930	MJ		Hcl	601 VOC
69GW3	↓	↓	↓		↓	↓
69FB5	↓	↓	↓		↓	↓
69ER5	↓	↓	↓		↓	↓
69GW4	↓	↓	↓		↓	↓
69GW5	↓	↓	↓		↓	↓
TRIP BLANK						

Special Instructions: \_\_\_\_\_

Possible Hazard Identification: (Please indicate if sample(s) are hazardous materials and/or suspected of containing levels of hazardous substances.)

Nonhazard  Flammable  Skin Irritant  Highly Toxic  Biological  Other \_\_\_\_\_  
Please Specify

Turnaround Time Required: (Rush must be approved by appropriate Manager and is subject to surcharge.)\*

Normal \_\_\_\_\_ \*Rush 24 48 Other 3/Day

Sample Disposal: Return to Client \_\_\_\_\_ or Disposal by Lab \_\_\_\_\_ (Laboratory reserves the right to return hazardous samples to client)

Relinquished By: Signature \_\_\_\_\_ Company \_\_\_\_\_ Date/Time 2-25-95 1030  
 Received By: Signature \_\_\_\_\_ Company \_\_\_\_\_ Date/Time \_\_\_\_\_

Relinquished By: Signature \_\_\_\_\_ Company \_\_\_\_\_ Date/Time \_\_\_\_\_  
 Received By: Signature \_\_\_\_\_ Company \_\_\_\_\_ Date/Time \_\_\_\_\_

Relinquished By: Signature \_\_\_\_\_ Company \_\_\_\_\_ Date/Time \_\_\_\_\_  
 Received By: Signature \_\_\_\_\_ Company \_\_\_\_\_ Date/Time \_\_\_\_\_



Microbac Laboratories, Inc.  
 Mid-Atlantic Division  
 604 Morris Drive, Newport News, VA 23605  
 804/825-1000 Fax: 804/825-1200  
 Air • Fuel • Water • Food • Wastes

### CHAIN-OF-CUSTODY RECORD

Company	BAKER EVIROMENTAL PA, INC
Contact	Ed KIM KAUF
Mailing Address	420 ROUSER RD AOP BL1263 PERRA, PA 15108
Phone & Fax	412-269-6000
Billing Address	SAME
Job Number	62470-212-0000-00530
Purchase Order No.	

#### LAB USE ONLY

Due Date \_\_\_\_\_  
 W/O#: \_\_\_\_\_  
 # of Bottles: \_\_\_\_\_  
 Special Instructions: \_\_\_\_\_

Sample ID	Sample Location	Date/Time Collected	Collectors Initials	Matrix	Preservative	Analysis
69GW7	Site 69	2-26-95 1042	KG		NAL	601 UOC
69FBC	↓	↓ 0905	↓		↓	HOLD
69FER6	↓	↓ 1050	↓		↓	HOLD
69GW6	↓	↓ 1220	↓		↓	
69GW8	↓	↓ 1502	↓		↓	
69GW1	↓	↓ 1745	↓		↓	
TRIP BLANK	LAB					

Special Instructions: \_\_\_\_\_

Possible Hazard Identification: (Please indicate if sample(s) are hazardous materials and/or suspected of containing levels of hazardous substances.)

Nonhazard  Flammable  Skin Irritant  Highly Toxic  Biological  Other \_\_\_\_\_

Turnaround Time Required: (Rush must be approved by appropriate Manager and is subject to surcharge.)\*

Normal \_\_\_\_\_ \*Rush 24 \_\_\_\_\_ 48 \_\_\_\_\_ Other 30 days

Sample Disposal: Return to Client \_\_\_\_\_ or Disposal by Lab \_\_\_\_\_ (Laboratory reserves the right to return hazardous samples to client)

Relinquished By: Signature \_\_\_\_\_ Company \_\_\_\_\_ Date/Time 2-27-95 0800  
 Received By: Signature \_\_\_\_\_ Company \_\_\_\_\_ Date/Time \_\_\_\_\_

Relinquished By: Signature \_\_\_\_\_ Company \_\_\_\_\_ Date/Time \_\_\_\_\_  
 Received By: Signature \_\_\_\_\_ Company \_\_\_\_\_ Date/Time \_\_\_\_\_

Relinquished By: Signature \_\_\_\_\_ Company \_\_\_\_\_ Date/Time \_\_\_\_\_  
 Received By: Signature \_\_\_\_\_ Company \_\_\_\_\_ Date/Time \_\_\_\_\_

# GP ENVIRONMENTAL SERVICES, INC.

COC # 69400

202 Perry Parkway  
Gaithersburg, Maryland 20877  
(301) 926-6802

Contract #/Billing Reference

62470-212

1 of \_\_\_ Pgs.

Project: MCB CAMP LEJEUNE					Turnaround Time	14 Day									
Client BAKER ENVIRONMENTAL					# of Container	1									
Send Results To: EDWARD J. KLEINKAUF					Container Type	G									
Address: 420 ROUSER RD.					Preservative Used	-									
CORADOLIS, PA 15108					Type of Analysis	CSM DEGR. COMPOUNDS									
Phone: 412/269-6000															

Sample ID#	Date	Time	Sample Matrix	Sampler's Initials											CLIENT COMMENTS					
69-DA-HP01-03	3/21/95	1130	SOIL	EJK	✓															
69-DA-HP06-01	3/21/95	1230	SOIL	EJK	✓															
69-DA-HP07-03	3/21/95	1405	SOIL	EJK	✓															
69-DA-HP09-03	3/21/95	1530	SOIL	EJK	✓															
69-DA-HP08-03	3/21/95	1700	SOIL	EJK	✓															
69-DA-HP03-02	3/21/95	0850	SOIL	EJK	✓															
69-DA-HP04-02	3/22/95	0945	SOIL	EJK	✓															
69-DA-HP02-01	3/22/95	1045	SOIL	EJK	✓															
69-DA-HP02D-01	3/22/95	1045	SOIL	EJK	✓															DUPLICATE
69-DA-HP05-02	3/22/95	1245	SOIL	EJK	✓															

Relinquished By:	Date/Time	Received By:	Relinquished By:	Received for Laboratory By:	Date/Time
E.J. Kleinkauf	3/21/95 2100	FED EX			
Relinquished By:	Date/Time	Received By:	Date/Time	Shipper:	Airbill No.:
Relinquished By:	Date/Time	Received By:	Lab Comments:		Temp:



COC # 67401

CLIENT CODE \_\_\_\_\_

QUOTE / SAR NUMBER \_\_\_\_\_

Chain-of Custody Record

1) QUANTERRA, INC.  
4101 SHUFFLE DR. N.W.  
NORTH CANTON, OHIO 44720  
PHONE (216) 497-9396 FAX (216) 497-0772

2) QUANTERRA, INC.  
450 WILLIAM PITT WAY  
PITTSBURGH, PA 15238  
PHONE (412) 826-5477 FAX (412) 826-5571

3) QUANTERRA, INC.  
5910 BRECKENRIDGE PKWY., STE. H  
TAMPA, FL 33610  
PHONE (813) 621-0784 FAX (813) 623-6021

PROJ. NO. 62470 - 212		PROJECT NAME/LOCATION MCB CAMP LEJEUNE SITE 69				NO. OF CON-TAINERS	PARAMETER					REMARKS
SAMPLERS: (Signature) <i>E.J. Kleinberg</i>							VOAs					
STA. NO.	DATE	TIME	COMP.	GRAB	STATION LOCATION							
	3/21/95	1130		✓	# 69-DA-HP01-03	2	✓					
	3/21/95	1230		✓	69-DA-HP06-01	2	✓					
	3/21/95	1405		✓	69-DA-HP07-03	2	✓					
	3/21/95	1530		✓	69-DA-HP09-03	2	✓					
	3/21/95	1700		✓	69-DA-HP08-03	2	✓					
	3/22/95	0850		✓	69-DA-HP03-02	2	✓					
	3/22/95	0945		✓	69-DA-HP04-02	2	✓					
	3/22/95	1045		✓	69-DA-HP02-01	2	✓					
	3/22/95	1045		✓	69-DA-HP02D-01	2	✓					DUPLICATE
	3/22/95	1245		✓	69-DA-HP05-02	2	✓					
Relinquished by: (Signature) <i>E.J. Kleinberg</i>			Date / Time 3/22/95 2:00		Received by: (Signature) FED EX		Relinquished by: (Signature)			Date / Time		Received by: (Signature)
Relinquished by: (Signature)			Date / Time		Received by: (Signature)		Relinquished by: (Signature)			Date / Time		Received by: (Signature)
Relinquished by: (Signature)			Date / Time		Received for Laboratory by: (Signature)		Date / Time		Remarks			

Distribution Original Accompanies Shipment. Copy returned with Report.

CLIENT CODE \_\_\_\_\_

QUOTE / SAR NUMBER \_\_\_\_\_

Chain-of Custody Record

1) QUANTERRA, INC.  
4101 SHUFFLE DR. N.W.  
NORTH CANTON, OHIO 44720  
PHONE (216) 497-9396 FAX (216) 497-0772

2) QUANTERRA, INC.  
450 WILLIAM PITT WAY  
PITTSBURGH, PA 15238  
PHONE (412) 826-5477 FAX (412) 826-5571

COC # 69-405  
 3) QUANTERRA, INC.  
5910 BRECKENRIDGE PKWY., STE. H  
TAMPA, FL 33610  
PHONE (813) 621-0784 FAX (813) 623-6021

PROJ. NO. 62470- 212		PROJECT NAME/LOCATION MCB CAMP LEJEUNE SITE 69				NO. OF CONTAINERS	PARAMETER					REMARKS
SAMPLERS: (Signature) <i>E. J. Klein</i>							VOCs					
STA. NO.	DATE	TIME	COMP.	GRAB.	STATION LOCATION							
	3/25/95	0726		X	69-GW03IW-04	2	✓					* NOTE : ALL SAMPLES ARE FOR 14-DAY ANALYSIS
	3/25/95	0912		X	69-GW03-04	2	✓					
	"	1145		X	69-GW02DD-04	2	✓					
	"	1340		X	69-GW02-04	2	✓					
	"	1522		X	69-GW02DW-04	2	✓					
	3/26/95	0708		X	69-GW13IW-04	2	✓					
	"	0708		X	69-GW13IWD-04	2	✓				DUPLICATE	
	"	0840		X	69-GW13-04	2	✓					
	"	1045		X	69-GW14DW-03	2	✓					
	"	1225		X	69-GW14IW-03	2	✓					
	"	1350		X	69-GW14-03	2	✓					
	3/27/95	1415	X	X	69-RB31	22	✓				RINSE BLANK	
	"	1740		X	69-GW15-01	2	✓					
	"	1515		X	69-RB31	2	✓				RINSE	
	3/27/95	1600		✓	69-TB31	2	✓				TRIP BLANK	

Relinquished by: (Signature) <i>E. J. Klein</i>		Date / Time 3/27/95 1600		Received by: (Signature) <b>FED EX</b>		Relinquished by: (Signature)		Date / Time		Received by: (Signature)	
Relinquished by: (Signature)		Date / Time		Received by: (Signature)		Relinquished by: (Signature)		Date / Time		Received by: (Signature)	
Relinquished by: (Signature)		Date / Time		Received for Laboratory by: (Signature)		Date / Time		Remarks			

Distribution Original Accompanies Shipment. Copy returned with Report.

CLIENT CODE \_\_\_\_\_

QUOTE / SAR NUMBER \_\_\_\_\_

Chain-of Custody Record

1) QUANTERRA, INC.  
4101 SHUFFLE DR. N.W.  
NORTH CANTON, OHIO 44720  
PHONE (216) 497-9396 FAX (216) 497-0772

2) QUANTERRA, INC.  
450 WILLIAM PITT WAY  
PITTSBURGH, PA 15238  
PHONE (412) 826-5477 FAX (412) 826-5571

3) QUANTERRA, INC.  
5910 BRECKENRIDGE PKWY., STE. H  
TAMPA, FL 33610  
PHONE (813) 621-0784 FAX (813) 623-6021

PROJ. NO. 62470 - 212		PROJECT NAME/LOCATION MCB CAMP LEJEUNE SITE 69				NO. OF CONTAINERS	PARAMETER						REMARKS
SAMPLERS: (Signature) <i>E.J. Klein</i>							TCL VOCs	TCL TRNA	METALS	Hg	REST/PCBs	RCRA CHARACTER	
STA. NO.	DATE	TIME	COMP.	GRAB.	STATION LOCATION								
	3/27/95	0550	X		69-IDW-01	6	✓	✓	✓	✓	✓	IDW SAMPLE OF DEVI/PURGE WATER	
	3/27/95	0610	X		69-IDW-02	4	✓			✓	✓	IDW SAMPLE OF DRILL CUTTING + MUD [ANALYSES: TCLP VOCs TCLP SVOC TCLP METALS TCLP REST. TCLP HERB. TCL REST/PCB RCRA CHARACTERISTI	
Relinquished by: (Signature) <i>E.J. Klein</i>			Date / Time 3/27/95 1600		Received by: (Signature) FED EX		Relinquished by: (Signature)			Date / Time		Received by: (Signature)	
Relinquished by: (Signature)			Date / Time		Received by: (Signature)		Relinquished by: (Signature)			Date / Time		Received by: (Signature)	
Relinquished by: (Signature)			Date / Time		Received for Laboratory by: (Signature)		Date / Time		Remarks				

Distribution Original Accompanies Shipment. Copy returned with Report.

# GP ENVIRONMENTAL SERVICES, INC.

COC # 69402

202 Perry Parkway  
Gaithersburg, Maryland 20877  
(301) 926-6802

Contract #/Billing Reference  
62470-212

1 of 1 Pgs.

Project: MCB CAMP LEJEUNE					Turnaround Time 14-DAY/14-DAY																								
Client BAKER ENVIR.					# of Container 1 1																								
Send Results To: E.J. KLEINKAUF					Container Type G G																								
Address: 420 ROUSER RD. CORAOPOLIS, PA 15108					Preservative Used																								
Phone: 412/269-4688					Type of Analysis																								
					CSM DEG. COMPOUNDS THIODIGLYCOL																								
Sample ID#	Date	Time	Sample Matrix	Sampler's Initials											CLIENT COMMENTS														
6A-CW15 IW-01	3/23/95	0845	S	EJK	✓																								
69-RB30	3/23/95	1030	W	EJK	✓	✓																			RINSATE				
Relinquished By: E.J. Kleinkauf					Date/Time: 3/23/95 1600					Received By: FED EX					Relinquished By:					Received for Laboratory By:					Date/Time:				
Relinquished By:					Date/Time:					Received By:					Date/Time:					Shipper:					Airbill No.:				
Relinquished By:					Date/Time:					Received By:					Lab Comments:										Temp:				

CLIENT CODE \_\_\_\_\_  
 QUOTE / SAR NUMBER \_\_\_\_\_  
 Chain-of Custody Record

1) QUANTERRA, INC.  
 4101 SHUFFLE DR. N.W.  
 NORTH CANTON, OHIO 44720  
 PHONE (216) 497-9396 FAX (216) 497-0772

2) QUANTERRA, INC.  
 450 WILLIAM PITT WAY  
 PITTSBURGH, PA 15238  
 PHONE (412) 826-5477 FAX (412) 826-5571

3) QUANTERRA, INC.  
 5910 BRECKENRIDGE PKWY., STE. H  
 TAMPA, FL 33610  
 PHONE (813) 621-0784 FAX (813) 623-6021

PROJ. NO.		PROJECT NAME/LOCATION				NO. OF CONTAINERS	PARAMETER					REMARKS
62470-212		MCB CAMP LEJEUNE					VOCs					
SAMPLERS: (Signature)												
STA. NO.	DATE	TIME	COMP.	GRAB.	STATION LOCATION							
	3/23/95	0845		✓	69-GWISW-01	2	✓					
	3/23/95	1030		✓	69-RB 30	2	✓				RUSSATE BLANK	
	3/23/95	1030		✓	69-TB 30	2	✓				TRIP BLANK	

Relinquished by: (Signature) <i>E. J. Klein</i>	Date / Time 3/23/95 1600 <sup>h</sup>	Received by: (Signature) <i>Fed Ex</i>	Relinquished by: (Signature)	Date / Time	Received by: (Signature)
Relinquished by: (Signature)	Date / Time	Received by: (Signature)	Relinquished by: (Signature)	Date / Time	Received by: (Signature)
Relinquished by: (Signature)	Date / Time	Received for Laboratory by: (Signature)	Date / Time	Remarks	

Distribution Original Accompanies Shipment. Copy returned with Report.

# GP ENVIRONMENTAL SERVICES, INC.

202 Perry Parkway  
Gaithersburg, Maryland 20877  
(301) 926-6802

COC # 69-404

Contract #/Billing Reference  
**62470-212**

1 of 1 Pgs.

Project: <b>MCB CAMP LEJEUNE SITE 69</b>					Turnaround Time	<b>14-DAY/14-DAY</b>																
Client: <b>BAKER ENVIRONMENTAL</b>					# of Container	<b>1</b>		<b>1</b>														
Send Results To: <b>ED KLEINKAUF</b>					Container Type	<b>G</b>		<b>G</b>														
Address: <b>420 ROUSER RD. CORADOLIS, PA 15108</b>					Preservative Used	<b>-</b>		<b>-</b>														
Phone: <b>412/269-4688</b>					Type of Analysis	<b>CSM DEGRAD COMPOUNDS TRIGLYCOL</b>																
Sample ID#	Date	Time	Sample Matrix	Sampler's Initials											CLIENT COMMENTS							
<b>69-GWIS-01</b>	<b>3/26/95</b>	<b>1740</b>	<b>W</b>	<b>ETK</b>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>																
Relinquished By:		Date/Time	Received By:		Relinquished By:			Received for Laboratory By:			Date/Time											
<i>E.J. Kleinkauf</i>		<b>3/26/95 1600</b>	<b>FED EX</b>																			
Relinquished By:		Date/Time	Received By:		Date/Time	Shipper:	Airbill No.:															
Relinquished By:		Date/Time	Received By:		Lab Comments:					Temp:												

**APPENDIX F**  
**WELL DEVELOPMENT RECORDS**

---

# Baker

Baker Environmental, Inc.

## FIELD WELL DEVELOPMENT RECORD

PROJECT: Sites 69, 74, & 41

CTO NO.: 212

WELL NO.: 69GW-02DW

DATE: 2-15-94

GEOLOGIST/ENGINEER: J. Zimmerman

TIME START	DEVELOPMENT DATA						
	TIME	CUMULATIVE VOLUME (gallons)	pH	TEMP (°C)	SPEC. COND. (uohms)	TEMP (°C)	COLOR AND TURBIDITY
1540							
TIME FINISH							
1710							
WATER LEVEL (FT)							
25.08'	1545	5 gallons	9.08	18°	390	19°	Greenish / very Gray / Silty
TOTAL WELL DEPTH (TD)							
49.08'	1603	10 gallons	8.63	18°	400	18°	Greenish / very Gray / Silty
WELL DIAMETER (INCHES)							
2.0"	1613	15 gallons	8.66	20°	400	20°	Greenish / very Gray / Silty
CALCULATED WELL VOLUME							
—	1625	20 gallons	8.43	19°	400	19°	Greenish / very Gray / Silty
BOREHOLE DIAMETER (INCHES)							
8.0"	1640	25 gallons	8.48	18°	390	18°	Light Gray / Silty
BOREHOLE VOLUME							
(24) (2.611) = 62.66 gal.	1655	30 gallons	8.35	19°	380	19°	Light Gray / Silty
AMOUNT OF WATER ADDED DURING DRILLING							
None	1710	35 gallons	8.45	18°	390	18°	Light Gray / Silty
DEVELOPMENT METHOD							
Air Lift							
PUMP TYPE							
Air Compressor							
TOTAL TIME (A)							
1 hr. 30 min.							
AVERAGE FLOW (GPM)(B)							
.38 gallons							
TOTAL ESTIMATED WITHDRAWAL AxB =	<b>OBSERVATIONS/NOTES</b> Satisfied criteria for well development (pH, specific conductivity and temperature). No elevated H <sub>2</sub> O readings occurred. Point source was drummed water.						
35 gallons							
NU/OVA READING							
H <sub>2</sub> O background is .5 ppm							



# Baker

Baker Environmental, Inc

## FIELD WELL DEVELOPMENT RECORD

PROJECT: Sites 69, 74, & 41

CTO NO.: 212 WELL NO.: 69GW0200

DATE: 5-25-94

GEOLOGIST/ENGINEER: J. E. Zimmerman

TIME START 0805	DEVELOPMENT DATA						
	TIME	CUMULATIVE VOLUME (gallons)	pH	TEMP (°C)	SPEC. COND. (µmhos/cm)	TEMP (°C)	COLOR AND TURBIDITY
TIME FINISH 0935							
INITIAL WATER LEVEL (FT) 32.64	0815	40 gallons	11.63	17	1500	17	Gray/very silty
TOTAL WELL DEPTH (TD) 125.0	0820	50 gallons	11.49	17	1400	17	Gray/very silty
	0825	60 gallons	11.34	17	1500	17	Gray/very silty
WELL DIAMETER (INCHES) 2.0	0830	70 gallons	11.29	17	1500	17	Gray/very silty
	0835	80 gallons	11.08	17	1500	17	Gray/very silty
CALCULATED WELL VOLUME —	0840	90 gallons	11.02	17	1400	17	Gray/very silty
	0845	100 gallons	10.94	17	1400	17	Gray/very silty
BOREHOLE DIAMETER (INCHES) 8.0	0850	110 gallons	10.62	17	1300	17	Light Gray/silty
	0855	120 gallons	10.30	17	1300	17	Light Gray/silty
BOREHOLE VOLUME (17)(2.611) = 44.38	0900	130 gallons	10.15	17	1300	17	Light Gray/silty
AMOUNT OF WATER ADDED DURING DRILLING None	0905	140 gallons	9.96	17	1300	17	Light Gray/little silty
	0910	150 gallons	9.80	17	1300	17	clearing/little silty
DEVELOPMENT METHOD Air Lift	0915	160 gallons	9.43	17	1300	17	clearing/little silty
	0920	170 gallons	9.04	17	1300	17	clear/trace silt
PUMP TYPE Air Compressor	0925	180 gallons	9.04	17	1300	17	clear/trace silt
	0930	190 gallons	9.04	17	1300	17	clear/trace silt
TOTAL TIME (A) 1 hr 30 min	0935	200 gallons	9.00	17	1300	17	clear/trace silt
AVERAGE FLOW (GPM)(B) 2.2 gallons/min							
TOTAL ESTIMATED WITHDRAWAL AxB = 200 gallons							
HNU/OVA READING Hnu background is .3 ppm							
	<b>OBSERVATIONS/NOTES</b> satisfied criteria for well development (pH, specific conductivity and temperature). No elevated Hnu readings occurred. Point source was drummed water.						

# Baker

Baker Environmental, Inc.

## FIELD WELL DEVELOPMENT RECORD

PROJECT: Sites 69, 74, & 41

CTO NO.: 212

WELL NO.: 69GWO3I

DATE: 5-24-94

GEOLOGIST/ENGINEER: J.E. Zimmerman

TIME START	DEVELOPMENT DATA						
	TIME	CUMULATIVE VOLUME (gallons)	pH	TEMP (°C)	SPEC. COND. (uohms)	TEMP (°C)	COLOR AND TURBIDITY
0800							
TIME FINISH							
0935							
WATER LEVEL (FT)							
30.10	0805	5 gallons	9.51	17	360	17	Gray / very silty
TOTAL WELL DEPTH (TD)							
60.0	0815	10 gallons	9.20	18	1300	18	Gray / very silty
WELL DIAMETER (INCHES)							
2.0	0825	15 gallons	8.90	18	1350	18	Gray / very silty
CALCULATED WELL VOLUME							
—	0835	20 gallons	8.84	19	1340	19	Gray / silty
BOREHOLE DIAMETER (INCHES)							
8.0	0850	30 gallons	8.70	19	1350	19	Light Gray / silty
BOREHOLE VOLUME							
$(6.5)(2.611) = 43.0$	0905	40 gallons	8.64	19	1350	19	clear / trace silt
AMOUNT OF WATER ADDED DURING DRILLING							
None	0920	50 gallons	8.60	19	1400	19	clear / trace silt
DEVELOPMENT METHOD							
Air Lift	0935	60 gallons	8.60	19	1350	19	clear / trace silt
PUMP TYPE							
Air Compressor							
TOTAL TIME (A)							
1 hr. 35 min							
AVERAGE FLOW (GPM)(B)							
.6 gallons / min							
TOTAL ESTIMATED WITHDRAWAL $A \times B =$	<b>OBSERVATIONS/NOTES</b> satisfied criteria for well development (pH, specific conductivity and temperature). No elevated flow readings occurred. Point source was drummed water.						
60 gallons							
MIN/OVA READING							
flow background is .3 ppm.							

# Baker

Baker Environmental, Inc

## FIELD WELL DEVELOPMENT RECORD

PROJECT: RI/FS DU #4 CAMP LEJEUNE, NC

CTO NO.: 212 WELL NO.: 69-GW09

DATE: 11 JANUARY 1994

GEOLOGIST/ENGINEER: E. KLEINKAUF / W. PELKEY

TIME START	DEVELOPMENT DATA						
	TIME	CUMULATIVE VOLUME (gallons)	pH	TEMP (°C)	SPEC. COND. (µmhos/cm)	TEMP (°C)	COLOR AND TURBIDITY
1605 <sup>H</sup>							
1700 <sup>H</sup>							
INITIAL WATER LEVEL (FT) 9.34'	1612	10 GAL.	7.02	-	200	18.5	TURBID - MEDIUM BROWN
TOTAL WELL DEPTH (TD) 22.16'	1628	20 GAL	8.50	-	175	19	TURBID - MEDIUM BROWN
WELL DIAMETER (INCHES) 2"	1644	30 GAL	7.09	-	165	18.5	TURBID - MEDIUM TO LIGHT BROWN
CALCULATED WELL VOLUME 2.09 GALS	1700	40 GAL	6.95	-	160	20	SLIGHTLY TURBID - LIGHT BROWN
BOREHOLE DIAMETER (INCHES) 8							
BOREHOLE VOLUME $V = 12.82' \times 2.611 = 33.47 \text{ GAL}$							
AMOUNT OF WATER ADDED DURING DRILLING N/A							
DEVELOPMENT METHOD CHECK VALVE AND TRASH PUMP							
PUMP TYPE —							
TOTAL TIME (A) 55 MINS.							
AVERAGE FLOW (GPM)(B) 0.72 gpm							
TOTAL ESTIMATED WITHDRAWAL AXB= 40 GALS.	<b>OBSERVATIONS/NOTES</b> ① ALL DEPTHS MEASURED FROM MARK ON TOP OF PVC RISER. ② TOTAL OF 40 GALS. REMOVED.						
HNU/OVA READING							

# Baker

Baker Environmental, Inc

## FIELD WELL DEVELOPMENT RECORD

PROJECT: RI/FS OUV #4 CAMP LEJEUNE, NC

CTO NO.: 212 WELL NO.: 69-GW10

DATE: 18 JANUARY 1994

GEOLOGIST/ENGINEER: W. PELKEY

TIME START	DEVELOPMENT DATA						
	TIME	CUMULATIVE VOLUME (gallons)	pH	TEMP (°C)	SPEC. COND. (µmhos/cm)	TEMP (°C)	COLOR AND TURBIDITY
1016 <sup>H</sup>							
TIME FINISH							
1145 <sup>H</sup>							
INITIAL WATER LEVEL (FT)	1026	0.5 GAL	6.59	8.5	95	-	TURBID - DARK GREY
12.78'							
TOTAL WELL DEPTH (TD)	1055	1 GAL	5.96	14	100	-	TURBID - DARK GREY
18.50'							
WELL DIAMETER (INCHES)	1110	3 GAL	5.78	14	105	-	TURBID - DARK GREY
2"							
CALCULATED WELL VOLUME	1130	4 GAL	5.72	14	100	-	TURBID - DARK GREY
0.93 gals.							
BOREHOLE DIAMETER (INCHES)	1145	5 GAL	5.91	15	105	-	TURBID - DARK GREY
8"							
BOREHOLE VOLUME $V = 5.72' \times 2.611 =$							
14.93 GAL.							
AMOUNT OF WATER ADDED DURING DRILLING							
N/A							
DEVELOPMENT METHOD SURGE BLOCK / CHECK VALVE + TRASH PUMP							
PUMP TYPE							
—							
TOTAL TIME (A)							
79 MIN.							
AVERAGE FLOW (GPM)(B)							
0.06 gpm							
TOTAL ESTIMATED WITHDRAWAL AxB=	<b>OBSERVATIONS/NOTES</b> ① ALL DEPTHS MEASURED FROM MARK ON TOP OF PVC RISER. 2.44' STICKUP ON WELL RISER ② TOTAL 5 GALS. REMOVED. ③ SLOW RECHARGE.						
5 GALS							
HNU/OVA READING							
BACKGROUND							

# Baker

Baker Environmental, Inc

## FIELD WELL DEVELOPMENT RECORD

PROJECT: RI/FS OU#4 CAMP LEJEUNE, NC

CTO NO.: 212 WELL NO.: 69-GW 11

DATE: 11 JANUARY 1994

GEOLOGIST/ENGINEER: E. KLEINKAUF / W. PELKEY

TIME START	DEVELOPMENT DATA						
	TIME	CUMULATIVE VOLUME (gallons)	pH	TEMP (°C)	SPEC. COND. (µmhos/cm)	TEMP (°C)	COLOR AND TURBIDITY
1445 <sup>H</sup>							
1535 <sup>H</sup>							
INITIAL WATER LEVEL (FT) 9.58'	1450	5 GALS.	6.20	-	83	18	TURBID - LIGHT/MEDIUM GREY
TOTAL WELL DEPTH (TD) 21.68'	1500	20 GALS	5.93	-	80	17	TURBID - LIGHT/MEDIUM GREY
WELL DIAMETER (INCHES) 2"	1515	30 GALS.	5.95	-	70	18	TURBID - LIGHT/MEDIUM GREY; SOME CLEARING
CALCULATED WELL VOLUME 1.97 GALS	1535	35 GALS	5.76	-	70	18	TURBID - LIGHT/MEDIUM GREY; CLEARING
BOREHOLE DIAMETER (INCHES) 8"							
BOREHOLE VOLUME $V = 12.1' \times 2.611 = 31.59 \text{ GAL.}$							
AMOUNT OF WATER ADDED DURING DRILLING N/A							
DEVELOPMENT METHOD SURGE BLOCK/CHECK VALVE + TRASH PUMP							
PUMP TYPE ---							
TOTAL TIME (A) 50 MIN.							
AVERAGE FLOW (GPM)(B) 0.7 gpm							
TOTAL ESTIMATED WITHDRAWAL AXB= 35 GALS	<b>OBSERVATIONS/NOTES</b> ① ALL DEPTHS MEASURED FROM MARK ON TOP OF PVC RISER ② GOOD RECHARGE ③ TOTAL OF 35 GALS. REMOVED						
HNU/OVA READING							

# Baker

Baker Environmental, Inc

## FIELD WELL DEVELOPMENT RECORD

PROJECT: RI/FS OU#4 CAMP LETEWE, NC

CTO NO.: 212 WELL NO.: 69-GW125

DATE: 11 JANUARY 1994

GEOLOGIST/ENGINEER: E. KLEINKAUF / W. PELKEY

TIME START	DEVELOPMENT DATA						
	TIME	CUMULATIVE VOLUME (gallons)	pH	TEMP (°C)	SPEC. COND. (µmhos/cm)	TEMP (°C)	COLOR AND TURBIDITY
1315 <sup>H</sup>							
TIME FINISH							
1415 <sup>H</sup>							
INITIAL WATER LEVEL (FT)							
4.68'							
TOTAL WELL DEPTH (TD)	1415	5 GAL.	7.82	21	235	17	VERY TURBID - DARK BROWN.
15.96'							
WELL DIAMETER (INCHES)							
2"							
CALCULATED WELL VOLUME							
1.84 GALS.							
BOREHOLE DIAMETER (INCHES)							
8"							
BOREHOLE VOLUME $V = 11.28' \times 2.611 =$ 29.45 GALS.							
AMOUNT OF WATER ADDED DURING DRILLING							
N/A							
DEVELOPMENT METHOD SURGE BLOCK/CHECK VALVE + TRASH PUMP							
PUMP TYPE							
—							
TOTAL TIME (A)							
60 MINS.							
AVERAGE FLOW (GPM)(B)							
0.08 gpm							
TOTAL ESTIMATED WITHDRAWAL AxB =							
5 GALS.							
HNU/OVA READING							
	<b>OBSERVATIONS/NOTES</b> ① ALL DEPTHS MEASURED FROM MARK ON TOP OF PVC RISER. ② VERY SLOW RECOVERY ③ TOTAL OF 5 GALS. REMOVED ④ WATER CLEARED SLIGHTLY AFTER 5 GALLONS REMOVED.						

# Baker

Baker Environmental, Inc.

## FIELD WELL DEVELOPMENT RECORD

PROJECT: Sites 69, 74 & 41

CTO NO.: 212

WELL NO.: 69GW-12DW

DATE: 2-16-94

GEOLOGIST/ENGINEER: J. Zimmerman

TIME START 1355	DEVELOPMENT DATA						
	TIME	CUMULATIVE VOLUME (gallons)	pH	TEMP (°C)	SPEC. COND. (uohms)	TEMP (°C)	COLOR AND TURBIDITY
TIME FINISH 1535							
WATER LEVEL (FT) 4.94'	1405	40 gal	6.68	17°	390	17°	Greenish / Very gray / Silty
TOTAL WELL DEPTH (TD) 58.5'	1415	80 gal	6.81	17°	420	17°	Light gray / Silty
WELL DIAMETER (INCHES) 2.0"	1425	120 gal	6.79	17°	410	17°	Light gray / Little Silty
CALCULATED WELL VOLUME —	1435	160 gal	6.81	17°	440	17°	clear / tr. silt
BOREHOLE DIAMETER (INCHES) 8.0"	1445	200 gal	6.84	17°	400	17°	clear / tr. silt
BOREHOLE VOLUME (49.66)(2.611) = 129.6 gal.	1455	240 gal	6.98	17°	410	17°	clear / tr. silt
AMOUNT OF WATER ADDED DURING DRILLING None	1505	280 gal	6.96	17°	380	17°	clear / tr. silt
DEVELOPMENT METHOD Air Lift	1515	320 gal	6.97	17°	390	17°	clear / tr. silt
PUMP TYPE Air Compressor	1525	360 gal	6.94	17°	410	17°	clear / tr. silt
TOTAL TIME (A) 1 hr. 40 min	1535	400 gal	6.93	17°	400	17°	clear / tr. silt
AVERAGE FLOW (GPM)(B) 4 gallons							
TOTAL ESTIMATED WITHDRAWAL AxB = 400 gallons							
HNUOVA READING Hwu background is .5 ppm							
<b>OBSERVATIONS/NOTES</b> Satisfied criteria for well development (pH, specific conductivity and temperature). No elevated Hwu readings occurred. Point source was drummed water.							

# Baker

Baker Environmental, Inc.

## FIELD WELL DEVELOPMENT RECORD

PROJECT: Sites 69, 74, & 41

CTO NO.: 212

WELL NO.: 69GW13

DATE: 5-25-94

GEOLOGIST ENGINEER: J.E. Zimmerman

TIME START	DEVELOPMENT DATA						
	TIME	CUMULATIVE VOLUME (gallons)	pH	TEMP (°C)	SPEC COND. (uohms)	TEMP (°C)	COLOR AND TURBIDITY
1010							
TIME FINISH							
1110							
WATER LEVEL (FT)							
9.75	1020	1 gallon	4.99	19	1600	19	clear / trace silt
TOTAL WELL DEPTH (TD)							
13.5	1040	10 gallons	6.21	19	1900	19	clear / trace silt
WELL DIAMETER (INCHES)							
2.0	1100	11 gallons	6.24	19	1900	19	clear / trace silt
CALCULATED WELL VOLUME							
—							
BOREHOLE DIAMETER (INCHES)							
8.0							
BOREHOLE VOLUME							
$(11)(2.611) = 28.72$							
AMOUNT OF WATER ADDED DURING DRILLING							
None							
DEVELOPMENT METHOD							
Air Lift							
PUMP TYPE							
Air Compressor							
TOTAL TIME (A)							
1 hr							
AVERAGE FLOW (GPM)(B)							
.19 gallons/min							
TOTAL ESTIMATED WITHDRAWAL $A \times B =$							
11.5 gallons							
HWU/OVA READING							
HWU background is .3 ppm.	OBSERVATIONS/NOTES satisfied criteria for well development (pH, specific conductivity and temperature). No elevated HWU readings occurred. Point source was drummed water.						



# Baker

Baker Environmental, Inc.

## FIELD WELL DEVELOPMENT RECORD

PROJECT: Sites 69, 74, & 41

CTO NO.: 212

WELL NO.: 69GW13I

DATE: 5-24-94

GEOLOGIST/ENGINEER: J.E. Zimmerman

TIME START	DEVELOPMENT DATA						
	TIME	CUMULATIVE VOLUME (gallons)	pH	TEMP (°C)	SPEC. COND. (uohms)	TEMP (°C)	COLOR AND TURBIDITY
1025							
TIME FINISH							
1235							
WATER LEVEL (FT)							
29.62	1035	10 gallons	10.82	19	1650	19	Gray/very silty
TOTAL WELL DEPTH (TD)							
60.0	1045	20 gallons	9.93	19	1100	19	Gray/very silty
WELL DIAMETER (INCHES)							
2.0	1055	30 gallons	9.94	19	1100	19	Gray/very silty
CALCULATED WELL VOLUME							
-	1105	40 gallons	9.79	19	1200	19	Gray/silty
BOREHOLE DIAMETER (INCHES)							
8.0	1115	50 gallons	9.75	19	1200	19	Gray/silty
BOREHOLE VOLUME							
(17)(2.611) = 44.38	1125	60 gallons	9.67	19	1200	19	Light Gray/silty
AMOUNT OF WATER ADDED DURING DRILLING							
None	1135	70 gallons	9.50	19	1200	19	Light Gray/silty
	1145	80 gallons	9.46	19	1200	19	Light Gray/silty
	1155	90 gallons	9.30	19	1300	19	Light Gray/silty
DEVELOPMENT METHOD							
Air Lift	1205	100 gallons	9.32	19	1300	19	Light Gray/silty
	1235	105 gallons	9.30	19	1300	19	Light Gray/silty
PUMP TYPE							
Air Compressor							
TOTAL TIME (A)							
2 hrs							
AVERAGE FLOW (GPM)(B)							
.87 gallons/min							
TOTAL ESTIMATED WITHDRAWAL AXB =	<b>OBSERVATIONS/NOTES</b> Satisfied criteria for well development (pH, specific conductivity and temperature). No elevated H <sub>2</sub> O readings occurred. Point source was drummed water.						
105 gallons							
H <sub>2</sub> O/OVA READING							
H <sub>2</sub> O background is .3 ppm.							

# Baker

Baker Environmental, Inc

## FIELD WELL DEVELOPMENT RECORD

PROJECT: MCB CAMP LEBEUNE, NC

CTO NO.: 212 WELL NO.: 69-GW14

DATE: 18 DECEMBER 1994

GEOLOGIST/ENGINEER: J.E. ZIMMERMAN

TIME START	DEVELOPMENT DATA						
	TIME	CUMULATIVE VOLUME (gallons)	pH	TEMP (°C)	SPEC. COND. (µmhos/cm)	TEMP (°C)	COLOR AND TURBIDITY
1015							
TIME FINISH							
1230							
INITIAL WATER LEVEL (FT)	1025	5	5.43	17.0	190	17.0	GRAY, VERY SILTY
6.90'							
TOTAL WELL DEPTH (TD)	1050	10	5.11	17.0	140	17.0	GRAY, VERY SILTY
14.0'							
WELL DIAMETER (INCHES)	1110	15	5.96	17.0	140	17.0	GRAY, VERY SILTY
2" I.D.							
CALCULATED WELL VOLUME	1120	20	5.62	17.0	160	17.0	GRAY, VERY SILTY
1.2 GALS.							
BOREHOLE DIAMETER (INCHES)	1130	25	4.95	17.0	140	17.0	GRAY, VERY SILTY
8" I.D.							
BOREHOLE VOLUME	1140	30	4.90	17.0	140	17.0	BROWN, SOME SILT
18.53 gal.							
AMOUNT OF WATER ADDED DURING DRILLING	1150	35	4.67	17.0	140	17.0	BROWN, SOME SILT
—							
DEVELOPMENT METHOD	1200	40	4.75	17.0	140	17.0	BROWN, SOME SILT
PUMPING							
PUMP TYPE	1210	45	4.65	17.0	140	17.0	BROWN, SOME SILT
CENTRIFUGAL							
TOTAL TIME (A)	1220	50	4.72	17.0	140	17.0	BROWN, SOME SILT
2 HR 15 MIN.							
AVERAGE FLOW (GPM)(B)	1230	55	4.71	17.0	140	17.0	BROWN, SOME SILT
0.4 GPM							
TOTAL ESTIMATED WITHDRAWAL AxB =	OBSERVATIONS/NOTES						
55 GALS.							
HNU/OVA READING							
0.3 ppm							

# Baker

Baker Environmental, Inc

## FIELD WELL DEVELOPMENT RECORD

PROJECT: MCB CAMP LEJEUNE, NC

CTO NO.: 212 WELL NO.: 69-GW14IW

DATE: 19 DECEMBER 1994

GEOLOGIST/ENGINEER: J.E. ZIMMERMAN

TIME START	DEVELOPMENT DATA						
	TIME	CUMULATIVE VOLUME (gallons)	pH	TEMP (°C)	SPEC. COND. (µmhos/cm)	TEMP (°C)	COLOR AND TURBIDITY
0835							
TIME FINISH							
1045							
INITIAL WATER LEVEL (FT)	0845	15	10.58	16.0	500	16.0	GRAY, VERY SILTY
26.99'							
TOTAL WELL DEPTH (TD)	0900	20	10.11	16.0	430	16.0	GRAY, VERY SILTY
61.0'							
WELL DIAMETER (INCHES)	0915	25	9.96	16.0	380	16.0	LT. GRAY, SOME SILT
2" I.D.							
CALCULATED WELL VOLUME	0930	30	9.88	16.0	350	16.0	LT. GRAY, SOME SILT
5.55 GAL							
BOREHOLE DIAMETER (INCHES)	0945	35	9.86	16.0	340	16.0	CLEARING, LITTLE SILT
6" I.D.							
BOREHOLE VOLUME	1000	40	9.82	16.0	310	16.0	CLEARING, LITTLE SILT
32.31 gal.							
AMOUNT OF WATER ADDED DURING DRILLING	1015	45	9.70	16.0	290	16.0	CLEAR, TR. SILT
—							
DEVELOPMENT METHOD	1030	50	9.67	16.0	280	16.0	CLEAR, TR. SILT
AIR							
PUMP TYPE	1045	55	9.65	16.0	280	16.0	CLEAR, TR. SILT
—							
TOTAL TIME (A)							
2 HR 10 MIN.							
AVERAGE FLOW (GPM)(B)							
0.42 GPM							
TOTAL ESTIMATED WITHDRAWAL AxB=	OBSERVATIONS/NOTES						
55 GALS.							
HNU/OVA READING							
0.2 ppm							

# Baker

Baker Environmental, Inc

## FIELD WELL DEVELOPMENT RECORD

PROJECT: MCB CAMP LEJEUNE, NC.

CTO NO.: 212 WELL NO.: 69-GW14DW

DATE: 19 DECEMBER 1994

GEOLOGIST/ENGINEER: J. E. ZIMMERMAN

TIME START	DEVELOPMENT DATA						
	TIME	CUMULATIVE VOLUME (gallons)	pH	TEMP (°C)	SPEC. COND. (µmhos/cm)	TEMP (°C)	COLOR AND TURBIDITY
1100 <sup>H</sup>							
TIME FINISH							
1205 <sup>H</sup>							
INITIAL WATER LEVEL (FT)							
40.0'	1110	15	8.55	16.0	490	16.0	GRAY, VERY SILTY
TOTAL WELL DEPTH (TD)							
126.0'	1115	25	8.03	16.0	440	16.0	GRAY, VERY SILTY
WELL DIAMETER (INCHES)							
2" I.D.	1120	35	7.93	16.0	410	16.0	LT. GRAY, SOME SILT
CALCULATED WELL VOLUME							
14.04 GALS.	1125	45	7.89	16.0	400	16.0	LT. GRAY, SOME SILT
BOREHOLE DIAMETER (INCHES)							
6" I.D.	1130	55	7.88	16.0	390	16.0	LT. GRAY, SOME SILT
BOREHOLE VOLUME							
32.31 gal.	1135	65	7.85	16.0	390	16.0	CLEARING, LITTLE SILT
AMOUNT OF WATER ADDED DURING DRILLING							
—	1140	75	7.81	16.0	390	16.0	CLEARING, LITTLE SILT
DEVELOPMENT METHOD							
AIR	1145	85	7.78	16.0	390	16.0	CLEAR, TR. SILT
PUMP TYPE							
—	1150	95	7.78	16.0	390	16.0	CLEAR, TR. SILT
TOTAL TIME (A)							
1 HR. 5 MIN.	1155	105	7.77	16.0	390	16.0	CLEAR, TR. SILT
AVERAGE FLOW (GPM)(B)							
1.92 GPM	1200	115	7.76	16.0	390	16.0	CLEAR, TR. SILT
TOTAL ESTIMATED WITHDRAWAL AxB=							
125 GALS.	1205	125	7.76	16.0	390	16.0	CLEAR, TR. SILT.
HNU/OVA READING							
0.2 ppm							
OBSERVATIONS/NOTES							

# Baker

Baker Environmental, Inc

## FIELD WELL DEVELOPMENT RECORD

PROJECT: MCB CAMP LETEUNE, NC

CTO NO.: 212 WELL NO.: 69-GW15

DATE: 25 MARCH 1994

GEOLOGIST/ENGINEER: E. J. KLEINKAUF

TIME START	DEVELOPMENT DATA						
	TIME	CUMULATIVE VOLUME (gallons)	pH	TEMP (°C)	SPEC. COND. (µmhos/cm)	TEMP (°C)	COLOR AND TURBIDITY
1425 <sup>H</sup>							
TIME FINISH							
1520 <sup>H</sup>							
INITIAL WATER LEVEL (FT)	1433	2	6.64	17.7	345	18.0	
2.95'							
TOTAL WELL DEPTH (TD)	1502	20	6.81	17.5	350	17.5	
13.0'	1520	40	6.86	19.0	350	19.5	
WELL DIAMETER (INCHES)							
2" I.D.							
CALCULATED WELL VOLUME							
1.64 GALS							
BOREHOLE DIAMETER (INCHES)							
8" I.D.							
BOREHOLE VOLUME							
28.7 GAL.							
AMOUNT OF WATER ADDED DURING DRILLING							
—							
DEVELOPMENT METHOD							
PUMPING							
PUMP TYPE							
CENTRIFUGAL							
TOTAL TIME (A)							
55 MIN.							
AVERAGE FLOW (GPM)(B)							
0.73 GPM							
TOTAL ESTIMATED WITHDRAWAL AxB=	OBSERVATIONS/NOTES						
40 GALS							
HNU/OVA READING	* STOPPED PRODUCING @ 42 GALLONS, SLOW RECHARGE.						
—							



⑧

M.C.B.C.L.

4/19/96 WELL DEVELOPMENT RECORD  
Well #69GW03BCH

Time	cum Vol	pH	Temp	Cond	Temp
0800	0 gal	5.48	19.7	506	18.6
0830	30 gal	6.05	19.3	531	18.7
*0850	50 gal	6.56	21.2	534	18.8
0900	60 gal	6.50	21.7	533	18.8
0930	85 gal	6.88	22.2	533	18.9
*0945	100 gal	6.72	22.1	531	18.8
1000	115 gal	6.58	23.3	533	18.8
1030	145 gal	7.01	22.5	531	18.9
*1035	150 gal	7.01	22.5	531	18.9

Time	visual comment
0800	Light brown/silty
0830	clearing/little silty
*0850	clear/tr. silty
0900	clear/tr. silt
0930	clear/tr. silt
*0945	clear/tr. silt
1000	clear/tr. silt
1030	clear/tr. silt
*1035	clear/tr. silt

(\*). denotes (1) volume

4E3

M.C.B.C.L.

⑨

4/19/96 Well #69GW03BCH

Static water level from top of PVC:

29.78'

Total depth of well:

230.0'

Diameter of well:

2.0"

Calc of borehole volume

Sand pack length: 13.0'

PVC riser above screen to SWL: 190.0'

$$13.0' \times 1.4688 = 19.1 \text{ gallons}$$

$$190.0' \times 1.632 = 310 \text{ gallons}$$

$$19.1 + 310 = 50 \text{ gallons/volume}$$

$$50 (3) = 150 \text{ gallons}$$

$$50 (5) = 250 \text{ gallons}$$

\* 140 gallons of water was removed prior to well development to check air lift system.

110 gallons on 4/17/96

30 gallons on 4/18/96

4E3

⑩

M.C.B.C.L.

## 4/19/96 WELL DEVELOPMENT RECORD

Well #696W15BCH

Time	cum vol	pH	Temp	Cond	Temp
1100	0 gal	9.45	20.2	550	21.0
1130	30 gal	8.27	20.2	439	19.3
*1150	50 gal	7.86	20.2	451	19.4
1200	60 gal	7.80	20.3	456	19.4
1230	90 gal	7.54	20.0	461	19.0
*1240	100 gal	7.58	20.1	463	19.1
1300	120 gal	7.56	20.1	466	19.2
1325	145 gal	7.55	20.0	469	19.0
*1330	150 gal	7.55	20.0	469	19.0

Time	Visual Comment
1100	light brownish gray / v. Silty
1130	light brown/ little silty
*1150	clear / tr. silt
1200	clear / tr. silt
1230	clear / tr. silt
*1240	clear / tr. silt
1300	clear / tr. silt
1325	clear / tr. silt
*1330	clear / tr. silt

(\*) denotes (s) volume

M.C.B.C.L.

⑪

4/19/96 Well #696W15BCH

Static water level from top of PVC:

30.19'

Total depth of well:

230.0'

Diameter of well:

2.0"

Calc of borehole volume

sand pack length: 13.0'

PVC riser above screen to SWL: 190.0'

$$13.0' \times 1.4688 = 19.1 \text{ gallons}$$

$$190.0' \times 1.632 = 310 \text{ gallons}$$

$$19.1 + 310 = 50 \text{ gallons/volume}$$

$$50 (3) = 150 \text{ gallons}$$

$$50 (5) = 250 \text{ gallons}$$

4EJ

4EJ



(18)

M.C.B.C.L.

4/20/96 WELL DEVELOPMENT RECORD

Well #696W02BCH

Time	Cum Vol	pH	Temp	Cond	Temp
0845	0 gal	9.01	20.3	609	21.9
0915	30 gal	8.75	19.8	572	20.4
*0940	55 gal	9.48	20.1	578	20.6
1010	85 gal	8.72	19.8	574	20.4
*1035	110 gal	8.66	19.6	577	20.1
1100	135 gal	8.67	19.6	586	20.1
1125	160 gal	8.65	19.6	582	20.1
*1130	165 gal	8.65	19.6	582	20.1

Time	Visual comment
0845	Light brownish gray / v. Silty
0915	Light brown / little Silty
*0940	clearing / little Silty
1010	clear / tr. silt
*1035	clear / tr. silt
1100	clear / tr. silt
1125	clear / tr. silt
*1130	clear / tr. silt

(\*) denotes (1) volume

4EJ

M.C.B.C.L.

(19)

4/20/96 Well #696W02BCH

Static water level from top of PVC:

17.60'

Total depth of well:

230.0'

Diameter of well:

2.0"

Calc of borehole volume

Sand pack length: 14.0'

PVC riser above screen to SWL: 202.0'

$$14.0' \times 1.4688 = 20.6$$

$$202.0' \times 1.6332 = 330.0$$

$$20.6 + 330 = 350.6 \text{ gallons/volume}$$

$$53 (3) = 159 \text{ gallons}$$

$$53 (5) = 265 \text{ gallons}$$

4EJ

(28)

m.c.B.C.L.

4/22/96 WELL PURGE RECORD

Well #69-GW03DW

Time	Cum Vol	pH	Cond	Temp	Turbid
0840	0 gal	8.42	293	18.9	.40
0845	1.0 gal	8.13	295	18.6	.11
0850	2.0 gal	7.95	294	18.6	.01
0855	3.0 gal	7.72	299	18.6	.19
0900	4.0 gal	7.69	309	18.6	.26
*0905	5.0 gal	7.77	311	18.6	.28
0910	6.0 gal	7.59	310	18.9	.11
0915	7.0 gal	7.55	308	18.8	.14
0920	8.0 gal	7.33	313	18.8	.44
0925	9.0 gal	7.31	307	18.6	.21
*0930	10.0 gal	7.35	310	18.6	.32
0935	11.0 gal	4.88	312	18.9	.23
0940	12.0 gal	5.34	310	19.2	.11
0945	13.0 gal	5.30	309	19.2	.27
0950	14.0 gal	5.27	310	19.2	.30
*0955	15.0 gal	5.29	311	19.2	.32
1000	16.0 gal	5.30	312	19.2	.36

4EJ

m.c.B.C.L.

(29)

4/22/96 Well #69-GW03DW

Static water level from top of PVC:

28.71'

Total depth of well:

60.5'

Diameter of well:

2.0'

Calc of well volume

$60.5' - 28.71' = 31.79'$

$31.79' \times 1.63 = 5.20 \text{ gallons}$

$5.20 (3) = 15.6 \text{ gallons}$

$5.20 (5) = 26.0 \text{ gallons}$

4EJ

⑫

4/22/86

1215 began pumping 69-6w15 DW  
 Pump:op RATE = .339 A4/min.

69-6w15 DW

Time	pH	TEMP	COND/TEMP	TEMP	TURB.
1300	11.26	30.3	674/25°C	23.8	112.8
1349	9.54	32.3	208.7/25°C	23.8	43.9
1435	8.77	35.4	346.9/25°C	24.0	44.8
1457	9.09	36.6	357/25°C	24.1	53.9

1500 - collected sample 69-6w15 DW - d.  
 FOR VOA'S. ONLY / ROUTINE TURB

4/22/86

⑭

ADPT. COMM. PUMP'S SET @ 46"  
 SWL = 32.28 - HAD TO LOWER  
 PUMP DUE TO REDUCTION IN  
 SWL.

COMM.

VOL 1 SLIGHTLY TURBID

VOL 2

VOL 3

VOL ~~1~~ 3.5

(7) 4/22/96

69-6W0200-

WD = 129.80

SWL = 31.64

WC = 98.16

X .163

16 GAL/VOL.

Began Pumping well @ 1609

Time	pH	Temp	COND / TEMP	TEMP
1630	7.36	23.0	602 us / 25°C	19.9
1653	7.49	23.8	572 us / 25°C	20.0
1710	7.42	22.2	566 us / 25°C	19.8

1725 - SAMPLED 696W0200-04  
FOR VOA - ONLY, ROUTINE TURN.

800 LEFT SITE 69 FOR FIELD TRAILER

1825 - ARRIVED AT FIELD TRAILER

1825 - 1900 - OFFLOADED EQUIPMENT.

1900 - LEFT BASE.

1915 - ARRIVED AT HOTEL

~~W. A. Monday~~  
4/22/96

4/22/96

(8)

PUMP SET @ 47' Below TOC.

PUMPING RATE = .9 gpm.

TURB	COMM.
23.7	VOL 1.
3.3	VOL 2.
1.7	VOL 3.

(9)

4/23/96

0630 - LEFT Hotel For Base  
 0645 - LOADED VEHICLES  
 0725 - ARRIVED AT SITE @ 2  
 0740 - COLLECTED RB-02-04% FOR VOA  
 ONLY FROM BRUNDFOS PUMP. ROUTINE  
 TURB

0715 69-GW02 PCH

WD - 230.00

SWL - 27.24

WC - 202.76

339AL/VOL.

Time	pH	TEMP	COND/TEMP	TEMP
0840	9.44	NA	619 US / 25°C	21.3
0918	7.85 8.20	NA	610 US / 25°C	21.2

0956 7.66 NA 610 US / 21.5°C 21.6

1022 7.75 NA 625 US / 25°C 21.7

1040 SAMPLED 69-GW02 PCH-01 FOR  
 VOA ONLY - 7 DAY TURB.

1000 COLLECTED 69-IDW-200 FROM THE

4/23/96

(10)

PUMP SET AT 40' BELOW TWC.  
 SWL - WHILE PUMPING ≈ 34'  
 NOTE RESET PUMP AT 52'.

TURB	COMM.
59.0	VOL-1
16.83	VOL-2
12.91	VOL-3
13.01	VOL-3.5

2 REMAINING ROLL-OFF BOXES

(11)

69-6W03BCH

4/23/96

4/23/96

(12)

WD 230.0  
 SWL 29.56  
 WC = 200.44  
 X.163  
 32.679AL  $\approx$  339AL VOL.  
 BEGAN PUMPING WELL @ 1110

Time	pH	TEMP	COND/TEMP	TEMP
1148	8.07	23.9	620 $\mu$ S/25 $^{\circ}$ C	21.5
1221	7.37	25.4	646 $\mu$ S/25 $^{\circ}$ C	21.8
1254	7.21	24.2	639 $\mu$ S/25 $^{\circ}$ C	22.0

1300 - SAMPLED 69-6W03BCH -  $\phi$ 1 FOR  
 VOA'S ONLY 7 DAY TURN.

Pump is set @ 56' below TDC

TURB:	CONC.
25.9	VOL-1.
11.41	VOL-2.
3.09	VOL-3

(10) 69-GW158CH 4/23/96

4/23/96

(14)

WD = 230.00  
SWL = 29.46  
WC = 200.54  
K.163.  
32.68 ≈ 33 GAL/VOL.

Pump set @ 58' Below TOC

1340 BEGAN PURGING WELL.

Time	PH	TEMP	COND/TEMP	TEMP	TURB.	COMM.
1432	7.68	20.1	547 us/25°C	21.0	4.54	VOL. 1
1504	7.81	22.6	561 us/25°C	20.9	2.19	VOL. 2
1535	7.61	23.8	578 us/25°C	21.2	1.84	VOL. 3

1545 SAMPLED 69-GW158CH-B1  
FOR VOA'S ONLY & 7 DAY TURB

ALSO DUPLICATE 69-GW158CH-B1D  
WAS COLLECTED FOR VOA'S  
BUT ROUTINE TURB

1620- LEFT SITE 69 FOR FIELD TRAVEL.

1635- 1745- PACKED UP SAMPLES FOR  
ENVIRO-SYSTEMS.

**APPENDIX G**  
**INVESTIGATIVE DERIVED WASTE**





Baker Environmental, Inc.  
 Airport Office Park, Building 3  
 420 Rouser Road  
 Coraopolis, Pennsylvania 15108

April 13, 1994

(412) 269-6000  
 FAX (412) 269-2002

Commander  
 Atlantic Division  
 Naval Facilities Engineering Command  
 1510 Gilbert Street (Building N-26)  
 Norfolk, Virginia 23511-2699

Attn: Ms. Linda Berry, P.E.  
 Code 1823

Re: Contract N62470-89-D-4814  
 Navy CLEAN, District III  
 Contract Task Order (CTO) 0212  
 Sites 41, 69, and 74 IDW Handling and Disposal  
 MCB Camp Lejeune, North Carolina

Dear Ms. Berry:

This letter report describes a summary of investigative-derived waste (IDW) disposal activities at Sites 41, 69, and 74, Marine Corps Base, Camp Lejeune, North Carolina. The IDW was contained in roll-off boxes, tankers, and 55-gallon drums that were generated during the period of January 3, 1994 through March 3, 1994.

The primary objective was to characterize the contents of the generated wastes. Listed below are the three container types with corresponding media and respective analytical characterization:

Container Type	Estimated Quantity	Media Type	Analytical*
Roll-off boxes, one roll-off per site	30 cubic yards	Soil cuttings and drilling mud slurries	TCL-PCB, mirex, CSM, Full-TCLP, RCRA (corrosivity, ignitability, and reactivity)
Tankers, one tanker per site	2,000 gallons	Well development and purge water	Full TCL-Organics/TAL-Inorganics
55-gallon drums	450 gallons	Decontamination fluids	Full TCL-Organics/TAL-Inorganics

\*Note: all requested analytical parameters were chosen for the purpose of determining appropriate handling/disposal requirements.

bcc: APPajak/CF; WDTrim bath/JWMentz/PROG F; RPWattras; Daily File  
 S.O.#62470-212  
 Subfile  
 Initials



A Total Quality Corporation

**Baker**

Ms. Linda Berry  
April 13, 1994  
Page 2

In a meeting/conference call conducted on March 16, 1994, between Ms. Katherine Landman, Mr. Tom Morris, Mr. Neal Paul, and myself, it was agreed that all nonhazardous solids could be disposed of on site, and that all liquids generated would be taken off-site by a licensed subcontractor to a TSDF. In addition, it was decided that the hazardous liquid being stored Site 41 would also be disposed off-site.

## DISPOSAL

### Nonhazardous Wastes

Based on LANTDIV/MCB Camp Lejeune approval, Baker arranged for a subcontractor (Four Seasons Environmental Inc.) to dispose of all of the decontamination fluids, and the tankers at Sites 69 and 74. Copies of the nonhazardous waste manifests are provided in Attachment A. These events took place on March 22, 1994. A second subcontractor (Wills Trucking Inc.) was utilized on March 23, 1994 to dispose of soils contained in the three roll-off boxes. The IDW soil was disposed of within the respective site boundaries.

### Hazardous Wastes


The analytical results from the tanker at Site 41 showed a lead concentration of 11.2 ppm. The USEPA regulatory limit for lead is 5 ppm. The tanker of wastewater was classified as a hazardous waste by characteristic for lead, and was given the USEPA Hazardous Waste Identification Number of D008. On March 23, 1994 Four Seasons Environmental Inc. was brought in to remove the wastewater and transport it to a permitted TSDF operated by Laidlaw Environmental Services located in Reidsville, North Carolina. Copies of the hazardous waste manifests are provided in Attachment A.

These events conclude the handling and management of IDW generated during the remedial investigations at Sites 41, 69, and 74. A second round of groundwater samples is scheduled to be collected at Site 41 in late April. During this event, additional IDW will be generated and will need to be properly disposed. Unfortunately, the liquid IDW may be characteristically hazardous due to lead in groundwater. Samples will be collected of the liquid IDW in order to characterize the waste for proper disposal.

If you have any questions, please do not hesitate to call me at (412) 269-2016.

Sincerely,

BAKER ENVIRONMENTAL, INC.

  
Raymond P. Wattras  
Project Manager

cc: Mr. Neal Paul  
Ms. Lee Ann Rapp (w/o attachments)  
Ms. Beth Hacic (w/o attachments)

RPW/jc

Attachment A: Nonhazardous and Hazardous Waste Manifests

**Attachment A**  
**Nonhazardous and Hazardous Waste Manifests**

---

---



No 8618

P.O. Box 16590 • Greensboro, NC 27416-0590 • (919) 273-2718

## NON-HAZARDOUS WASTE MANIFEST

Manifest # \_\_\_\_\_ E.S.I.S. JOB # 945-51 Date: 3-22-94  
 Generator: W.B. Corp. Phone No.: 919-451-1725  
IR Div. 10/1/94 EPA ID No.: NC6170220X  
W.B. Corp. 10/1/94 Contact: N. Paul

Process which generated waste: W.B. Div. 10/1/94

I certify that the materials described below are properly described, classified, packaged, marked & labeled, and are in proper condition to be transported in commerce under the applicable regulations of the State, the Environmental Protection Agency and the Department of Transportation. I certify that the waste described below is non-hazardous. I certify that the specific waste was delivered to the carrier named below for legal treatment, storage, or disposal at the site indicated.

Date: 3-22-94 Signature: [Signature]

Description of material	Circle Form Solid Liquid Gas Sludge	Quantity	Circle Units Gallons Cub-Yds. Pounds Tons	Container	
				No.	Type
<u>[Faded]</u>	<u>Liquid</u>	<u>2150</u>	<u>Gallons</u>	<u>1</u>	<u>TT</u>

Transporter: F. [Faded] Unit Number(s): \_\_\_\_\_  
[Faded] Phone No.: (919) 273-2718  
[Faded] EPA ID No.: [Faded]

Vehicle License Tag Number(s): \_\_\_\_\_ Container: \_\_\_\_\_

I certify that the specified material was transferred in a registered (licensed) vehicle to the disposal treatment, storage, or disposal facility named below and was accepted.

Pick-up Driver's Signature \_\_\_\_\_ Date \_\_\_\_\_ Delivering Driver's Signature \_\_\_\_\_ Date \_\_\_\_\_

Facility: F. [Faded] Phone No.: (919) 273-2718  
[Faded]  
[Faded] Contact: [Faded]

Handling Method: \_\_\_\_\_

I certify that the transporter above delivered the specified material to this TSD facility and was accepted and properly handled in the above manner. We are authorized and qualified by the State of \_\_\_\_\_ to handle this material.

Date: \_\_\_\_\_ Signature: \_\_\_\_\_

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Document No.	2. Page 1 of :	Information in the shaded areas is not required by Federal law.	
3. Generator's Name and Mailing Address		6. US EPA ID Number		A. State Manifest Document Number		
4. Generator's Phone ( )		8. US EPA ID Number		B. State Generator's ID		
5. Transporter 1 Company Name		10. US EPA ID Number		C. State Transporter's ID		
7. Transporter 2 Company Name				D. Transporter's Phone		
9. Designated Facility Name and Site Address				E. State Transporter's ID		
				F. Transporter's Phone		
				G. State Facility's ID		
				H. Facility's Phone		
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)		12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vo	Waste No.
a.						
b.						
c.						
d.						
J. Additional Descriptions for Materials Listed Above		K. Handling Codes for Wastes Listed Above				
15. Special Handling Instructions and Additional Information						
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.						
Printed/Typed Name		Signature		Month Day		
17. Transporter 1 Acknowledgement of Receipt of Materials		Signature		Month Day		
Printed/Typed Name		Signature		Month Day		
18. Transporter 2 Acknowledgement of Receipt of Materials		Signature		Month Day		
Printed/Typed Name		Signature		Month Day		
19. Discrepancy Indication Space						
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.						
Printed/Typed Name		Signature		Month Day		

EPA Form 8700-22 (Rev. 11-88) Previous editions are obsolete.

INSTRUCTIONS ON BACK SHEET

Customer Notification And Certification

Only Statements with Original Signatures will be Accepted

Generator Name/Location: Camp Lejeune MCB / Camp Lejeune, NC 28542

EPA I.D. Number: NC 617 00 22580

Waste Profile or ARF Designation:

Manifest Number:

EPA Hazardous Waste Number(s): D008

Waste Analysis Attached? YES NO X On file at facility.

Unrestricted Waste Notification (Category 1)

If you generate a hazardous waste that is not a land disposal restricted waste (the waste has no applicable treatment standards), mark the statement below.

I notify that I am familiar with the waste through analysis and testing or through knowledge of the waste to support this notification that the waste is not restricted as specified in 40 CFR 268, Subpart D and all applicable prohibitions set forth in 40 CFR 268.32 or RCRA Section 3004(d).

Restricted Waste Notification (Category 2)

If you generate a hazardous waste that is restricted from land disposal (the waste has applicable treatment standards), mark the statement below. Note: All appropriate standards must be accounted for. A waste may pass one or more standards and require treatment or be varnanced for others. In this case, all applicable categories must be checked.

I notify that I am familiar with the waste through analysis and testing or through knowledge of the waste to support this notification that the waste is subject to the treatment standards specified in 40 CFR 268, Subpart D. Waste must be treated to the appropriate regulatory treatment standard, by the appropriate regulatory treatment method; qualifies for a variance as described in Category 3 below; or meets the standard as described under Category 4 below.

For hazardous debris, the waste contains the following contaminants subject to treatment (check all that apply): § 268.45(b) (1)-Toxicity characteristic debris; § 268.45(b) (2)-Debris contaminated with listed waste; § 268.45(b) (3)-Cyanide reactive debris. This hazardous debris is subject to the alternative treatment standards of 40 CFR 268.45.

Corresponding Treatment Standard(s) 268.43(a) Chemical Precipitation

Restricted Waste Variance Notification (Category 3)

If you generate a waste which does not require treatment prior to land disposal because of a variance (including a case-by-case extension under 40 CFR 268.5, a nationwide variance under 40 CFR 268 Subpart C, a no migration petition under 40 CFR 268.6, or other applicable variance), mark the statement below and list the appropriate variance in the space provided.

(3a) Restricted Waste Variance Notification

I notify pursuant to 40 CFR 268.7(a) (3) that I am familiar with the waste through analysis and testing or through knowledge of the waste to support this notification that this waste is subject to a national capacity variance under 40 CFR 268 Subpart C, or a case-by-case extension under 40 CFR 268.5, or an exemption under 40 CFR 268.6.

Applicable Variance (List the variance and give the date the waste is subject to prohibitions)

(3b) Hazardous Debris Extension Notification

For the hazardous debris waste stream accompanying this notification, I notify that I have made the necessary submittals to EPA pursuant to 40 CFR 268.5(g), as described in the May 14, 1993 Federal Register (Vol. 58, No. 92, page 28510) and therefore this hazardous debris shipment qualifies for the one year case-by-case extension.

Applicable Variance Date: May 8, 1994

Restricted Waste Certification (Category 4)

If you generate a hazardous waste that is restricted from land disposal (the waste has applicable treatment standards), and the waste meets the standards as generated, mark the statement below. Note: All applicable standards must be accounted for. A waste may pass one or more standards and require treatment or be varnanced for others. In this case, all applicable categories must be checked.

I certify under penalty of law that I personally examined and am familiar with the waste through analysis and testing or through knowledge of the waste to support this certification that the waste complies with the treatment standards specified in 40 CFR 268, Subpart D and all applicable prohibitions set forth in 40 CFR 268.32 or RCRA Section 3004(d). I believe that the information I submitted is true, accurate, and complete. I am aware that there are significant penalties for submitting a false certification including the possibility of fine and imprisonment.

Applicable Standards Passed (List the appropriate standard(s) for constituents not requiring treatment)

SIGNATURE: Peter A. Munday DATE: 3/23/94
PRINT NAME: Peter A. Munday TITLE: Environmental Scientist

# NORTH CAROLINA HAZARDOUS WASTE MANIFEST

Please print or type. (Form designed for use on either 12-pitch typewriter.) Form Approved, OMB No. 2050-0039. Expires 9-

<b>UNIFORM HAZARDOUS WASTE MANIFEST</b>		1. Generator's US EPA ID No. <b>NC6117010122581901011</b>	Manifest Document No. <b>101011</b>	2. Page 1 of 1	Information in the shaded arc is not required by Federal law.
3. Generator's Name and Mailing Address <b>Attn: Neal Paul MCB Camp Lejeune IR Division Building 67 Camp Lejeune, NC 28542</b>			A. State/Manifest Document Number		
4. Generator's Phone <b>919 451 1725</b>		6. US EPA ID Number			
5. Designated Facility Name and Site Address <b>Laidlaw Environmental Services, Inc. 708 Watlington Rd Reidsville, NC 27320</b>		10. US EPA ID Number <b>NC001010648451</b>			
6. Transporter 1 Company Name <b>Four Seasons Environmental, Inc.</b>		8. US EPA ID Number <b>NC D 9911277732</b>		B. State/Manifest Document Number	
7. Transporter 2 Company Name		9. US EPA ID Number			
9. Designated Facility Name and Site Address		10. US EPA ID Number			
11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID Number)		12. Containers			
a. <b>Hazardous Waste Liquid, nos (Lead), 9, NA3082, III</b>		No.	Type	13. Total Quantity	14. Unit Wt/Vol
		1	TT	833	G
15. Special Handling Instructions and Additional Information <b>Bill to: FSE P.O. Box 16590 Greensboro, NC 27416 Job # 94-50051 Attn: J. Dishman</b> <span style="float: right;"><b>HAZ MAT Guide No: 31 24 Hour Phone 910 273 2718</b></span>					
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and the best waste management method that is available to me and that I can afford.					
17. Transporter 1 Acknowledgment of Receipt of Materials		Signature		Month/Day/Year	
Printed/Typed Name <b>Peter A. Monday</b>		<i>Peter A. Monday</i>		<b>10/31/21</b>	
18. Transporter 2 Acknowledgment of Receipt of Materials		Signature		Month/Day/Year	
Printed/Typed Name <b>Joseph Humbler</b>		<i>Joseph Humbler</i>		<b>10/31/21</b>	
19. Discrepancy Indication Spec		Month/Day/Year			
<b>Section 1 - MD# 00001</b>		<b>   </b>			
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.		Signature		Month/Day/Year	
Printed/Typed Name <b>Connie Abbott</b>		<i>Connie Abbott</i>		<b>10/31/21</b>	

GENERATOR

TRANSPORTER

FACILITY

**Baker**

Baker Environmental, Inc.  
Airport Office Park, Building 3  
420 Rouser Road  
Coraopolis, Pennsylvania 15108

(412) 269-6000  
FAX (412) 269-2002

May 19, 1994

Commander  
Atlantic Division  
Naval Facilities Engineering Command  
1510 Gilbert Street (Building N-26)  
Norfolk, Virginia 23511-2699

Attn: Ms. Linda Berry, P.E.  
Engineer-in-Charge  
Code 1823

Re: Contract N62470-89-D-4814  
Navy CLEAN, District III  
Contract Task Orders (CTOs) 0212 and 0231  
Sites 41 (CTO 0212), 1, 28, and 30 (CTO 0231)  
Recommendations for the Disposal of Investigation Derived Waste  
MCB, Camp Lejeune, North Carolina

Dear Ms. Berry:

Baker Environmental, Inc. (Baker) is coordinating the disposal of investigation derived waste (IDW) generated during the second round of groundwater sampling for Site 41, and the field investigations conducted under CTO-0231. In addition, Baker is also taking this opportunity to dispose of small quantities of IDW generated during field investigations associated with CTO-0160, CTO-0177, and CTO-0133.

Table 1 presents a summary of IDW with respect to: (1) site locations; (2) IDW media; (3) estimated quantity; (4) RCRA characterization; and (5) recommended disposal option.

IDW disposal activities are tentatively scheduled for the week of May 23, 1994 as follows:

- Tuesday, May 24, 1994 - Non-hazardous IDW soils will be disposed of and graded at Storage Lot 203.
- Wednesday, May 25, 1994 - Non-hazardous and hazardous IDW liquids will be removed by a licensed waste hauler to an offsite TSDF.

cc: APPajak/CF; WDTrimbath/JWMentz/PROG F; RWattras/PJT File; RBonelli/PJT File; Daily File

S.O.# 62470-212 and 231-SRN

Subfile: 8

Initials: RPW



A Total Quality Corporation



**Baker**


Ms. Linda Berry  
May 19, 1994  
Page 2

Offsite disposal of liquid IDW will require MCB Camp Lejeune personnel to sign waste profile forms. All non-hazardous liquid IDW can be identified on one waste profile form; however, each liquid IDW that has been characterized as hazardous must have its own waste profile form. In addition to the waste profile forms, MCB Camp Lejeune personnel are required to sign three waste manifests for the removal, transportation, and final disposal of the non-hazardous and hazardous liquid IDW. Baker will prepare both the waste profile forms and manifests. Costs associated with IDW disposal have been estimated to be \$11,053. Although 231 and 212 do not have negotiated tasks for IDW disposal, both CTOs have budgetary funds available to cover IDW disposal costs. Therefore, this additional work will not require additional funding.

If you have any questions, please contact me at (412) 269-2016.

Sincerely,

BAKER ENVIRONMENTAL, INC.



Raymond P. Wattras  
Activity Coordinator

RPW/jc

cc: Ms. Katherine Landman  
Ms. Lee Anne Rapp  
Ms. Beth Hacie  
Mr. Neal Paul

**TABLE 1  
SUMMARY OF IDW AT MCB CAMP LEJEUNE**

<b>Site Location</b>	<b>IDW Media</b>	<b>Estimated Quantity</b>	<b>RCRA Characterizations</b>	<b>Recommended Disposal Option</b>
Site 41	Liquids	275 Gallons	Non-Hazardous	Offsite TSDF
Site 41	Liquids	10 Gallons	Hazardous by characteristic for lead (D008)	Offsite TSDF
Site 1	Soils	30 Cubic Yards	Non-Hazardous	Onsite disposal at Lot 203
Site 28	Soils	30 Cubic Yards	Non-Hazardous	Onsite disposal at Lot 203
Sites 1, 28, 30	Liquids	7,000 Gallons	Non-Hazardous	Offsite TSDF
Site 6	Liquids	55 Gallons	Potentially Hazardous (due to volatiles)	Offsite TSDF
Site 35	Soils	.5 Cubic Yard	Non-Hazardous	Onsite disposal at Lot 203
Site 78	Soils	1.8 Cubic Yard	Non-Hazardous	Onsite disposal at Lot 203
Sites 1, 28, 30	Liquids	440 Gallons	Non-Hazardous	Offsite TSDF



Baker Environmental, Inc.  
Airport Office Park, Building 3  
420 Rouser Road  
Coraopolis, Pennsylvania 15108

(412) 269-6000  
FAX (412) 269-2002

June 29, 1994

Commander  
Atlantic Division  
Naval Facilities Engineering Command  
1510 Gilbert Street (Building N-26)  
Norfolk, Virginia 23511-2699

Attn: Ms. Linda Berry, P.E.  
Code 1823

Re: Contract N62470-89-D-4814  
Navy CLEAN, District III  
Contract Task Order (CTO) 0212  
Disposal of Investigation Derived Waste at Site 69  
MCB, Camp Lejeune, North Carolina

Dear Ms. Berry:

Baker Environmental, Inc. (Baker) is coordinating the disposal of investigation derived waste (IDW) generated during the installation of additional shallow and deep monitoring wells at Site 69. During the installation and sampling of these wells, approximately 440 gallons of development/purge water and 11 cubic yards of soil cuttings were generated and containerized in drums. A composite sample of the liquid IDW was collected and analyzed for full TCL organics and TAL metals (total metals). A composite sample of the solid IDW was also collected and analyzed for full TCLP, flammability, reactivity, and corrosivity.

The liquid IDW exhibited low levels of acetone and di-n-butylphthalate, which are possibly present due to laboratory contamination, and the pesticide beta-BHC (0.310 µg/L). Manganese was detected above North Carolina Water Quality Standards at a concentration of 97 µg/L. The soil IDW did not exhibit RCRA hazardous waste characteristics. All analytical results are attached to this correspondence.

Based on the analytical results, it is recommended that the soil and liquid IDW be disposed of on-site, since the IDW presents little to no risk to human health or further degradation of the environment. This action is consistent with EPA and LANTDIV guidance. Baker will arrange for a subcontractor to dispose the IDW at Site 69. The empty drums will then be stored at Lot 203 for future use.

Baker proposes to conduct the IDW disposal activities during the week of July 11, 1994, pending your verbal approval. Baker estimates two days of site operations to complete the disposal of IDW at Site 69.

bcc: APajak/CF; WTrim bath/JMentz/PRGM F; RWattras; RBonelli(ck); Dally File  
S.O. #62470-212-0000-00550  
Subfile: 8  
Initials: WDT

**Baker**

Ms. Linda Berry  
June 29, 1994  
Page 2

If you have any questions, please contact me at (412) 269-2016.

Sincerely,

BAKER ENVIRONMENTAL, INC.



Raymond P. Wattras  
Activity Coordinator

RPW/mp  
Attachment

cc: Mr. Neal Paul  
Ms. Lee Anne Rapp (w/o attachments)  
Ms. Beth Hacic (w/o attachments)

JUN 09 1994  
GP Work Order # 9405220

SAMPLE ANALYSIS REPORT

Prepared For:

Baker Environmental, Inc.  
420 Rouser Road, Bldg #3  
Coraopolis, PA 15108

PRELIMINARY  
RESULTS

Prepared By:

GP Environmental Services, Inc.  
202 Perry Parkway  
Gaithersburg, Maryland 20877

FINAL  
June 09, 1994  
RESULTS

Albert Ellis, Laboratory Director

Project: /P

### GP ENVIRONMENTAL SERVICES ANALYTICAL RESULTS

Page 1

Project: /P

Baker Environmental, Inc.  
420 Rouser Road, Bldg #3  
Coraopolis, PA 15108  
Atten: Mat Bartman

GP ENVIRONMENTAL SERVICES  
202 Perry Parkway  
Gaithersburg, MD 20877

Atten: Client Services  
Phone: (301) 926 6002

Certified by: \_\_\_\_\_

#### SAMPLE IDENTIFICATION

GP ID	Client ID
9405220-01A	69-DWCHP
9405220-01B	
9405220-01C	
9405220-01D	
9405220-01E	
9405220-01F	
9405220-01G	
9405220-02A	HOLDING BLANK
9405220-02B	

Project: /P

GP ENVIRONMENTAL SERVICES  
ORGANIC ANALYSIS RESULTS

GP ID: 9405220-01A  
Client ID: 69-DWCNP  
Collected: 02/19/94  
Dilution: 1

Matrix: LIQUID  
Method: CLP SOW 390  
Units: ug/L

Analyst: NY  
Analyzed: 06/01/94  
Prepared:

VOLATILE TARGET COMPOUNDS

Parameter	Result	Det.Lim.	Qualifier
Chloromethane	BQL	10.0	
Bromomethane	BQL	10.0	
Vinyl chloride	BQL	10.0	
Chloroethane	BQL	10.0	
Methylene chloride	BQL	10.0	
Acetone	5.60	10.0	JB
Carbon Disulfide	BQL	10.0	
1,1-Dichloroethene	BQL	10.0	
1,1-Dichloroethane	BQL	10.0	
1,2-Dichloroethene(total)	BQL	10.0	
Chloroform	BQL	10.0	
1,2-Dichloroethane	BQL	10.0	
2-Butanone	BQL	10.0	
1,1,1-Trichloroethane	BQL	10.0	
Carbon tetrachloride	BQL	10.0	
Bromodichloromethane	ROI	10.0	
1,2-Dichloropropane	BQL	10.0	
cis-1,3-Dichloropropene	BQL	10.0	
Trichloroethene	BQL	10.0	
Dibromochloromethane	BQL	10.0	
1,1,2-Trichloroethane	BQL	10.0	
Benzene	BQL	10.0	
trans-1,3-Dichloropropene	BQL	10.0	
Bromoform	BQL	10.0	
4-Methyl-2-pentanone	BQL	10.0	
2-Hexanone	BQL	10.0	
Tetrachloroethene	BQL	10.0	
1,1,2,2-Tetrachloroethane	BQL	10.0	
Toluene	BQL	10.0	
Chlorobenzene	BQL	10.0	
Ethylbenzene	BQL	10.0	
Styrene	BQL	10.0	
Xylenes (total)	BQL	10.0	

GP ENVIRONMENTAL SERVICES  
ORGANIC ANALYSIS RESULTS

Page 2

GP ID: 9405220-01D  
Client ID: 69-DWCMP  
Collected: 02/19/94  
Dilution: 1

Matrix: LIQUID  
Method: CLP SOW 390  
Units: ug/L

Analyst: MB  
Analyzed: 06/06/94  
Prepared: 05/28/94

## SEMI-VOLATILE TARGET COMPOUNDS

Parameter	Result	Det. Lim.	Qualifier
Phenol	BQL	10.0	
bis(2-Chloroethyl) ether	BQL	10.0	
2-Chlorophenol	BQL	10.0	
1,3-Dichlorobenzene	BQL	10.0	
1,4-Dichlorobenzene	BQL	10.0	
1,2-Dichlorobenzene	BQL	10.0	
2-Methylphenol	BQL	10.0	
2,2'-oxybis-(1-chloropropane)	BQL	10.0	
4-Methylphenol	BQL	10.0	
N-Nitroso-di-n-propylamine	BQL	10.0	
Hexachloroethane	BQL	10.0	
Nitrobenzene	BQL	10.0	
Isophorone	BQL	10.0	
2-Nitrophenol	BQL	10.0	
2,4-Dimethylphenol	BQL	10.0	
bis(2-Chloroethoxy) methane	BQL	10.0	
2,4-Dichlorophenol	BQL	10.0	
1,2,4-Trichlorobenzene	BQL	10.0	
Naphthalene	BQL	10.0	
4-Chloroaniline	BQL	10.0	
Hexachlorobutadiene	BQL	10.0	
4-Chloro-3-methylphenol	BQL	10.0	
2-Methylnaphthalene	BQL	10.0	
Hexachlorocyclopentadiene	BQL	10.0	
2,4,6-Trichlorophenol	BQL	10.0	
2,4,5-Trichlorophenol	BQL	25.0	
2-Chloronaphthalene	BQL	10.0	
2-Nitroaniline	BQL	25.0	
Dimethyl phthalate	BQL	10.0	
Acenaphthylene	BQL	10.0	
2,6-Dinitrotoluene	BQL	10.0	
3-Nitroaniline	BQL	25.0	



Subject: /P

GP ENVIRONMENTAL SERVICES  
ORGANIC ANALYSIS RESULTS

Page 3

GP ID: 9405220-010  
Client ID: 69-DWCHP  
Collected: 02/19/94  
Dilution: 1Matrix: LIQUID  
Method: CLP SOW 390  
Units: ug/LAnalyst: NB  
Analyzed: 06/06/94  
Prepared: 05/28/94

## SEMIVOLATILE TARGET COMPOUNDS

Parameter	Result	Det.Lim.	Qualifier
Acenaphthene	BQL	10.0	
2,4-Dinitrophenol	BQL	25.0	
4-Nitrophenol	BQL	25.0	
Dibenzofuran	BQL	10.0	
2,4-Dinitrotoluene	BQL	10.0	
Diethylphthalate	BQL	10.0	
4-Chlorophenyl phenyl ether	BQL	10.0	
Fluorene	BQL	10.0	
4-Nitroaniline	BQL	25.0	
4,6-Dinitro-2-methylphenol	BQL	25.0	
N-nitrosodiphenylamine	BQL	10.0	
4-Bromophenyl-phenylether	BQL	10.0	
Hexachlorobenzene	BQL	10.0	
Pentachlorophenol	BQL	25.0	
Phenanthrene	BQL	10.0	
Anthracene	BQL	10.0	
Carbazole	BQL	10.0	
di-n-Butylphthalate	1.60	10.0	
Fluoranthene	BQL	10.0	
Pyrene	BQL	10.0	
Butyl benzyl phthalate	BQL	10.0	
3,3'-Dichlorobenzidine	BQL	10.0	
Benzo[a]anthracene	BQL	10.0	
Chrysene	BQL	10.0	
bis(2-Ethylhexyl)phthalate	BQL	10.0	
di-n-Octylphthalate	BQL	10.0	
Benzo[b]fluoranthene	BQL	10.0	
Benzo[k]fluoranthene	BQL	10.0	
Benzo[a]pyrene	BQL	10.0	
Indeno[1,2,3-cd]pyrene	BQL	10.0	
Dibenz[a,h]anthracene	BQL	10.0	
Benzo[g,h,i]perylene	BQL	10.0	

GP ENVIRONMENTAL SERVICES  
ORGANIC ANALYSIS RESULTS

GP ID: 9405220-01F  
Client ID: 69-DWCMP  
Collected: 02/19/94  
Dilution: 1

Matrix: LIQUID  
Method: SOW 3/90  
Units: ug/L

Analyst: TT  
Analyzed: 06/09/94  
Prepared: 05/28/94

GC TARGET COMPOUNDS

Parameter	Result	Det.Lim.	Qualifier
alpha-BHC	BQL	0.050	
beta-BHC	0.310	0.050	
delta-BHC	BQL	0.050	
Lindane (gamma-BHC)	BQL	0.050	
Heptachlor	BQL	0.050	
Aldrin	BQL	0.050	
Heptachlor epoxide	BQL	0.050	
Endosulfan I	BQL	0.050	
Dieldrin	BQL	0.100	
4,4'-DDE	BQL	0.100	
Endrin	BQL	0.100	
Endosulfan II	BQL	0.100	
4,4'-DDD	BQL	0.100	
Endosulfan sulfate	BQL	0.100	
4,4'-DDT	BQL	0.100	
Methoxychlor	BQL	0.500	
Endrin ketone	BQL	0.100	
Endrin aldehyde	BQL	0.100	
alpha-Chlordane	BQL	0.050	
gamma-Chlordane	BQL	0.050	
Toxaphene	BQL	5.00	
Aroclor 1016	BQL	1.00	
Aroclor 1221	BQL	2.00	
Aroclor 1232	BQL	1.00	
Aroclor 1242	BQL	1.00	
Aroclor 1248	BQL	1.00	
Aroclor 1254	BQL	1.00	
Aroclor 1260	BQL	1.00	

GP ENVIRONMENTAL SERVICES  
METALS ANALYSIS RESULTSGP ID: 9405220-01  
Client ID: 69-DWCHPMatrix: LIQUID  
Collected: 02/19/94

Parameter	Method	Result	Det.Lim.	Units	Dil.	Prepared	Analyzed By
Antimony	MCAW 204.2	BQL	5.50	ug/L	1	05/31/94	06/01/94 FU
Arsenic	MCAW 206.2	2.94	2.10	ug/L	1	05/31/94	06/02/94 FU
Lead	MCAW 239.2	6.34	1.00	ug/L	1	05/31/94	06/02/94 RA
Mercury	MCAW 245.1	BQL	0.100	ug/L	1	05/31/94	06/02/94 MGP
Potassium	MCAW 258.1	36.0	0.243	mg/L	1	05/31/94	06/01/94 RA
Selenium	MCAW 270.2	BQL	1.50	ug/L	1	05/31/94	06/01/94 FU
Silver	MCAW 272.2	BQL	0.500	ug/L	1	05/31/94	06/01/94 RA
Sodium	MCAW 273.1	30.0	0.339	mg/L	1	05/31/94	06/01/94 RA
Thallium	MCAW 279.2	BQL	3.70	ug/L	1	05/31/94	06/01/94 RA
Aluminum	MCAW 200.7	972.0	112.0	ug/L	1	05/31/94	06/02/94 MB
Barium	MCAW 200.7	45.4	9.20	ug/L	1	05/31/94	06/02/94 MB
Beryllium	MCAW 200.7	BQL	0.648	ug/L	1	05/31/94	06/02/94 MB
Calcium	MCAW 200.7	49600.0	94.2	ug/L	1	05/31/94	06/02/94 MB
Cadmium	MCAW 200.7	BQL	2.11	ug/L	1	05/31/94	06/02/94 MB
Cobalt	MCAW 200.7	BQL	13.1	ug/L	1	05/31/94	06/02/94 MB
Chromium	MCAW 200.7	21.3	7.89	ug/L	1	05/31/94	06/02/94 MB
Copper	MCAW 200.7	BQL	15.9	ug/L	1	05/31/94	06/02/94 MB
Iron	MCAW 200.7	7940.0	36.6	ug/L	1	05/31/94	06/02/94 MB
Magnesium	MCAW 200.7	1900.0	59.1	ug/L	1	05/31/94	06/02/94 MB
Manganese	MCAW 200.7	97.6	4.14	ug/L	1	05/31/94	06/02/94 MB
Nickel	MCAW 200.7	BQL	22.3	ug/L	1	05/31/94	06/02/94 MB
Vanadium	MCAW 200.7	BQL	10.5	ug/L	1	05/31/94	06/02/94 MB
Zinc	MCAW 200.7	59.3	5.85	ug/L	1	05/31/94	06/02/94 MB

GP ENVIRONMENTAL SERVICES  
ORGANIC ANALYSIS RESULTS

Page 5

GP ID: 9405220-02A  
Client ID: MULDING BLANK  
Collected: 02/22/94  
Dilution: 1

Matrix: WATER  
Method: CLP SOW 390  
Units: ug/L

Analyst: HY  
Analyzed: 06/01/94  
Prepared:

## VOLATILE TARGET COMPOUNDS

Parameter	Result	Det. Lim.	Qualifier
Chloromethane	BQL	10.0	
Bromomethane	BQL	10.0	
Vinyl chloride	BQL	10.0	
Chloroethane	BQL	10.0	
Methylene chloride	1.95	10.0	JB
Acetone	BQL	10.0	
Carbon Disulfide	BQL	10.0	
1,1-Dichloroethene	BQL	10.0	
1,1-Dichloroethane	BQL	10.0	
1,2-Dichloroethene(total)	BQL	10.0	
Chloroform	BQL	10.0	
1,2-Dichloroethane	BQL	10.0	
2-Butanone	BQL	10.0	
1,1,1-Trichloroethane	BQL	10.0	
Carbon tetrachloride	BQL	10.0	
Bromodichloromethane	BQL	10.0	
1,2-dichloropropane	BQL	10.0	
cis-1,3-Dichloropropene	BQL	10.0	
Trichloroethene	BQL	10.0	
Dibromochloromethane	BQL	10.0	
1,1,2-Trichloroethane	BQL	10.0	
Benzene	BQL	10.0	
trans 1,3-Dichloropropene	BQL	10.0	
Bromoform	BQL	10.0	
4-Methyl-2-pentanone	BQL	10.0	
2-Hexanone	BQL	10.0	
Tetrachloroethene	BQL	10.0	
1,1,2,2-Tetrachloroethane	BQL	10.0	
Toluene	BQL	10.0	
Chlorobenzene	BQL	10.0	
Ethylbenzene	BQL	10.0	
Styrene	BQL	10.0	
Xylenes (total)	BQL	10.0	

GP Work Order # 9405219

SAMPLE ANALYSIS REPORT

Prepared For:

Baker Environmental, Inc.  
420 Rouser Road, Bldg #3  
Coraopolis, PA 15108

Environmental  
Monitoring

Prepared By:

GP Environmental Services, Inc.  
202 Perry Parkway  
Gaithersburg, Maryland 20877

June 09, 1994

Environmental  
Monitoring

---

Albert Ellis, Laboratory Director

GP ENVIRONMENTAL SERVICES  
ANALYTICAL RESULTS

Project:

Baker Environmental, Inc.  
420 Rouser Road, Bldg #3  
Coraopolis, PA 15108  
Atten: Mat Bartman

GP ENVIRONMENTAL SERVICES  
202 Perry Parkway  
Gaithersburg, MD 20877

Atten: Client Services  
Phone: (301) 926-6802

Certified by: \_\_\_\_\_

SAMPLE IDENTIFICATION

GP ID	Client ID
9405219-01A	69-DRMCHP
9405219-01B	
9405219-01C	
9405219-01D	
9405219-02A	TCLP BLANK

GP ENVIRONMENTAL SERVICES  
ORGANIC ANALYSIS RESULTS

GP ID: 9405219-01A  
Client ID: 69-DRMCHP  
Collected: 05/25/94  
Dilution: 10

Matrix: SOLID  
Method: 8240 TCLP  
Units: ug/l

Analyst: HY  
Analyzed: 06/06/94  
Prepared:

VOLATILE TARGET COMPOUNDS

Parameter	Result	Det. Lim.	Qualifier
1,1-Dichloroethene	BQL	100.0	
1,2-Dichloroethane	BQL	100.0	
1,4-Dichlorobenzene	BQL	100.0	
2-Butanone	BQL	100.0	
Benzene	BQL	100.0	
Carbon tetrachloride	BQL	100.0	
Chlorobenzene	BQL	100.0	
Chloroform	BQL	100.0	
Tetrachloroethene	BQL	100.0	
Trichloroethene	BQL	100.0	
Vinyl chloride	BQL	100.0	

GP ENVIRONMENTAL SERVICES  
ORGANIC ANALYSIS RESULTS

Page 2

GP ID: 9405219-01A  
Client ID: 69-DRMCP  
Collected: 05/25/94  
Dilution: 1Matrix: SOLID  
Method: 8270 TCLP  
Units: ug/LAnalyst: IM  
Analyzed: 06/06/94  
Prepared: 06/02/94

## SEMI-VOLATILE TARGET COMPOUNDS

Parameter	Result	Det.Lim.	Qualifier
1,4-Dichlorobenzene	BQL	50.0	
2,4,5-Trichlorophenol	BQL	50.0	
2,4,6-Trichlorophenol	BQL	50.0	
2,4-Dinitrotoluene	BQL	50.0	
Hexachlorobenzene	BQL	50.0	
Hexachlorobutadiene	BQL	50.0	
Hexachloroethane	BQL	50.0	
m + p-Cresol	BQL	50.0	
Nitrobenzene	BQL	50.0	
o-Cresol	BQL	50.0	
Pentachlorophenol	BQL	250.0	
Pyridine	BQL	50.0	



GP ENVIRONMENTAL SERVICES  
ORGANIC ANALYSIS RESULTS

GP ID: 9405219-01A  
Client ID: 69-DRHCHP  
Collected: 05/25/94  
Dilution: 1

Matrix: SOLID  
Method: 8080 TCLP  
Units: ug/L

Analyst: PH  
Analyzed: 06/09/94  
Prepared: 06/02/94

GC TARGET COMPOUNDS

Parameter	Result	Det.Lim.	Qualifier
Chlordane	BQL	0.140	
Endrin	BQL	0.060	
gamma-BHC (Lindane)	BQL	0.040	
Heptachlor	BQL	0.030	
Heptachlor epoxide	BQL	0.830	
Methoxychlor	BQL	1.76	
Toxaphene	BQL	2.40	

GP ENVIRONMENTAL SERVICES  
ORGANIC ANALYSIS RESULTS

GP ID: 9405219-01A  
Client ID: 69-DRMCHP  
Collected: 05/25/94  
Dilution: 1

Matrix: SOLID  
Method: 8150 TCLP  
Units: ug/L

Analyst: PH  
Analyzed: 06/03/94  
Prepared: 06/02/94

GC TARGET COMPOUNDS

Parameter	Result	Det.Lim.	Qualifier
2,4-D	BQL	60.0	
Silvex	BQL	0.50	

GP ENVIRONMENTAL SERVICES  
METALS ANALYSIS RESULTS

Page 11

GP ID: 9405219-01  
Client ID: 69-DRMCHP

Matrix: SOLID  
Collected: 05/25/94

Parameter	Method	Result	Det.Lim.	Units	Dil.	Prepared	Analyzed By
TCLP Silver	SW846 6010	BQL	34.8	ug/L	1		06/02/94 MB
TCLP Arsenic	SW846 6010	BQL	93.0	ug/L	1		06/02/94 MB
TCLP Barium	SW846 6010	317.0	110.0	ug/L	1		06/02/94 MB
TCLP Cadmium	SW846 6010	BQL	23.6	ug/L	1		06/02/94 MB
TCLP Chromium	SW846 6010	BQL	20.4	ug/L	1		06/02/94 MB
TCLP Mercury	SW846 7470	BQL	0.100	ug/L	1		06/02/94 HGP
TCLP Lead	SW846 6010	BQL	139.0	ug/L	1		06/02/94 MB
TCLP Selenium	SW846 6010	BQL	165.0	ug/L	1		06/02/94 MB

GP ID: 9405219-02  
Client ID: TCI P RIANK

Matrix: EXTRACT  
Collected: / /

Parameter	Method	Result	Det.Lim.	Units	Dil.	Prepared	Analyzed By
TCLP Silver	SW846 6010	BQL	34.8	ug/L	1		06/02/94 MB
TCLP Arsenic	SW846 6010	BQL	93.0	ug/L	1		06/02/94 MB
TCLP Barium	SW846 6010	BQL	110.0	ug/L	1		06/02/94 MB
TCLP Cadmium	SW846 6010	BQL	23.6	ug/L	1		06/02/94 MB
TCLP Chromium	SW846 6010	BQL	20.4	ug/L	1		06/02/94 MB
TCLP Mercury	SW846 7470	BQL	0.100	ug/L	1		06/02/94 HGP
TCLP Lead	SW846 6010	BQL	139.0	ug/L	1		06/02/94 MB
TCLP Selenium	SW846 6010	BQL	165.0	ug/L	1		06/02/94 MB

GP ENVIRONMENTAL SERVICES  
ORGANIC ANALYSIS RESULTS

GP ID: 9405219-01  
Client ID: 69-DRMCHP

Matrix: SOLID  
Collected: 05/25/94

Parameter	Method	Result	Det.Lim.	Units	Dil.	Prepared	Analyzed By
Flash point	1010		N 100.0	deg. C			06/08/94 BS

GP ENVIRONMENTAL SERVICES  
WET CHEMISTRY ANALYSIS RESULTS

Page 12

GP ID: 9405219-01  
Client ID: 67 DRMCHP

Matrix: SOLID  
Collected: 05/25/94

Parameter	Method	Result	Det.Lim.	Units	Dil.	Prepared	Analyzed By
Reactive Cyanide	SW 846 7.3.3	BQL	0.038	mg/Kg	1		06/01/94 Js
pH	SW846 9045	11.4	0.001	pH	1		05/31/94 MG
Reactive Sulfide	SW 846 7.3.4	BQL	7.43	mg/Kg	1		/ / MG
Percent Solids	HCAW 160.3	67.9		%			06/02/94 VHM

GP ENVIRONMENTAL SERVICES  
ORGANIC ANALYSIS RESULTS

Page 5

GP ID: 9405219-02A  
Client ID: TCLP BLANK  
Collected: / /  
Dilution: 10Matrix: EXTRACT  
Method: 8240 TCLP  
Units: ug/LAnalyst: HY  
Analyzed: 06/06/94  
Prepared:

## VOLATILE TARGET COMPOUNDS

Parameter	Result	Det.Lim.	Qualifier
1,1-Dichloroethene	BQL	100.0	
1,2-Dichloroethane	BQL	100.0	
1,4-Dichlorobenzene	BQL	100.0	
2-Butanone	BQL	100.0	
Benzene	BQL	100.0	
Carbon tetrachloride	BQL	100.0	
Chlorobenzene	BQL	100.0	
Chloroform	BQL	100.0	
Tetrachloroethene	BQL	100.0	
Trichloroethene	BQL	100.0	
vinyl chloride	BQL	100.0	

GP ENVIRONMENTAL SERVICES  
ORGANIC ANALYSIS RESULTS

Page 3

GP ID: 9405219-02A  
Client ID: TCLP BLANK  
Collected: / /  
Dilution: 1

Matrix: EXTRACT  
Method: 8270 TCLP  
Units: ug/L

Analyst: IM  
Analyzed: 06/06/94  
Prepared: 06/02/94

SEMIVOLATILE TARGET COMPOUNDS

Parameter	Result	Det.Lim.	Qualifier
1,4-Dichlorobenzene	BQL	50.0	
2,4,5-Trichlorophenol	BQL	50.0	
2,4,6-Trichlorophenol	BQL	50.0	
2,4-Dinitrotoluene	BQL	50.0	
Hexachlorobenzene	BQL	50.0	
Hexachlorobutadiene	BQL	50.0	
Hexachloroethane	BQL	50.0	
m + p-Cresol	BQL	50.0	
Nitrobenzene	BQL	50.0	
o-Cresol	BQL	50.0	
Pentachlorophenol	BQL	250.0	
Pyridine	BQL	50.0	

### GP ENVIRONMENTAL SERVICES ORGANIC ANALYSIS RESULTS

Page 9

GP ID: 9405219-02A  
Client ID: TCLP BLANK  
Collected: / /  
Dilution: 1

Matrix: EXTRACT  
Method: 8080 TCLP  
Units: ug/L

Analyst: PH  
Analyzed: 06/09/94  
Prepared: 06/02/94

#### GC TARGET COMPOUNDS

Parameter	Result	Det.Lim.	Qualifier
Chlordane	BQL	0.140	
Endrin	BQL	0.060	
gamma-BHC (Lindane)	BQL	0.040	
Heptachlor	BQL	0.030	
Heptachlor epoxide	BQL	0.830	
Methoxychlor	BQL	1.76	
Toxaphene	BQL	2.40	



GP ENVIRONMENTAL SERVICES  
ORGANIC ANALYSIS RESULTS

Page 10

GP ID: 9405219-02A  
Client ID: TCLP BLANK  
Collected: / /  
Dilution: 10

Matrix: EXTRACT  
Method: 8150 TCLP  
Units: ug/L

Analyst: NY  
Analyzed: 06/06/94  
Prepared:

GC TARGET COMPOUNDS

<u>Parameter</u>	<u>Result</u>	<u>Det.Lim.</u>	<u>Qualifier</u>
2,4-D			
Silvex			

**Baker**

Baker Environmental, Inc.  
Airport Office Park, Building 3  
420 Rouser Road  
Coraopolis, Pennsylvania 15108

(412) 269-6000  
FAX (412) 269-2002

July 1, 1994

Commander  
Atlantic Division  
Naval Facilities Engineering Command  
1510 Gilbert Street (Building N-26)  
Norfolk, Virginia 23511-2699

Attn: Ms. Linda Berry, P.E.  
Navy Technical Representative  
Code 1823

Re: Contract N62470-89-D-4814  
Navy CLEAN, District III  
Contract Task Orders (CTOs) 0212 and 0231  
Sites 41 (CTO 0212), 1, 28, and 30 (CTO 0231)  
Investigation-Derived Waste (IDW) Disposal  
Marine Corps Base (MCB), Camp Lejeune, North Carolina

Dear Ms. Berry:

This letter provides a summary of IDW disposal activities at those sites referenced above within Operable Units (OUs) No. 4 and No. 7, Marine Corps Base, Camp Lejeune, North Carolina. Both liquid and solid IDW were generated during remedial investigation activities. In addition, small quantities of IDW generated during field investigations associated with CTOs 0133, 0160, and 0177 were also disposed. The characterization and disposal of the IDW was performed in accordance with our recommendation letter dated May 19, 1994.

Disposal activities that occurred during the week of May 23, 1994 were:

- Approximately 40 cubic yards of non-hazardous IDW soil from Sites 1 and 28 were transported to Storage Lot 203 and graded onto the surface.
- Approximately two cubic yards of non-hazardous IDW soil from Sites 35 and 78 were graded onto the surface at Storage Lot 203.
- Two 55-gallon drums containing characteristically hazardous waste liquids were transported from Sites 6 and 41 by a licensed waste hauler to an offsite treatment storage and disposal facility (TSDF).
- A total of 6,154 gallons of non-hazardous waste liquids, generated during field investigations at Sites 1, 28, 30, and 41 were transported by a licensed waste hauler to an off-site TSDF.

bcc: APPajak/CF; WDTrimboth/JWMentz/PROG F; RPWattras/PF(212);  
REBonelli/PF(231); TFTrebilcock; PAMonday(ck); Daily File  
S.O. #62470-212 & 231  
Subfile 8  
Initials *VCF*



A Total Quality Corporation

**Baker**


Ms. Linda Berry  
July 1, 1994  
Page 2

Table 1 provides the source site, actual quantity, and disposal method for each investigation-derived waste streams discussed. Copies of the hazardous and non-hazardous waste manifests associated with these activities are included with this letter as Attachment A.

If you have any questions regarding this submittal, please do not hesitate to contact me at (412) 269-2016.

Sincerely,

**BAKER ENVIRONMENTAL, INC.**



Raymond P. Wattras  
Activity Coordinator

Attachments

RPW/TFT/jc

cc: Ms. Katherine Landman, LANTDIV  
Mr. Neal Paul, Activity  
Ms. Beth Hacie, LANTDIV (w/o attachments)

**TABLE 1  
SUMMARY OF IDW AT MCB CAMP LEJEUNE**

<b>Site Location</b>	<b>IDW Media</b>	<b>Actual Quantity</b>	<b>RCRA Characterization</b>	<b>Disposal</b>
Site 41	Liquid	250 Gallons	Non-Hazardous	Offsite TSDF
Site 41	Liquid	10 Gallons	Hazardous by lead (D008) characteristic	Offsite TSDF
Site 1	Soil	20 Cubic Yards	Non-Hazardous	Onsite disposal at Lot 203
Site 28	Soil	20 Cubic Yards	Non-Hazardous	Onsite disposal at Lot 203
Sites 1, 28, 30	Liquid	5,464 Gallons	Non-Hazardous	Offsite TSDF
Site 6	Liquid	55 Gallons	Hazardous by trichloroethylene (D040) characteristic	Offsite TSDF
Site 35	Soil	.5 Cubic Yard	Non-Hazardous	Onsite disposal at Lot 203
Site 78	Soil	1.5 Cubic Yard	Non-Hazardous	Onsite disposal at Lot 203
Sites 1, 28, 30	Liquid	440 Gallons	Non-Hazardous	Offsite TSDF

**Attachment A**  
**Manifests**

---

**UNIFORM HAZARDOUS WASTE MANIFEST**

1. Generator's US EPA ID No. **NC16117100222580008115** Manifest Document No.

2. Page 1 of 1 Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address  
**MCB Camp Lejeune**  
**Attn: Neal Paul**  
**IR Division Bld. 67**  
**Camp Lejeune, NC 28542**

A. State Manifest Document Number  
 B. State Generator's ID  
 C. State Transporter's ID  
 D. Transporter's Phone: **910-273-2718**

5. Transporter 1 Company Name  
**Four Seasons Environmental, Inc.** US EPA ID Number **NC0991277732**

7. Transporter 2 Company Name US EPA ID Number

9. Designated Facility Name and Site Address  
**Laidlaw Environmental Services, Inc.**  
**208 Watlington Industrial Road**  
**Reidsville, NC 27320** US EPA ID Number **NC0909648451**

E. State Transporter's ID  
 F. Transporter's Phone  
 G. State Facility's ID  
 H. Facility's Phone: **(910) 342-6106**

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

12. Containers No. Type  
 13. Total Quantity  
 14. Unit Wt/Vol  
 Waste No.

a. ~~Hazardous Waste Liquid, NOS, (lead), 9, NA3082~~  
~~III Thomas F. Trebilcock 5-25-94~~

0 0 1 D M P 0008

b. ~~Hazardous Waste Liquid, NOS, (tetrachloroethylene), 9, NA3082, III~~  
~~Thomas F. Trebilcock 5-25-94~~

0 0 1 D M P 0039

c. Hazardous Waste Liquid, N.O.S., (Wastewater w/ Lead @11ppm), 9, NA3082, III

0 0 1 D M 00050 P 0008

d. Hazardous Waste Liquid, N.O.S., (Wastewater w/ Trichloroethylene @ 0.5 ppm), 9, NA3082, III

0 0 1 D M 09550 P 0040

15. Special Handling Instructions and Additional Information  
**Bill to: FSE**  
**P.O. Box 16590**  
**Greensboro, NC 27418**

K. Handling Codes for Wastes Listed Above

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment: OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name  
**JOHN E. RIGGS**

Signature  
  
 Month Day Year  
**10 15 1994**

17. Transporter 1 Acknowledgement of Receipt of Materials  
 Printed/Typed Name  
**Clayton Honeycutt**

Signature  
  
 Month Day Year  
**10 15 1994**

18. Transporter 2 Acknowledgement of Receipt of Materials  
 Printed/Typed Name

Signature  
 Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator. Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.  
 Printed/Typed Name  
**Randy Lawson**

Signature  
  
 Month Day Year  
**10 15 1994**

GENERATOR  
TRANSPORTER  
FACILITY

P.O. Box 16590 • Greensboro, NC 27416-0590 • (919) 273-2718

## NON-HAZARDOUS WASTE MANIFEST

Manifest # 00012 F.S.I.S. JOB # 94-50094 Date: May 25, 1994  
 Generator: MCB Camp Lejeune Phone No.: 919-451-1725  
IR Division - Bldg 67 EPA ID No.: NC6170022580  
Camp Lejeune, NC 28542 Contact: Neal Paul

Process which generated waste: **Groundwater Assessment**

I certify that the materials described below are properly described, classified, packaged, marked & labeled, and are in proper condition to be transported in commerce under the applicable regulations of the State, the Environmental Protection Agency and the Department of Transportation. I certify that the waste described below is non-hazardous. I certify that the specific waste was delivered to the carrier named below for legal treatment, storage, or disposal at the site indicated.

Date May 25, 1994 Signature [Signature]

Description of material	Circle Form	Quantity	Circle Units	Container	
				No.	Type
<del>Non-Regulated Groundwater</del>	<u>Liquid</u> Solid Gas Sludge	<u>2908</u>	<u>Gallons</u> Cu. Yds. Pounds Tons	<u>1</u>	<u>TT</u>

Transporter: Four Seasons Environmental, Inc. Unit Number(s) 916  
3107 S. Elm-Eugene Street Phone No.: 910-273-2718  
Greensboro, NC 27406 EPA ID No.: NC0999277732

Vehicle License Tag Number(s) 2P-2394 Container: was used

I certify that the specified material was transferred in a registered (licensed) vehicle to the disposal treatment, storage, or disposal facility named below and was accepted.

Pick-up Driver's Signature [Signature] Date 5-25-94 Delivering Driver's Signature [Signature] Date 5-25-94

Facility: Four Seasons Environmental, Inc. Phone No.: 910-273-2718  
519 Patton Avenue  
Greensboro, NC 27406 Contact: Eric McManus

Handling Method: PT5032

I certify that the transporter above delivered the specified material to this TSD facility and was accepted and properly handled in the above manner. We are authorized and qualified by the State of NC to handle this material.

Date 5-26-94 Signature: [Signature]

P.O. Box 16590 • Greensboro, NC 27416-0590 • (919) 273-2718

**NON-HAZARDOUS WASTE MANIFEST**

Manifest # **00013** F.S.I.S. JOB # **94-50094** Date: <sup>26</sup> ~~May 25~~, 1994

Generator: **MCB Camp Lejeune** Phone No.: **910-451-1725**

**IR Division - Bldg. 67** EPA ID No.: **NC6170022580**

**Camp Lejeune, NC 28542** Contact: **Neal Paul**

Process which generated waste: **Groundwater assessment**

I certify that the materials described below are properly described, classified, packaged, marked & labeled, and are in proper condition to be transported in commerce under the applicable regulations of the State, the Environmental Protection Agency and the Department of Transportation. I certify that the waste described below is non-hazardous. I certify that the specific waste was delivered to the carrier named below for legal treatment, storage, or disposal at the site indicated.

*3196 - liquid  
 50 - sludge*

Date MAY 25, 1994 Signature *[Handwritten Signature]*

Description of material	Circle Form Solid Liquid Gas Sludge	Quantity	Circle Units Gallons Cu. Yds. Pounds Tons	Container	
				No.	Type
<b>Non-Regulated Groundwater</b>	<input checked="" type="radio"/> Liquid	<b>3246</b>	<input checked="" type="radio"/> Gallons	<b>1</b>	<b>TT</b>

Transporter: **Four Seasons Environmental, Inc.** Unit Number(s) **B76 TH**

**3107 S. Elm-Eugene** Phone No.: **910-273-2718**

**Greensboro, Nc 27406** EPA ID No.: **NCD992277732**

Vehicle License Tag Number(s) \_\_\_\_\_ Container: \_\_\_\_\_

I certify that the specified material was transferred in a registered (licensed) vehicle to the disposal treatment, storage, or disposal facility named below and was accepted.

Pick-up Driver's Signature *[Signature]* Date **5-26-94** Delivering Driver's Signature *[Signature]* Date **5-26-94**

Facility: **Four Seasons Environmental, Inc.** Phone No.: **910-273-2718**

**519 Patton Avenue**

**Greensboro, NC 27406** Contact: **Eric McManus**

Handling Method: **PT5041 PT5032**

I certify that the transporter above delivered the specified material to this TSD facility and was accepted and properly handled in the above manner. We are authorized and qualified by the State of NC to handle this material.

Date **5-26-94** Signature: *[Handwritten Signature]*



**Baker**

Baker Environmental, Inc.  
Airport Office Park, Building 3  
420 Rouser Road  
Coraopolis, Pennsylvania 15108

(412) 269-6000  
FAX (412) 269-2002

March 14, 1994

Commander  
Atlantic Division  
Naval Facilities Engineering Command  
1510 Gilbert Street (Bldg. N-26)  
Norfolk, Virginia 23511-2699

Attn: Ms. Linda Berry, P.E.  
Code 1823

Re: Contract N62470-89-D-4814  
Navy CLEAN, District III  
Contract Task Order (CTO) 0212  
Investigation-Derived Waste Summary and Recommendations

Dear Ms. Berry:

Investigation-derived wastes (IDW) were generated during the recent field investigations at Sites 2, 6, 41, 69, and 74 located at Marine Corps Base (MCB), Camp Lejeune, North Carolina. These IDW included soil cuttings and drilling mud (solids), well development and purge water, and decontamination fluids (liquids). Presently, the solids are being stored in 20 cubic yard capacity roll-off boxes and the liquids are being stored in tanker trucks and steel 55-gallon drums. Table 1 provides a summary of the various IDW and estimated volumes.

Samples were collected from the various IDW streams for laboratory analysis for purposes of determining proper disposal options. For the solids, a single composite sample (composed of three grab samples) from each roll-off box was submitted for Resource Conservation and Recovery Act (RCRA) hazardous waste characteristics (i.e., leachability, corrosivity, reactivity, and ignitability). The liquid IDW samples were analyzed for full Target Compound List (TCL) organics and Target Analyte List (TAL) inorganics in accordance with CLP protocols.

#### **CONCLUSIONS AND RECOMMENDATIONS - SOLID IDW**

As shown on Table 2, the soil IDW analytical results were compared to RCRA hazardous waste criteria in order to determine whether any of the IDW are characteristically hazardous. No contaminants were detected at concentrations which exceed the regulatory level as defined by RCRA. Therefore, the soil is not characteristically hazardous.

Based on the analytical results of the IDW solids, several disposal alternatives are available. These alternatives include on-site disposal, off-site disposal in an "industrial"



A Total Quality Corporation

Ms. Linda Berry  
Naval Facilities Engineering Command  
March 14, 1994 - Page 2

type landfill (i.e., Subtitle D) or treatment at a licensed TSDF. The most feasible option, however, is to return the solid wastes to the site. This alternative is acceptable (and encouraged) at Superfund sites per U.S. Environmental Protection Agency (EPA) guidelines for the management of IDW. If this option is approved, the soil could be disposed of within the areas where it is presently being stored.

### **CONCLUSIONS AND RECOMMENDATIONS - LIQUID IDW**

Tables 3 and 4 summarize the organic and inorganic contaminants detected in the liquid IDW samples, respectively. All liquid IDW samples exhibited some organics and/or inorganics that exceeded Federal and/or State Drinking Water Standards. Lead levels in sample 41-TK-01 exceeded the EPA regulatory standard for lead and therefore, liquids in the tanker at Site 41 should be disposed as a RCRA hazardous waste. Also, there are 3 gallons of waste that were generated by field screening test kits at Site 6 (Lots 201 and 203). This small quantity of wastes are RCRA hazardous waste by characteristic due to its acidic pH reading (<2 pH). No other contaminants were detected at concentrations above the regulatory level as defined by RCRA (see Table 2) for the remaining liquid IDW samples. Therefore, the liquid IDW from Site 2, Site 6, Site 69, and Site 74 are not characteristically hazardous.

Results of liquid IDW sample analyses have been forwarded to Mr. Thomas Morris, of the Camp Lejeune Environmental Management Division (EMD). Only the liquid IDW from Site 74 (74-TK-01) should be considered for on-base disposal at the HPIA STP. EMD will coordinate with base wastewater treatment plant personnel to determine if the liquid IDW can be treated on base. If the liquid IDW from Site 74 cannot be disposed of at the HPIA STP, then this waste will be disposed of at a TSDF. The remaining liquid IDW will require transport to a licensed off-base TSDF.

### **IDW DISPOSAL SCHEDULE AND COSTS**

Upon receiving direction from LANTDIV and EMD, Baker will coordinate IDW disposal activities. It would be advantageous to dispose of the IDW before March 21, 1994 in order to take full advantage of turning the roll-off boxes and storage tankers over to CTO-0231, which will utilize them for IDW storage at Sites 1, 28, and 30. At present, Baker is planning to begin CTO-0231 operations the week of March 21, 1994.

Transportation and disposal costs associated with IDW were not included in the original budget estimate. Baker is currently obtaining cost estimates to dispose the solid IDW at the originating sites, transport one tanker to the HPIA STP, and to dispose of the remaining liquid IDW at an off-site TSDF.

There will be some cost savings associated with disposing liquid IDW from Site 74 at the HPIA STP. Also, by coordinating the disposal of the four roll-off boxes and two tankers with CTO-0231, Baker is able to provide LANTDIV with a cost savings of \$3,800. This will be accomplished by not having to pay mobilization charges incurred by the subcontractor since the equipment is already located at MCB Camp Lejeune.


**Baker**

Ms. Linda Berry  
Naval Facilities Engineering Command  
March 14, 1994 - Page 3

If you have any questions, please do not hesitate to contact me at (412) 269-2016.

Sincerely,

BAKER ENVIRONMENTAL, INC.



Raymond P. Wattras  
Project Manager

RPW/lmn  
Attachments

cc: Mr. Neal Paul (MCB Camp Lejeune)  
Ms. Lee Anne Rapp (w/o attachment)  
Ms. Beth Hacie (w/o attachment)

TABLE 1

SUMMARY OF INVESTIGATION-DERIVED WASTE VOLUMES  
 MCB, CAMP LEJEUNE, NORTH CAROLINA

Sample Number/ Site Number	Location of IDW	Medium	Group (1)	Quantities	Containment	Estimated Volume
41-RB-01	Site 41	Solids	1	1	Roll-Off Box	10 cubic yards
69-RB-01	Site 69	Solids	1	1	Roll-Off Box	5 cubic yards
74-RB-01	Site 74	Solids	1	1	Roll-Off Box	5 cubic yards
41-TK-01	Site 41	Liquids	3	1	Tanker Truck	1,500 gallons
69-TK-01	Site 69	Liquids	2	12	55-gallon Drums	600 gallons
74-TK-01	Site 74	Liquids	2	1	Tanker Truck	600 gallons
212-DW-01	Sites 41, 69, & 74	Liquids	5	9	55-gallon Drums	450 gallons
HPLA-GW-24-1	Site 6/Lot 203	Liquids	2	1	55-gallon Drum	50 gallons
Site 2	Site 6/Lot 203	Liquids	2	11	55-gallon Drum	550 gallons
Site 6	Site 6/Lot 203	Liquids	5	1	55-gallon Drum	50 gallons
Site 6	Site 6/Lot 203	Liquids	6	1	5-gallon Drum	3 gallons

Notes: (1) Groups are defined by contamination potential and content.

Group 1 - non-hazardous soil

Group 2 - non-contaminated water

Group 3 - contaminated water

Group 4 - excess water pumped from drums containing drilling mud

Group 5 - decontamination fluids

Group 6 - waste fluids from field screening kits

TABLE 2

COMPARISON OF SOIL AND LIQUID IDW ANALYTICAL RESULTS  
TO RCRA HAZARDOUS WASTE CHARACTERISTIC PARAMETERS

EPA HW No.	Contaminant	Regulatory Level	4-RB-01 <sup>(1)</sup>	69-RB-01 <sup>(1)</sup>	74-RB-01 <sup>(1)</sup>	41-TK-01 <sup>(2)</sup>	69-TK-01 <sup>(2)</sup>	74-TK-01 <sup>(2)</sup>	212-DW-01 <sup>(2)</sup>	HPIA-GW24-1 <sup>(2)</sup>	Site 2 <sup>(2,5)</sup>
D004	Arsenic	5.0	.09U	.09U	.09U	.077	.002U	.012	.0029U	.0097	.023
D005	Barium	100.0	.22	.27	.24	2.00	.030	.255	.062	.078	1.42
D018	Benzene	0.5	.001U	.001U	.004	.001U	.001U	.001U	.500U(4)	.051	U
D006	Cadmium	1.0	.02U	.02U	.02U	.143	.0031U	.005	.0031U	.005U	.007
D019	Carbon tetrachloride	0.5	.001U	.001U	.001U	.001U	.001U	.001U	.5000(4)	.0005U	U
D020	Chlordane	0.03	.0007U	.0007U	.0007U	.0002U	.00006U	.00006U	.00003U	.00002U	U
D021	Chlorobenzene	100.0	.001U	.001U	.001U	.001U	.001U	.001U	.500U(4)	.0005U	U
D022	Chloroform	6.0	.001U	.001U	.001U	.001U	.001U	.001U	500U(4)	.0005U	U
D007	Chromium	5.0	.02U	.02U	.02U	.859	.0091U	.154	.036U	.032	.075
D026	Cresol	200.0	.005U	.005U	.005U	NA	NA	NA	NA	NA	NA
D016	2,4-D	10.0	.006U	.006U	.006U	NA	NA	NA	NA	NA	NA
D027	1,4-Dichlorobenzene	7.5	.001U	.001U	.001U	.041U	.013U	.0014U	.034U	.005U	U
D028	1,2-Dichloroethane	0.5	.001U	.001U	.0038	.001U	.001U	.001U	.500U(4)	.005U	U
D029	1,1-Dichloroethylene	0.7	NA	NA	NA	NA	NA	NA	NA	NA	U
D030	2,4-Dinitrotoluene	0.13	.005U	.005U	.005U	.041U	.013U	.014U	.034U	.005U	U
D012	Endrin	0.02	.0003U	.0003U	.0003U	.0004U	.0001U	.00012U	.00007U	.00005U	U
D031	Heptachlor (and its epoxide)	0.008	.00015U	.00015U	.00015U	.0002U	.00006U	.00006U	.00015	.00002U	U
D032	Hexachlorobenzene	0.13	.005U	.005U	.005U	.041U	.013U	.014U	.034U	.0005U	U
D033	Hexachlorobutadiene	0.5	.005U	.005U	.005U	.041U	.013U	.014U	.034U	.0005U	U
D034	Hexachloroethane	3.0	.005U	.005U	.005U	.041U	.013U	.014U	.034U	.0005U	U
D008	Lead	5.0	.139U	.139U	.139U	11.20(3)	.004	.094	.021	.022	.027
D013	Lindane	0.4	.0002U	.0002U	.0002U	.0002U	.00006U	.00006U	.00003U	.00002U	U
D009	Mercury	0.2	.00015	.00016	.00015	.00019	.0001	.00033	.00013	.0002U	U

TABLE 2 (Continued)

COMPARISON OF SOIL AND LIQUID IDW ANALYTICAL RESULTS  
TO RCRA HAZARDOUS WASTE CHARACTERISTIC PARAMETERS

EPA HW No.	Contaminant	Regulatory Level	4-RB-01 <sup>(1)</sup>	69-RB-01 <sup>(1)</sup>	74-RB-01 <sup>(1)</sup>	41-TK-01 <sup>(2)</sup>	69-TK-01 <sup>(2)</sup>	74-TK-01 <sup>(2)</sup>	212-DW-01 <sup>(2)</sup>	HPIA-GW24-1 <sup>(2)</sup>	Site 2 <sup>(2, 5)</sup>
D014	Methoxychlor	10.0	.0088U	.0088U	.0088U	.002U	.00005	.0061U	.0003U	.0002U	U
D035	Methyl ethyl ketone	200.0	NA	NA	NA	NA	NA	NA	NA	NA	NA
D036	Nitrobenzene	2.0	.005U	.005U	.005U	.041U	.013U	.014U	.034U	.0005U	U
D037	Pentachlorophenol	100.0	.25U	.25U	.25U	.104U	.034U	.014U	.086U	.012U	U
D038	Pyridine	5.0	.005	.005U	.005U	NA	NA	NA	NA	NA	NA
D010	Selenium	1.0	.165U	.165U	.165U	.016U	.016U	.016U	.0024	.0015	.004
D011	Silver	5.0	.011U	.011U	.011U	.082	.016U	.016U	.0016U	.003	U
D039	Tetrachloroethylene	0.7	NA	NA	NA	NA	NA	NA	NA	NA	U
D015	Toxaphene	0.5	.0012U	.0012U	.012U	.020U	.0006U	.0061U	.0038U	.0025U	U
D040	Trichloroethylene (TCE)	0.5	.001U	.0016	.001U	.001U	.001U	.001U	.500U(4)	.0005U	.005
D041	2,4,5-Trichlorophenol	400.0	.005U	.005U	.005U	.104U	.034U	.035U	.086U	.012U	U
D042	2,4,6-Trichlorophenol	2.0	.005U	.005U	.005U	.041U	.013U	.014U	.0034U	.005U	U
D017	2,4,5-TP (Silvex)	1.0	.0085U	.0085U	.0085U	NA	NA	NA	NA	NA	U
D043	Vinyl Chloride	0.2	.001U	.001U	.001U	.001U	.001U	.001U	.500U(4)	.097	U
D001	Ignitability	FP <120°	>200	>200	>200	NA	NA	NA	NA	NA	NA
D002	Corrosivity	pH ≤2 or ≥12.5	11.0	7.48	5.67	NA	NA	NA	NA	NA	NA
D003	Reactivity	40 CFR	6.680	6.35U	6.52U	NA	NA	NA	NA	NA	NA
	Sulfide (mg/kg)	261.23	0.033U	0.032U	0.032U	NA	NA	NA	NA	NA	NA
	Cyanide (mg/kg)										

All liquid concentrations expressed as mg/L.

- (1) Analyzed for full TCLP and RCRA hazardous waste characteristics.
- (2) Samples analyzed for full TCL organics/TAL inorganics per CLP procedure.
- (3) Metal fraction analyzed at 200 x dilution
- (4) Volatile organic fraction analyzed at 50 x dilution
- (5) Positive detections from CTO-0174 (the first round of ground water sampling) are listed. All other contaminants were not detected.

U = Not detected at Contract Required Quantitation Limit (CRQL)

NA = Not Analyzed

J = Estimated concentration

B = Detected below Contract Required Detection Limit (CRDL)

TABLE 3

## ORGANIC CONTAMINANTS DETECTED IN LIQUID INVESTGATION-DERIVED WASTE SAMPLES

Contaminant	Groundwater Criteria		Sample Identification					
	NCWQS	Federal MCL	41-TK1-01	69-TK1-01	74-TK-01	212-DW-01	HPIA-GW24-1	Site 2
Acetone	NE	NE	0.013B	0.138B	0.014B	8.0B	--	--
Bromomethane	NE	NE	--	--	--	--	--	0.001
Vinyl Chloride	0.015	0.002	--	--	--	--	0.097	--
Ethylbenzene	0.029	0.7	--	--	--	--	--	0.190
Xylene	0.4	10	--	--	0.007J	--	0.001	1.80J
Trichloroethene	0.0028	0.005	--	--	--	--	--	0.005
Methylene Chloride	0.005	NE	0.003BJ	0.003J	0.007J	0.399BJ	--	--
1,2-Dichloroethene	0.07	0.07	--	0.010	--	--	3.40	--
1,1-Dichloroethene	NE	NE	--	--	--	--	0.007	--
Toluene	1.0	1.0	--	--	--	--	0.002	--
bis(2-ethylhexyl)phthalate	NE	NE	--	--	--	0.003J	--	0.002J
Di-n-butylphthalate	NE	NE	0.004J	0.002J	0.003J	0.009J	--	--
Diethylphthalate	NE	NE	--	--	--	0.029J	--	--
Di-n-octylphthalate	NE	NE	--	--	--	0.007J	--	--

Concentration expressed in mg/L

Only compounds detected above CRQL are listed.

J = Estimated concentration

B = Detected in lab blank

-- = Not detected above CRQL

NE = Not Established

NCWQS = North Carolina Water Quality Standards

MCL = Maximum Contaminant Level (USEPA)

TABLE 3 (continued)

## ORGANIC CONTAMINANTS DETECTED IN LIQUID INVESTGATION-DERIVED WASTE SAMPLES

Contaminant	Groundwater Criteria		Sample Identification					
	NCWQS	Federal MCL	41-TK1-01	69-TK1-01	74-TK-01	212-DW-01	HPIA-GW24-1	Site 2
Heptachlor	0.00007	0.0004	--	--	--	0.0001	--	--
Acenaphthene	NE	NE	--	--	0.003J	--	--	0.002J
Naphthalene	NE	NE	--	--	--	--	0.022	0.015
2-Methylnaphthalene	NE	NE	--	--	0.027	--	--	0.017
Aldrin	NE	NE	--	--	--	0.0001	--	--
2,4-Methylphenol	NE	NE	--	--	--	--	--	0.006J
alpha-BHC	NE	NE	--	--	--	0.0003	--	--
4,4'-DDD	NE	NE	--	--	--	0.0006	--	0.004
4,4'-DDE	NE	NE	--	--	0.00001J	--	--	--
4,4'-DDT	NE	NE	--	--	0.00016J	0.0006	--	0.010
Fluorene	NE	NE	--	--	0.003J	--	--	--
Phenanthrene	NE	NE	--	--	0.003J	--	--	--
Endosulfan I	NE	NE	--	--	0.00002J	--	--	--
Endosulfan II	NE	NE	--	0.00002J	--	0.00009	--	--
Methoxychlor	NE	NE	--	0.00005J	--	--	--	--

Concentration expressed in mg/L

Only compounds detected above CRQL are listed.

J = Estimated concentration

B = Detected in lab blank

-- = Not detected above CRQL

NE = Not Established

NCWQS = North Carolina Water Quality Standards

MCL = Maximum Contaminant Level (USEPA)



TABLE 4

## INORGANIC CONTAMINANTS DETECTED IN LIQUID INVESTIGATION-DERIVED WASTE SAMPLES

Contaminant	Groundwater Criteria		Sample Identification					
	NCWQS	Federal MCL	41-TK1-01	69-TK1-01	74-TK-01	212-DW-01	HPIA-GW24-1	Site 2
Beryllium	NE	0.004	0.023	0.0007U	0.002	0.001	0.001	0.003
Barium	1.0	2.0	2.00	0.030	0.225	0.062	0.078	1.42
Selenium	0.01	0.05	0.0016U	0.0016U	0.0016U	0.002	0.001	0.004
Aluminum	NE	NE	394.0	2.87	111.00	14.00	25.90	56.30
Arsenic	0.05	0.05	0.077	0.002U	0.012	0.002U	0.009	0.023
Cadmium	0.005	0.005	0.143	0.003U	0.005	0.003U	0.005U	0.007
Calcium	NE	NE	1,740	85.90	23.80	36.80	18.60	450.00
Chromium	0.05	0.1	0.859	0.009	0.154	0.036	0.032	0.075
Copper	1.0	1.3	1.43	0.016U	0.071	0.019	0.014	0.025
Iron	NE	0.3	504	4.62	73.30	17.60	26.40	42.00
Lead	0.05	NE	11.20	0.004	0.094	0.021	0.022	0.027
Magnesium	NE	NE	48.00	3.06	4.03	1.36	3.10	9.98
Manganese	0.05	0.2	3.76	0.098	0.366	0.355	0.084	0.290
Mercury	0.0011	0.002	0.0001	0.0001	0.0003	0.0001	0.0002	NA
Nickel	0.15	0.1	0.648	0.017U	0.080	0.018	0.022	0.025
Potassium	NE	NE	0.0021	0.002	0.004	0.014	2.33	187.0
Sodium	NE	NE	0.0039	0.043	0.007	0.034	8.62	103.0
Vanadium	NE	NE	0.910	0.020	0.114	0.029	0.073	0.086
Zinc	5.0	NE	7.94	0.031	0.362	1.17	0.040	0.146
Cyanide	0.154	0.2	NA	NA	NA	NA	NA	NA
Cobalt	NE	NE	0.111	0.016U	0.056	0.016	0.008	0.012

Concentrations expressed in mg/L.

U = Not detected at CRDL

NE = Not Established

NA = Not Analyzed


NCWQS = North Carolina Groundwater Standards

MCL = Maximum Contaminant Level (USEPA)

**APPENDIX H**  
**SITE 69 AQUIFER CHARACTERIZATION DATA**

---

# 69GW09 RISING HEAD TEST




AQTESOLV  
GERAGHTY  
& MILLER, INC.  
Modeling Group






# 69GW10 RISING HEAD TEST



AQTESOLV

 GERAGHTY  
& MILLER, INC.  
Modeling Group



0.0916	2.572	2.2607	0.31128	1
0.1	2.491	2.2587	0.23233	1
0.1166	2.327	2.2546	0.072385	1
0.125	2.258	2.2526	0.0054329	1
0.15	2.139	2.2465	-0.10748	1
0.175	2.063	2.2404	-0.17742	1
0.2	2.025	2.2344	-0.20937	1
0.225	2	2.2283	-0.22833	1
0.25	1.981	2.2223	-0.24132	1
0.275	1.969	2.2163	-0.24731	1
0.3	1.962	2.2103	-0.24833	1
0.35	1.944	2.1984	-0.25441	1
0.4	1.937	2.1866	-0.24955	1
0.4333	1.931	2.1787	-0.24769	1
0.5	1.918	2.163	-0.24503	1
0.55	1.912	2.1514	-0.23936	1
0.6	1.906	2.1398	-0.23376	1
0.7	1.9	2.1167	-0.21674	1
0.8	1.887	2.094	-0.20696	1
0.9	1.881	2.0714	-0.19044	1
1	1.874	2.0492	-0.17515	1
1.2	1.856	2.0053	-0.1493	1
2	1.793	1.8391	-0.046072	1
2.6	1.749	1.7235	0.025491	1
3	1.717	1.6505	0.06647	1
4	1.635	1.4813	0.15368	1
4.4	1.598	1.4186	0.17941	1
5	1.497	1.3295	0.16755	1
5.6	1.371	1.2459	0.12509	1
6	1.302	1.1932	0.10884	1
6.4	1.233	1.1426	0.090367	1
7	1.139	1.0708	0.068167	1
7.4	1.076	1.0255	0.05051	1
8	0.981	0.96105	0.019949	1
9	0.855	0.86252	-0.0075232	1
10	0.749	0.7741	-0.025097	1
12	0.566	0.62351	-0.057512	1
14	0.434	0.50222	-0.06822	1
16	0.333	0.40452	-0.071523	1
18	0.264	0.32583	-0.061831	1
20	0.201	0.26245	-0.061447	1
22	0.157	0.21139	-0.054393	1
24	0.119	0.17027	-0.05127	1
26	0.094	0.13715	-0.043148	1
28	0.075	0.11047	-0.035468	1
30	0.057	0.088979	-0.031979	1
32	0.05	0.07167	-0.02167	1
34	0.038	0.057728	-0.019728	1
36	0.025	0.046498	-0.021498	1
38	0.012	0.037453	-0.025453	1
40	0.012	0.030167	-0.018167	1
42	0.006	0.024299	-0.018299	1

=====


RESULTS FROM VISUAL CURVE MATCHING

VISUAL MATCH PARAMETER ESTIMATES



Estimate  
 R = 1 1610E-004



# 69GW12 RISING HEAD TEST



AQTESOLV

 GERAGHTY  
& MILLER, INC.  
 Modeling Group




0.075	2.492	2.2894	0.20262	1
0.0833	2.422	2.2865	0.13545	1
0.1	2.404	2.2809	0.12314	1
0.1166	2.378	2.2752	0.10278	1
0.125	2.366	2.2724	0.093624	1
0.15	2.334	2.2639	0.070078	1
0.175	2.303	2.2555	0.047499	1
0.2	2.278	2.2471	0.03089	1
0.225	2.259	2.2388	0.020249	1
0.25	2.24	2.2304	0.0095772	1
0.275	2.221	2.2221	-0.0011256	1
0.3	2.209	2.2139	-0.0048594	1
0.35	2.171	2.1974	-0.026419	1
0.4	2.127	2.1811	-0.054101	1
0.5	2.051	2.1488	-0.097826	1
0.6	1.976	2.117	-0.14103	1
0.7	1.907	2.0857	-0.1787	1
0.8	1.838	2.0548	-0.21684	1
0.9	1.775	2.0244	-0.24944	1
1	1.718	1.9945	-0.27648	1
2	1.353	1.7182	-0.36525	1
3	1.215	1.4803	-0.26528	1
4	1.095	1.2753	-0.18026	1
5	0.995	1.0986	-0.10364	1
6	0.9	0.94648	-0.046483	1
7	0.812	0.8154	-0.0033974	1
8	0.737	0.70247	0.034533	1
9	0.667	0.60518	0.061823	1
10	0.605	0.52136	0.083638	1
12	0.51	0.38695	0.12305	1
14	0.435	0.28719	0.14781	1
16	0.378	0.21315	0.16485	1
18	0.334	0.15819	0.17581	1
20	0.372	0.11741	0.25459	1
22	0.328	0.08714	0.24086	1
24	0.321	0.064674	0.25633	1
26	0.302	0.048	0.254	1
28	0.302	0.035625	0.26637	1
30	0.271	0.026441	0.24456	1
32	0.24	0.019624	0.22038	1
34	0.221	0.014565	0.20644	1
36	0.189	0.01081	0.17819	1
38	0.164	0.0080228	0.15598	1
40	0.145	0.0059544	0.13905	1
42	0.126	0.0044193	0.12158	1
44	0.107	0.0032799	0.10372	1
46	0.095	0.0024343	0.092566	1
48	0.076	0.0018067	0.074193	1
50	0.063	0.0013409	0.061659	1
52	0.051	0.00099521	0.050005	1
54	0.038	0.00073864	0.037261	1
56	0.032	0.00054821	0.031452	1
58	0.019	0.00040687	0.018593	1
60	0.013	0.00030197	0.012698	1
62	0.013	0.00022412	0.012776	1

=====


RESULTS FROM VISUAL CURVE MATCHING

VISUAL MATCH PARAMETER ESTIMATES

# 69GW02D RISING HEAD TEST




AQTESOLV

 GERAGHTY  
& MILLER, INC.  
Modeling Group






# 69GW03D FALLING HEAD TEST



AQTESOLV

 GERAGHTY  
& MILLER, INC.  
Modeling Group





0.0333	4.13	3.055	1.075	1
0.0416	4.105	3.0489	1.0561	1
0.0583	4.092	3.0365	1.0555	1
0.0666	4.067	3.0303	1.0367	1
0.075	4.055	3.0242	1.0308	1
0.0833	4.03	3.018	1.012	1
0.0916	3.973	3.012	0.96105	1
0.1	3.916	3.0058	0.9102	1
0.1083	3.841	2.9997	0.84127	1
0.1166	3.734	2.9937	0.74033	1
0.125	3.576	2.9876	0.58845	1
0.1333	3.564	2.9815	0.58248	1
0.1416	3.538	2.9755	0.5625	1
0.15	3.52	2.9694	0.55058	1
0.1583	3.501	2.9634	0.53758	1
0.1666	3.482	2.9574	0.52456	1
0.175	3.463	2.9514	0.51161	1
0.1833	3.444	2.9454	0.49857	1
0.1916	3.419	2.9395	0.47951	1
0.2	3.4	2.9335	0.46652	1
0.2083	3.375	2.9276	0.44745	1
0.2166	3.35	2.9216	0.42836	1
0.225	3.324	2.9157	0.40833	1
0.2333	3.299	2.9098	0.38922	1
0.2416	3.274	2.9039	0.37009	1
0.25	3.243	2.898	0.34503	1
0.2583	3.211	2.8921	0.31888	1
0.2666	3.186	2.8863	0.29972	1
0.275	3.154	2.8804	0.27362	1
0.2833	3.117	2.8746	0.24244	1
0.2916	3.085	2.8688	0.21624	1
0.3	3.047	2.8629	0.1841	1
0.3083	3.016	2.8571	0.15888	1
0.3166	2.978	2.8513	0.12665	1
0.325	2.947	2.8455	0.10148	1
0.3333	2.903	2.8398	0.063227	1
0.35	2.859	2.8282	0.030754	1
0.3666	2.821	2.8168	0.0041652	1
0.3833	2.77	2.8054	-0.035401	1
0.4	2.733	2.794	-0.061014	1
0.4166	2.682	2.7827	-0.10074	1
0.4333	2.632	2.7714	-0.13945	1
0.45	2.581	2.7602	-0.1792	1
0.4666	2.531	2.7491	-0.21806	1
0.4833	2.474	2.7379	-0.2639	1
0.5	2.411	2.7268	-0.31579	1
0.5166	2.355	2.7158	-0.36079	1
0.5333	2.285	2.7048	-0.41976	1
0.55	2.223	2.6938	-0.47079	1
0.5666	2.153	2.6829	-0.52992	1
0.5833	2.084	2.672	-0.58803	1
0.6	2.002	2.6612	-0.65918	1
0.6166	1.92	2.6504	-0.73044	1
0.6333	1.832	2.6397	-0.80769	1
0.65	1.744	2.629	-0.88497	1
0.6666	1.643	2.6184	-0.97536	1
0.6833	1.637	2.6077	-0.97074	1
0.7	1.624	2.5972	-0.97315	1
0.7166	1.618	2.5867	-0.96867	1
0.7333	1.605	2.5762	-0.97117	1
0.7666	1.593	2.5554	-0.96237	1
0.7833	1.58	2.545	-0.96499	1


0.8686	1.53	2.4939	-0.96388	1
0.8833	1.523	2.4838	-0.96076	1
0.9	1.511	2.4737	-0.96268	1
0.9166	1.505	2.4637	-0.9587	1
0.9333	1.492	2.4537	-0.9617	1
0.95	1.486	2.4437	-0.95774	1
0.9666	1.473	2.4339	-0.96088	1
0.9833	1.46	2.424	-0.964	1
1	1.454	2.4142	-0.96016	1
1.2	1.442	2.2994	-0.85739	1
1.4	1.429	2.1901	-0.76107	1
1.6	1.423	2.0859	-0.66295	1
1.8	1.41	1.9868	-0.57678	1
2	1.397	1.8923	-0.49532	1
2.2	1.385	1.8024	-0.41736	1
2.4	1.372	1.7167	-0.34467	1
2.6	1.366	1.6351	-0.26905	1
2.8	1.353	1.5573	-0.20432	1
3	1.341	1.4833	-0.14228	1
3.2	1.328	1.4128	-0.084764	1
3.4	1.316	1.3456	-0.029598	1
3.6	1.309	1.2816	0.027374	1
3.8	1.29	1.2207	0.069306	1
4	1.278	1.1627	0.11534	1
4.2	1.271	1.1074	0.16362	1
4.4	1.253	1.0547	0.19826	1
4.6	1.246	1.0046	0.24141	1
4.8	1.227	0.95683	0.27017	1
5	1.215	0.91134	0.30366	1
5.2	1.208	0.86802	0.33998	1
5.4	1.202	0.82675	0.37525	1
5.6	1.196	0.78744	0.40856	1
5.8	1.19	0.75001	0.43999	1
6	1.183	0.71435	0.46865	1
6.2	1.171	0.68039	0.49061	1
6.4	1.164	0.64804	0.51596	1
6.6	1.158	0.61723	0.54077	1
6.8	1.152	0.58789	0.56411	1
7	1.139	0.55994	0.57906	1
7.4	1.127	0.50796	0.61904	1
-7.6	1.12	0.48381	0.63619	1
7.8	1.114	0.46081	0.65319	1
8	1.108	0.4389	0.6691	1
8.2	1.095	0.41804	0.67696	1
8.4	1.089	0.39816	0.69084	1
8.6	1.082	0.37923	0.70277	1
8.8	1.07	0.3612	0.7088	1
9	1.064	0.34403	0.71997	1
9.2	1.057	0.32767	0.72933	1
9.4	1.045	0.3121	0.7329	1
9.6	1.038	0.29726	0.74074	1
9.8	1.032	0.28313	0.74887	1
10	1.026	0.26967	0.75633	1
12	0.982	0.16569	0.81631	1
18	0.793	0.038429	0.75457	1

-----  
RESULTS FROM VISUAL CURVE MATCHING


VISUAL MATCH PARAMETER ESTIMATES



# 69GW12D RISING HEAD TEST




AQTESOLV

 GERAGHTY  
& MILLER, INC.  
Modeling Group





# 69GW12D FALLING HEAD TEST



AQTESOLV  
GERAGHTY  
& MILLER, INC.  
Modeling Group





0.125	4.943	4.9822	-0.039218	1
0.15	4.943	4.9799	-0.036851	1
0.175	4.943	4.9775	-0.034484	1
0.225	4.943	4.9728	-0.029754	1
0.275	4.943	4.968	-0.025028	1
0.3	4.943	4.9657	-0.022667	1
0.325	4.943	4.9633	-0.020307	1
0.35	4.943	4.9609	-0.017949	1
0.4	4.943	4.9562	-0.013234	1
0.4333	4.829	4.9531	-0.1241	1
0.5	4.829	4.9468	-0.11782	1
0.55	4.823	4.9421	-0.11912	1
0.6	4.823	4.9374	-0.11442	1
0.65	4.823	4.9327	-0.10973	1
0.7	4.823	4.928	-0.10504	1
0.75	4.823	4.9234	-0.10036	1
0.8	4.816	4.9187	-0.10268	1
0.85	4.816	4.914	-0.098007	1
0.9	4.816	4.9093	-0.093337	1
0.95	4.816	4.9047	-0.088672	1
0.9666	4.81	4.9031	-0.093124	1
1	4.81	4.9	-0.090011	1
1.2	4.81	4.8814	-0.071413	1
1.6	4.804	4.8444	-0.040426	1
2	4.804	4.8077	-0.0037204	1
2.4	4.797	4.7713	0.025707	1
3	4.791	4.7172	0.073832	1
3.2	4.785	4.6993	0.085737	1
3.8	4.785	4.646	0.13905	1
4	4.778	4.6283	0.14968	1
4.6	4.772	4.5758	0.19618	1
4.8	4.772	4.5584	0.21355	1
5	4.766	4.5411	0.22485	1
5.6	4.759	4.4896	0.26937	1
5.8	4.753	4.4726	0.28041	1
6	4.747	4.4556	0.29139	1
6.2	4.74	4.4387	0.3013	1
6.4	4.728	4.4219	0.30615	1
6.6	4.722	4.4051	0.31693	1
6.8	4.709	4.3884	0.32065	1
7	4.69	4.3717	0.31831	1
7.2	4.671	4.3551	0.3159	1
7.4	4.646	4.3386	0.30743	1
7.6	4.627	4.3221	0.3049	1
7.8	4.589	4.3057	0.2833	1
8	4.545	4.2894	0.25565	1
8.2	4.488	4.2731	0.21493	1
8.4	4.425	4.2569	0.16815	1
8.6	4.343	4.2407	0.1023	1
8.8	4.242	4.2246	0.017401	1
9	4.122	4.2086	-0.086564	1
9.2	3.946	4.1926	-0.24659	1
9.4	3.838	4.1767	-0.33868	1
9.6	3.573	4.1608	-0.58782	1
9.8	1.692	4.145	-2.453	1

=====

RESULTS FROM VISUAL CURVE MATCHING

VISUAL MATCH PARAMETER ESTIMATES

**APPENDIX I**  
**SAMPLING SUMMARY**

---

SOIL - SITE 69  
CTO-19212

DATE SHIPPED	SAMPLE ID	Analysis Requested									Analysis Received						DATE REC'D	TURNAROUND TIME	SDG NO.	COMMENTS				
		TCL VOA	TCL SVOA	TCL PEST/PCB	TAL METALS	CSM	THIODYGLYCOL	MIREX	ORDNANCE	ENG PARAMETERS	CYANIDE	TCL VOA	TCL SVOA	TCL PEST/PCB	TAL METALS	CSM					THIODYGLYCOL	MIREX	ORDNANCE	ENG PARAMETERS
1/6/94	69-CSA-SB18-00	x	x	x	x	x	x			x	x	x	x	x	x					x	2/8/94	32	1	
1/6/94	69-CSA-SB19-00	x	x	x	x	x	x			x	x	x	x	x	x					x	2/8/94	32	1	
1/6/94	69-CSA-SB24	x	x	x	x	x	x			x	x	x	x	x	x					x	2/8/94	32	1	
1/6/94	69-TB-01	x																			2/8/94	32	1	Trip Blank
1/6/94	69-GW12-01	x	x	x	x					x	x	x	x							x	2/8/94	32	1	
1/6/94	69-RS-01	x	x	x	x	x	x														2/8/94	32	1	Rinsate, Hand Auger Bucket
1/8/94	69-CSA-SB20-00	x	x	x	x	x	x			x	x	x	x	x	x					x	2/8/94	30	1	
1/8/94	69-CSA-SB21-00	x	x	x	x	x	x			x	x	x	x	x	x					x	2/8/94	30	1	
1/8/94	69-CSA-SB22-00	x	x	x	x	x	x			x	x	x	x	x	x					x	2/8/94	30	1	
1/8/94	69-CSA-SB23-00	x	x	x	x	x	x			x	x	x	x	x	x					x	2/8/94	30	1	
1/8/94	69-FB-01	x	x	x	x	x	x														2/8/94	30	1	Potable Water
1/8/94	69-FB-02	x	x	x	x	x	x														2/8/94	30	1	Baker Decon Water
1/8/94	69-TB-02	x																			2/8/94	30	1	Trip Blank
1/8/94	69-GW11-02	x	x	x	x					x	x	x	x							x	3/2/94	54	3	rec 2/21/94 - no pest/pcb
1/8/94	69-GW11-04	x	x	x	x					x	x	x	x							x	3/2/94	54	3	rec 2/21/94 - no pest/pcb
1/8/94	69-CSA-SB01-00	x	x	x	x	x	x			x	x	x	x	x	x					x	3/2/94	54	3	rec 2/21/94 - no pest/pcb
1/8/94	69-CSA-SB02-00	x	x	x	x	x	x			x	x	x	x	x	x					x	3/2/94	54	3	rec 2/21/94 - no pest/pcb
1/8/94	69-CSA-SB03-00	x	x	x	x	x	x			x	x	x	x	x	x					x	3/2/94	54	3	rec 2/21/94 - no pest/pcb
1/8/94	69-CSA-SB03-00D	x	x	x	x	x	x			x	x	x	x	x	x					x	3/2/94	54	3	rec 2/21/94 - no pest/pcb
1/8/94	69-CSA-SB04-00	x	x	x	x	x	x			x	x	x	x	x	x					x	3/2/94	54	3	rec 2/21/94 - no pest/pcb
1/8/94	69-CSA-SB06-00	x	x	x	x	x	x			x	x	x	x	x	x					x	3/2/94	54	3	rec 2/21/94 - no pest/pcb
1/8/94	69-CSA-SB07-00	x	x	x	x	x	x			x	x	x	x	x	x					x	3/2/94	54	3	rec 2/21/94 - no pest/pcb
1/8/94	69-CSA-SB09-00	x	x	x	x	x	x			x	x	x	x	x	x					x	3/2/94	54	3	rec 2/21/94 - no pest/pcb
1/8/94	69-CSA-SB05-00	x	x	x	x	x	x			x	x	x	x	x	x					x	3/2/94	54	3	rec 2/21/94 - no pest/pcb
1/8/94	69-CSA-SB08-00	x	x	x	x	x	x			x	x	x	x	x	x					x	3/2/94	54	3	MS/MSD (rec 2/21/94 - no pest/pcb)
1/8/94	69-CSA-SB08-00D	x	x	x	x	x	x			x	x	x	x	x	x					x	3/2/94	54	3	rec 2/21/94 - no pest/pcb

**SOIL - SITE 69  
CTO-19212**

DATE SHIPPED	SAMPLE ID	Analysis Requested									Analysis Received									DATE REC'D	TURNAROUND TIME	SDG NO.	COMMENTS	
		TCL VOA	TCL SVOA	TCL PEST/PCB	TAL METALS	CSM	THIODYGLYCOL	MIREX	ORDNANCE	ENG PARAMETERS	CYANIDE	TCL VOA	TCL SVOA	TCL PEST/PCB	TAL METALS	CSM	THIODYGLYCOL	MIREX	ORDNANCE					ENG PARAMETERS
1/8/94	69-CSA-SB10-00	x	x	x	x	x	x			x	x	x	x	x	x					x	3/2/94	54	3	rec 2/21/94 - no pest/pcb
1/8/94	69-CSA-SB12-00	x	x	x	x	x	x			x	x	x	x	x	x					x	3/2/94	54	3	rec 2/21/94 - no pest/pcb
1/8/94	69-CSA-SB13-00	x	x	x	x	x	x			x	x	x	x	x	x					x	3/2/94	54	3	rec 2/21/94 - no pest/pcb
1/8/94	69-TB-04	x																			3/2/94	54	3	Trip Blank
1/8/94	69-CSA-SB16-00	x	x	x	x	x	x			x	x	x	x	x	x					x	3/2/94	54	3	MS/MSD (rec 2/21/94 - no pest/pcb)
1/8/94	69-CSA-SB16-00D	x	x	x	x	x	x			x	x	x	x	x	x					x	3/2/94	54	3	rec 2/21/94 - no pest/pcb
1/8/94	69-CSA-SB11-00	x	x	x	x	x	x			x	x	x	x	x	x					x	3/7/94	59	4	rec 2/21/94, no pest/pcb
1/8/94	69-CSA-SB14-00	x	x	x	x	x	x			x	x	x	x	x	x					x	3/7/94	59	4	rec 2/21/94, no pest/pcb
1/8/94	69-CSA-SB17-00	x	x	x	x	x	x			x	x	x	x	x	x					x	3/7/94	59	4	rec 2/21/94, no pest/pcb
1/8/94	69-CSA-SB15-00	x	x	x	x	x	x			x	x	x	x	x	x					x	3/7/94	59	4	rec 2/21/94, no pest/pcb
1/8/94	69-GW09-02	x	x	x	x					x	x	x	x	x						x	3/7/94	59	4	rec 2/21/94, no pest/pcb
1/8/94	69-GW09-05	x	x	x	x					x	x	x	x	x						x	3/7/94	59	4	rec 2/21/94, no pest/pcb
1/8/94	69-CSA-SB25-00	x	x	x	x	x	x			x	x	x	x	x	x					x	3/7/94	59	4	rec 2/21/94, no pest/pcb
1/8/94	69-TB-05	x																			2/17/94	39	2	
1/10/94	69-BB-SB01-00	x	x	x	x	x	x			x	x	x	x	x	x					x	3/7/94	57	4	Sample reextract exceeded 7 days. 2-1-94; rec 2-21 no pest/pcb
1/10/94	69-BB-SB02-00	x	x	x	x	x	x			x	x	x	x	x	x					x	3/7/94	57	4	rec 2/21/94, no pest/pcb
1/10/94	69-BB-SB03-00	x	x	x	x	x	x			x	x	x	x	x	x					x	3/7/94	57	4	Sample reextract exceeded 7 days. 2-1-94; rec 2-21 no pest/pcb
1/10/94	69-BB-SB04-00	x	x	x	x	x	x			x	x	x	x	x	x					x	3/7/94	57	4	Sample reextract exceeded 7 days. 2-1-94; rec 2-21 no pest/pcb
1/10/94	69-GW12DW-01	x	x	x	x					x	x	x	x							x	3/7/94	57	5	rec 2/23 no pest/pcb
1/10/94	69-GW10-01	x	x	x	x					x	x	x	x							x	3/7/94	57	5	rec 2/23 no pest/pcb
1/10/94	69-GW10-03	x	x	x	x					x	x	x	x							x	3/7/94	57	5	Sample reextract exceeded 7 days. (2-1-94); rec 2/23 no p/pcb
1/10/94	69-GW02DW-01	x	x	x	x					x	x	x	x							x	3/7/94	57	5	Sample reextract exceeded 7 days. (2-1-94) MS/MSD; rec 2/23 no p/pcb
1/10/94	69-GW02DW-03	x	x	x	x					x	x	x	x							x	3/7/94	57	5	rec 2/23, no pest/pcb
1/10/94	69-GW02DW									x										x	2/23/94	43	5	Eng. Parameters - TOC
1/10/94	69-TB-07	x																			2/23/94	43	5	Trip Blank
1/11/94	69-GW02DW-01D	x	x	x	x					x	x	x	x							x	3/7/94	56	5	rec 2/23, no pest/pcb

**SOIL - SITE 69  
CTO-19212**

DATE SHIPPED	SAMPLE ID	Analysis Requested											Analysis Received											DATE RECD	TURNAROUND TIME		SDG NO.	COMMENTS
		TCL VOA	TCL SVOA	TCL PEST/PCB	TAL METALS	CSM	THIODYGLYCOL	MIREX	ORDNANCE	ENG PARAMETERS	CYANIDE	TCL VOA	TCL SVOA	TCL PEST/PCB	TAL METALS	CSM	THIODYGLYCOL	MIREX	ORDNANCE	ENG PARAMETERS	CYANIDE	DATE	TIME					
1/11/94	69-TB-08	x																						2/23/94	42	5	Trip Blank	
COUNT		52	46	46	46	35	35	0	0	1	43	52	46	46	46	35	35	0	0	1	43				0			

**GROUNDWATER - SITE 69**  
**CTO-19212**

DATE SHIPPED	SAMPLE ID	Analysis Requested											Analysis Received											DATE REC'D	TURNAROUND TIME	SDG NO.	COMMENTS
		TCL VOA	TCL SVOA	TCL PEST/PCB	TAL METALS	TAL METALS (D)	CSM	THIODYGLYCOL	MIREX	ORDNANCE	ENG PARAMETERS	CYANIDE	WET CHEMISTRY	TCL VOA	TCL SVOA	TCL PEST/PCB	TAL METALS	TAL METALS (D)	CSM	THIODYGLYCOL	MIREX	ORDNANCE	ENG PARAMETERS				
1/21/94	69-GW12-01	x	x	x	x	x	x	x				x	x	x	x	x	x	x	x				x	3/16/94	55	11	VOA-7 day turn; rec 3/2-no pest/pcb
1/21/94	69-GW11-01	x	x	x	x	x	x	x				x	x	x	x	x	x	x	x				x	3/16/94	55	11	VOA-7 day turn; rec 3/2-no pest/pcb
1/21/94	69-GW09-01	x	x	x	x	x	x	x				x	x	x	x	x	x	x	x				x	3/16/94	55	11	VOA-7 day turn; rec 3/2-no pest/pcb
1/21/94	69-GW10-01	x	x	x	x	x	x	x				x	x	x	x	x	x	x	x				x	3/16/94	55	11	VOA-7 day turn; rec 3/2-no pest/pcb
1/21/94	69-RS-03	x	x	x	x	x	x	x				x	x	x	x	x	x	x	x				x	3/16/94	55	11	Rinsate-teflon bailer;rec 3/2-no pest/pcb
1/21/94	69-TB-09	x																						3/16/94	55	11	Trip Blank; rec 3/2-no pest/pcb
1/22/94	69-GW08-01	x	x	x	x	x	x	x				x	x	x	x	x	x	x	x				x	3/16/94	54	11	rec 3/2-no pest/pcb
1/22/94	69-GW06-01	x	x	x	x	x	x	x				x	x	x	x	x	x	x	x				x	3/16/94	54	11	rec 3/2-no pest/pcb
1/22/94	69-GW05-01	x	x	x	x	x	x	x				x	x	x	x	x	x	x	x				x	3/16/94	54	11	rec 3/2-no pest/pcb
1/22/94	69-RS-04	x	x	x	x	x	x	x				x													###		Rinsate-HOLD Do not analysis
1/22/94	69-TB-10	x																						3/2/94	40	11	Trip Blank; rec 3/2-no pest/pcb
1/24/94	69-GW02-01	x	x	x	x	x	x	x				x	x	x	x	x	x	x	x				x	4/15/94	81	13	rec 3/3-noPEST/PCB
1/24/94	69-GW02-01D	x	x	x	x	x	x	x				x	x	x	x	x	x	x	x				x	4/15/94	81	13	rec 3/3-noPEST/PCB
1/24/94	69-GW07-01	x	x	x	x	x	x	x				x	x	x	x	x	x	x	x				x	4/15/94	81	13	rec 3/3-no PEST/PSB
1/24/94	69-GW03-01	x	x	x	x	x	x	x				x	x	x	x	x	x	x	x				x	4/15/94	81	13	rec 3/3-no PEST/PSB
1/24/94	69-GW01-01	x	x	x	x	x	x	x				x	x	x	x	x	x	x	x				x	4/15/94	81	13	rec 3/3-no PEST/PSB
1/24/94	69-TB-11	x																						3/3/94	39	13	Trip Blank
1/24/94	69-GW04-01	x	x	x	x	x	x	x				x	x	x	x	x	x	x	x				x	4/15/94	81	13	rec 3/3-no PEST/PSB
1/24/94	69-RS-05	x	x	x	x	x	x	x				x	x	x	x	x	x	x	x				x	4/15/94	81	13	Rinsate - Teflon Bailer
2/18/94	69-GW02DW-01	x	x	x	x		x	x				x	x	x	x		x	x				x	4/15/94	57	35	MS/MSD ;rec 4/7-no P/PCB	
2/18/94	69-GW02DWD-01					x											x							4/7/94	49	35	MS/MSD
2/18/94	69-GW02DW-01D	x	x	x	x		x	x				x	x	x	x		x	x				x	4/15/94	49		rec 4/7-no P/PCB	
2/18/94	69-GW02DWD-01D					x											x							4/7/94	49		
2/18/94	69-GW12DW-01	x	x	x	x		x	x				x	x	x	x		x	x				x	4/15/94	57	35	rec 4/7-no P/PCB	
2/18/94	69-GW12DWD-01					x											x							4/7/94	49	35	
2/18/94	69-RS-06	x	x	x	x		x	x				x	x	x	x		x	x				x	4/15/94	57	35	rec 4/7-no P/PCB	
2/18/94	69-TB-12	x																						4/7/94	49	35	rec 4/7-no P/PCB

**GROUNDWATER - SITE 69**  
**CTO-19212**

DATE SHIPPED	SAMPLE ID	Analysis Requested													Analysis Received							DATE RECD	TURNAROUND TIME	SDG NO.	COMMENTS				
		TCL VOA	TCL SVOA	TCL PEST/PCB	TAL METALS	TAL METALS (D)	CSM	THIODYGLYCOL	MIREX	ORDNANCE	ENG PARAMETERS	CYANIDE	WET CHEMISTRY	TCL VOA	TCL SVOA	TCL PEST/PCB	TAL METALS	TAL METALS (D)	CSM	THIODYGLYCOL	MIREX					ORDNANCE	ENG PARAMETERS	CYANIDE	WET CHEMISTRY
2/18/94	69-RSD-06					x																				4/7/94	49	35	
2/18/94	212-PB-01				x						x				x											4/7/94	49	35	Preservation Blank
COUNT		24	20	20	21	20	20	20	0	0	2	21	1	23	19	19	20	19	19	19	0	0	2	20	1				

SURFACE WATER - SITE 69  
CTO-19212

DATE SHIPPED	SAMPLE ID	Analysis Requested									Analysis Received									DATE REC'D	TURNAROUND TIME	SDG NO.	COMMENTS
		TCL VOA	TCL SVOA	TCL PEST/PCB	TAL METALS	CSM	THIODYGLYCOL	MIREX	ORDNANCE		TCL VOA	TCL SVOA	TCL PEST/PCB	TAL METALS	CSM	THIODYGLYCOL	MIREX	ORDNANCE					
1/8/94	69-OS-SW03	x	x	x	x	x	x				x	x	x	x	x	x				2/17/94	39	2	
1/8/94	69-OS-SW02	x	x	x	x	x	x				x	x	x	x	x	x				2/17/94	39	2	
1/8/94	69-RS-02	x	x	x	x	x	x													2/17/94	39	2	Hold - Equip Rinse (DO NOT ANALYSE)
1/8/94	69-TB-03	x									x									2/17/94	39	2	Trip Blank
1/8/94	69-OS-SW01	x	x	x	x	x	x				x	x	x	x	x	x				2/17/94	39	2	
1/8/94	69-OS-SW01	x	x	x	x	x	x				x	x	x	x	x	x				2/17/94	39	2	Duplicate
1/10/94	69-DA-SW01	x	x	x	x	x	x				x	x	x	x	x	x				2/17/94	37	2	
1/10/94	69-DA-SW02	x	x	x	x	x	x				x	x	x	x	x	x				2/17/94	37	2	
1/10/94	69-DA-SW04	x	x	x	x	x	x				x	x	x	x	x	x				2/17/94	37	2	
1/10/94	69-DA-SW03	x	x	x	x	x	x				x	x	x	x	x	x				2/17/94	37	2	
																					0		
																					0		
COUNT		10	9	9	9	9	9	0	0	0	9	8	8	8	8	8	0	0					



SEDIMENT - SITE 69  
CTO-19212

DATE SHIPPED	SAMPLE ID	Analysis Requested								Analysis Received								DATE RECD	TURNAROUND TIME	SDG NO.	COMMENTS	
		TCL VOA	TCL SVOA	TCL PEST/PCB	TAL METALS	CSM	THIODYGLYCOL	MIREX	ORDNANCE	TCL VOA	TCL SVOA	TCL PEST/PCB	TAL METALS	CSM	THIODYGLYCOL	MIREX	ORDNANCE					
1/8/94	69-OS-SD03-06	x	x	x	x	x	x			x	x	x	x	x	x			3/2/94	54	3	rec 2/21/94 - no pest/pcb	
1/8/94	69-OS-SD02-06	x	x	x	x	x	x			x	x	x	x	x	x			3/2/94	54	3	rec 2/21/94 - no pest/pcb	
1/8/94	69-OS-SD01-06	x	x	x	x	x	x			x	x	x	x	x	x			3/7/94	59	4	Includes MS/MSD; rec 2/21, no pest/pcb	
1/8/94	69-OS-SD01-06D	x	x	x	x	x	x			x	x	x	x	x	x			3/7/94	59	4	Duplicate; rec 2/21, no pest/pcb	
1/10/94	69-DA-SD01-06	x	x	x	x	x	x			x	x	x	x	x	x			3/7/94	57	4	rec 2/21/94 - no pest/pcb	
1/10/94	69-DA-SD02-06	x	x	x	x	x	x			x	x	x	x	x	x			3/7/94	57	4	rec 2/21/94 - no pest/pcb	
1/10/94	69-DA-SD03-06	x	x	x	x	x	x			x	x	x	x	x	x			3/7/94	57	4	rec 2/21/94 - no pest/pcb	
1/10/94	69-DA-SD04-06	x	x	x	x	x	x			x	x	x	x	x	x			3/7/94	57	4	Sample reextract exceeded 7 days 2-1-94; rec 2/21, no pest/psb	
1/10/94	69-TB-06	x								x								2/17/94	37	2	Trip Blank	
COUNT		9	8	8	8	8	8	0	0	0	9	8	8	8	8	8	0	0				

**APPENDIX J**  
**ENGINEERING PARAMETERS SUMMARY**

---

ROUNDWATER ENGINEERING RESULTS  
 EMEDIAL INVESTIGATION CTO-0212  
 ICB CAMP LEJEUNE, NORTH CAROLINA

Sample Identification	Units	69-GW02-01	69-GW02DW-01	74-GW05-01	41-GW04-01	41-GW04DW-0
Alkalinity	mg/l	<1.0	107	<1	136	169
Biological Oxygen Demand	mg/l	5.65	<2	3.53	3.57	<2
Chemical Oxygen Demand	mg/l	131	23.7	36.7	76.6	11
Total Phosphorus	mg/l	<0.010	0.042	0.02	0.01 U	<0.10
Total Dissolved Solids	mg/l	26	234	60	151	162
Total Kjeldahl Nitrogen	mg/l	3.46	0.445	0.739	5.59	0.184
Total Suspended Solids	mg/l	1950	232	937	540	179
Standard Plate Count	CFU/ml	9980	2.9	30700	132	5.74

Notes:

mg/l - milligram per liter

CFU/ml -

< - less than

U - nondetected

GP ENVIRONMENTAL SERVICES  
WET CHEMISTRY ANALYSIS RESULTSGP ID: 9402153-02  
Client ID: 69-GW02-DW-01Matrix: LIQUID  
Collected: 02/17/94

Parameter	Method	Result	Det.Lim.	Units	Dil.	Prepared	Analyzed By
Alkalinity	HCAW 310.1	107.0	1.00	mg/L	1		02/22/94 MG
Biological Oxygen Demand	HCAW 405.1	BQL	2.00	mg/L	1		02/22/94 JS
Chemical Oxygen Demand	HCAW 410.4	23.7	3.00	mg/L	1		03/01/94 YS
Phosphorus, Total	HCAW 365.2	0.042	0.010	mg/L	1		03/07/94 VHM
Total Dissolved Solids	HCAW 160.1	234.0	10.0	mg/L			02/22/94 JS
Total Kjeldahl Nitrogen	HCAW 351.3	0.445	0.100	mg/L	1		03/01/94 MPC
Total Suspended Solids	HCAW 160.2	232.0	5.00	mg/L			02/22/94 JS

GP ENVIRONMENTAL SERVICES  
WET CHEMISTRY ANALYSIS RESULTS

GP ID: 9402153-01  
Client ID: 69-GW02-DW-01

Matrix: LIQUID  
Collected: 02/17/94

Parameter	Method	Result	Det.Lim.	Units	Dil.	Prepared	Analyzed By
STANDARD PLATE COUNT	ASA #9 2D ED	2.90 E5	1.00	CFU/ml	1		02/21/94 SA

**GP ENVIRONMENTAL SERVICES  
WET CHEMISTRY ANALYSIS RESULTS**

GP ID: 9402121-03  
Client ID: 41-GW04-01

Matrix: LIQUID  
Collected: 02/15/94

Parameter	Method	Result	Det.Lim.	Units	Dil.	Prepared	Analyzed By
Alkalinity	MCAW 310.1	136.0	1.00	mg/L	1		02/17/94 HG
Biological Oxygen Demand	MCAW 405.1	3.57	2.00	mg/L	1		02/17/94 YS
Chemical Oxygen Demand	MCAW 410.4	76.6	3.00	mg/L	1		02/18/94 YS
STANDARD PLATE COUNT	ASA #9 2D ED	132.0	30.0	cfu/ml			02/21/94 YS
Phosphorus, Total	MCAW 365.2	0.0100	0.010	mg/L	1		03/07/94 VHM
Total Dissolved Solids	MCAW 160.1	151.0	10.0	mg/L			02/18/94 VM
Total Kjeldahl Nitrogen	MCAW 351.3	5.59	0.100	mg/L	1		03/01/94 HPC
Total Suspended Solids	MCAW 160.2	540.0	5.00	mg/L			02/18/94 VM

**GP ENVIRONMENTAL SERVICES  
WET CHEMISTRY ANALYSIS RESULTS**

GP ID: 9402159-01  
Client ID: 41-GW040W-01

Matrix: LIQUID  
Collected: 02/19/94

Parameter	Method	Result	Det.Lim.	Units	Dil.	Prepared	Analyzed By
Alkalinity	MCAW 310.1	169.0	1.00	mg/L	1		02/23/94 HPC
Biological Oxygen Demand	MCAW 405.1	BQL	2.00	mg/L	1		02/22/94 JS
Chemical Oxygen Demand	MCAW 410.4	11.0	3.00	mg/L	1		03/01/94 YS
STANDARD PLATE COUNT	ASA #9 2D ED	5.70 E4	1.00	CFU/mL	1		02/22/94 SA
Phosphorus, Total	MCAW 365.2	BQL	0.010	mg/L	1		03/07/94 VHM
Total Dissolved Solids	MCAW 160.1	162.0	10.0	mg/L			02/24/94 JS
Total Kjeldahl Nitrogen	MCAW 351.3	0.184	0.100	mg/L	1		03/01/94 HPC
Total Suspended Solids	MCAW 160.2	179.0	5.00	mg/L			02/24/94 JS

503

**GP ENVIRONMENTAL SERVICES  
WET CHEMISTRY ANALYSIS RESULTS**

GP ID: 9402137-01  
Client ID: 74-GW05-01

Matrix: LIQUID  
Collected: 02/16/94

Parameter	Method	Result	Det.Lim.	Units	Dil.	Prepared	Analyzed By
Alkalinity	MCAWW 310.1	BQL	1.00	mg/L	1		02/22/94 MG
Biological Oxygen Demand	MCAWW 405.1	3.53	2.00	mg/L	1		02/18/94 JS
Chemical Oxygen Demand	MCAWW 410.4	36.7	3.00	mg/L	1		03/01/94 YS
STANDARD PLATE COUNT	ASA #9 2D ED	30700.0	1.00	CFU/ml			02/21/94 SA
Phosphorus, Total	MCAWW 365.2	0.020	0.010	mg/L	1		03/07/94 VHM
Total Dissolved Solids	MCAWW 160.1	60.0	10.0	mg/L			02/18/94 VM
Total Kjeldahl Nitrogen	MCAWW 351.3	0.739	0.100	mg/L	1		03/01/94 HPC
Total Suspended Solids	MCAWW 160.2	937.0	5.00	mg/L			02/18/94 VM

347002



GP Environmental  
483.9522.01  
February 15, 1994

---

L A B O R A T O R Y   T E S T   R E S U L T S

---

Sample I.D.	%Gravel	%Sand	%Silt	%Clay
9401052 5A 69-RW02DW		80.7	6.9	12.4

---

	Liquid Limit	Plastic Limit	Plasticity Index
9401052 5A 69-RW02DW	16	NP	NP

---



LAW ENGINEERING


GEOTECHNICAL, ENVIRONMENTAL  
& CONSTRUCTION MATERIALS  
CONSULTANTS

PROJECT : GP Environmental  
PROJECT NUMBER : 483.9522.01  
DATE : 3-10-94


LABORATORY TEST RESULTS

Sample I.D.	9402071 01C	9402071 01D	9402071 <sup>057</sup> 02C	9402071 <sup>057</sup> 02D
% SAND	85.2	85.4	80.5	79.4
% SILT	6.3	6.4	5.2	8.4
% CLAY	8.5	8.2	14.3	12.2
USDA CLASS	SAND/ LOAMY SAND	SAND/ LOAMY SAND	LOAMY SAND	LOAMY SAND

LIQUID LIMIT	12	13	15	16
PLASTIC LIMIT	NP	NP	NP	NP
PLASTICITY INDEX	NP	NP	NP	NP

  
 Greg Hamadock  
 Manager  
 Laboratory Services

GP Environmental  
 483.9522.01  
 February 15, 1994




L A B O R A T O R Y    T E S T    R E S U L T S

Sample I.D.	%Gravel	%Sand	%Silt	%Clay
9401095:				
SE1E001A	44.0	21.2	20.5	14.3
SE1E001M	24.3	30.2	25.4	20.1
SE1E001S	4.1	45.1	32.0	18.8
SE1E002A	14.4	51.2	21.0	13.4
9401052 5A		80.7	6.9	12.4
9401066 6B		77.9	8.8	13.3

	Liquid Limit	Plastic Limit	Plasticity Index
9401052 5A	16	NP	NP
9401066 6B	16	NP	NP

	Total Density PCF	Dry Density PCF	Moisture %
9401082 3A	121.1	114.1	6.1

Note: Sample contains significant amount petroleum or coal tar distillate.

  
 Greg Hamadock  
 Manager  
 Laboratory Services

68002

**APPENDIX K**  
**FIELD DUPLICATE SUMMARY**

---

DUPLICATE SAMPLE SUMMARY  
 OPERABLE UNIT NO. 4 (SITE 69)  
 CHEMICAL STORAGE AREA SURFACE SOIL  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 REMEDIAL INVESTIGATION - CTO-0212  
 ORGANICS

Client Sample ID:	69-CSA-SB03-00	69-CSA-SB03-00D	69-CSA-SB08-00	69-CSA-SB08-00D	69-CSA-SB16-00	69-CSA-SB16-00D	
Laboratory Sample ID:	9401041-05A	9401041-06A	9401041-14A	9401041-15A	9401041-20A	9401041-21A	
Date Sampled:	01/07/94	01/07/94	01/07/94	01/07/94	01/08/94	01/08/94	
Percent Solids	92.7	92.8	91.3	90.6	91.4	92.0	
<b>SEMIVOLATILES</b>							
1,2-Dichlorobenzene	UG/KG	356.0 U	363.0 U	367.0 U	367.0 U	363.0 U	363.0 U
1,2,4-Trichlorobenzene	UG/KG	356.0 U	363.0 U	367.0 U	367.0 U	363.0 U	363.0 U
1,3-Dichlorobenzene	UG/KG	356.0 U	363.0 U	367.0 U	367.0 U	363.0 U	363.0 U
1,4-Dichlorobenzene	UG/KG	356.0 U	363.0 U	367.0 U	367.0 U	363.0 U	363.0 U
2-Chloronaphthalene	UG/KG	356.0 U	363.0 U	367.0 U	367.0 U	363.0 U	363.0 U
2-Chlorophenol	UG/KG	356.0 U	363.0 U	367.0 U	367.0 U	363.0 U	363.0 U
2-Methylnaphthalene	UG/KG	356.0 U	363.0 U	367.0 U	367.0 U	363.0 U	363.0 U
2-Methylphenol	UG/KG	356.0 U	363.0 U	367.0 U	367.0 U	363.0 U	363.0 U
2-Nitroaniline	UG/KG	864.0 U	880.0 U	889.0 U	889.0 U	880.0 U	880.0 U
2-Nitrophenol	UG/KG	356.0 U	363.0 U	367.0 U	367.0 U	363.0 U	363.0 U
2,2'-oxybis-(1-chloropropane)	UG/KG	356.0 U	363.0 U	367.0 U	367.0 U	363.0 U	363.0 U
2,4-Dichlorophenol	UG/KG	356.0 U	363.0 U	367.0 U	367.0 U	363.0 U	363.0 U
2,4-Dimethylphenol	UG/KG	356.0 U	363.0 U	367.0 U	367.0 U	363.0 U	363.0 U
2,4-Dinitrophenol	UG/KG	864.0 U	880.0 U	889.0 U	889.0 U	880.0 U	880.0 U
2,4-Dinitrotoluene	UG/KG	356.0 U	363.0 U	367.0 U	367.0 U	363.0 U	363.0 U
2,4,5-Trichlorophenol	UG/KG	864.0 U	880.0 U	889.0 U	889.0 U	880.0 U	880.0 U
2,4,6-Trichlorophenol	UG/KG	356.0 U	363.0 U	367.0 U	367.0 U	363.0 U	363.0 U
2,6-Dinitrotoluene	UG/KG	356.0 U	363.0 U	367.0 U	367.0 U	363.0 U	363.0 U
3-Nitroaniline	UG/KG	864.0 U	880.0 U	889.0 U	889.0 U	880.0 U	880.0 U
3,3'-Dichlorobenzidine	UG/KG	356.0 U	363.0 U	367.0 U	367.0 U	363.0 U	363.0 U
4-Bromophenyl-phenylether	UG/KG	356.0 U	363.0 U	367.0 U	367.0 U	363.0 U	363.0 U
4-Chloro-3-methylphenol	UG/KG	356.0 U	363.0 U	367.0 U	367.0 U	363.0 U	363.0 U
4-Chloroaniline	UG/KG	356.0 U	363.0 U	367.0 U	367.0 U	363.0 U	363.0 U
4-Chlorophenyl phenyl ether	UG/KG	356.0 U	363.0 U	367.0 U	367.0 U	363.0 U	363.0 U
4-Methylphenol	UG/KG	356.0 U	363.0 U	367.0 U	367.0 U	363.0 U	363.0 U
4-Nitroaniline	UG/KG	864.0 U	880.0 U	889.0 U	889.0 U	880.0 U	880.0 U
4-Nitrophenol	UG/KG	864.0 U	880.0 U	889.0 U	889.0 U	880.0 U	880.0 U
4,6-Dinitro-2-methylphenol	UG/KG	864.0 U	880.0 U	889.0 U	889.0 U	880.0 U	880.0 U
Acenaphthene	UG/KG	356.0 U	363.0 U	367.0 U	367.0 U	363.0 U	363.0 U
Acenaphthylene	UG/KG	356.0 U	363.0 U	367.0 U	367.0 U	363.0 U	363.0 U
Anthracene	UG/KG	356.0 U	363.0 U	367.0 U	367.0 U	363.0 U	363.0 U
Benzo[a]anthracene	UG/KG	356.0 U	363.0 U	367.0 U	367.0 U	363.0 U	363.0 U
Benzo[a]pyrene	UG/KG	356.0 U	363.0 U	367.0 U	367.0 U	363.0 U	363.0 U

DUPLICATE SAMPLE SUMMARY  
 OPERABLE UNIT NO. 4 (SITE 69)  
 CHEMICAL STORAGE AREA SURFACE SOIL  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 REMEDIAL INVESTIGATION - CTO-0212  
 ORGANICS

Client Sample ID:	69-CSA-SB03-00	69-CSA-SB03-00D	69-CSA-SB08-00	69-CSA-SB08-00D	69-CSA-SB16-00	69-CSA-SB16-00D
Laboratory Sample ID:	9401041-05A	9401041-06A	9401041-14A	9401041-15A	9401041-20A	9401041-21A
Date Sampled:	01/07/94	01/07/94	01/07/94	01/07/94	01/08/94	01/08/94
Percent Solids	92.7	92.8	91.3	90.6	91.4	92.0
<u>SEMIVOLATILES Cont.</u>						
Benzo[b]fluoranthene	UG/KG	356.0 U	363.0 U	367.0 U	367.0 U	363.0 U
Benzo[g,h,i]perylene	UG/KG	356.0 U	363.0 U	367.0 U	367.0 U	363.0 U
Benzo[k]fluoranthene	UG/KG	356.0 U	363.0 U	367.0 U	367.0 U	363.0 U
bis(2-Chloroethoxy) methane	UG/KG	356.0 U	363.0 U	367.0 U	367.0 U	363.0 U
bis(2-Chloroethyl) ether	UG/KG	356.0 U	363.0 U	367.0 U	367.0 U	363.0 U
bis(2-Ethylhexyl)phthalate	UG/KG	356.0 U	363.0 U	367.0 U	367.0 U	363.0 U
Butyl benzyl phthalate	UG/KG	356.0 U	363.0 U	367.0 U	367.0 U	363.0 U
Carbazole	UG/KG	356.0 U	363.0 U	367.0 U	367.0 U	363.0 U
Chrysene	UG/KG	356.0 U	363.0 U	367.0 U	367.0 U	363.0 U
Dibenzofuran	UG/KG	356.0 U	363.0 U	367.0 U	367.0 U	363.0 U
Dibenz[a,h]anthracene	UG/KG	356.0 U	363.0 U	367.0 U	367.0 U	363.0 U
Diethylphthalate	UG/KG	356.0 U	363.0 U	367.0 U	367.0 U	363.0 U
Dimethyl phthalate	UG/KG	356.0 U	363.0 U	367.0 U	367.0 U	363.0 U
di-n-Butylphthalate	UG/KG	51.0 J	130.0 J	37.0 J	210.0 J	160.0 J
di-n-Octylphthalate	UG/KG	356.0 U	363.0 U	367.0 U	367.0 U	363.0 U
Fluoranthene	UG/KG	356.0 U	363.0 U	367.0 U	367.0 U	363.0 U
Fluorene	UG/KG	356.0 U	363.0 U	367.0 U	367.0 U	363.0 U
Hexachlorobenzene	UG/KG	356.0 U	363.0 U	367.0 U	367.0 U	363.0 U
Hexachlorobutadiene	UG/KG	356.0 U	363.0 U	367.0 U	367.0 U	363.0 U
Hexachlorocyclopentadiene	UG/KG	356.0 U	363.0 U	367.0 U	367.0 U	363.0 U
Hexachloroethane	UG/KG	356.0 U	363.0 U	367.0 U	367.0 U	363.0 U
Indeno[1,2,3-cd]pyrene	UG/KG	356.0 U	363.0 U	367.0 U	367.0 U	363.0 U
Isophorone	UG/KG	356.0 U	363.0 U	367.0 U	367.0 U	363.0 U
Naphthalene	UG/KG	356.0 U	363.0 U	367.0 U	367.0 U	363.0 U
Nitrobenzene	UG/KG	356.0 U	363.0 U	367.0 U	367.0 U	363.0 U
N-Nitroso-di-n-propylamine	UG/KG	356.0 U	363.0 U	367.0 U	367.0 U	363.0 U
N-nitrosodiphenylamine	UG/KG	356.0 U	363.0 U	367.0 U	367.0 U	363.0 U
Pentachlorophenol	UG/KG	864.0 U	880.0 U	889.0 U	889.0 U	880.0 U
Phenanthrene	UG/KG	356.0 U	363.0 U	367.0 U	367.0 U	363.0 U
Phenol	UG/KG	356.0 U	363.0 U	367.0 U	367.0 U	363.0 U
Pyrene	UG/KG	356.0 U	363.0 U	367.0 U	367.0 U	363.0 U

DUPLICATE SAMPLE SUMMARY  
 OPERABLE UNIT NO. 4 (SITE 69)  
 CHEMICAL STORAGE AREA SURFACE SOIL  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 REMEDIAL INVESTIGATION - CTO-0212  
 ORGANICS

Client Sample ID:	69-CSA-SB03-00	69-CSA-SB03-00D	69-CSA-SB08-00	69-CSA-SB08-00D	69-CSA-SB16-00	69-CSA-SB16-00D
Laboratory Sample ID:	9401041-05A	9401041-06A	9401041-14A	9401041-15A	9401041-20A	9401041-21A
Date Sampled:	01/07/94	01/07/94	01/07/94	01/07/94	01/08/94	01/08/94
Percent Solids	92.7	92.8	91.3	90.6	91.4	92.0
<b><u>VOLATILES</u></b>						
Chloromethane	UG/KG	10.8 UJ	10.8 UJ	11.0 U	11.0 U	10.9 U
Bromomethane	UG/KG	10.8 UJ	10.8 UJ	11.0 U	11.0 U	10.9 U
Vinyl chloride	UG/KG	10.8 UJ	10.8 UJ	11.0 U	11.0 U	10.9 U
Chloroethane	UG/KG	10.8 UJ	10.8 UJ	11.0 U	11.0 U	10.9 U
Methylene chloride	UG/KG	9.0 J	8.0 J	11.00 U	12.0	8.00 J
Acetone	UG/KG	11.0 UJ	17.0 J	107.0 U	11.00 U	11.00 U
Carbon Disulfide	UG/KG	10.8 UJ	10.8 UJ	11.0 U	11.0 U	10.9 U
1,1-Dichloroethene	UG/KG	10.8 UJ	10.8 UJ	11.0 U	11.0 U	10.9 U
1,1-Dichloroethane	UG/KG	10.8 UJ	10.8 UJ	11.0 U	11.0 U	10.9 U
1,2-Dichloroethene(total)	UG/KG	10.8 UJ	10.8 UJ	11.0 U	11.0 U	10.9 U
Chloroform	UG/KG	10.8 UJ	10.8 UJ	11.0 U	11.0 U	10.9 U
1,2-Dichloroethane	UG/KG	10.8 UJ	10.8 UJ	11.0 U	11.0 U	10.9 U
2-Butanone	UG/KG	10.8 UJ	10.8 UJ	11.0 UJ	11.0 U	10.9 U
1,1,1-Trichloroethane	UG/KG	10.8 U	10.8 U	11.0 U	11.0 U	10.9 U
Carbon tetrachloride	UG/KG	10.8 U	10.8 U	11.0 U	11.0 U	10.9 U
Bromodichloromethane	UG/KG	10.8 U	10.8 U	11.0 U	11.0 U	10.9 U
1,2-Dichloropropane	UG/KG	10.8 U	10.8 U	11.0 U	11.0 U	10.9 U
cis-1,3-Dichloropropene	UG/KG	10.8 U	10.8 U	11.0 U	11.0 U	10.9 U
Trichloroethene	UG/KG	10.8 U	10.8 U	11.0 U	11.0 U	10.9 U
Dibromochloromethane	UG/KG	10.8 U	10.8 U	11.0 U	11.0 U	10.9 U
1,1,2-Trichloroethane	UG/KG	10.8 U	10.8 U	11.0 U	11.0 U	10.9 U
Benzene	UG/KG	10.8 U	10.8 U	11.0 U	11.0 U	10.9 U
trans-1,3-Dichloropropene	UG/KG	10.8 U	10.8 U	11.0 U	11.0 U	10.9 U
Bromoform	UG/KG	10.8 U	10.8 U	11.0 U	11.0 U	10.9 U
4-Methyl-2-pentanone	UG/KG	10.8 UJ	10.8 U	10.0 J	11.0 U	2.00 J
2-Hexanone	UG/KG	10.8 UJ	10.8 U	11.0 U	11.0 U	10.9 U
Tetrachloroethene	UG/KG	10.8 UJ	10.8 U	11.0 U	11.0 U	10.9 U
1,1,2,2-Tetrachloroethane	UG/KG	10.8 UJ	10.8 U	11.0 U	11.0 U	10.9 U
Toluene	UG/KG	10.8 UJ	10.8 U	11.0 U	11.0 U	10.9 U
Chlorobenzene	UG/KG	10.8 UJ	10.8 U	11.0 U	11.0 U	10.9 U
Ethylbenzene	UG/KG	10.8 UJ	10.8 U	11.0 U	11.0 U	10.9 U
Styrene	UG/KG	10.8 UJ	10.8 U	11.0 U	11.0 U	10.9 U
Xylenes (total)	UG/KG	10.8 UJ	10.8 U	11.0 U	11.0 U	10.9 U

DUPLICATE SAMPLE SUMMARY  
 OPERABLE UNIT NO. 4 (SITE 69)  
 CHEMICAL STORAGE AREA SURFACE SOIL  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 REMEDIAL INVESTIGATION - CTO-0212  
 ORGANICS

Client Sample ID:	69-CSA-SB03-00	69-CSA-SB03-00D	69-CSA-SB08-00	69-CSA-SB08-00D	69-CSA-SB16-00	69-CSA-SB16-00D
Laboratory Sample ID:	9401041-05A	9401041-06A	9401041-14A	9401041-15A	9401041-20A	9401041-21A
Date Sampled:	01/07/94	01/07/94	01/07/94	01/07/94	01/08/94	01/08/94
Percent Solids	92.7	92.8	91.3	90.6	91.4	92.0
<b>PESTICIDE/PCBS</b>						
alpha-BHC	UG/KG	1.83 UJ	1.82 UJ	1.87 UJ	1.87 UJ	1.85 UJ
beta-BHC	UG/KG	1.83 UJ	1.82 UJ	1.87 UJ	1.87 UJ	1.85 UJ
delta-BHC	UG/KG	1.83 UJ	1.82 UJ	1.87 UJ	1.87 UJ	1.85 UJ
Lindane (gamma-BHC)	UG/KG	1.83 UJ	1.82 UJ	1.87 UJ	1.87 UJ	1.85 UJ
Heptachlor	UG/KG	1.83 UJ	1.82 UJ	1.87 UJ	1.87 UJ	1.85 UJ
Aldrin	UG/KG	1.83 UJ	1.82 UJ	1.87 UJ	1.87 UJ	1.85 UJ
Heptachlor epoxide	UG/KG	1.83 UJ	1.82 UJ	1.87 UJ	1.87 UJ	1.85 UJ
Endosulfan I	UG/KG	1.83 UJ	1.82 UJ	1.87 UJ	1.87 UJ	1.85 UJ
Dieldrin	UG/KG	3.55 UJ	3.53 UJ	3.63 UJ	3.63 UJ	3.59 UJ
4,4'-DDE	UG/KG	3.55 UJ	3.53 UJ	3.63 UJ	3.63 UJ	3.59 UJ
Endrin	UG/KG	3.55 UJ	3.53 UJ	3.63 UJ	3.63 UJ	3.59 UJ
Endosulfan II	UG/KG	3.55 UJ	3.53 UJ	3.63 UJ	3.63 UJ	3.59 UJ
4,4'-DDD	UG/KG	3.55 UJ	3.53 UJ	3.63 UJ	3.63 UJ	3.59 UJ
Endosulfan sulfate	UG/KG	3.55 UJ	3.53 UJ	3.63 UJ	3.63 UJ	3.59 UJ
4,4'-DDT	UG/KG	3.55 UJ	3.53 UJ	3.63 UJ	3.63 UJ	3.59 UJ
Methoxychlor	UG/KG	18.3 UJ	18.2 UJ	18.7 UJ	18.7 UJ	18.5 UJ
Endrin ketone	UG/KG	3.55 UJ	3.53 UJ	3.63 UJ	3.63 UJ	3.59 UJ
Endrin aldehyde	UG/KG	3.55 UJ	3.53 UJ	3.63 UJ	3.63 UJ	3.59 UJ
alpha-Chlordane	UG/KG	1.83 UJ	1.82 UJ	1.87 UJ	1.87 UJ	1.85 UJ
gamma-Chlordane	UG/KG	1.83 UJ	1.82 UJ	1.87 UJ	1.87 UJ	1.85 UJ
Toxaphene	UG/KG	183.0 UJ	182.0 UJ	187.0 UJ	187.0 UJ	185.0 UJ
Aroclor 1016	UG/KG	35.5 UJ	35.3 UJ	36.3 UJ	36.3 UJ	35.9 UJ
Aroclor 1221	UG/KG	72.0 UJ	71.7 UJ	73.6 UJ	73.6 UJ	72.8 UJ
Aroclor 1232	UG/KG	35.5 UJ	35.3 UJ	36.3 UJ	36.3 UJ	35.9 UJ
Aroclor 1242	UG/KG	35.5 UJ	35.3 UJ	36.3 UJ	36.3 UJ	35.9 UJ
Aroclor 1248	UG/KG	35.5 UJ	35.3 UJ	36.3 UJ	36.3 UJ	35.9 UJ
Aroclor 1254	UG/KG	35.5 UJ	35.3 UJ	36.3 UJ	36.3 UJ	35.9 UJ
Aroclor 1260	UG/KG	35.5 UJ	35.3 UJ	36.3 UJ	36.3 UJ	35.9 UJ



DUPLICATE SAMPLE SUMMARY  
 OPERABLE UNIT NO. 4 (SITE 69)  
 CHEMICAL STORAGE AREA SURFACE SOIL  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 REMEDIAL INVESTIGATION - CTO-0212  
 ORGANICS

Client Sample ID:	69-CSA-SB03-00	69-CSA-SB03-00D	69-CSA-SB08-00	69-CSA-SB08-00D	69-CSA-SB16-00	69-CSA-SB16-00D
Laboratory Sample ID:	9401041-05A	9401041-06A	9401041-14A	9401041-15A	9401041-20A	9401041-21A
Date Sampled:	01/07/94	01/07/94	01/07/94	01/07/94	01/08/94	01/08/94
Percent Solids	92.7	92.8	91.3	90.6	91.4	92.0
<u>CHEMICAL SURETY</u>						
Acetophenone	UG/KG	356.0 U	363.0 U	367.0 U	367.0 U	363.0 U
Chloroacetophenone	UG/KG	356.0 U	363.0 U	367.0 U	367.0 U	363.0 U
Hydroxyacetophenone	UG/KG	1780.0 U	1820.0 U	120.0 J	1830.0 U	1820.0 U
Bis(2'-chloroethyl)disulfide	UG/KG	1780.0 U	1820.0 U	1830.0 U	1830.0 U	1820.0 U
Bis(2'-chloroethyl)trisulfide	UG/KG	1780.0 U	1820.0 U	1830.0 U	1830.0 U	1820.0 U
1,4-Dithiane	UG/KG	356.0 U	363.0 U	367.0 U	367.0 U	363.0 U
1,4-Oxathiane	UG/KG	356.0 U	363.0 U	367.0 U	367.0 U	363.0 U
<u>THIODIGLYCOL</u>						
Thiodiglycol	MG/KG	6.75 U	6.75 U	6.89 U	6.89 U	6.81 U

DUPLICATE SAMPLE SUMMARY  
 OPERABLE UNIT NO. 4 (SITE 69)  
 CHEMICAL STORAGE AREA SURFACE SOIL  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 REMEDIAL INVESTIGATION - CTO-0212  
 TAL INORGANICS

Client Sample ID:	69-CSA-SB03-00	69-CSA-SB03-00D	69-CSA-SB08-00	69-CSA-SB08-00D	69-CSA-SB16-00	69-CSA-SB16-00D
Laboratory Sample ID:	9401041-05A	9401041-06A	9401041-14A	9401041-15A	9401041-20A	9401041-21A
Date Sampled:	01/07/94	01/07/94	01/07/94	01/07/94	01/08/94	01/08/94
Percent Solids	92.7	92.8	91.3	90.6	91.4	92.0
	<u>UNITS</u>					
Aluminum	MG/KG	2270.0	2340.0	1330.0	1190.0	2630.0
Antimony	MG/KG	1.70 U	1.70 U	1.70 U	1.70 U	1.70 U
Arsenic	MG/KG	0.630 U	0.620 U	0.640 U	0.640 U	0.630 U
Barium	MG/KG	4.30	3.40	3.00 U	3.00 U	3.00
Beryllium	MG/KG	0.280 U	0.280 U	0.280 U	0.290 U	0.280 U
Cadmium	MG/KG	0.520 U	0.520 U	0.530 U	0.530 U	0.530 U
Calcium	MG/KG	27.0 U	32.4	27.4 U	27.6 U	27.4 U
Chromium	MG/KG	1.60	2.10	1.70	1.60 U	2.00
Cobalt	MG/KG	4.20 U	4.20 U	4.20 U	4.30 U	4.20 U
Copper	MG/KG	3.50 U	3.50 U	3.50 U	3.60 U	3.50 U
Iron	MG/KG	1200.0	1280.0	622.0	504.0	1340.0
Lead	MG/KG	1.10 J	1.20 J	2.30 J	2.50 J	1.60 J
Magnesium	MG/KG	54.8	60.5	22.7	23.7	57.2
Manganese	MG/KG	4.80	4.60	2.90	2.20	4.70
Mercury	MG/KG	0.050 U	0.050 U	0.050 U	0.060 U	0.050 U
Nickel	MG/KG	2.90 U	2.90 U	3.00 U	3.00 U	3.00 U
Potassium	MG/KG	64.7 U	64.7 U	65.7 U	66.2 U	65.6 U
Selenium	MG/KG	0.540 UJ	0.540 UJ	0.550 UJ	0.550 UJ	0.550 UJ
Silver	MG/KG	0.090 UJ	0.090 UJ	0.090 UJ	0.090 UJ	0.090 UJ
Sodium	MG/KG	41.0 UJ	40.9 UJ	41.6 UJ	41.9 UJ	41.6 UJ
Thallium	MG/KG	0.990 U	0.990 U	1.00 U	1.00 U	1.00 U
Vanadium	MG/KG	3.60 U	3.60 U	3.60 U	3.70 U	3.60 U
Zinc	MG/KG	2.40 U	2.70 U	3.80 U	2.40 U	3.50 U
Total Cyanide	MG/KG	1.10 UJ	1.10 UJ	1.10 UJ	1.10 UJ	1.10 UJ

DUPLICATE SAMPLE SUMMARY  
 OPERABLE UNIT NO. 14 (SITE 69)  
 CHEMICAL STORAGE AREA SUBSURFACE SOIL  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 REMEDIAL INVESTIGATION - CTO-0212  
 ORGANICS

Client Sample ID:	69-GW02DW-01	69-GW02DW-01D	69-DA-HP02-01	69-DA-HP02D-01
Laboratory Sample ID:	9401052-03A	9401081-02A	9503186-08	9503186-09
Date Sampled:	01/09/94	01/10/94	03/22/95	03/22/95
Depth:			2-4'	2-4'
Percent Solids	89.6	88.9	80.3	80.4

UNITS

SEMIVOLATILES

Compound Name	Unit	69-GW02DW-01	69-GW02DW-01D	69-DA-HP02-01	69-DA-HP02D-01
1,2-Dichlorobenzene	UG/KG	366.0 U	370.0 U	NA	NA
1,2,4-Trichlorobenzene	UG/KG	366.0 U	370.0 U	NA	NA
1,3-Dichlorobenzene	UG/KG	366.0 U	370.0 U	NA	NA
1,4-Dichlorobenzene	UG/KG	366.0 U	370.0 U	NA	NA
2-Chloronaphthalene	UG/KG	366.0 U	370.0 U	NA	NA
2-Chlorophenol	UG/KG	366.0 U	370.0 U	NA	NA
2-Methylnaphthalene	UG/KG	366.0 U	370.0 U	NA	NA
2-Methylphenol	UG/KG	366.0 U	370.0 U	NA	NA
2-Nitroaniline	UG/KG	888.0 U	898.0 U	NA	NA
2-Nitrophenol	UG/KG	366.0 U	370.0 U	NA	NA
2,2'-oxybis-(1-chloropropane)	UG/KG	366.0 U	370.0 U	NA	NA
2,4-Dichlorophenol	UG/KG	366.0 U	370.0 U	NA	NA
2,4-Dimethylphenol	UG/KG	366.0 U	370.0 U	NA	NA
2,4-Dinitrophenol	UG/KG	888.0 U	898.0 U	NA	NA
2,4-Dinitrotoluene	UG/KG	366.0 U	370.0 U	NA	NA
2,4,5-Trichlorophenol	UG/KG	888.0 U	898.0 U	NA	NA
2,4,6-Trichlorophenol	UG/KG	366.0 U	370.0 U	NA	NA
2,6-Dinitrotoluene	UG/KG	366.0 U	370.0 U	NA	NA
3-Nitroaniline	UG/KG	888.0 U	898.0 U	NA	NA
3,3'-Dichlorobenzidine	UG/KG	366.0 U	370.0 U	NA	NA
4-Bromophenyl-phenylether	UG/KG	366.0 U	370.0 U	NA	NA
4-Chloro-3-methylphenol	UG/KG	366.0 U	370.0 U	NA	NA
4-Chloroaniline	UG/KG	366.0 U	370.0 U	NA	NA
4-Chlorophenyl phenyl ether	UG/KG	366.0 U	370.0 U	NA	NA
4-Methylphenol	UG/KG	366.0 U	370.0 U	NA	NA
4-Nitroaniline	UG/KG	888.0 U	898.0 U	NA	NA
4-Nitrophenol	UG/KG	888.0 U	898.0 U	NA	NA
4,6-Dinitro-2-methylphenol	UG/KG	888.0 U	898.0 U	NA	NA
Acenaphthene	UG/KG	366.0 U	370.0 U	NA	NA
Acenaphthylene	UG/KG	366.0 U	370.0 U	NA	NA
Anthracene	UG/KG	366.0 U	370.0 U	NA	NA
Benzo[a]anthracene	UG/KG	366.0 U	370.0 U	NA	NA
Benzo[a]pyrene	UG/KG	366.0 U	370.0 U	NA	NA

DUPLICATE SAMPLE SUMMARY  
 OPERABLE UNIT NO. 14 (SITE 69)  
 CHEMICAL STORAGE AREA SUBSURFACE SOIL  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 REMEDIAL INVESTIGATION - CTO-0212  
 ORGANICS

Client Sample ID:	69-GW02DW-01	69-GW02DW-01D	69-DA-HP02-01	69-DA-HP02D-01
Laboratory Sample ID:	9401052-03A	9401081-02A	9503186-08	9503186-09
Date Sampled:	01/09/94	01/10/94	03/22/95	03/22/95
Depth:			2-4'	2-4'
Percent Solids	89.6	88.9	80.3	80.4

UNITS

SEMIVOLATILES Cont.

Compound	Unit	69-GW02DW-01	69-GW02DW-01D	69-DA-HP02-01	69-DA-HP02D-01
Benzo[b]fluoranthene	UG/KG	366.0 U	370.0 U	NA	NA
Benzo[g,h,i]perylene	UG/KG	366.0 U	370.0 U	NA	NA
Benzo[k]fluoranthene	UG/KG	366.0 U	370.0 U	NA	NA
bis(2-Chloroethoxy) methane	UG/KG	366.0 U	370.0 U	NA	NA
bis(2-Chloroethyl) ether	UG/KG	366.0 U	370.0 U	NA	NA
bis(2-Ethylhexyl)phthalate	UG/KG	366.0 U	370.0 U	NA	NA
Butyl benzyl phthalate	UG/KG	366.0 U	370.0 U	NA	NA
Carbazole	UG/KG	366.0 U	370.0 U	NA	NA
Chrysene	UG/KG	366.0 U	370.0 U	NA	NA
Dibenzofuran	UG/KG	366.0 U	370.0 U	NA	NA
Dibenz[a,h]anthracene	UG/KG	366.0 U	370.0 U	NA	NA
Diethylphthalate	UG/KG	366.0 U	370.0 U	NA	NA
Dimethyl phthalate	UG/KG	366.0 U	370.0 U	NA	NA
di-n-Butylphthalate	UG/KG	366.0 U	370.0 U	NA	NA
di-n-Octylphthalate	UG/KG	366.0 U	370.0 U	NA	NA
Fluoranthene	UG/KG	366.0 U	370.0 U	NA	NA
Fluorene	UG/KG	366.0 U	370.0 U	NA	NA
Hexachlorobenzene	UG/KG	366.0 U	370.0 U	NA	NA
Hexachlorobutadiene	UG/KG	366.0 U	370.0 U	NA	NA
Hexachlorocyclopentadiene	UG/KG	366.0 U	370.0 U	NA	NA
Hexachloroethane	UG/KG	366.0 U	370.0 U	NA	NA
Indeno[1,2,3-cd]pyrene	UG/KG	366.0 U	370.0 U	NA	NA
Isophorone	UG/KG	366.0 U	370.0 U	NA	NA
Naphthalene	UG/KG	366.0 U	370.0 U	NA	NA
Nitrobenzene	UG/KG	366.0 U	370.0 U	NA	NA
N-Nitroso-di-n-propylamine	UG/KG	366.0 U	370.0 U	NA	NA
N-nitrosodiphenylamine	UG/KG	366.0 U	370.0 U	NA	NA
Pentachlorophenol	UG/KG	888.0 U	898.0 U	NA	NA
Phenanthrene	UG/KG	366.0 U	370.0 U	NA	NA
Phenol	UG/KG	366.0 U	370.0 U	NA	NA
Pyrene	UG/KG	366.0 U	370.0 U	NA	NA

DUPLICATE SAMPLE SUMMARY  
 OPERABLE UNIT NO. 14 (SITE 69)  
 CHEMICAL STORAGE AREA SUBSURFACE SOIL  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 REMEDIAL INVESTIGATION - CTO-0212  
 ORGANICS

Client Sample ID:	69-GW02DW-01	69-GW02DW-01D	69-DA-HP02-01	69-DA-HP02D-01
Laboratory Sample ID:	9401052-03A	9401081-02A	9503186-08	9503186-09
Date Sampled:	01/09/94	01/10/94	03/22/95	03/22/95
Depth:			2-4'	2-4'
Percent Solids	89.6	88.9	80.3	80.4

UNITS

VOLATILES

Chloromethane	UG/KG	11.1 UJ	11.2 U	14 U	14 U
Bromomethane	UG/KG	11.1 UJ	11.2 U	14 U	14 U
Vinyl chloride	UG/KG	11.1 UJ	11.2 U	14 U	14 U
Chloroethane	UG/KG	11.1 UJ	11.2 U	14 U	14 U
Methylene chloride	UG/KG	15.0 J	11.5	14 U	14 U
Acetone	UG/KG	15000.0 J	4.00 J	14 U	14 U
Carbon Disulfide	UG/KG	11.1 UJ	11.2 U	14 U	14 U
1,1-Dichloroethene	UG/KG	11.1 UJ	11.2 U	14 U	14 U
1,1-Dichloroethane	UG/KG	11.1 UJ	11.2 U	14 U	14 U
1,2-Dichloroethene(total)	UG/KG	11.1 UJ	11.2 U	14 U	14 U
Chloroform	UG/KG	11.1 UJ	11.2 U	14 U	14 U
1,2-Dichloroethane	UG/KG	11.1 UJ	11.2 U	14 U	14 U
2-Butanone	UG/KG	11.1 UJ	11.2 U	14 U	14 U
1,1,1-Trichloroethane	UG/KG	11.1 UJ	11.2 U	14 U	14 U
Carbon tetrachloride	UG/KG	11.1 UJ	11.2 U	14 U	14 U
Bromodichloromethane	UG/KG	11.1 UJ	11.2 U	14 U	14 U
1,2-Dichloropropane	UG/KG	11.1 UJ	11.2 U	14 U	14 U
cis-1,3-Dichloropropene	UG/KG	11.1 UJ	11.2 U	14 U	14 U
Trichloroethene	UG/KG	11.1 UJ	11.2 U	14 U	14 U
Dibromochloromethane	UG/KG	11.1 UJ	11.2 U	14 U	14 U
1,1,2-Trichloroethane	UG/KG	11.1 UJ	11.2 U	14 U	3 J
Benzene	UG/KG	11.1 UJ	11.2 U	14 U	14 U
trans-1,3-Dichloropropene	UG/KG	11.1 UJ	11.2 U	14 U	14 U
Bromoform	UG/KG	11.1 UJ	11.2 U	14 U	14 U
4-Methyl-2-pentanone	UG/KG	11.1 UJ	2.00 J	14 U	14 U
2-Hexanone	UG/KG	11.1 UJ	11.2 U	14 U	14 U
Tetrachloroethene	UG/KG	11.1 UJ	11.2 U	14 U	14 U
1,1,2,2-Tetrachloroethane	UG/KG	11.1 UJ	11.2 U	14 U	14 U
Toluene	UG/KG	11.1 UJ	11.2 U	14 U	14 U
Chlorobenzene	UG/KG	11.1 UJ	11.2 U	14 U	14 U
Ethylbenzene	UG/KG	11.1 UJ	11.2 U	14 U	14 U
Styrene	UG/KG	11.1 UJ	11.2 U	14 U	14 U
Xylenes (total)	UG/KG	11.1 UJ	11.2 U	14 U	14 U

DUPLICATE SAMPLE SUMMARY  
 OPERABLE UNIT NO. 14 (SITE 69)  
 CHEMICAL STORAGE AREA SUBSURFACE SOIL  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 REMEDIAL INVESTIGATION - CTO-0212  
 ORGANICS

Client Sample ID:	69-GW02DW-01	69-GW02DW-01D	69-DA-HP02-01	69-DA-HP02D-01
Laboratory Sample ID:	9401052-03A	9401081-02A	9503186-08	9503186-09
Date Sampled:	01/09/94	01/10/94	03/22/95	03/22/95
Depth:			2-4'	2-4'
Percent Solids	89.6	88.9	80.3	80.4

UNITS

PESTICIDE/PCBS

alpha-BHC	UG/KG	1.89 UJ	1.91 UJ	NA	NA
beta-BHC	UG/KG	1.89 UJ	1.91 UJ	NA	NA
delta-BHC	UG/KG	1.89 UJ	1.91 UJ	NA	NA
Lindane (gamma-BHC)	UG/KG	1.89 UJ	1.91 UJ	NA	NA
Heptachlor	UG/KG	1.89 UJ	1.91 UJ	NA	NA
Aldrin	UG/KG	1.89 UJ	1.91 UJ	NA	NA
Heptachlor epoxide	UG/KG	1.89 UJ	1.91 UJ	NA	NA
Endosulfan I	UG/KG	1.89 UJ	1.91 UJ	NA	NA
Dieldrin	UG/KG	3.67 UJ	3.71 UJ	NA	NA
4,4'-DDE	UG/KG	3.67 UJ	3.71 UJ	NA	NA
Endrin	UG/KG	1.20 J	3.71 UJ	NA	NA
Endosulfan II	UG/KG	3.67 UJ	3.71 UJ	NA	NA
4,4'-DDD	UG/KG	3.67 UJ	3.71 UJ	NA	NA
Endosulfan sulfate	UG/KG	3.67 UJ	3.71 UJ	NA	NA
4,4'-DDT	UG/KG	1.60 J	3.71 UJ	NA	NA
Methoxychlor	UG/KG	18.9 UJ	19.1 UJ	NA	NA
Endrin ketone	UG/KG	3.67 UJ	3.71 UJ	NA	NA
Endrin aldehyde	UG/KG	3.67 UJ	3.71 UJ	NA	NA
alpha-Chlordane	UG/KG	1.89 UJ	1.91 UJ	NA	NA
gamma-Chlordane	UG/KG	1.89 UJ	1.91 UJ	NA	NA
Toxaphene	UG/KG	189.0 UJ	191.0 UJ	NA	NA
Aroclor 1016	UG/KG	36.7 UJ	37.1 UJ	NA	NA
Aroclor 1221	UG/KG	74.4 UJ	75.3 UJ	NA	NA
Aroclor 1232	UG/KG	36.7 UJ	37.1 UJ	NA	NA
Aroclor 1242	UG/KG	36.7 UJ	37.1 UJ	NA	NA
Aroclor 1248	UG/KG	36.7 UJ	37.1 UJ	NA	NA
Aroclor 1254	UG/KG	36.7 UJ	37.1 UJ	NA	NA
Aroclor 1260	UG/KG	36.7 UJ	37.1 UJ	NA	NA

DUPLICATE SAMPLE SUMMARY  
 OPERABLE UNIT NO. 4 (SITE 69)  
 CHEMICAL STORAGE AREA SUBSURFACE SOIL  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 REMEDIAL INVESTIGATION - CTO-0212  
 TAL INORGANICS

Client Sample ID:	69-GW02DW-01	69-GW02DW-01
Laboratory Sample ID:	9401052-03A	9401081-02A
Date Sampled:	01/09/94	01/10/94
Percent Solids	89.6	88.9

	<u>UNITS</u>		
Aluminum	MG/KG	1610.0	2290.0
Antimony	MG/KG	1.76 U	1.78 U
Arsenic	MG/KG	0.647 UJ	0.652 U
Barium	MG/KG	6.80	3.78
Beryllium	MG/KG	0.288 U	0.290 U
Cadmium	MG/KG	0.524 U	0.529 U
Calcium	MG/KG	170.0	57.1
Chromium	MG/KG	1.76	2.09
Cobalt	MG/KG	4.33 U	4.36 U
Copper	MG/KG	3.62 U	3.64 U
Iron	MG/KG	1100.0	1490.0
Lead	MG/KG	4.63	2.84
Magnesium	MG/KG	52.8	49.3
Manganese	MG/KG	2.52	2.05
Mercury	MG/KG	0.086 U	0.085 U
Nickel	MG/KG	3.04 U	3.06 U
Potassium	MG/KG	67.0 UJ	112.0 J
Selenium	MG/KG	0.565 UJ	0.569 UJ
Silver	MG/KG	0.089 UJ	0.090 UJ
Sodium	MG/KG	42.4 U	47.4
Thallium	MG/KG	1.03 U	1.03 U
Vanadium	MG/KG	3.70 U	3.73 U
Zinc	MG/KG	4.22 U	6.87 U
Total Cyanide	MG/KG	1.12 UJ	1.12 UJ

DUPLICATE SAMPLE SUMMARY  
 OPERABLE UNIT NO. 4 (SITE 69)  
 GROUNDWATER  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 REMEDIAL INVESTIGATION - CTO-0212  
 ORGANICS

Client Sample ID:	69-GW02-01	69-GW02-01D	69-GW02-DW-01	69-GW02DW-01D
Laboratory Sample ID:	9401128-01A	9401128-02A	9402153-01	9402153-04
Date Sampled:	01/22/94	01/22/94		

	<u>UNITS</u>				
<u>SEMIVOLATILES</u>					
1,2-Dichlorobenzene	UG/L	17.0 U	20.0 U	13.3 U	11.1 U
1,2,4-Trichlorobenzene	UG/L	17.0 U	20.0 U	13.3 U	11.1 U
1,3-Dichlorobenzene	UG/L	17.0 U	20.0 U	13.3 U	11.1 U
1,4-Dichlorobenzene	UG/L	17.0 U	20.0 U	13.3 U	11.1 U
2-Chloronaphthalene	UG/L	17.0 U	20.0 U	13.3 U	11.1 U
2-Chlorophenol	UG/L	17.0 U	20.0 U	13.3 U	11.1 U
2-Methylnaphthalene	UG/L	17.0 U	20.0 U	13.3 U	11.1 U
2-Methylphenol	UG/L	17.0 U	20.0 U	13.3 U	11.1 U
2-Nitroaniline	UG/L	42.5 U	50.0 U	33.3 U	27.8 U
2-Nitrophenol	UG/L	17.0 U	20.0 U	13.3 U	11.1 U
2,2'-oxybis-(1-chloropropane)	UG/L	17.0 U	20.0 U	13.3 U	11.1 U
2,4-Dichlorophenol	UG/L	17.0 U	20.0 U	13.3 U	11.1 U
2,4-Dimethylphenol	UG/L	17.0 U	20.0 U	13.3 U	11.1 U
2,4-Dinitrophenol	UG/L	42.5 UJ	50.0 U	33.3 U	27.8 U
2,4-Dinitrotoluene	UG/L	17.0 U	20.0 U	13.3 U	11.1 U
2,4,5-Trichlorophenol	UG/L	42.5 U	50.0 U	33.3 U	27.8 U
2,4,6-Trichlorophenol	UG/L	17.0 U	20.0 U	13.3 U	11.1 U
2,6-Dinitrotoluene	UG/L	17.0 U	20.0 U	13.3 U	11.1 U
3-Nitroaniline	UG/L	42.5 U	50.0 U	33.3 UJ	27.8 U
3,3'-Dichlorobenzidine	UG/L	17.0 U	20.00 U	13.3 U	11.1 U
4-Bromophenyl-phenylether	UG/L	17.0 U	20.0 U	13.3 U	11.1 U
4-Chloro-3-methylphenol	UG/L	17.0 U	20.0 U	13.3 U	11.1 U
4-Chloroaniline	UG/L	17.0 U	20.0 U	13.3 U	11.1 U
4-Chlorophenyl phenyl ether	UG/L	17.0 U	20.0 U	13.3 U	11.1 U
4-Methylphenol	UG/L	17.0 U	20.0 U	13.3 U	11.1 U
4-Nitroaniline	UG/L	42.5 U	50.0 U	33.3 U	27.8 U
4-Nitrophenol	UG/L	42.5 U	50.0 U	33.3 U	27.8 U
4,6-Dinitro-2-methylphenol	UG/L	42.5 U	50.0 U	33.3 U	27.8 U
Acenaphthene	UG/L	17.0 U	20.0 U	13.3 U	11.1 U
Acenaphthylene	UG/L	17.0 U	20.0 U	13.3 U	11.1 U
Anthracene	UG/L	17.0 U	20.0 U	13.3 U	11.1 U
Benzo[a]anthracene	UG/L	17.0 U	20.0 U	13.3 U	11.1 U
Benzo[a]pyrene	UG/L	17.0 U	20.0 U	13.3 U	11.1 U



DUPLICATE SAMPLE SUMMARY  
 OPERABLE UNIT NO. 4 (SITE 69)  
 GROUNDWATER  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 REMEDIAL INVESTIGATION - CTO-0212  
 ORGANICS

Client Sample ID:	69-GW02-01	69-GW02-01D	69-GW02-DW-01	69-GW02DW-01D
Laboratory Sample ID:	9401128-01A	9401128-02A	9402153-01	9402153-04
Date Sampled:	01/22/94	01/22/94		

UNITS

SEMIVOLATILES Cont.

Benzo[b]fluoranthene	UG/L	17.0 U	20.0 U	13.3 U	11.1 U
Benzo[g,h,i]perylene	UG/L	17.0 U	20.0 U	13.3 U	11.1 U
Benzo[k]fluoranthene	UG/L	17.0 U	20.0 U	13.3 U	11.1 U
bis(2-Chloroethoxy) methane	UG/L	17.0 U	20.0 U	13.3 U	11.1 U
bis(2-Chloroethyl) ether	UG/L	17.0 U	20.0 U	13.3 U	11.1 U
bis(2-Ethylhexyl)phthalate	UG/L	17.0 U	20.0 U	13.3 U	11.1 U
Butyl benzyl phthalate	UG/L	17.0 U	20.0 U	13.3 U	11.1 U
Carbazole	UG/L	17.0 U	20.0 U	13.3 U	11.1 U
Chrysene	UG/L	17.0 U	20.0 U	13.3 U	11.1 U
Dibenzofuran	UG/L	17.0 U	20.0 U	13.3 U	11.1 U
Dibenz[a,h]anthracene	UG/L	17.0 U	20.0 U	13.3 U	11.1 U
Diethylphthalate	UG/L	17.0 U	20.0 U	13.3 U	11.1 U
Dimethyl phthalate	UG/L	17.0 U	20.0 U	13.3 U	11.1 U
di-n-Butylphthalate	UG/L	17.0 U	20.0 U	13.3 U	11.1 U
di-n-Octylphthalate	UG/L	17.0 U	20.0 U	13.3 U	11.1 U
Fluoranthene	UG/L	17.0 U	20.0 U	13.3 U	11.1 U
Fluorene	UG/L	17.0 U	20.0 U	13.3 U	11.1 U
Hexachlorobenzene	UG/L	17.0 U	20.0 U	13.3 U	11.1 U
Hexachlorobutadiene	UG/L	17.0 U	20.0 U	13.3 U	11.1 U
Hexachlorocyclopentadiene	UG/L	17.0 UJ	20.0 U	13.3 U	11.1 U
Hexachloroethane	UG/L	17.0 U	20.0 U	13.3 U	11.1 U
Indeno[1,2,3-cd]pyrene	UG/L	17.0 U	20.0 U	13.3 U	11.1 U
Isophorone	UG/L	17.0 U	20.0 U	13.3 U	11.1 U
Naphthalene	UG/L	17.0 U	20.0 U	13.3 U	11.1 U
Nitrobenzene	UG/L	17.0 U	20.0 U	13.3 U	11.1 U
N-Nitroso-di-n-propylamine	UG/L	17.0 U	20.0 U	13.3 U	11.1 U
N-nitrosodiphenylamine	UG/L	17.0 U	20.0 U	13.3 U	11.1 U
Pentachlorophenol	UG/L	42.5 U	50.0 U	33.3 U	27.8 U
Phenanthrene	UG/L	17.0 U	20.0 U	13.3 U	11.1 U
Phenol	UG/L	17.0 U	20.0 U	13.3 U	11.1 U
Pyrene	UG/L	17.0 U	20.0 U	13.3 U	11.1 U

DUPLICATE SAMPLE SUMMARY  
 OPERABLE UNIT NO. 4 (SITE 69)  
 GROUNDWATER  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 REMEDIAL INVESTIGATION - CTO-0212  
 ORGANICS

Client Sample ID:	69-GW02-01	69-GW02-01D	69-GW02-DW-01	69-GW02DW-01D
Laboratory Sample ID:	9401128-01A	9401128-02A	9402153-01	9402153-04
Date Sampled:	01/22/94	01/22/94		

	<u>UNITS</u>				
<u>VOLATILES</u>					
Chloromethane	UG/L	10.0 U	10.0 U	10 U	10 U
Bromomethane	UG/L	10.0 U	10.0 U	10 U	10 U
Vinyl chloride	UG/L	31.0 J	21.0 J	8.37 J	7.48 J
Chloroethane	UG/L	10.0 U	10.0 U	10 U	10 U
Methylene chloride	UG/L	10.00 U	10.00 U	10 U	10 U
Acetone	UG/L	10.00 UJ	10.00 UJ	180	195 J
Carbon Disulfide	UG/L	10.0 U	10.0 U	10 U	10 U
1,1-Dichloroethene	UG/L	10.0 U	10.0 U	10 U	10 U
1,1-Dichloroethane	UG/L	10.0 U	10.0 U	10 U	10 U
1,2-Dichloroethene(total)	UG/L	2400.0	2200.0	788	752
Chloroform	UG/L	10.0 U	10.0 U	10 U	10 U
1,2-Dichloroethane	UG/L	10.0 U	10.0 U	10 U	10 U
2-Butanone	UG/L	10.0 U	10.0 U	10 U	10 U
1,1,1-Trichloroethane	UG/L	10.0 U	10.0 U	10 U	10 U
Carbon tetrachloride	UG/L	10.0 U	10.0 U	10 U	10 U
Bromodichloromethane	UG/L	10.0 U	10.0 U	10 U	10 U
1,2-Dichloropropane	UG/L	10.0 U	10.0 U	10 U	10 U
cis-1,3-Dichloropropene	UG/L	10.0 U	10.0 U	10 U	10 U
Trichloroethene	UG/L	23.0 J	19.0 J	29.4	27.9 J
Dibromochloromethane	UG/L	10.0 U	10.0 U	10 U	10 U
1,1,2-Trichloroethane	UG/L	10.0 U	10.0 U	10 U	10 U
Benzene	UG/L	10.0 U	10.0 U	10 U	10 U
trans-1,3-Dichloropropene	UG/L	10.0 U	10.0 U	10 U	10 U
Bromoform	UG/L	10.0 U	10.0 U	10 U	10 U
4-Methyl-2-pentanone	UG/L	10.0 U	10.0 U	10 U	10 U
2-Hexanone	UG/L	10.0 U	10.0 U	10 U	10 U
Tetrachloroethene	UG/L	1.00 J	1.00 J	10 U	10 U
1,1,2,2-Tetrachloroethane	UG/L	22.0 J	20.0 J	10 U	10 U
Toluene	UG/L	1.00 J	1.00 J	10 U	10 U
Chlorobenzene	UG/L	10.0 U	10.0 U	10 U	10 U
Ethylbenzene	UG/L	10.0 U	10.0 U	10 U	10 U
Styrene	UG/L	10.0 U	10.0 U	10 U	10 U
Xylenes (total)	UG/L	10.0 U	10.0 U	10 U	10 U

'DUPLICATE SAMPLE SUMMARY  
 OPERABLE UNIT NO. 4 (SITE 69)  
 GROUNDWATER  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 REMEDIAL INVESTIGATION - CTO-0212  
 ORGANICS

Client Sample ID:	69-GW02-01	69-GW02-01D	69-GW02-DW-01	69-GW02DW-01D
Laboratory Sample ID:	9401128-01A	9401128-02A	9402153-01	9402153-04
Date Sampled:	01/22/94	01/22/94		

	<u>UNITS</u>				
<u>PESTICIDE/PCBS</u>					
alpha-BHC	UG/L	0.050 UJ	0.050 UJ	0.061 UJ	0.061 UJ
beta-BHC	UG/L	0.050 UJ	0.050 UJ	0.061 UJ	0.061 UJ
delta-BHC	UG/L	0.050 UJ	0.050 UJ	0.061 UJ	0.061 UJ
Lindane (gamma-BHC)	UG/L	0.050 UJ	0.050 UJ	0.061 UJ	0.061 UJ
Heptachlor	UG/L	0.050 UJ	0.050 UJ	0.06 UJ	0.061 UJ
Aldrin	UG/L	0.050 UJ	0.050 UJ	0.061 UJ	0.061 UJ
Heptachlor epoxide	UG/L	0.050 UJ	0.050 UJ	0.061 UJ	0.061 UJ
Endosulfan I	UG/L	0.050 UJ	0.050 UJ	0.061 UJ	0.061 UJ
Dieldrin	UG/L	0.100 UJ	0.100 UJ	0.122 UJ	0.122 UJ
4,4'-DDE	UG/L	0.100 UJ	0.100 UJ	0.122 UJ	0.122 UJ
Endrin	UG/L	0.100 UJ	0.100 UJ	0.122 UJ	0.122 UJ
Endosulfan II	UG/L	0.100 UJ	0.100 UJ	0.122 UJ	0.122 UJ
4,4'-DDD	UG/L	0.100 UJ	0.100 UJ	0.122 UJ	0.122 UJ
Endosulfan sulfate	UG/L	0.100 UJ	0.100 UJ	0.122 UJ	0.122 UJ
4,4'-DDT	UG/L	0.100 UJ	0.100 UJ	0.122 UJ	0.122 UJ
Methoxychlor	UG/L	0.500 UJ	0.500 UJ	0.61 UJ	0.02 J
Endrin ketone	UG/L	0.100 UJ	0.100 UJ	0.122 UJ	0.122 UJ
Endrin aldehyde	UG/L	0.100 UJ	0.100 UJ	0.122 UJ	0.122 UJ
alpha-Chlordane	UG/L	0.050 UJ	0.050 UJ	0.061 UJ	0.061 UJ
gamma-Chlordane	UG/L	0.050 UJ	0.050 UJ	0.061 UJ	0.061 UJ
Toxaphene	UG/L	5.00 UJ	5.00 UJ	6.1 UJ	6.1 UJ
Aroclor 1016	UG/L	1.00 UJ	1.00 UJ	1.22 UJ	1.22 UJ
Aroclor 1221	UG/L	2.00 UJ	2.00 UJ	2.44 UJ	2.44 UJ
Aroclor 1232	UG/L	1.00 UJ	1.00 UJ	1.22 UJ	1.22 UJ
Aroclor 1242	UG/L	1.00 UJ	1.00 UJ	1.22 UJ	1.22 UJ
Aroclor 1248	UG/L	1.00 UJ	1.00 UJ	1.22 UJ	1.22 UJ
Aroclor 1254	UG/L	1.00 UJ	1.00 UJ	1.22 UJ	1.22 UJ
Aroclor 1260	UG/L	1.00 UJ	1.00 UJ	1.22 UJ	1.22 UJ

DUPLICATE SAMPLE SUMMARY  
 OPERABLE UNIT NO. 4 (SITE 69)  
 GROUNDWATER  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 REMEDIAL INVESTIGATION - CTO-0212  
 ORGANICS

Client Sample ID:	69-GW02-01	69-GW02-01D	69-GW02-DW-01	69-GW02DW-01D
Laboratory Sample ID:	9401128-01A	9401128-02A	9402153-01	9402153-04
Date Sampled:	01/22/94	01/22/94		

	<u>UNITS</u>				
<u>CHEMICAL SURETY</u>					
Acetophenone	UG/L	17.0 U	20.0 U	13.3 U	11.1 U
Chloroacetophenone	UG/L	17.0 U	20.0 U	13.3 U	11.1 U
Hydroxyacetophenone	UG/L	85.0 U	100.0 U	66.6 U	55.6 U
Bis(2'-chloroethyl)disulfide	UG/L	85.0 U	100.0 U	66.6 U	55.6 U
Bis(2'-chloroethyl)trisulfide	UG/L	85.0 U	100.0 U	66.6 U	55.6 U
1,4-Dithiane	UG/L	17.0 U	20.0 U	13.3 U	11.1 U
1,4-Oxathiane	UG/L	17.0 U	20.0 U	13.3 U	11.1 U
<u>THIODIGLYCOL</u>					
Thiodiglycol	UG/L	25.0 UJ	25.0 UJ	25 U	25 U

DUPLICATE SAMPLE SUMMARY  
 OPERABLE UNIT NO. 14 (SITE 69)  
 GROUNDWATER  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 REMEDIAL INVESTIGATION - CTO-0212  
 ORGANICS

Client Sample ID:	69-GW13IW-04	69-GW13IWD-04
Laboratory Sample ID:	C5C280034006	C5C280034007
Date Sampled:	03/26/95	03/26/95
Percent Solids	NA	NA

UNITS

VOLATILES

Chloromethane	UG/L	10 U	10 U
Bromomethane	UG/L	10 U	10 U
Vinyl Chloride	UG/L	10 U	10 U
Chloroethane	UG/L	10 U	10 U
Methylene chloride	UG/L	10 U	10 U
Acetone	UG/L	10 U	10 U
Carbon disulfide	UG/L	10 U	10 U
1,1-Dichloroethene	UG/L	10 U	10 U
1,1-Dichloroethane	UG/L	10 U	10 U
1,2-Dichloroethene (total)	UG/L	11	11
Chloroform	UG/L	10 U	10 U
1,2-Dichloroethane	UG/L	10 U	10 U
Methyl ethyl ketone	UG/L	10 U	10 U
1,1,1-Trichloroethane	UG/L	10 U	10 U
Carbon tetrachloride	UG/L	10 U	10 U
Bromodichloromethane	UG/L	10 U	10 U
1,2-Dichloropropane	UG/L	10 U	10 U
cis-1,3-Dichloropropene	UG/L	10 U	10 U
Trichloroethene	UG/L	10 U	10 U
Dibromochloromethane	UG/L	10 U	10 U
1,1,2-Trichloroethane	UG/L	10 U	10 U
Benzene	UG/L	10 U	10 U
trans-1,3-Dichloropropene	UG/L	10 U	10 U
Bromoform	UG/L	10 U	10 U
4-Methyl-2-Pentanone	UG/L	10 R	10 U
2-Hexanone	UG/L	10 U	10 U
Tetrachloroethene	UG/L	10 U	10 U
1,1,2,2-Tetrachloroethane	UG/L	10 U	10 U
Toluene	UG/L	10 U	10 U
Chlorobenzene	UG/L	10 U	10 U
Ethylbenzene	UG/L	10 U	10 U
Styrene	UG/L	10 U	10 U
Xylene (total)	UG/L	10 U	10 U

DUPLICATE SAMPLE SUMMARY  
 OPERABLE UNIT NO. 4 (SITE 69)  
 GROUNDWATER  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 REMEDIAL INVESTIGATION - CTO-0212  
 TAL TOTAL METALS

Client Sample ID:	69-GW02-01	69-GW02-01D	69-GW02-DW-01	69-GW02DW-01D
Laboratory Sample ID:	9401128-01A	9401128-02A	9402153-01	9402153-04
Date Sampled:	01/22/94	01/22/94		

	UNITS				
Aluminum	UG/L	17500.0 J	11400.0 J	3030	3230 J
Antimony	UG/L	7.90 UJ	7.90 UJ	7.6 U	7.6 U
Arsenic	UG/L	2.90 UJ	2.90 UJ	2.2 U	3.79 J
Barium	UG/L	50.1	40.5	42.3	39.5
Beryllium	UG/L	1.29 U	1.29 U	0.76 U	0.76 U
Cadmium	UG/L	2.35 U	2.35 U	3.19 U	3.19 U
Calcium	UG/L	8690.0 J	8990.0 J	59300	59300
Chromium	UG/L	35.0	22.5	8.31 U	8.31 U
Cobalt	UG/L	19.4 U	19.4 U	16 U	16 U
Copper	UG/L	16.2 U	16.2 U	16.3 U	16.3 U
Iron	UG/L	71900.0 J	76400.0 J	5820	6520
Lead	UG/L	12.3	9.58	3.1	4.14 U
Magnesium	UG/L	1930.0	1680.0	2590	2640
Manganese	UG/L	102.0	105.0	53.7	55.7
Mercury	UG/L	0.100 U	0.100 U	0.174	0.164 U
Nickel	UG/L	13.6 U	14.6	28.8 U	28.8 U
Potassium	UG/L	1510.00 J	833.000 J	1850	2040
Selenium	UG/L	2.53 UJ	2.53 UJ	1.6 U	1.6 UJ
Silver	UG/L	0.400 UJ	0.400 UJ	1.6 U	1.6 U
Sodium	UG/L	14100.0	14400.0	33000	35000
Thallium	UG/L	4.60 UJ	4.60 U	3 U	3 U
Vanadium	UG/L	175.0	168.0	20.4 U	20.4 U
Zinc	UG/L	71.3 J	46.4 UJ	31.1	31.1 U
Total Cyanide	UG/L	5.00 U	5.00 U	5 U	5 U

DUPLICATE SAMPLE SUMMARY  
 OPERABLE UNIT NO. 4 (SITE 69)  
 GROUNDWATER  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 REMEDIAL INVESTIGATION - CTO-0212  
 TAL DISSOLVED METALS

Client Sample ID:	69-GW02-01	69-GW02-01D	69-GW02DWD-01	69-GW02DWD-01D
Laboratory Sample ID:	9401129-01A	9401129-02A	9402153-03	9402153-05
Date Sampled:	01/22/94	01/22/94		

---

	<u>UNITS</u>				
Aluminum	UG/L	1070.0 J	957.0 J	139 UJ	139 UJ
Antimony	UG/L	9.40 J	12.40 J	7.6 U	7.6 U
Arsenic	UG/L	2.90 UJ	2.90 UJ	2.2 U	2.2 U
Barium	UG/L	22.5	22.9	19.8	19.3
Beryllium	UG/L	1.29 U	1.29 U	0.76 U	0.76 U
Cadmium	UG/L	2.35 U	2.35 U	3.19 U	3.19 U
Calcium	UG/L	9570.0 J	9610.0 J	37600	37900
Chromium	UG/L	7.35 U	7.35 U	8.31 U	8.31 U
Cobalt	UG/L	19.4 U	19.4 U	16 U	16 U
Copper	UG/L	16.2 U	16.2 U	16.3 U	16.3 U
Iron	UG/L	2920.0 J	2580.0 J	54.9 U	54.9 U
Lead	UG/L	1.00 U	1.00 U	1 U	1 U
Magnesium	UG/L	1180.0	1090.0	2130	2110
Manganese	UG/L	83.6	81.2	11.5	9.47
Mercury	UG/L	0.100 U	0.100 U	0.146 U	0.163 U
Nickel	UG/L	13.6 U	13.6 U	28.8 U	28.8 U
Potassium	UG/L	397.000 J	300.000 UJ	1670	2260
Selenium	UG/L	2.53 UJ	2.53 UJ	1.6 UJ	1.6 UJ
Silver	UG/L	0.400 UJ	0.400 UJ	1.6 U	1.6 U
Sodium	UG/L	15000.0	15200.0	34700	39800
Thallium	UG/L	4.60 U	4.60 U	3 U	3 U
Vanadium	UG/L	16.6 U	16.6 U	20.4 U	20.4 U
Zinc	UG/L	14.5 UJ	10.5 UJ	10.6 U	10.6 U
Total Cyanide	UG/L	N/A	N/A	N/A	N/A

DUPLICATE SAMPLE SUMMARY  
 OPERABLE UNIT NO. 14 (SITE 69)  
 GROUNDWATER ROUND TWO  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 REMEDIAL INVESTIGATION - CTO-0212  
 ORGANICS

Client Sample ID:	60GW02	69GW02DD	69GW02A	69GW14IW	69GW14IWA
Laboratory Sample ID:	NA	NA	NA	NA	NA
Date Sampled:	02/24/95	02/24/95	02/24/95	02/23/95	02/23/95
Percent Solids	NA	NA	NA	NA	NA

UNITS

PURGEABLE HALOCARBONS 601

	60GW02	69GW02DD	69GW02A	69GW14IW	69GW14IWA
Bromodichloromethane	ug/L	5 U	5 U	5 U	5 U
Bromoform	ug/L	5 U	5 U	5 U	5 U
Bromomethane	ug/L	5 U	5 U	5 U	5 U
Carbon Tetrachloride	ug/L	5 U	5 U	5 U	5 U
Chlorobenzene	ug/L	5 U	5 U	5 U	5 U
Chloroethane	ug/L	5 U	5 U	5 U	5 U
2-Chlorovinyl ether	ug/L	5 U	5 U	5 U	5 U
Chloroform	ug/L	5 U	5 U	5 U	5 U
Chloromethane	ug/L	5 U	5 U	5 U	5 U
Dibromochloromethane	ug/L	5 U	5 U	5 U	5 U
1,2-Dichlorobenzene	ug/L	5 U	5 U	5 U	5 U
1,3-Dichlorobenzene	ug/L	5 U	5 U	5 U	5 U
1,4-Dichlorobenzene	ug/L	5 U	5 U	5 U	5 U
Dichlorodifluoromethane	ug/L	5 U	5 U	5 U	5 U
1,1-Dichloroethane	ug/L	5 U	5 U	5 U	5 U
1,2-Dichloroethane	ug/L	5 U	5 U	5 U	5 U
1,1-Dichloroethene	ug/L	5 U	5 U	5 U	5 U
trans-1,2-Dichloroethene	ug/L	230	5 U	120	5 U
1,2-Dichloropropane	ug/L	5 U	5 U	5 U	5 U
cis-1,3-Dichloropropene	ug/L	5 U	5 U	5 U	5 U
trans-1,3-Dichloropropene	ug/L	5 U	5 U	5 U	5 U
Methylene Chloride	ug/L	5 U	5 U	5 U	5 U
1,1,2,2,-Tetrachloroethane	ug/L	5 U	5 U	5 U	5 U
Tetrachloroethene	ug/L	5 U	5 U	5 U	5 U
Trichloroethene	ug/L	10	5 U	5	5 U
1,1,1-Trichloroethane	ug/L	5 U	5 U	5 U	5 U
1,1,2-Trichloroethane	ug/L	5 U	5 U	5 U	5 U
Trichlorofluoromethane	ug/L	5 U	5 U	5 U	5 U
Vinyl Chloride	ug/L	5	5 U	5 U	5 U



DUPLICATE SAMPLE SUMMARY  
 OPERABLE UNIT NO. 4 (SITE 69)  
 ONSITE AND DRAINAGE AREA SURFACE WATER  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 REMEDIAL INVESTIGATION - CTO-0212  
 ORGANICS

Client Sample ID:	69-0S-SW01	69-0S-SW01D
Laboratory Sample ID:	9401042-01A	9401042-02A
Date Sampled:	01/08/94	01/07/94

	<u>UNITS</u>		
<u>SEMIVOLATILES</u>			
1,2-Dichlorobenzene	UG/L	10.4 U	10.4 U
1,2,4-Trichlorobenzene	UG/L	10.4 U	10.4 U
1,3-Dichlorobenzene	UG/L	10.4 U	10.4 U
1,4-Dichlorobenzene	UG/L	10.4 U	10.4 U
2-Chloronaphthalene	UG/L	10.4 U	10.4 U
2-Chlorophenol	UG/L	10.4 U	10.4 U
2-Methylnaphthalene	UG/L	10.4 U	10.4 U
2-Methylphenol	UG/L	10.4 U	4.00 J
2-Nitroaniline	UG/L	26.0 U	26.0 U
2-Nitrophenol	UG/L	10.4 U	10.4 U
2,2'-oxybis-(1-chloropropane)	UG/L	10.4 U	10.4 U
2,4-Dichlorophenol	UG/L	10.4 U	10.4 U
2,4-Dimethylphenol	UG/L	10.4 U	10.4 U
2,4-Dinitrophenol	UG/L	26.0 U	26.0 U
2,4-Dinitrotoluene	UG/L	10.4 U	10.4 U
2,4,5-Trichlorophenol	UG/L	26.0 U	26.0 U
2,4,6-Trichlorophenol	UG/L	10.4 U	10.4 U
2,6-Dinitrotoluene	UG/L	10.4 U	10.4 U
3-Nitroaniline	UG/L	26.0 U	26.0 U
3,3'-Dichlorobenzidine	UG/L	10.4 UJ	10.4 UJ
4-Bromophenyl-phenylether	UG/L	10.4 U	10.4 U
4-Chloro-3-methylphenol	UG/L	10.4 U	10.4 U
4-Chloroaniline	UG/L	10.4 U	10.4 U
4-Chlorophenyl phenyl ether	UG/L	10.4 U	10.4 U
4-Methylphenol	UG/L	10.4 U	10.4 U
4-Nitroaniline	UG/L	26.0 U	26.0 U
4-Nitrophenol	UG/L	26.0 U	26.0 U
4,6-Dinitro-2-methylphenol	UG/L	26.0 U	26.0 U
Acenaphthene	UG/L	10.4 U	10.4 U
Acenaphthylene	UG/L	10.4 U	10.4 U
Anthracene	UG/L	10.4 U	10.4 U
Benzo[a]anthracene	UG/L	10.4 U	10.4 U
Benzo[a]pyrene	UG/L	10.4 U	10.4 U

DUPLICATE SAMPLE SUMMARY  
 OPERABLE UNIT NO. 4 (SITE 69)  
 ONSITE AND DRAINAGE AREA SURFACE WATER  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 REMEDIAL INVESTIGATION - CTO-0212  
 ORGANICS

Client Sample ID:	69-0S-SW01	69-0S-SW01D
Laboratory Sample ID:	9401042-01A	9401042-02A
Date Sampled:	01/08/94	01/07/94

UNITS

SEMIVOLATILES Cont.

Benzo[b]fluoranthene	UG/L	10.4 U	10.4 U
Benzo[g,h,i]perylene	UG/L	10.4 U	10.4 U
Benzo[k]fluoranthene	UG/L	10.4 U	10.4 U
bis(2-Chloroethoxy) methane	UG/L	10.4 U	10.4 U
bis(2-Chloroethyl) ether	UG/L	10.4 U	11.0
bis(2-Ethylhexyl)phthalate	UG/L	10.4 U	10.4 U
Butyl benzyl phthalate	UG/L	10.4 U	10.4 U
Carbazole	UG/L	10.4 U	10.4 U
Chrysene	UG/L	10.4 U	10.4 U
Dibenzofuran	UG/L	10.4 U	10.4 U
Dibenz[a,h]anthracene	UG/L	10.4 U	10.4 U
Diethylphthalate	UG/L	10.4 U	10.4 U
Dimethyl phthalate	UG/L	10.4 U	10.4 U
di-n-Butylphthalate	UG/L	10.4 U	10.4 U
di-n-Octylphthalate	UG/L	10.4 U	10.4 U
Fluoranthene	UG/L	10.4 U	10.4 U
Fluorene	UG/L	10.4 U	10.4 U
Hexachlorobenzene	UG/L	10.4 U	10.4 U
Hexachlorobutadiene	UG/L	10.4 U	10.4 U
Hexachlorocyclopentadiene	UG/L	10.4 U	10.4 U
Hexachloroethane	UG/L	10.4 U	10.4 U
Indeno[1,2,3-cd]pyrene	UG/L	10.4 U	10.4 U
Isophorone	UG/L	10.4 U	10.4 U
Naphthalene	UG/L	10.4 U	10.4 U
Nitrobenzene	UG/L	10.4 U	10.4 U
N-Nitroso-di-n-propylamine	UG/L	10.4 U	10.4 U
N-nitrosodiphenylamine	UG/L	10.4 UJ	10.4 UJ
Pentachlorophenol	UG/L	26.0 U	26.0 U
Phenanthrene	UG/L	10.4 U	10.4 U
Phenol	UG/L	10.4 U	10.4 U
Pyrene	UG/L	10.4 U	10.4 U

DUPLICATE SAMPLE SUMMARY  
 OPERABLE UNIT NO. 4 (SITE 69)  
 ONSITE AND DRAINAGE AREA SURFACE WATER  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 REMEDIAL INVESTIGATION - CTO-0212  
 ORGANICS

Client Sample ID:	69-0S-SW01	69-0S-SW01D
Laboratory Sample ID:	9401042-01A	9401042-02A
Date Sampled:	01/08/94	01/07/94

	<u>UNITS</u>		
<u>VOLATILES</u>			
Chloromethane	UG/L	10.0 U	10.0 U
Bromomethane	UG/L	10.0 U	10.0 U
Vinyl chloride	UG/L	8.00 J	7.00 J
Chloroethane	UG/L	10.0 U	10.0 U
Methylene chloride	UG/L	10.00 U	10.00 U
Acetone	UG/L	10.00 U	10.00 U
Carbon Disulfide	UG/L	10.0 U	10.0 U
1,1-Dichloroethene	UG/L	10.0 U	10.0 U
1,1-Dichloroethane	UG/L	10.0 U	10.0 U
1,2-Dichloroethene(total)	UG/L	55.0	49.0
Chloroform	UG/L	2.00 J	1.00 J
1,2-Dichloroethane	UG/L	10.0 U	10.0 U
2-Butanone	UG/L	10.0 U	10.0 U
1,1,1-Trichloroethane	UG/L	10.0 U	10.0 U
Carbon tetrachloride	UG/L	10.0 U	10.0 U
Bromodichloromethane	UG/L	10.0 U	10.0 U
1,2-Dichloropropane	UG/L	10.0 U	10.0 U
cis-1,3-Dichloropropene	UG/L	10.0 U	10.0 U
Trichloroethene	UG/L	4.00 J	3.00 J
Dibromochloromethane	UG/L	10.0 U	10.0 U
1,1,2-Trichloroethane	UG/L	10.0 U	10.0 U
Benzene	UG/L	10.0 U	10.0 U
trans-1,3-Dichloropropene	UG/L	10.0 U	10.0 U
Bromoform	UG/L	10.0 U	10.0 U
4-Methyl-2-pentanone	UG/L	10.0 U	10.0 U
2-Hexanone	UG/L	10.0 U	10.0 U
Tetrachloroethene	UG/L	10.0 U	10.0 U
1,1,2,2-Tetrachloroethane	UG/L	10.0 U	10.0 U
Toluene	UG/L	10.0 U	10.0 U
Chlorobenzene	UG/L	10.0 U	10.0 U
Ethylbenzene	UG/L	10.0 U	10.0 U
Styrene	UG/L	10.0 U	10.0 U
Xylenes (total)	UG/L	10.0 U	10.0 U

DUPLICATE SAMPLE SUMMARY  
 OPERABLE UNIT NO. 4 (SITE 69)  
 ONSITE AND DRAINAGE AREA SURFACE WATER  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 REMEDIAL INVESTIGATION - CTO-0212  
 ORGANICS

Client Sample ID:	69-0S-SW01	69-0S-SW01D
Laboratory Sample ID:	9401042-01A	9401042-02A
Date Sampled:	01/08/94	01/07/94

	<u>UNITS</u>		
<u>PESTICIDE/PCBS</u>			
alpha-BHC	UG/L	0.052 UJ	0.050 UJ
beta-BHC	UG/L	0.052 UJ	0.050 UJ
delta-BHC	UG/L	0.052 UJ	0.050 UJ
Lindane (gamma-BHC)	UG/L	0.052 UJ	0.050 UJ
Heptachlor	UG/L	0.052 UJ	0.050 UJ
Aldrin	UG/L	0.052 UJ	0.050 UJ
Heptachlor epoxide	UG/L	0.052 UJ	0.050 UJ
Endosulfan I	UG/L	0.052 UJ	0.050 UJ
Dieldrin	UG/L	0.104 UJ	0.100 UJ
4,4'-DDE	UG/L	0.104 UJ	0.100 UJ
Endrin	UG/L	0.104 UJ	0.100 UJ
Endosulfan II	UG/L	0.104 UJ	0.100 UJ
4,4'-DDD	UG/L	0.104 UJ	0.100 UJ
Endosulfan sulfate	UG/L	0.104 UJ	0.100 UJ
4,4'-DDT	UG/L	0.104 UJ	0.100 UJ
Methoxychlor	UG/L	0.521 UJ	0.500 UJ
Endrin ketone	UG/L	0.104 UJ	0.100 UJ
Endrin aldehyde	UG/L	0.104 UJ	0.100 UJ
alpha-Chlordane	UG/L	0.052 UJ	0.050 UJ
gamma-Chlordane	UG/L	0.052 UJ	0.050 UJ
Toxaphene	UG/L	5.21 UJ	5.00 UJ
Aroclor 1016	UG/L	1.04 UJ	1.00 UJ
Aroclor 1221	UG/L	2.08 UJ	2.00 UJ
Aroclor 1232	UG/L	1.04 UJ	1.00 UJ
Aroclor 1242	UG/L	1.04 UJ	1.00 UJ
Aroclor 1248	UG/L	1.04 UJ	1.00 UJ
Aroclor 1254	UG/L	1.04 UJ	1.00 UJ
Aroclor 1260	UG/L	1.04 UJ	1.00 UJ

DUPLICATE SAMPLE SUMMARY  
 OPERABLE UNIT NO. 4 (SITE 69)  
 ONSITE AND DRAINAGE AREA SURFACE WATER  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 REMEDIAL INVESTIGATION - CTO-0212  
 ORGANICS

Client Sample ID:	69-0S-SW01	69-0S-SW01D
Laboratory Sample ID:	9401042-01A	9401042-02A
Date Sampled:	01/08/94	01/07/94

	<u>UNITS</u>		
<u>CHEMICAL SURETY</u>			
Acetophenone	UG/L	10.4 U	10.4 U
Chloroacetophenone	UG/L	10.4 U	10.4 U
Hydroxyacetophenone	UG/L	52.0 U	52.0 U
Bis(2'-chloroethyl)disulfide	UG/L	52.0 U	52.0 U
Bis(2'-chloroethyl)trisulfide	UG/L	52.0 U	52.0 U
1,4-Dithiane	UG/L	10.4 U	10.4 U
1,4-Oxathiane	UG/L	10.4 U	10.4 U
<u>THIODIGLYCOL</u>			
Thiodiglycol	UG/L	25.0 UJ	25.0 UJ

DUPLICATE SAMPLE SUMMARY  
 OPERABLE UNIT NO. 4 (SITE 69)  
 ONSITE AND DRAINAGE AREA SURFACE WATER  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 REMEDIAL INVESTIGATION - CTO-0212  
 TAL METALS

Client Sample ID:	69-0S-SW01	69-0S-SW01D
Laboratory Sample ID:	9401042-01A	9401042-02A
Date Sampled:	01/08/94	01/07/94

---

	<u>UNITS</u>		
Aluminum	UG/L	972.0	957.0
Antimony	UG/L	7.90 U	7.90 U
Arsenic	UG/L	2.90 U	2.90 U
Barium	UG/L	45.1	46.1
Beryllium	UG/L	1.30 U	1.30 U
Cadmium	UG/L	2.40 U	2.40 U
Calcium	UG/L	5770.0	5720.0
Chromium	UG/L	7.20 U	7.20 U
Cobalt	UG/L	19.4 U	19.4 U
Copper	UG/L	16.2 U	16.2 U
Iron	UG/L	1910.0	1970.0
Lead	UG/L	1.00 U	1.20
Magnesium	UG/L	1460.0	1470.0
Manganese	UG/L	339.0	339.0
Mercury	UG/L	0.200 U	0.200 U
Nickel	UG/L	13.6 U	13.6 U
Potassium	UG/L	365.0	365.0
Selenium	UG/L	2.50 U	2.50 U
Silver	UG/L	0.400 UJ	0.400 UJ
Sodium	UG/L	6440.0	6530.0
Thallium	UG/L	4.60 U	4.60 U
Vanadium	UG/L	16.6 U	16.6 U
Zinc	UG/L	4370.0	4190.0

DUPLICATE SAMPLE SUMMARY  
 OPERABLE UNIT NO. 4 (SITE 69)  
 ONSITE AND DRAINAGE AREA SEDIMENT  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 REMEDIAL INVESTIGATION - CTO-0212  
 ORGANICS

Client Sample ID:	69-0S-SD01-06	69-0S-SD01-06D
Laboratory Sample ID:	9401043-06A	9401043-07A
Date Sampled:		
Percent Solids	48.2	51.5

**SEMIVOLATILES**

	UG/KG	3440 U	634 U
1,2-Dichlorobenzene	UG/KG	3440 U	634 U
1,2,4-Trichlorobenzene	UG/KG	3440 U	634 U
1,3-Dichlorobenzene	UG/KG	3440 U	634 U
1,4-Dichlorobenzene	UG/KG	3440 U	634 U
2-Chloronaphthalene	UG/KG	3440 U	634 U
2-Chlorophenol	UG/KG	3440 U	634 U
2-Methylnaphthalene	UG/KG	3440 U	634 U
2-Methylphenol	UG/KG	3440 U	634 U
2-Nitroaniline	UG/KG	8340 U	1540 U
2-Nitrophenol	UG/KG	3440 U	634 U
2,2'-oxybis-(1-chloropropane)	UG/KG	3440 U	634 U
2,4-Dichlorophenol	UG/KG	3440 U	634 U
2,4-Dimethylphenol	UG/KG	3440 U	634 U
2,4-Dinitrophenol	UG/KG	8340 U	1540 U
2,4-Dinitrotoluene	UG/KG	3440 U	634 U
2,4,5-Trichlorophenol	UG/KG	8340 U	1540 U
2,4,6-Trichlorophenol	UG/KG	3440 U	634 U
2,6-Dinitrotoluene	UG/KG	3440 U	634 U
3-Nitroaniline	UG/KG	8340 U	1540 U
3,3'-Dichlorobenzidine	UG/KG	3440 U	634 U
4-Bromophenyl-phenylether	UG/KG	3440 U	634 U
4-Chloro-3-methylphenol	UG/KG	3440 U	634 U
4-Chloroaniline	UG/KG	3440 U	634 U
4-Chlorophenyl phenyl ether	UG/KG	3440 U	634 U
4-Methylphenol	UG/KG	3440 U	634 U
4-Nitroaniline	UG/KG	8340 U	1540 U
4-Nitrophenol	UG/KG	8340 U	1540 U
4,6-Dinitro-2-methylphenol	UG/KG	8340 U	1540 U
Acenaphthene	UG/KG	3440 U	634 U
Acenaphthylene	UG/KG	3440 U	634 U
Anthracene	UG/KG	3440 U	634 U
Benzo[a]anthracene	UG/KG	3440 U	634 U
Benzo[a]pyrene	UG/KG	3440 U	634 U

DUPLICATE SAMPLE SUMMARY  
 OPERABLE UNIT NO. 4 (SITE 69)  
 ONSITE AND DRAINAGE AREA SEDIMENT  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 REMEDIAL INVESTIGATION - CTO-0212  
 ORGANICS

Client Sample ID:	69-0S-SD01-06	69-0S-SD01-06D
Laboratory Sample ID:	9401043-06A	9401043-07A
Date Sampled:		
Percent Solids	48.2	51.5

SEMIVOLATILES Cont.

Benzo[b]fluoranthene	UG/KG	3440 U	634 U
Benzo[g,h,i]perylene	UG/KG	3440 U	634 U
Benzo[k]fluoranthene	UG/KG	3440 U	634 U
bis(2-Chloroethoxy) methane	UG/KG	3440 U	634 U
bis(2-Chloroethyl) ether	UG/KG	3440 U	634 U
bis(2-Ethylhexyl)phthalate	UG/KG	3440 U	634 U
Butyl benzyl phthalate	UG/KG	3440 U	634 U
Carbazole	UG/KG	3440 U	634 U
Chrysene	UG/KG	3440 U	634 U
Dibenzofuran	UG/KG	3440 U	634 U
Dibenz[a,h]anthracene	UG/KG	3440 U	634 U
Diethylphthalate	UG/KG	3440 U	634 U
Dimethyl phthalate	UG/KG	3440 U	634 U
di-n-Butylphthalate	UG/KG	3440 U	140 J
di-n-Octylphthalate	UG/KG	3440 U	634 U
Fluoranthene	UG/KG	3440 U	634 U
Fluorene	UG/KG	3440 U	634 U
Hexachlorobenzene	UG/KG	3440 U	634 U
Hexachlorobutadiene	UG/KG	3440 U	634 U
Hexachlorocyclopentadiene	UG/KG	3440 U	634 U
Hexachloroethane	UG/KG	3440 U	634 U
Indeno[1,2,3-cd]pyrene	UG/KG	3440 U	634 U
Isophorone	UG/KG	3440 U	634 U
Naphthalene	UG/KG	3440 U	634 U
Nitrobenzene	UG/KG	3440 U	634 U
N-Nitroso-di-n-propylamine	UG/KG	3440 U	634 U
N-nitrosodiphenylamine	UG/KG	3440 U	634 UJ
Pentachlorophenol	UG/KG	8340 U	1540 U
Phenanthrene	UG/KG	3440 U	634 U
Phenol	UG/KG	3440 U	634 U
Pyrene	UG/KG	3440 U	634 U



DUPLICATE SAMPLE SUMMARY  
 OPERABLE UNIT NO. 4 (SITE 69)  
 ONSITE AND DRAINAGE AREA SEDIMENT  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 REMEDIAL INVESTIGATION - CTO-0212  
 ORGANICS

Client Sample ID:	69-0S-SD01-06	69-0S-SD01-06D
Laboratory Sample ID:	9401043-06A	9401043-07A
Date Sampled:		
Percent Solids	48.2	51.5

VOLATILES

	UG/KG	48.2	51.5
Chloromethane	UG/KG	21 U	19 U
Bromomethane	UG/KG	21 U	19 U
Vinyl chloride	UG/KG	21 U	19 U
Chloroethane	UG/KG	21 U	19 U
Methylene chloride	UG/KG	8 J	8 J
Acetone	UG/KG	9 J	19 U
Carbon Disulfide	UG/KG	21 U	19 U
1,1-Dichloroethene	UG/KG	21 U	19 U
1,1-Dichloroethane	UG/KG	21 U	19 U
1,2-Dichloroethene(total)	UG/KG	9 J	5 J
Chloroform	UG/KG	21 U	19 U
1,2-Dichloroethane	UG/KG	21 U	19 U
2-Butanone	UG/KG	21 U	19 U
1,1,1-Trichloroethane	UG/KG	21 U	19 U
Carbon tetrachloride	UG/KG	21 U	19 U
Bromodichloromethane	UG/KG	21 U	19 U
1,2-Dichloropropane	UG/KG	21 U	19 U
cis-1,3-Dichloropropene	UG/KG	21 U	19 U
Trichloroethene	UG/KG	21 U	19 U
Dibromochloromethane	UG/KG	21 U	19 U
1,1,2-Trichloroethane	UG/KG	21 U	19 U
Benzene	UG/KG	21 U	19 U
trans-1,3-Dichloropropene	UG/KG	21 U	19 U
Bromoform	UG/KG	21 U	19 U
4-Methyl-2-pentanone	UG/KG	21 U	19 U
2-Hexanone	UG/KG	21 U	19 U
Tetrachloroethene	UG/KG	21 U	19 U
1,1,2,2-Tetrachloroethane	UG/KG	21 U	19 U
Toluene	UG/KG	21 U	19 U
Chlorobenzene	UG/KG	21 U	19 U
Ethylbenzene	UG/KG	21 U	19 U
Styrene	UG/KG	21 U	19 U
Xylenes (total)	UG/KG	21 U	19 U

DUPLICATE SAMPLE SUMMARY  
 OPERABLE UNIT NO. 4 (SITE 69)  
 ONSITE AND DRAINAGE AREA SEDIMENT  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 REMEDIAL INVESTIGATION - CTO-0212  
 ORGANICS

Client Sample ID:	69-0S-SD01-06	69-0S-SD01-06D	
Laboratory Sample ID:	9401043-06A	9401043-07A	
Date Sampled:			
Percent Solids	48.2	51.5	
<u>PESTICIDE/PCBS</u>			
alpha-BHC	UG/KG	2.01 UJ	2.02 UJ
beta-BHC	UG/KG	2.01 UJ	2.02 UJ
delta-BHC	UG/KG	2.01 UJ	2.02 UJ
Lindane (gamma-BHC)	UG/KG	2.01 UJ	2.02 UJ
Heptachlor	UG/KG	2.01 UJ	2.02 UJ
Aldrin	UG/KG	2.01 UJ	2.02 UJ
Heptachlor epoxide	UG/KG	2.01 UJ	2.02 UJ
Endosulfan I	UG/KG	2.01 UJ	2.02 UJ
Dieldrin	UG/KG	3.89 UJ	3.93 UJ
4,4'-DDE	UG/KG	3.89 UJ	3.93 UJ
Endrin	UG/KG	3.89 UJ	3.93 UJ
Endosulfan II	UG/KG	3.89 UJ	3.93 UJ
4,4'-DDD	UG/KG	3.89 UJ	3.93 UJ
Endosulfan sulfate	UG/KG	3.89 UJ	3.93 UJ
4,4'-DDT	UG/KG	3.89 UJ	3.93 UJ
Methoxychlor	UG/KG	20.1 UJ	20.2 UJ
Endrin ketone	UG/KG	3.89 UJ	3.93 UJ
Endrin aldehyde	UG/KG	3.89 UJ	3.93 UJ
alpha-Chlordane	UG/KG	2.01 UJ	2.02 UJ
gamma-Chlordane	UG/KG	2.01 UJ	2.02 UJ
Toxaphene	UG/KG	201 UJ	202 UJ
Aroclor 1016	UG/KG	38.9 UJ	39.3 UJ
Aroclor 1221	UG/KG	79.1 UJ	79.7 UJ
Aroclor 1232	UG/KG	38.9 UJ	39.3 UJ
Aroclor 1242	UG/KG	38.9 UJ	39.3 UJ
Aroclor 1248	UG/KG	38.9 UJ	39.3 UJ
Aroclor 1254	UG/KG	79 J	125 J
Aroclor 1260	UG/KG	38.9 UJ	39.3 UJ

DUPLICATE SAMPLE SUMMARY  
 OPERABLE UNIT NO. 4 (SITE 69)  
 ONSITE AND DRAINAGE AREA SEDIMENT  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 REMEDIAL INVESTIGATION - CTO-0212  
 ORGANICS

Client Sample ID:	69-OS-SD01-06	69-OS-SD01-06D
Laboratory Sample ID:	9401043-06A	9401043-07A
Date Sampled:		
Percent Solids	48.2	51.5
<u>CHEMICAL SURETY</u>		
Acetophenone	UG/KG 3440 U	634 U
Chloroacetophenone	UG/KG 3440 U	634 U
Hydroxyacetophenone	UG/KG 17200 U	3170 U
Bis(2'-chloroethyl)disulfide	UG/KG 17200 U	3170 U
Bis(2'-chloroethyl)trisulfide	UG/KG 17200 U	3170 U
1,4-Dithiane	UG/KG 3440 U	634 U
1,4-Oxathiane	UG/KG 3440 U	634 U
<u>THIODIGLYCOL</u>		
Thiodiglycol	MG/KG 12.9 U	12.1 U

**APPENDIX L**  
**QUALITY ASSURANCE/QUALITY CONTROL SUMMARY**

DATA AND FREQUENCY SUMMARY  
 OPERABLE UNIT NO. 4 (SITES 41,69, AND 74)  
 QUALITY ASSURANCE / QUALITY CONTROL  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 REMEDIAL INVESTIGATION - CTO-0212  
 ORGANICS

Client Sample ID:	41-RS-07	41-RS-09	41-RS-11	41-RS-13	69-TB-01	69-TB-02
Laboratory Sample ID:	9402081-04	9402118-01	9402131-03A	9402161-05A	9401025-04A	9401036-07A
Date Sampled:	02/07/94	02/15/94	02/16/94	02/20/94	01/06/94	01/06/94

UNITS

<u>SEMIVOLATILES Cont.</u>						
Benzo[b]fluoranthene	UG/L	12.5 U	11.0 U	12.0 U	11.1 U	N/A
Benzo[g,h,i]perylene	UG/L	12.5 U	11.0 U	12.0 U	11.1 U	N/A
Benzo[k]fluoranthene	UG/L	12.5 U	11.0 U	12.0 U	11.1 U	N/A
bis(2-Chloroethoxy) methane	UG/L	12.5 U	11.0 U	12.0 U	11.1 U	N/A
bis(2-Chloroethyl) ether	UG/L	12.5 U	11.0 U	12.0 U	11.1 U	N/A
bis(2-Ethylhexyl)phthalate	UG/L	12.5 U	11.0 U	12.0 U	11.1 U	N/A
Butyl benzyl phthalate	UG/L	12.5 U	11.0 U	12.0 U	11.1 U	N/A
Carbazole	UG/L	12.5 U	11.0 U	12.0 U	11.1 U	N/A
Chrysene	UG/L	12.5 U	11.0 U	12.0 U	11.1 U	N/A
Dibenzofuran	UG/L	12.5 U	11.0 U	12.0 U	11.1 U	N/A
Dibenz[a,h]anthracene	UG/L	12.5 U	11.0 U	12.0 U	11.1 U	N/A
Diethylphthalate	UG/L	12.5 U	11.0 U	12.0 U	11.1 U	N/A
Dimethyl phthalate	UG/L	12.5 U	11.0 U	12.0 U	11.1 U	N/A
di-n-Butylphthalate	UG/L	12.5 U	11.0 U	12.0 U	11.1 U	N/A
di-n-Octylphthalate	UG/L	12.5 U	11.0 U	12.0 U	11.1 U	N/A
Fluoranthene	UG/L	12.5 U	11.0 U	12.0 U	11.1 U	N/A
Fluorene	UG/L	12.5 U	11.0 U	12.0 U	11.1 U	N/A
Hexachlorobenzene	UG/L	12.5 U	11.0 U	12.0 U	11.1 U	N/A
Hexachlorobutadiene	UG/L	12.5 U	11.0 U	12.0 U	11.1 U	N/A
Hexachlorocyclopentadiene	UG/L	12.5 U	11.0 U	12.0 U	11.1 U	N/A
Hexachloroethane	UG/L	12.5 U	11.0 U	12.0 U	11.1 U	N/A
Indeno[1,2,3-cd]pyrene	UG/L	12.5 U	11.0 U	12.0 U	11.1 U	N/A
Isophorone	UG/L	12.5 U	11.0 U	12.0 U	11.1 U	N/A
Naphthalene	UG/L	12.5 U	11.0 U	12.0 U	11.1 U	N/A
Nitrobenzene	UG/L	12.5 U	11.0 U	12.0 U	11.1 U	N/A
N-Nitroso-di-n-propylamine	UG/L	12.5 U	11.0 U	12.0 U	11.1 U	N/A
N-nitrosodiphenylamine	UG/L	12.5 U	11.0 U	12.0 U	11.1 U	N/A
Pentachlorophenol	UG/L	31.2 U	27.5 U	30.0 U	27.8 U	N/A
Phenanthrene	UG/L	12.5 U	11.0 U	12.0 U	11.1 U	N/A
Phenol	UG/L	12.5 U	11.0 U	12.0 U	11.1 U	N/A
Pyrene	UG/L	12.5 U	11.0 U	12.0 U	11.1 U	N/A

DATA AND FREQUENCY SUMMARY  
 OPERABLE UNIT NO. 4 (SITES 41,69, AND 74)  
 QUALITY ASSURANCE / QUALITY CONTROL  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 REMEDIAL INVESTIGATION - CTO-0212  
 ORGANICS

Client Sample ID:	41-RS-07	41-RS-09	41-RS-11	41-RS-13	69-TB-01	69-TB-02
Laboratory Sample ID:	9402081-04	9402118-01	9402131-03A	9402161-05A	9401025-04A	9401036-07A
Date Sampled:	02/07/94	02/15/94	02/16/94	02/20/94	01/06/94	01/06/94

UNITS

VOLATILES

	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Chloromethane	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Bromomethane	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Vinyl chloride	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Chloroethane	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Methylene chloride	UG/L	8.00 J	10.0 U	10.00 U	3.51 J	10.0 U	10.0 U
Acetone	UG/L	10.0 U	10.0 U	2.00 J	10.00 UJ	10.0 U	10.0 U
Carbon Disulfide	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
1,1-Dichloroethene	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
1,1-Dichloroethane	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
1,2-Dichloroethene(total)	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Chloroform	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
1,2-Dichloroethane	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
2-Butanone	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
1,1,1-Trichloroethane	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Carbon tetrachloride	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Bromodichloromethane	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
1,2-Dichloropropane	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
cis-1,3-Dichloropropene	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Trichloroethene	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Dibromochloromethane	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
1,1,2-Trichloroethane	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Benzene	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
trans-1,3-Dichloropropene	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Bromoform	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
4-Methyl-2-pentanone	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
2-Hexanone	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Tetrachloroethene	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
1,1,2,2-Tetrachloroethane	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Toluene	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Chlorobenzene	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Ethylbenzene	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Styrene	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Xylenes (total)	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U

DATA AND FREQUENCY SUMMARY  
 OPERABLE UNIT NO. 4 (SITES 41,69, AND 74)  
 QUALITY ASSURANCE / QUALITY CONTROL  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 REMEDIAL INVESTIGATION - CTO-0212  
 ORGANICS

Client Sample ID:	41-RS-07	41-RS-09	41-RS-11	41-RS-13	69-TB-01	69-TB-02
Laboratory Sample ID:	9402081-04	9402118-01	9402131-03A	9402161-05A	9401025-04A	9401036-07A
Date Sampled:	02/07/94	02/15/94	02/16/94	02/20/94	01/06/94	01/06/94

	UNITS						
PESTICIDE/PCBS							
alpha-BHC	UG/L	0.055 UJ	0.056 UJ	0.059 UJ	0.056 UJ	N/A	N/A
beta-BHC	UG/L	0.055 UJ	0.056 U	0.059 UJ	0.056 UJ	N/A	N/A
delta-BHC	UG/L	0.055 UJ	0.056 UJ	0.059 UJ	0.056 UJ	N/A	N/A
Lindane (gamma-BHC)	UG/L	0.055 UJ	0.056 U	0.059 UJ	0.056 UJ	N/A	N/A
Heptachlor	UG/L	0.055 UJ	0.020 J	0.030 J	0.056 UJ	N/A	N/A
Aldrin	UG/L	0.055 UJ	0.056 U	0.059 UJ	0.056 UJ	N/A	N/A
Heptachlor epoxide	UG/L	0.055 UJ	0.056 U	0.059 UJ	0.056 UJ	N/A	N/A
Endosulfan I	UG/L	0.055 UJ	0.056 U	0.059 UJ	0.056 UJ	N/A	N/A
Dieldrin	UG/L	0.110 UJ	0.111 U	0.118 UJ	0.111 UJ	N/A	N/A
4,4'-DDE	UG/L	0.110 UJ	0.111 U	0.118 UJ	0.111 UJ	N/A	N/A
Endrin	UG/L	0.110 UJ	0.111 U	0.118 UJ	0.111 UJ	N/A	N/A
Endosulfan II	UG/L	0.110 UJ	0.111 U	0.118 UJ	0.111 UJ	N/A	N/A
4,4'-DDD	UG/L	0.110 UJ	0.111 U	0.118 UJ	0.111 UJ	N/A	N/A
Endosulfan sulfate	UG/L	0.110 UJ	0.111 U	0.118 UJ	0.111 UJ	N/A	N/A
4,4'-DDT	UG/L	0.110 UJ	0.111 U	0.118 UJ	0.111 UJ	N/A	N/A
Methoxychlor	UG/L	0.550 UJ	0.556 U	0.588 UJ	0.556 UJ	N/A	N/A
Endrin ketone	UG/L	0.110 UJ	0.111 U	0.118 UJ	0.111 UJ	N/A	N/A
Endrin aldehyde	UG/L	0.110 UJ	0.111 U	0.118 UJ	0.111 UJ	N/A	N/A
alpha-Chlordane	UG/L	0.055 UJ	0.056 U	0.059 UJ	0.056 UJ	N/A	N/A
gamma-Chlordane	UG/L	0.055 UJ	0.056 U	0.059 UJ	0.056 UJ	N/A	N/A
Toxaphene	UG/L	5.50 UJ	5.56 U	5.88 UJ	5.56 UJ	N/A	N/A
Aroclor 1016	UG/L	1.10 UJ	1.11 U	1.18 UJ	1.11 UJ	N/A	N/A
Aroclor 1221	UG/L	2.20 UJ	2.22 U	2.35 UJ	2.22 UJ	N/A	N/A
Aroclor 1232	UG/L	1.10 UJ	1.11 U	1.18 UJ	1.11 UJ	N/A	N/A
Aroclor 1242	UG/L	1.10 UJ	1.11 U	1.18 UJ	1.11 UJ	N/A	N/A
Aroclor 1248	UG/L	1.10 UJ	1.11 U	1.18 UJ	1.11 UJ	N/A	N/A
Aroclor 1254	UG/L	1.10 UJ	1.11 U	1.18 UJ	1.11 UJ	N/A	N/A
Aroclor 1260	UG/L	1.10 UJ	1.11 U	1.18 UJ	1.11 UJ	N/A	N/A

DATA AND FREQUENCY SUMMARY  
 OPERABLE UNIT NO. 4 (SITES 41,69, AND 74)  
 QUALITY ASSURANCE / QUALITY CONTROL  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 REMEDIAL INVESTIGATION - CTO-0212  
 ORGANICS

Client Sample ID:	41-RS-07	41-RS-09	41-RS-11	41-RS-13	69-TB-01	69-TB-02
Laboratory Sample ID:	9402081-04	9402118-01	9402131-03A	9402161-05A	9401025-04A	9401036-07A
Date Sampled:	02/07/94	02/15/94	02/16/94	02/20/94	01/06/94	01/06/94
<u>UNITS</u>						
<u>CHEMICAL SURETY</u>						
Acetophenone	UG/L	N/A	11.0 U	N/A	11.1 U	N/A
Chloroacetophenone	UG/L	N/A	11.0 U	N/A	11.1 U	N/A
Hydroxyacetophenone	UG/L	N/A	55.0 U	N/A	55.6 U	N/A
Bis(2'-chloroethyl)disulfide	UG/L	N/A	55.0 U	N/A	55.6 U	N/A
Bis(2'-chloroethyl)trisulfide	UG/L	N/A	55.0 U	N/A	55.6 U	N/A
1,4-Dithiane	UG/L	N/A	11.0 U	N/A	11.1 U	N/A
1,4-Oxathiane	UG/L	N/A	11.0 U	N/A	11.1 U	N/A
<u>THIODIGLYCOL</u>						
Thiodiglycol	UG/L	N/A	25.0 U	N/A	25.0 U	N/A
<u>ORDNANCE</u>						
1,3,5-Trinitrobenzene	UG/L	N/A	0.500 U	N/A	0.500 U	N/A
1,3-Dinitrobenzene	UG/L	N/A	0.500 U	N/A	0.500 U	N/A
2,4,6-Trinitrotoluene	UG/L	N/A	0.500 U	N/A	0.500 U	N/A
2,4-Dinitrotoluene	UG/L	N/A	0.500 U	N/A	0.500 U	N/A
2,6-Dinitrotoluene	UG/L	N/A	0.500 U	N/A	0.500 U	N/A
2-Amino-4,6-dinitrotoluene	UG/L	N/A	0.030 U	N/A	0.030 U	N/A
2-Nitrotoluene	UG/L	N/A	0.500 U	N/A	0.500 U	N/A
3-Nitrotoluene	UG/L	N/A	0.500 U	N/A	0.500 U	N/A
4-Amino-2,6-dinitrotoluene	UG/L	N/A	0.020 U	N/A	0.020 U	N/A
4-Nitrotoluene	UG/L	N/A	0.500 U	N/A	0.500 U	N/A
HMX	UG/L	N/A	1.25 U	N/A	1.25 U	N/A
Nitrobenzene	UG/L	N/A	0.500 U	N/A	0.500 U	N/A
RDX	UG/L	N/A	0.500 U	N/A	0.500 U	N/A
Tetryl	UG/L	N/A	0.500 UJ	N/A	0.500 U	N/A
<u>MIREX</u>						
Mirex	UG/L	62.0 UJ	55.0 U	N/A	55.6 U	N/A



DATA AND FREQUENCY SUMMARY  
 OPERABLE UNIT NO. 4 (SITES 41,69, AND 74)  
 QUALITY ASSURANCE / QUALITY CONTROL  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 REMEDIAL INVESTIGATION - CTO-0212  
 ORGANICS

Client Sample ID:	69-TB-03	69-TB-05	69-TB-06	69-TB-07	69-TB-08	69-TB-09
Laboratory Sample ID:	9401040-04A	9401042-04A	9401053-05A	9401052-06A	9401081-03A	9401117-06A
Date Sampled:	01/08/94	01/08/94	01/10/94	01/10/94	01/11/94	01/21/94

UNITS

SEMIVOLATILES

	69-TB-03	69-TB-05	69-TB-06	69-TB-07	69-TB-08	69-TB-09
1,2-Dichlorobenzene	UG/L	N/A	N/A	N/A	N/A	N/A
1,2,4-Trichlorobenzene	UG/L	N/A	N/A	N/A	N/A	N/A
1,3-Dichlorobenzene	UG/L	N/A	N/A	N/A	N/A	N/A
1,4-Dichlorobenzene	UG/L	N/A	N/A	N/A	N/A	N/A
2-Chloronaphthalene	UG/L	N/A	N/A	N/A	N/A	N/A
2-Chlorophenol	UG/L	N/A	N/A	N/A	N/A	N/A
2-Methylnaphthalene	UG/L	N/A	N/A	N/A	N/A	N/A
2-Methylphenol	UG/L	N/A	N/A	N/A	N/A	N/A
2-Nitroaniline	UG/L	N/A	N/A	N/A	N/A	N/A
2-Nitrophenol	UG/L	N/A	N/A	N/A	N/A	N/A
2,2'-oxybis-(1-chloropropane)	UG/L	N/A	N/A	N/A	N/A	N/A
2,4-Dichlorophenol	UG/L	N/A	N/A	N/A	N/A	N/A
2,4-Dimethylphenol	UG/L	N/A	N/A	N/A	N/A	N/A
2,4-Dinitrophenol	UG/L	N/A	N/A	N/A	N/A	N/A
2,4-Dinitrotoluene	UG/L	N/A	N/A	N/A	N/A	N/A
2,4,5-Trichlorophenol	UG/L	N/A	N/A	N/A	N/A	N/A
2,4,6-Trichlorophenol	UG/L	N/A	N/A	N/A	N/A	N/A
2,6-Dinitrotoluene	UG/L	N/A	N/A	N/A	N/A	N/A
3-Nitroaniline	UG/L	N/A	N/A	N/A	N/A	N/A
3,3'-Dichlorobenzidine	UG/L	N/A	N/A	N/A	N/A	N/A
4-Bromophenyl-phenylether	UG/L	N/A	N/A	N/A	N/A	N/A
4-Chloro-3-methylphenol	UG/L	N/A	N/A	N/A	N/A	N/A
4-Chloroaniline	UG/L	N/A	N/A	N/A	N/A	N/A
4-Chlorophenyl phenyl ether	UG/L	N/A	N/A	N/A	N/A	N/A
4-Methylphenol	UG/L	N/A	N/A	N/A	N/A	N/A
4-Nitroaniline	UG/L	N/A	N/A	N/A	N/A	N/A
4-Nitrophenol	UG/L	N/A	N/A	N/A	N/A	N/A
4,6-Dinitro-2-methylphenol	UG/L	N/A	N/A	N/A	N/A	N/A
Acenaphthene	UG/L	N/A	N/A	N/A	N/A	N/A
Acenaphthylene	UG/L	N/A	N/A	N/A	N/A	N/A
Anthracene	UG/L	N/A	N/A	N/A	N/A	N/A
Benzo[a]anthracene	UG/L	N/A	N/A	N/A	N/A	N/A
Benzo[a]pyrene	UG/L	N/A	N/A	N/A	N/A	N/A

DATA AND FREQUENCY SUMMARY  
 OPERABLE UNIT NO. 4 (SITES 41,69, AND 74)  
 QUALITY ASSURANCE / QUALITY CONTROL  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 REMEDIAL INVESTIGATION - CTO-0212  
 ORGANICS

Client Sample ID:	69-TB-03	69-TB-05	69-TB-06	69-TB-07	69-TB-08	69-TB-09
Laboratory Sample ID:	9401040-04A	9401042-04A	9401053-05A	9401052-06A	9401081-03A	9401117-06A
Date Sampled:	01/08/94	01/08/94	01/10/94	01/10/94	01/11/94	01/21/94

UNITS

SEMIVOLATILES Cont.

	69-TB-03	69-TB-05	69-TB-06	69-TB-07	69-TB-08	69-TB-09
Benzo[b]fluoranthene	UG/L	N/A	N/A	N/A	N/A	N/A
Benzo[g,h,i]perylene	UG/L	N/A	N/A	N/A	N/A	N/A
Benzo[k]fluoranthene	UG/L	N/A	N/A	N/A	N/A	N/A
bis(2-Chloroethoxy) methane	UG/L	N/A	N/A	N/A	N/A	N/A
bis(2-Chloroethyl) ether	UG/L	N/A	N/A	N/A	N/A	N/A
bis(2-Ethylhexyl)phthalate	UG/L	N/A	N/A	N/A	N/A	N/A
Butyl benzyl phthalate	UG/L	N/A	N/A	N/A	N/A	N/A
Carbazole	UG/L	N/A	N/A	N/A	N/A	N/A
Chrysene	UG/L	N/A	N/A	N/A	N/A	N/A
Dibenzofuran	UG/L	N/A	N/A	N/A	N/A	N/A
Dibenz[a,h]anthracene	UG/L	N/A	N/A	N/A	N/A	N/A
Diethylphthalate	UG/L	N/A	N/A	N/A	N/A	N/A
Dimethyl phthalate	UG/L	N/A	N/A	N/A	N/A	N/A
di-n-Butylphthalate	UG/L	N/A	N/A	N/A	N/A	N/A
di-n-Octylphthalate	UG/L	N/A	N/A	N/A	N/A	N/A
Fluoranthene	UG/L	N/A	N/A	N/A	N/A	N/A
Fluorene	UG/L	N/A	N/A	N/A	N/A	N/A
Hexachlorobenzene	UG/L	N/A	N/A	N/A	N/A	N/A
Hexachlorobutadiene	UG/L	N/A	N/A	N/A	N/A	N/A
Hexachlorocyclopentadiene	UG/L	N/A	N/A	N/A	N/A	N/A
Hexachloroethane	UG/L	N/A	N/A	N/A	N/A	N/A
Indeno[1,2,3-cd]pyrene	UG/L	N/A	N/A	N/A	N/A	N/A
Isophorone	UG/L	N/A	N/A	N/A	N/A	N/A
Naphthalene	UG/L	N/A	N/A	N/A	N/A	N/A
Nitrobenzene	UG/L	N/A	N/A	N/A	N/A	N/A
N-Nitroso-di-n-propylamine	UG/L	N/A	N/A	N/A	N/A	N/A
N-nitrosodiphenylamine	UG/L	N/A	N/A	N/A	N/A	N/A
Pentachlorophenol	UG/L	N/A	N/A	N/A	N/A	N/A
Phenanthrene	UG/L	N/A	N/A	N/A	N/A	N/A
Phenol	UG/L	N/A	N/A	N/A	N/A	N/A
Pyrene	UG/L	N/A	N/A	N/A	N/A	N/A

DATA AND FREQUENCY SUMMARY  
 OPERABLE UNIT NO. 4 (SITES 41,69, AND 74)  
 QUALITY ASSURANCE / QUALITY CONTROL  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 REMEDIAL INVESTIGATION - CTO-0212  
 ORGANICS

Client Sample ID:	69-TB-03	69-TB-05	69-TB-06	69-TB-07	69-TB-08	69-TB-09
Laboratory Sample ID:	9401040-04A	9401042-04A	9401053-05A	9401052-06A	9401081-03A	9401117-06A
Date Sampled:	01/08/94	01/08/94	01/10/94	01/10/94	01/11/94	01/21/94

UNITS

VOLATILES

Chloromethane	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Bromomethane	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Vinyl chloride	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Chloroethane	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Methylene chloride	UG/L	10.00 U	10.00 U	1.00 J	10.0 U	11.0 U	10.00 U
Acetone	UG/L	10.0 U	10.00 U	10.0 U	10.0 U	14.0 U	19.0 J
Carbon Disulfide	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
1,1-Dichloroethene	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
1,1-Dichloroethane	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
1,2-Dichloroethene(total)	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Chloroform	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
1,2-Dichloroethane	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
2-Butanone	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
1,1,1-Trichloroethane	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Carbon tetrachloride	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Bromodichloromethane	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
1,2-Dichloropropane	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
cis-1,3-Dichloropropene	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Trichloroethene	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Dibromochloromethane	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
1,1,2-Trichloroethane	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Benzene	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
trans-1,3-Dichloropropene	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Bromoform	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
4-Methyl-2-pentanone	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
2-Hexanone	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Tetrachloroethene	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
1,1,2,2-Tetrachloroethane	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Toluene	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Chlorobenzene	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Ethylbenzene	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Styrene	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Xylenes (total)	UG/L	10.0 U	10.0 U	4.00 J	10.0 U	10.0 U	10.0 U

DATA AND FREQUENCY SUMMARY  
 OPERABLE UNIT NO. 4 (SITES 41,69, AND 74)  
 QUALITY ASSURANCE / QUALITY CONTROL  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 REMEDIAL INVESTIGATION - CTO-0212  
 ORGANICS

Client Sample ID:	69-TB-03	69-TB-05	69-TB-06	69-TB-07	69-TB-08	69-TB-09
Laboratory Sample ID:	9401040-04A	9401042-04A	9401053-05A	9401052-06A	9401081-03A	9401117-06A
Date Sampled:	01/08/94	01/08/94	01/10/94	01/10/94	01/11/94	01/21/94
	UNITS					
<u>PESTICIDE/PCRS</u>						
alpha-BHC	UG/L	N/A	N/A	N/A	N/A	N/A
beta-BHC	UG/L	N/A	N/A	N/A	N/A	N/A
delta-BHC	UG/L	N/A	N/A	N/A	N/A	N/A
Lindane (gamma-BHC)	UG/L	N/A	N/A	N/A	N/A	N/A
Heptachlor	UG/L	N/A	N/A	N/A	N/A	N/A
Aldrin	UG/L	N/A	N/A	N/A	N/A	N/A
Heptachlor epoxide	UG/L	N/A	N/A	N/A	N/A	N/A
Endosulfan I	UG/L	N/A	N/A	N/A	N/A	N/A
Dieldrin	UG/L	N/A	N/A	N/A	N/A	N/A
4,4'-DDE	UG/L	N/A	N/A	N/A	N/A	N/A
Endrin	UG/L	N/A	N/A	N/A	N/A	N/A
Endosulfan II	UG/L	N/A	N/A	N/A	N/A	N/A
4,4'-DDD	UG/L	N/A	N/A	N/A	N/A	N/A
Endosulfan sulfate	UG/L	N/A	N/A	N/A	N/A	N/A
4,4'-DDT	UG/L	N/A	N/A	N/A	N/A	N/A
Methoxychlor	UG/L	N/A	N/A	N/A	N/A	N/A
Endrin ketone	UG/L	N/A	N/A	N/A	N/A	N/A
Endrin aldehyde	UG/L	N/A	N/A	N/A	N/A	N/A
alpha-Chlordane	UG/L	N/A	N/A	N/A	N/A	N/A
gamma-Chlordane	UG/L	N/A	N/A	N/A	N/A	N/A
Toxaphene	UG/L	N/A	N/A	N/A	N/A	N/A
Aroclor 1016	UG/L	N/A	N/A	N/A	N/A	N/A
Aroclor 1221	UG/L	N/A	N/A	N/A	N/A	N/A
Aroclor 1232	UG/L	N/A	N/A	N/A	N/A	N/A
Aroclor 1242	UG/L	N/A	N/A	N/A	N/A	N/A
Aroclor 1248	UG/L	N/A	N/A	N/A	N/A	N/A
Aroclor 1254	UG/L	N/A	N/A	N/A	N/A	N/A
Aroclor 1260	UG/L	N/A	N/A	N/A	N/A	N/A

DATA AND FREQUENCY SUMMARY  
 OPERABLE UNIT NO. 4 (SITES 41,69, AND 74)  
 QUALITY ASSURANCE / QUALITY CONTROL  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 REMEDIAL INVESTIGATION - CTO-0212  
 ORGANICS

Client Sample ID:	69-TB-03	69-TB-05	69-TB-06	69-TB-07	69-TB-08	69-TB-09
Laboratory Sample ID:	9401040-04A	9401042-04A	9401053-05A	9401052-06A	9401081-03A	9401117-06A
Date Sampled:	01/08/94	01/08/94	01/10/94	01/10/94	01/11/94	01/21/94

UNITS

CHEMICAL SURETY

	69-TB-03	69-TB-05	69-TB-06	69-TB-07	69-TB-08	69-TB-09
Acetophenone	UG/L	N/A	N/A	N/A	N/A	N/A
Chloroacetophenone	UG/L	N/A	N/A	N/A	N/A	N/A
Hydroxyacetophenone	UG/L	N/A	N/A	N/A	N/A	N/A
Bis(2'-chloroethyl)disulfide	UG/L	N/A	N/A	N/A	N/A	N/A
Bis(2'-chloroethyl)trisulfide	UG/L	N/A	N/A	N/A	N/A	N/A
1,4-Dithiane	UG/L	N/A	N/A	N/A	N/A	N/A
1,4-Oxathiane	UG/L	N/A	N/A	N/A	N/A	N/A

THIODIGLYCOL

Thiodiglycol	UG/L	N/A	N/A	N/A	N/A	N/A
--------------	------	-----	-----	-----	-----	-----

ORDNANCE

1,3,5-Trinitrobenzene	UG/L	N/A	N/A	N/A	N/A	N/A
1,3-Dinitrobenzene	UG/L	N/A	N/A	N/A	N/A	N/A
2,4,6-Trinitrotoluene	UG/L	N/A	N/A	N/A	N/A	N/A
2,4-Dinitrotoluene	UG/L	N/A	N/A	N/A	N/A	N/A
2,6-Dinitrotoluene	UG/L	N/A	N/A	N/A	N/A	N/A
2-Amino-4,6-dinitrotoluene	UG/L	N/A	N/A	N/A	N/A	N/A
2-Nitrotoluene	UG/L	N/A	N/A	N/A	N/A	N/A
3-Nitrotoluene	UG/L	N/A	N/A	N/A	N/A	N/A
4-Amino-2,6-dinitrotoluene	UG/L	N/A	N/A	N/A	N/A	N/A
4-Nitrotoluene	UG/L	N/A	N/A	N/A	N/A	N/A
HMX	UG/L	N/A	N/A	N/A	N/A	N/A
Nitrobenzene	UG/L	N/A	N/A	N/A	N/A	N/A
RDX	UG/L	N/A	N/A	N/A	N/A	N/A
Tetryl	UG/L	N/A	N/A	N/A	N/A	N/A

MIREX

Mirex	UG/L	N/A	N/A	N/A	N/A	N/A
-------	------	-----	-----	-----	-----	-----

DATA AND FREQUENCY SUMMARY  
 OPERABLE UNIT NO. 4 (SITES 41,69, AND 74)  
 QUALITY ASSURANCE / QUALITY CONTROL  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 REMEDIAL INVESTIGATION - CTO-0212  
 ORGANICS

Client Sample ID:	69-TB-10	69-TB-11	69-TB-12	69-RS-01	69-RS-03	69-RS-05
Laboratory Sample ID:	9401118-05A	9401130-08A	9402153-08	9401025-06A	9401117-05A	9401128-04A
Date Sampled:	01/22/94	01/23/94	02/18/94	01/06/94	01/21/94	01/23/94

UNITS

SEMIVOLATILES

Compound	69-TB-10	69-TB-11	69-TB-12	69-RS-01	69-RS-03	69-RS-05
1,2-Dichlorobenzene	UG/L	N/A	N/A	N/A	10.0 U	11.0 U
1,2,4-Trichlorobenzene	UG/L	N/A	N/A	N/A	10.0 U	11.0 U
1,3-Dichlorobenzene	UG/L	N/A	N/A	N/A	10.0 U	11.0 U
1,4-Dichlorobenzene	UG/L	N/A	N/A	N/A	10.0 U	11.0 U
2-Chloronaphthalene	UG/L	N/A	N/A	N/A	10.0 U	11.0 U
2-Chlorophenol	UG/L	N/A	N/A	N/A	10.0 U	11.0 U
2-Methylnaphthalene	UG/L	N/A	N/A	N/A	10.0 U	11.0 U
2-Methylphenol	UG/L	N/A	N/A	N/A	10.0 U	11.0 U
2-Nitroaniline	UG/L	N/A	N/A	N/A	25.0 U	27.5 U
2-Nitrophenol	UG/L	N/A	N/A	N/A	10.0 U	11.0 U
2,2'-oxybis-(1-chloropropane)	UG/L	N/A	N/A	N/A	10.0 U	11.0 U
2,4-Dichlorophenol	UG/L	N/A	N/A	N/A	10.0 U	11.0 U
2,4-Dimethylphenol	UG/L	N/A	N/A	N/A	10.0 U	11.0 U
2,4-Dinitrophenol	UG/L	N/A	N/A	N/A	25.0 U	27.5 U
2,4-Dinitrotoluene	UG/L	N/A	N/A	N/A	10.0 U	11.0 U
2,4,5-Trichlorophenol	UG/L	N/A	N/A	N/A	25.0 U	27.5 U
2,4,6-Trichlorophenol	UG/L	N/A	N/A	N/A	10.0 U	11.0 U
2,6-Dinitrotoluene	UG/L	N/A	N/A	N/A	10.0 U	11.0 U
3-Nitroaniline	UG/L	N/A	N/A	N/A	25.0 U	27.5 U
3,3'-Dichlorobenzidine	UG/L	N/A	N/A	N/A	10.0 U	11.0 U
4-Bromophenyl-phenylether	UG/L	N/A	N/A	N/A	10.0 U	11.0 U
4-Chloro-3-methylphenol	UG/L	N/A	N/A	N/A	10.0 U	11.0 U
4-Chloroaniline	UG/L	N/A	N/A	N/A	10.0 U	11.0 U
4-Chlorophenyl phenyl ether	UG/L	N/A	N/A	N/A	10.0 U	11.0 U
4-Methylphenol	UG/L	N/A	N/A	N/A	10.0 U	11.0 U
4-Nitroaniline	UG/L	N/A	N/A	N/A	25.0 U	27.5 U
4-Nitrophenol	UG/L	N/A	N/A	N/A	25.0 U	27.5 U
4,6-Dinitro-2-methylphenol	UG/L	N/A	N/A	N/A	25.0 U	27.5 U
Acenaphthene	UG/L	N/A	N/A	N/A	10.0 U	11.0 U
Acenaphthylene	UG/L	N/A	N/A	N/A	10.0 U	11.0 U
Anthracene	UG/L	N/A	N/A	N/A	10.0 U	11.0 U
Benzo[a]anthracene	UG/L	N/A	N/A	N/A	10.0 U	11.0 U
Benzo[a]pyrene	UG/L	N/A	N/A	N/A	10.0 U	11.0 U

DATA AND FREQUENCY SUMMARY  
 OPERABLE UNIT NO. 4 (SITES 41,69, AND 74)  
 QUALITY ASSURANCE / QUALITY CONTROL  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 REMEDIAL INVESTIGATION - CTO-0212  
 ORGANICS

Client Sample ID:	69-TB-10	69-TB-11	69-TB-12	69-RS-01	69-RS-03	69-RS-05
Laboratory Sample ID:	9401118-05A	9401130-08A	9402153-08	9401025-06A	9401117-05A	9401128-04A
Date Sampled:	01/22/94	01/23/94	02/18/94	01/06/94	01/21/94	01/23/94

UNITS

SEMIVOLATILES Cont.

Compound	69-TB-10	69-TB-11	69-TB-12	69-RS-01	69-RS-03	69-RS-05
Benzo[b]fluoranthene	UG/L	N/A	N/A	N/A	10.0 U	11.0 U
Benzo[g,h,i]perylene	UG/L	N/A	N/A	N/A	10.0 U	11.0 U
Benzo[k]fluoranthene	UG/L	N/A	N/A	N/A	10.0 U	11.0 U
bis(2-Chloroethoxy) methane	UG/L	N/A	N/A	N/A	10.0 U	11.0 U
bis(2-Chloroethyl) ether	UG/L	N/A	N/A	N/A	10.0 U	11.0 U
bis(2-Ethylhexyl)phthalate	UG/L	N/A	N/A	N/A	10.0 U	11.0 U
Butyl benzyl phthalate	UG/L	N/A	N/A	N/A	10.0 U	11.0 U
Carbazole	UG/L	N/A	N/A	N/A	10.0 U	11.0 U
Chrysene	UG/L	N/A	N/A	N/A	10.0 U	11.0 U
Dibenzofuran	UG/L	N/A	N/A	N/A	10.0 U	11.0 U
Dibenz[a,h]anthracene	UG/L	N/A	N/A	N/A	10.0 U	11.0 U
Diethylphthalate	UG/L	N/A	N/A	N/A	10.0 U	11.0 U
Dimethyl phthalate	UG/L	N/A	N/A	N/A	10.0 U	11.0 U
di-n-Butylphthalate	UG/L	N/A	N/A	N/A	10.0 U	1.00 J
di-n-Octylphthalate	UG/L	N/A	N/A	N/A	10.0 U	11.0 U
Fluoranthene	UG/L	N/A	N/A	N/A	10.0 U	11.0 U
Fluorene	UG/L	N/A	N/A	N/A	10.0 U	11.0 U
Hexachlorobenzene	UG/L	N/A	N/A	N/A	10.0 U	11.0 U
Hexachlorobutadiene	UG/L	N/A	N/A	N/A	10.0 U	11.0 U
Hexachlorocyclopentadiene	UG/L	N/A	N/A	N/A	10.0 U	11.0 UJ
Hexachloroethane	UG/L	N/A	N/A	N/A	10.0 U	11.0 U
Indeno[1,2,3-cd]pyrene	UG/L	N/A	N/A	N/A	10.0 U	11.0 U
Isophorone	UG/L	N/A	N/A	N/A	10.0 U	11.0 U
Naphthalene	UG/L	N/A	N/A	N/A	10.0 U	11.0 U
Nitrobenzene	UG/L	N/A	N/A	N/A	10.0 U	11.0 U
N-Nitroso-di-n-propylamine	UG/L	N/A	N/A	N/A	10.0 U	11.0 U
N-nitrosodiphenylamine	UG/L	N/A	N/A	N/A	10.0 U	11.0 U
Pentachlorophenol	UG/L	N/A	N/A	N/A	25.0 U	27.5 U
Phenanthrene	UG/L	N/A	N/A	N/A	10.0 U	11.0 U
Phenol	UG/L	N/A	N/A	N/A	10.0 U	11.0 U
Pyrene	UG/L	N/A	N/A	N/A	10.0 U	11.0 U

DATA AND FREQUENCY SUMMARY  
 OPERABLE UNIT NO. 4 (SITES 41,69, AND 74)  
 QUALITY ASSURANCE / QUALITY CONTROL  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 REMEDIAL INVESTIGATION - CTO-0212  
 ORGANICS

Client Sample ID:	69-TB-10	69-TB-11	69-TB-12	69-RS-01	69-RS-03	69-RS-05
Laboratory Sample ID:	9401118-05A	9401130-08A	9402153-08	9401025-06A	9401117-05A	9401128-04A
Date Sampled:	01/22/94	01/23/94	02/18/94	01/06/94	01/21/94	01/23/94

UNITS

VOLATILES

Chloromethane	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Bromomethane	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Vinyl chloride	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Chloroethane	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Methylene chloride	UG/L	10.00 U	10.00 U	10.00 U	10.00 U	16.0 U
Acetone	UG/L	10.00 U	10.00 U	10.0 U	10.0 U	190.0 J
Carbon Disulfide	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
1,1-Dichloroethene	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
1,1-Dichloroethane	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
1,2-Dichloroethene(total)	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Chloroform	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
1,2-Dichloroethane	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
2-Butanone	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
1,1,1-Trichloroethane	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Carbon tetrachloride	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Bromodichloromethane	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
1,2-Dichloropropane	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
cis-1,3-Dichloropropene	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Trichloroethene	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Dibromochloromethane	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
1,1,2-Trichloroethane	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Benzene	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
trans-1,3-Dichloropropene	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Bromoform	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
4-Methyl-2-pentanone	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
2-Hexanone	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Tetrachloroethene	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
1,1,2,2-Tetrachloroethane	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Toluene	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Chlorobenzene	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Ethylbenzene	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Styrene	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Xylenes (total)	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U



DATA AND FREQUENCY SUMMARY  
 OPERABLE UNIT NO. 4 (SITES 41,69, AND 74)  
 QUALITY ASSURANCE / QUALITY CONTROL  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 REMEDIAL INVESTIGATION - CTO-0212  
 ORGANICS

Client Sample ID:	69-TB-10	69-TB-11	69-TB-12	69-RS-01	69-RS-03	69-RS-05
Laboratory Sample ID:	9401118-05A	9401130-08A	9402153-08	9401025-06A	9401117-05A	9401128-04A
Date Sampled:	01/22/94	01/23/94	02/18/94	01/06/94	01/21/94	01/23/94

UNITS

PESTICIDE/PCBS

	69-TB-10	69-TB-11	69-TB-12	69-RS-01	69-RS-03	69-RS-05	
alpha-BHC	UG/L	N/A	N/A	N/A	0.058 U	0.055 UJ	0.050 U
beta-BHC	UG/L	N/A	N/A	N/A	0.058 U	0.055 U	0.050 U
delta-BHC	UG/L	N/A	N/A	N/A	0.058 UJ	0.055 UJ	0.050 U
Lindane (gamma-BHC)	UG/L	N/A	N/A	N/A	0.058 U	0.055 U	0.050 U
Heptachlor	UG/L	N/A	N/A	N/A	0.058 U	0.055 U	0.010 J
Aldrin	UG/L	N/A	N/A	N/A	0.058 U	0.055 U	0.050 U
Heptachlor epoxide	UG/L	N/A	N/A	N/A	0.058 U	0.055 U	0.050 U
Endosulfan I	UG/L	N/A	N/A	N/A	0.058 U	0.055 U	0.050 U
Dieldrin	UG/L	N/A	N/A	N/A	0.116 U	0.110 U	0.100 U
4,4'-DDE	UG/L	N/A	N/A	N/A	0.116 U	0.110 U	0.100 U
Endrin	UG/L	N/A	N/A	N/A	0.116 U	0.110 U	0.100 U
Endosulfan II	UG/L	N/A	N/A	N/A	0.116 U	0.110 U	0.100 U
4,4'-DDD	UG/L	N/A	N/A	N/A	0.116 U	0.110 U	0.100 U
Endosulfan sulfate	UG/L	N/A	N/A	N/A	0.116 U	0.110 U	0.100 U
4,4'-DDT	UG/L	N/A	N/A	N/A	0.116 U	0.110 U	0.100 U
Methoxychlor	UG/L	N/A	N/A	N/A	0.580 U	0.550 U	0.500 U
Endrin ketone	UG/L	N/A	N/A	N/A	0.116 UJ	0.110 U	0.100 U
Endrin aldehyde	UG/L	N/A	N/A	N/A	0.116 U	0.110 U	0.100 U
alpha-Chlordane	UG/L	N/A	N/A	N/A	0.058 UJ	0.055 U	0.050 U
gamma-Chlordane	UG/L	N/A	N/A	N/A	0.058 U	0.055 U	0.050 U
Toxaphene	UG/L	N/A	N/A	N/A	5.80 U	5.50 U	5.00 U
Aroclor 1016	UG/L	N/A	N/A	N/A	1.16 U	1.10 U	1.00 U
Aroclor 1221	UG/L	N/A	N/A	N/A	2.32 U	2.20 U	2.00 U
Aroclor 1232	UG/L	N/A	N/A	N/A	1.16 U	1.10 U	1.00 U
Aroclor 1242	UG/L	N/A	N/A	N/A	1.16 U	1.10 U	1.00 U
Aroclor 1248	UG/L	N/A	N/A	N/A	1.16 U	1.10 U	1.00 U
Aroclor 1254	UG/L	N/A	N/A	N/A	1.16 U	1.10 U	1.00 U
Aroclor 1260	UG/L	N/A	N/A	N/A	1.16 U	1.10 U	1.00 U

DATA AND FREQUENCY SUMMARY  
 OPERABLE UNIT NO. 4 (SITES 41,69, AND 74)  
 QUALITY ASSURANCE / QUALITY CONTROL  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 REMEDIAL INVESTIGATION - CTO-0212  
 ORGANICS

Client Sample ID:	69-TB-10	69-TB-11	69-TB-12	69-RS-01	69-RS-03	69-RS-05
Laboratory Sample ID:	9401118-05A	9401130-08A	9402153-08	9401025-06A	9401117-05A	9401128-04A
Date Sampled:	01/22/94	01/23/94	02/18/94	01/06/94	01/21/94	01/23/94
<u>UNITS</u>						
<u>CHEMICAL SURETY</u>						
Acetophenone	UG/L	N/A	N/A	N/A	10.0 U	11.0 U
Chloroacetophenone	UG/L	N/A	N/A	N/A	10.0 U	11.0 U
Hydroxyacetophenone	UG/L	N/A	N/A	N/A	50.0 U	55.0 U
Bis(2'-chloroethyl)disulfide	UG/L	N/A	N/A	N/A	50.0 U	55.0 U
Bis(2'-chloroethyl)trisulfide	UG/L	N/A	N/A	N/A	50.0 U	55.0 U
1,4-Dithiane	UG/L	N/A	N/A	N/A	10.0 U	11.0 U
1,4-Oxathiane	UG/L	N/A	N/A	N/A	10.0 U	11.0 U
<u>THIODIGLYCOL</u>						
Thiodiglycol	UG/L	N/A	N/A	N/A	25.0 U	25.0 U
<u>ORDNANCE</u>						
1,3,5-Trinitrobenzene	UG/L	N/A	N/A	N/A	N/A	N/A
1,3-Dinitrobenzene	UG/L	N/A	N/A	N/A	N/A	N/A
2,4,6-Trinitrotoluene	UG/L	N/A	N/A	N/A	N/A	N/A
2,4-Dinitrotoluene	UG/L	N/A	N/A	N/A	N/A	N/A
2,6-Dinitrotoluene	UG/L	N/A	N/A	N/A	N/A	N/A
2-Amino-4,6-dinitrotoluene	UG/L	N/A	N/A	N/A	N/A	N/A
2-Nitrotoluene	UG/L	N/A	N/A	N/A	N/A	N/A
3-Nitrotoluene	UG/L	N/A	N/A	N/A	N/A	N/A
4-Amino-2,6-dinitrotoluene	UG/L	N/A	N/A	N/A	N/A	N/A
4-Nitrotoluene	UG/L	N/A	N/A	N/A	N/A	N/A
HMX	UG/L	N/A	N/A	N/A	N/A	N/A
Nitrobenzene	UG/L	N/A	N/A	N/A	N/A	N/A
RDX	UG/L	N/A	N/A	N/A	N/A	N/A
Tetryl	UG/L	N/A	N/A	N/A	N/A	N/A
<u>MIREX</u>						
Mirex	UG/L	N/A	N/A	N/A	N/A	N/A

DATA AND FREQUENCY SUMMARY  
 OPERABLE UNIT NO. 4 (SITES 41,69, AND 74)  
 QUALITY ASSURANCE / QUALITY CONTROL  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 REMEDIAL INVESTIGATION - CTO-0212  
 ORGANICS

Client Sample ID:	69-RS-06	69-FB-01	69-FB-02	74-TB-01	74-TB-02	74-TB-03
Laboratory Sample ID:	9402150-03	9401036-05A	9401036-06A	9401066-03	9401079-01	9401101-05
Date Sampled:	02/18/94	01/06/94	01/06/94	01/11/94	01/12/94	01/18/94

	UNITS					
<b>SEMIVOLATILES</b>						
1,2-Dichlorobenzene	UG/L	10.3 U	10.0 U	10.0 U	N/A	N/A
1,2,4-Trichlorobenzene	UG/L	10.3 U	10.0 U	10.0 U	N/A	N/A
1,3-Dichlorobenzene	UG/L	10.3 U	10.0 U	10.0 U	N/A	N/A
1,4-Dichlorobenzene	UG/L	10.3 U	10.0 U	10.0 U	N/A	N/A
2-Chloronaphthalene	UG/L	10.3 U	10.0 U	10.0 U	N/A	N/A
2-Chlorophenol	UG/L	10.3 U	10.0 U	10.0 U	N/A	N/A
2-Methylnaphthalene	UG/L	10.3 U	10.0 U	10.0 U	N/A	N/A
2-Methylphenol	UG/L	10.3 U	10.0 U	10.0 U	N/A	N/A
2-Nitroaniline	UG/L	25.8 U	25.0 U	25.0 U	N/A	N/A
2-Nitrophenol	UG/L	10.3 U	10.0 U	10.0 U	N/A	N/A
2,2'-oxybis-(1-chloropropane)	UG/L	10.3 U	10.0 U	10.0 U	N/A	N/A
2,4-Dichlorophenol	UG/L	10.3 U	10.0 U	10.0 U	N/A	N/A
2,4-Dimethylphenol	UG/L	10.3 U	10.0 U	10.0 U	N/A	N/A
2,4-Dinitrophenol	UG/L	25.8 U	25.0 U	25.0 U	N/A	N/A
2,4-Dinitrotoluene	UG/L	10.3 U	10.0 U	10.0 U	N/A	N/A
2,4,5-Trichlorophenol	UG/L	25.8 U	25.0 U	25.0 U	N/A	N/A
2,4,6-Trichlorophenol	UG/L	10.3 U	10.0 U	10.0 U	N/A	N/A
2,6-Dinitrotoluene	UG/L	10.3 U	10.0 U	10.0 U	N/A	N/A
3-Nitroaniline	UG/L	25.8 U	25.0 U	25.0 U	N/A	N/A
3,3'-Dichlorobenzidine	UG/L	10.3 U	10.0 U	10.0 U	N/A	N/A
4-Bromophenyl-phenylether	UG/L	10.3 U	10.0 U	10.0 U	N/A	N/A
4-Chloro-3-methylphenol	UG/L	10.3 U	10.0 U	10.0 U	N/A	N/A
4-Chloroaniline	UG/L	10.3 U	10.0 U	10.0 U	N/A	N/A
4-Chlorophenyl phenyl ether	UG/L	10.3 U	10.0 U	10.0 U	N/A	N/A
4-Methylphenol	UG/L	10.3 U	10.0 U	10.0 U	N/A	N/A
4-Nitroaniline	UG/L	25.8 R	25.0 U	25.0 U	N/A	N/A
4-Nitrophenol	UG/L	25.8 U	25.0 U	25.0 U	N/A	N/A
4,6-Dinitro-2-methylphenol	UG/L	25.8 U	25.0 U	25.0 U	N/A	N/A
Acenaphthene	UG/L	10.3 U	10.0 U	10.0 U	N/A	N/A
Acenaphthylene	UG/L	10.3 U	10.0 U	10.0 U	N/A	N/A
Anthracene	UG/L	10.3 U	10.0 U	10.0 U	N/A	N/A
Benzo[a]anthracene	UG/L	10.3 U	10.0 U	10.0 U	N/A	N/A
Benzo[a]pyrene	UG/L	10.3 U	10.0 U	10.0 U	N/A	N/A

DATA AND FREQUENCY SUMMARY  
 OPERABLE UNIT NO. 4 (SITES 41,69, AND 74)  
 QUALITY ASSURANCE / QUALITY CONTROL  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 REMEDIAL INVESTIGATION - CTO-0212  
 ORGANICS

Client Sample ID:	69-RS-06	69-FB-01	69-FB-02	74-TB-01	74-TB-02	74-TB-03
Laboratory Sample ID:	9402150-03	9401036-05A	9401036-06A	9401066-03	9401079-01	9401101-05
Date Sampled:	02/18/94	01/06/94	01/06/94	01/11/94	01/12/94	01/18/94

UNITS

<u>SEMIVOLATILES Cont.</u>						
Benzo[b]fluoranthene	UG/L	10.3 U	10.0 U	10.0 U	N/A	N/A
Benzo[g,h,i]perylene	UG/L	10.3 U	10.0 U	10.0 U	N/A	N/A
Benzo[k]fluoranthene	UG/L	10.3 U	10.0 U	10.0 U	N/A	N/A
bis(2-Chloroethoxy) methane	UG/L	10.3 U	10.0 U	10.0 U	N/A	N/A
bis(2-Chloroethyl) ether	UG/L	10.3 U	10.0 U	10.0 U	N/A	N/A
bis(2-Ethylhexyl)phthalate	UG/L	10.3 U	4.00 J	10.0 U	N/A	N/A
Butyl benzyl phthalate	UG/L	10.3 U	10.0 U	10.0 U	N/A	N/A
Carbazole	UG/L	10.3 U	10.0 U	10.0 U	N/A	N/A
Chrysene	UG/L	10.3 U	10.0 U	10.0 U	N/A	N/A
Dibenzofuran	UG/L	10.3 U	10.0 U	10.0 U	N/A	N/A
Dibenz[a,h]anthracene	UG/L	10.3 U	10.0 U	10.0 U	N/A	N/A
Diethylphthalate	UG/L	10.3 U	10.0 U	10.0 U	N/A	N/A
Dimethyl phthalate	UG/L	10.3 U	10.0 U	10.0 U	N/A	N/A
di-n-Butylphthalate	UG/L	10.3 U	10.0 U	10.0 U	N/A	N/A
di-n-Octylphthalate	UG/L	10.3 U	10.0 U	10.0 U	N/A	N/A
Fluoranthene	UG/L	10.3 U	10.0 U	10.0 U	N/A	N/A
Fluorene	UG/L	10.3 U	10.0 U	10.0 U	N/A	N/A
Hexachlorobenzene	UG/L	10.3 U	10.0 U	10.0 U	N/A	N/A
Hexachlorobutadiene	UG/L	10.3 U	10.0 U	10.0 U	N/A	N/A
Hexachlorocyclopentadiene	UG/L	10.3 U	10.0 U	10.0 U	N/A	N/A
Hexachloroethane	UG/L	10.3 U	10.0 U	10.0 U	N/A	N/A
Indeno[1,2,3-cd]pyrene	UG/L	10.3 U	10.0 U	10.0 U	N/A	N/A
Isophorone	UG/L	10.3 U	10.0 U	10.0 U	N/A	N/A
Naphthalene	UG/L	10.3 U	10.0 U	10.0 U	N/A	N/A
Nitrobenzene	UG/L	10.3 U	10.0 U	10.0 U	N/A	N/A
N-Nitroso-di-n-propylamine	UG/L	10.3 U	10.0 U	10.0 U	N/A	N/A
N-nitrosodiphenylamine	UG/L	10.3 U	10.0 U	10.0 U	N/A	N/A
Pentachlorophenol	UG/L	25.8 U	25.0 U	25.0 U	N/A	N/A
Phenanthrene	UG/L	10.3 U	10.0 U	10.0 U	N/A	N/A
Phenol	UG/L	10.3 U	10.0 U	10.0 U	N/A	N/A
Pyrene	UG/L	10.3 U	10.0 U	10.0 U	N/A	N/A

DATA AND FREQUENCY SUMMARY  
 OPERABLE UNIT NO. 4 (SITES 41,69, AND 74)  
 QUALITY ASSURANCE / QUALITY CONTROL  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 REMEDIAL INVESTIGATION - CTO-0212  
 ORGANICS

Client Sample ID:	69-RS-06	69-FB-01	69-FB-02	74-TB-01	74-TB-02	74-TB-03
Laboratory Sample ID:	9402150-03	9401036-05A	9401036-06A	9401066-03	9401079-01	9401101-05
Date Sampled:	02/18/94	01/06/94	01/06/94	01/11/94	01/12/94	01/18/94

	UNITS	69-RS-06	69-FB-01	69-FB-02	74-TB-01	74-TB-02	74-TB-03
<b>VOLATILES</b>							
Chloromethane	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Bromomethane	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Vinyl chloride	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Chloroethane	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Methylene chloride	UG/L	10.00 U	10.0 U	10.0 U	1.00 J	4.00 J	10.00 U
Acetone	UG/L	10.00 U	10.0 U	10.0 U	10.0 U	10.0 U	10.00 U
Carbon Disulfide	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
1,1-Dichloroethene	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
1,1-Dichloroethane	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
1,2-Dichloroethene(total)	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Chloroform	UG/L	10.0 U	10.0 J	10.0 U	10.0 U	10.0 U	10.0 U
1,2-Dichloroethane	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
2-Butanone	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
1,1,1-Trichloroethane	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Carbon tetrachloride	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Bromodichloromethane	UG/L	10.0 U	4.00 J	10.0 U	10.0 U	10.0 U	10.0 U
1,2-Dichloropropane	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
cis-1,3-Dichloropropene	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Trichloroethene	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Dibromochloromethane	UG/L	10.0 U	2.00 J	10.0 U	10.0 U	10.0 U	10.0 U
1,1,2-Trichloroethane	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Benzene	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
trans-1,3-Dichloropropene	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Bromoform	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
4-Methyl-2-pentanone	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
2-Hexanone	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Tetrachloroethene	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
1,1,2,2-Tetrachloroethane	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Toluene	UG/L	10.0 U	1.00 J	10.0 U	10.0 U	10.0 U	10.0 U
Chlorobenzene	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Ethylbenzene	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Styrene	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
Xylenes (total)	UG/L	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U

DATA AND FREQUENCY SUMMARY  
 OPERABLE UNIT NO. 4 (SITES 41,69, AND 74)  
 QUALITY ASSURANCE / QUALITY CONTROL  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 REMEDIAL INVESTIGATION - CTO-0212  
 ORGANICS

Client Sample ID:	69-RS-06	69-FB-01	69-FB-02	74-TB-01	74-TB-02	74-TB-03
Laboratory Sample ID:	9402150-03	9401036-05A	9401036-06A	9401066-03	9401079-01	9401101-05
Date Sampled:	02/18/94	01/06/94	01/06/94	01/11/94	01/12/94	01/18/94

	UNITS						
PESTICIDE/PCBS							
alpha-BHC	UG/L	0.054 UJ	0.050 U	0.056 U	N/A	N/A	N/A
beta-BHC	UG/L	0.054 UJ	0.050 U	0.056 U	N/A	N/A	N/A
delta-BHC	UG/L	0.054 U	0.050 UJ	0.056 UJ	N/A	N/A	N/A
Lindane (gamma-BHC)	UG/L	0.054 U	0.050 U	0.056 U	N/A	N/A	N/A
Heptachlor	UG/L	0.020 J	0.050 U	0.056 U	N/A	N/A	N/A
Aldrin	UG/L	0.054 U	0.050 U	0.056 U	N/A	N/A	N/A
Heptachlor epoxide	UG/L	0.054 U	0.050 U	0.056 U	N/A	N/A	N/A
Endosulfan I	UG/L	0.054 U	0.050 U	0.056 U	N/A	N/A	N/A
Dieldrin	UG/L	0.109 U	0.101 U	0.113 U	N/A	N/A	N/A
4,4'-DDE	UG/L	0.109 U	0.101 U	0.113 U	N/A	N/A	N/A
Endrin	UG/L	0.109 U	0.101 U	0.113 U	N/A	N/A	N/A
Endosulfan II	UG/L	0.109 U	0.101 U	0.113 U	N/A	N/A	N/A
4,4'-DDD	UG/L	0.109 U	0.101 U	0.113 U	N/A	N/A	N/A
Endosulfan sulfate	UG/L	0.109 U	0.101 U	0.113 U	N/A	N/A	N/A
4,4'-DDT	UG/L	0.109 U	0.101 U	0.113 U	N/A	N/A	N/A
Methoxychlor	UG/L	0.543 UJ	0.505 U	0.565 U	N/A	N/A	N/A
Endrin ketone	UG/L	0.109 U	0.101 UJ	0.113 UJ	N/A	N/A	N/A
Endrin aldehyde	UG/L	0.109 U	0.101 U	0.113 U	N/A	N/A	N/A
alpha-Chlordane	UG/L	0.054 U	0.050 UJ	0.056 UJ	N/A	N/A	N/A
gamma-Chlordane	UG/L	0.054 U	0.050 U	0.056 U	N/A	N/A	N/A
Toxaphene	UG/L	5.43 U	5.05 U	5.65 U	N/A	N/A	N/A
Aroclor 1016	UG/L	1.09 U	1.01 U	1.13 U	N/A	N/A	N/A
Aroclor 1221	UG/L	2.17 U	2.02 U	2.26 U	N/A	N/A	N/A
Aroclor 1232	UG/L	1.09 U	1.01 U	1.13 U	N/A	N/A	N/A
Aroclor 1242	UG/L	1.09 U	1.01 U	1.13 U	N/A	N/A	N/A
Aroclor 1248	UG/L	1.09 U	1.01 U	1.13 U	N/A	N/A	N/A
Aroclor 1254	UG/L	1.09 U	1.01 U	1.13 U	N/A	N/A	N/A
Aroclor 1260	UG/L	1.09 U	1.01 U	1.13 U	N/A	N/A	N/A

DATA AND FREQUENCY SUMMARY  
 OPERABLE UNIT NO. 4 (SITES 41,69, AND 74)  
 QUALITY ASSURANCE / QUALITY CONTROL  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 REMEDIAL INVESTIGATION - CTO-0212  
 ORGANICS

Client Sample ID:	69-RS-06	69-FB-01	69-FB-02	74-TB-01	74-TB-02	74-TB-03
Laboratory Sample ID:	9402150-03	9401036-05A	9401036-06A	9401066-03	9401079-01	9401101-05
Date Sampled:	02/18/94	01/06/94	01/06/94	01/11/94	01/12/94	01/18/94

UNITS

CHEMICAL SURETY

	69-RS-06	69-FB-01	69-FB-02	74-TB-01	74-TB-02	74-TB-03
Acetophenone	UG/L 10.3 U	10.0 U	10.0 U	N/A	N/A	N/A
Chloroacetophenone	UG/L 10.3 U	10.0 U	10.0 U	N/A	N/A	N/A
Hydroxyacetophenone	UG/L 51.6 U	50.0 U	50.0 U	N/A	N/A	N/A
Bis(2'-chloroethyl)disulfide	UG/L 51.6 U	50.0 U	50.0 U	N/A	N/A	N/A
Bis(2'-chloroethyl)trisulfide	UG/L 51.6 U	50.0 U	50.0 U	N/A	N/A	N/A
1,4-Dithiane	UG/L 10.3 U	10.0 U	10.0 U	N/A	N/A	N/A
1,4-Oxathiane	UG/L 10.3 U	10.0 U	10.0 U	N/A	N/A	N/A

THIODIGLYCOL

Thiodiglycol	UG/L 25.0 U	25.0 U	25.0 U	N/A	N/A	N/A
--------------	-------------	--------	--------	-----	-----	-----

ORDNANCE

1,3,5-Trinitrobenzene	UG/L N/A	N/A	N/A	N/A	N/A	N/A
1,3-Dinitrobenzene	UG/L N/A	N/A	N/A	N/A	N/A	N/A
2,4,6-Trinitrotoluene	UG/L N/A	N/A	N/A	N/A	N/A	N/A
2,4-Dinitrotoluene	UG/L N/A	N/A	N/A	N/A	N/A	N/A
2,6-Dinitrotoluene	UG/L N/A	N/A	N/A	N/A	N/A	N/A
2-Amino-4,6-dinitrotoluene	UG/L N/A	N/A	N/A	N/A	N/A	N/A
2-Nitrotoluene	UG/L N/A	N/A	N/A	N/A	N/A	N/A
3-Nitrotoluene	UG/L N/A	N/A	N/A	N/A	N/A	N/A
4-Amino-2,6-dinitrotoluene	UG/L N/A	N/A	N/A	N/A	N/A	N/A
4-Nitrotoluene	UG/L N/A	N/A	N/A	N/A	N/A	N/A
HMX	UG/L N/A	N/A	N/A	N/A	N/A	N/A
Nitrobenzene	UG/L N/A	N/A	N/A	N/A	N/A	N/A
RDX	UG/L N/A	N/A	N/A	N/A	N/A	N/A
Tetryl	UG/L N/A	N/A	N/A	N/A	N/A	N/A

MIREX

Mirex	UG/L N/A	N/A	N/A	N/A	N/A	N/A
-------	----------	-----	-----	-----	-----	-----

DATA AND FREQUENCY SUMMARY  
 OPERABLE UNIT NO. 4 (SITES 41,69, AND 74)  
 QUALITY ASSURANCE / QUALITY CONTROL  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 REMEDIAL INVESTIGATION - CTO-0212  
 ORGANICS

Client Sample ID:	74-TB-04	74-TB-05	74-TB-06	74-TB-07	74-TB-08	74-TB-09
Laboratory Sample ID:	9401109-07	9401108-17	9401116-18A	9401121-14A	9401138-18	9401136-04
Date Sampled:	01/19/94	01/20/94	01/21/94	01/22/94	01/24/94	01/24/94

UNITS

SEMIVOLATILES

	74-TB-04	74-TB-05	74-TB-06	74-TB-07	74-TB-08	74-TB-09
1,2-Dichlorobenzene	UG/L	N/A	N/A	N/A	N/A	N/A
1,2,4-Trichlorobenzene	UG/L	N/A	N/A	N/A	N/A	N/A
1,3-Dichlorobenzene	UG/L	N/A	N/A	N/A	N/A	N/A
1,4-Dichlorobenzene	UG/L	N/A	N/A	N/A	N/A	N/A
2-Chloronaphthalene	UG/L	N/A	N/A	N/A	N/A	N/A
2-Chlorophenol	UG/L	N/A	N/A	N/A	N/A	N/A
2-Methylnaphthalene	UG/L	N/A	N/A	N/A	N/A	N/A
2-Methylphenol	UG/L	N/A	N/A	N/A	N/A	N/A
2-Nitroaniline	UG/L	N/A	N/A	N/A	N/A	N/A
2-Nitrophenol	UG/L	N/A	N/A	N/A	N/A	N/A
2,2'-oxybis-(1-chloropropane)	UG/L	N/A	N/A	N/A	N/A	N/A
2,4-Dichlorophenol	UG/L	N/A	N/A	N/A	N/A	N/A
2,4-Dimethylphenol	UG/L	N/A	N/A	N/A	N/A	N/A
2,4-Dinitrophenol	UG/L	N/A	N/A	N/A	N/A	N/A
2,4-Dinitrotoluene	UG/L	N/A	N/A	N/A	N/A	N/A
2,4,5-Trichlorophenol	UG/L	N/A	N/A	N/A	N/A	N/A
2,4,6-Trichlorophenol	UG/L	N/A	N/A	N/A	N/A	N/A
2,6-Dinitrotoluene	UG/L	N/A	N/A	N/A	N/A	N/A
3-Nitroaniline	UG/L	N/A	N/A	N/A	N/A	N/A
3,3'-Dichlorobenzidine	UG/L	N/A	N/A	N/A	N/A	N/A
4-Bromophenyl-phenylether	UG/L	N/A	N/A	N/A	N/A	N/A
4-Chloro-3-methylphenol	UG/L	N/A	N/A	N/A	N/A	N/A
4-Chloroaniline	UG/L	N/A	N/A	N/A	N/A	N/A
4-Chlorophenyl phenyl ether	UG/L	N/A	N/A	N/A	N/A	N/A
4-Methylphenol	UG/L	N/A	N/A	N/A	N/A	N/A
4-Nitroaniline	UG/L	N/A	N/A	N/A	N/A	N/A
4-Nitrophenol	UG/L	N/A	N/A	N/A	N/A	N/A
4,6-Dinitro-2-methylphenol	UG/L	N/A	N/A	N/A	N/A	N/A
Acenaphthene	UG/L	N/A	N/A	N/A	N/A	N/A
Acenaphthylene	UG/L	N/A	N/A	N/A	N/A	N/A
Anthracene	UG/L	N/A	N/A	N/A	N/A	N/A
Benzo[a]anthracene	UG/L	N/A	N/A	N/A	N/A	N/A
Benzo[a]pyrene	UG/L	N/A	N/A	N/A	N/A	N/A



DATA AND FREQUENCY SUMMARY  
 OPERABLE UNIT NO. 4 (SITES 41,69, AND 74)  
 QUALITY ASSURANCE / QUALITY CONTROL  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 REMEDIAL INVESTIGATION - CTO-0212  
 ORGANICS

Client Sample ID:	74-RS-08	74-RS-09	74-RS-11
Laboratory Sample ID:	9401148-20A	9402132-03	9402179-01
Date Sampled:	01/25/94	02/16/94	02/21/94

UNITS

CHEMICAL SURETY

Acetophenone	UG/L	11.0 U	11.1 U	N/A
Chloroacetophenone	UG/L	11.0 U	11.1 U	N/A
Hydroxyacetophenone	UG/L	55.0 U	55.5 U	N/A
Bis(2'-chloroethyl)disulfide	UG/L	55.0 U	55.5 U	N/A
Bis(2'-chloroethyl)trisulfide	UG/L	55.0 U	55.5 U	N/A
1,4-Dithiane	UG/L	11.0 U	11.1 U	N/A
1,4-Oxathiane	UG/L	11.0 U	11.1 U	N/A

THIODIGLYCOL

Thiodiglycol	UG/L	25.0 U	25.0 U	N/A
--------------	------	--------	--------	-----

ORDNANCE

1,3,5-Trinitrobenzene	UG/L	N/A	N/A	N/A
1,3-Dinitrobenzene	UG/L	N/A	N/A	N/A
2,4,6-Trinitrotoluene	UG/L	N/A	N/A	N/A
2,4-Dinitrotoluene	UG/L	N/A	N/A	N/A
2,6-Dinitrotoluene	UG/L	N/A	N/A	N/A
2-Amino-4,6-dinitrotoluene	UG/L	N/A	N/A	N/A
2-Nitrotoluene	UG/L	N/A	N/A	N/A
3-Nitrotoluene	UG/L	N/A	N/A	N/A
4-Amino-2,6-dinitrotoluene	UG/L	N/A	N/A	N/A
4-Nitrotoluene	UG/L	N/A	N/A	N/A
HMX	UG/L	N/A	N/A	N/A
Nitrobenzene	UG/L	N/A	N/A	N/A
RDX	UG/L	N/A	N/A	N/A
Tetryl	UG/L	N/A	N/A	N/A

MIREX

Mirex	UG/L	N/A	N/A	N/A
-------	------	-----	-----	-----

DATA AND FREQUENCY SUMMARY  
 OPERABLE UNIT NO. 4 (SITES 41, 69, AND 74)  
 QUALITY ASSURANCE / QUALITY CONTROL  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 REMEDIAL INVESTIGATION - CTO-0212  
 ORGANICS

Client Sample ID: Laboratory Sample ID: Date Sampled:		MINIMUM NONDETECTED	MAXIMUM NONDETECTED	MINIMUM DETECTED	MAXIMUM DETECTED	LOCATION OF MAXIMUM DETECTED	FREQUENCY OF DETECTION
	UNITS						
	<b>SEMIVOLATILES</b>						
	1,2-Dichlorobenzene	UG/L	10 U	12.5 U	ND	ND	0/20
	1,2,4-Trichlorobenzene	UG/L	10 U	12.5 U	ND	ND	0/20
	1,3-Dichlorobenzene	UG/L	10 U	12.5 U	ND	ND	0/20
	1,4-Dichlorobenzene	UG/L	10 U	12.5 U	ND	ND	0/20
	2-Chloronaphthalene	UG/L	10 U	12.5 U	ND	ND	0/20
	2-Chlorophenol	UG/L	10 U	12.5 U	ND	ND	0/20
	2-Methylnaphthalene	UG/L	10 U	12.5 U	ND	ND	0/20
	2-Methylphenol	UG/L	10 U	12.5 U	ND	ND	0/20
	2-Nitroaniline	UG/L	25 U	31.2 U	ND	ND	0/20
	2-Nitrophenol	UG/L	10 U	12.5 U	ND	ND	0/20
	2,2'-oxybis-(1-chloropropane)	UG/L	10 U	12.5 U	ND	ND	0/20
	2,4-Dichlorophenol	UG/L	10 U	12.5 U	ND	ND	0/20
	2,4-Dimethylphenol	UG/L	10 U	12.5 U	ND	ND	0/20
	2,4-Dinitrophenol	UG/L	25 U	31.2 U	ND	ND	0/20
	2,4-Dinitrotoluene	UG/L	10 U	12.5 U	ND	ND	0/20
	2,4,5-Trichlorophenol	UG/L	25 U	31.2 U	ND	ND	0/20
	2,4,6-Trichlorophenol	UG/L	10 U	12.5 U	ND	ND	0/20
	2,6-Dinitrotoluene	UG/L	10 U	12.5 U	ND	ND	0/20
	3-Nitroaniline	UG/L	25 U	31.2 U	ND	ND	0/20
	3,3'-Dichlorobenzidine	UG/L	10 U	12.5 U	ND	ND	0/20
	4-Bromophenyl-phenylether	UG/L	10 U	12.5 U	ND	ND	0/20
	4-Chloro-3-methylphenol	UG/L	10 U	12.5 U	ND	ND	0/20
	4-Chloroaniline	UG/L	10 U	12.5 U	ND	ND	0/20
	4-Chlorophenyl phenyl ether	UG/L	10 U	12.5 U	ND	ND	0/20
	4-Methylphenol	UG/L	10 U	12.5 U	ND	ND	0/20
	4-Nitroaniline	UG/L	25 U	31.2 U	25.8 R	25.8 R	69-RS-06 1/20
	4-Nitrophenol	UG/L	25 U	31.2 U	ND	ND	0/20
	4,6-Dinitro-2-methylphenol	UG/L	25 U	31.2 U	ND	ND	0/20
	Acenaphthene	UG/L	10 U	12.5 U	ND	ND	0/20
	Acenaphthylene	UG/L	10 U	12.5 U	ND	ND	0/20
	Anthracene	UG/L	10 U	12.5 U	ND	ND	0/20
	Benzo[a]anthracene	UG/L	10 U	12.5 U	ND	ND	0/20
	Benzo[a]pyrene	UG/L	10 U	12.5 U	ND	ND	0/20

DATA AND FREQUENCY SUMMARY  
 OPERABLE UNIT NO. 4 (SITES 41,69, AND 74)  
 QUALITY ASSURANCE / QUALITY CONTROL  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 REMEDIAL INVESTIGATION - CTO-0212  
 ORGANICS

Client Sample ID: Laboratory Sample ID: Date Sampled:	MINIMUM NONDETECTED	MAXIMUM NONDETECTED	MINIMUM DETECTED	MAXIMUM DETECTED	LOCATION OF MAXIMUM DETECTED	FREQUENCY OF DETECTION
<u>UNITS</u>						
<u>SEMIVOLATILES Cont.</u>						
Benzo[b]fluoranthene	UG/L	10 U	12.5 U	ND	ND	0/20
Benzo[g,h,i]perylene	UG/L	10 U	12.5 U	ND	ND	0/20
Benzo[k]fluoranthene	UG/L	10 U	12.5 U	ND	ND	0/20
bis(2-Chloroethoxy) methane	UG/L	10 U	12.5 U	ND	ND	0/20
bis(2-Chloroethyl) ether	UG/L	10 U	12.5 U	ND	ND	0/20
bis(2-Ethylhexyl)phthalate	UG/L	10 U	12.5 U	4 J	4 J	69-FB-01 1/20
Butyl benzyl phthalate	UG/L	10 U	12.5 U	ND	ND	0/20
Carbazole	UG/L	10 U	12.5 U	ND	ND	0/20
Chrysene	UG/L	10 U	12.5 U	ND	ND	0/20
Dibenzofuran	UG/L	10 U	12.5 U	ND	ND	0/20
Dibenz[a,h]anthracene	UG/L	10 U	12.5 U	ND	ND	0/20
Diethylphthalate	UG/L	10 U	12.5 U	ND	ND	0/20
Dimethyl phthalate	UG/L	10 U	12.5 U	ND	ND	0/20
di-n-Butylphthalate	UG/L	10 U	12.5 U	1 J	2 J	74-RS-03 3/20
di-n-Octylphthalate	UG/L	10 U	12.5 U	ND	ND	0/20
Fluoranthene	UG/L	10 U	12.5 U	ND	ND	0/20
Fluorene	UG/L	10 U	12.5 U	ND	ND	0/20
Hexachlorobenzene	UG/L	10 U	12.5 U	ND	ND	0/20
Hexachlorobutadiene	UG/L	10 U	12.5 U	ND	ND	0/20
Hexachlorocyclopentadiene	UG/L	10 U	12.5 U	ND	ND	0/20
Hexachloroethane	UG/L	10 U	12.5 U	ND	ND	0/20
Indeno[1,2,3-cd]pyrene	UG/L	10 U	12.5 U	ND	ND	0/20
Isophorone	UG/L	10 U	12.5 U	ND	ND	0/20
Naphthalene	UG/L	10 U	12.5 U	ND	ND	0/20
Nitrobenzene	UG/L	10 U	12.5 U	ND	ND	0/20
N-Nitroso-di-n-propylamine	UG/L	10 U	12.5 U	ND	ND	0/20
N-nitrosodiphenylamine	UG/L	10 U	12.5 U	ND	ND	0/20
Pentachlorophenol	UG/L	25 U	31.2 U	ND	ND	0/20
Phenanthrene	UG/L	10 U	12.5 U	ND	ND	0/20
Phenol	UG/L	10 U	12.5 U	ND	ND	0/20
Pyrene	UG/L	10 U	12.5 U	ND	ND	0/20

DATA AND FREQUENCY SUMMARY  
 OPERABLE UNIT NO. 4 (SITES 41,69, AND 74)  
 QUALITY ASSURANCE / QUALITY CONTROL  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 REMEDIAL INVESTIGATION - CTO-0212  
 ORGANICS

Client Sample ID: Laboratory Sample ID: Date Sampled:		MINIMUM NONDETECTED	MAXIMUM NONDETECTED	MINIMUM DETECTED	MAXIMUM DETECTED	LOCATION OF MAXIMUM DETECTED	FREQUENCY OF DETECTION
	<u>UNITS</u>						
	<u>VOLATILES</u>						
	Chloromethane	UG/L	10 U	10 U	ND	ND	0/63
	Bromomethane	UG/L	10 U	10 U	ND	ND	0/63
	Vinyl chloride	UG/L	10 U	10 U	ND	ND	0/63
	Chloroethane	UG/L	10 U	10 U	ND	ND	0/63
	Methylene chloride	UG/L	10 U	16 U	1 J	8 J	74-RS-11 18/63
	Acetone	UG/L	10 U	21 U	2 J	190 J	69-RS-03 7/63
	Carbon Disulfide	UG/L	10 U	10 U	ND	ND	0/63
	1,1-Dichloroethene	UG/L	10 U	10 U	ND	ND	0/63
	1,1-Dichloroethane	UG/L	10 U	10 U	ND	ND	0/63
	1,2-Dichloroethene(total)	UG/L	10 U	10 U	ND	ND	0/63
	Chloroform	UG/L	10 U	10 U	10 J	10 J	74-RS-11 1/63
	1,2-Dichloroethane	UG/L	10 U	10 U	ND	ND	0/63
	2-Butanone	UG/L	10 U	10 U	ND	ND	0/63
	1,1,1-Trichloroethane	UG/L	10 U	10 U	ND	ND	0/63
	Carbon tetrachloride	UG/L	10 U	10 U	ND	ND	0/63
	Bromodichloromethane	UG/L	10 U	10 U	4 J	4 J	69-FB-01 1/63
	1,2-Dichloropropane	UG/L	10 U	10 U	ND	ND	0/63
	cis-1,3-Dichloropropene	UG/L	10 U	10 U	ND	ND	0/63
	Trichloroethene	UG/L	10 U	10 U	ND	ND	0/63
	Dibromochloromethane	UG/L	10 U	10 U	2 J	2 J	69-FB-01 1/63
	1,1,2-Trichloroethane	UG/L	10 U	10 U	ND	ND	0/63
	Benzene	UG/L	10 U	10 U	ND	ND	0/63
	trans-1,3-Dichloropropene	UG/L	10 U	10 U	ND	ND	0/63
	Bromoform	UG/L	10 U	10 U	ND	ND	0/63
	4-Methyl-2-pentanone	UG/L	10 U	10 U	ND	ND	0/63
	2-Hexanone	UG/L	10 U	10 U	ND	ND	0/63
	Tetrachloroethene	UG/L	10 U	10 U	ND	ND	0/63
	1,1,2,2-Tetrachloroethane	UG/L	10 U	10 U	ND	ND	0/63
	Toluene	UG/L	10 U	10 U	1 J	1 J	69-FB-01 1/63
	Chlorobenzene	UG/L	10 U	10 U	ND	ND	0/63
	Ethylbenzene	UG/L	10 U	10 U	ND	ND	0/63
	Styrene	UG/L	10 U	10 U	ND	ND	0/63
	Xylenes (total)	UG/L	10 U	10 U	4 J	4 J	69-TB-06 1/63

DATA AND FREQUENCY SUMMARY  
 OPERABLE UNIT NO. 4 (SITES 41,69, AND 74)  
 QUALITY ASSURANCE / QUALITY CONTROL  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 REMEDIAL INVESTIGATION - CTO-0212  
 ORGANICS

Client Sample ID: Laboratory Sample ID: Date Sampled:		MINIMUM NONDETECTED	MAXIMUM NONDETECTED	MINIMUM DETECTED	MAXIMUM DETECTED	LOCATION OF MAXIMUM DETECTED	FREQUENCY OF DETECTION
	<u>UNITS</u>						
	<u>CHEMICAL SURETY</u>						
Acetophenone	UG/L	10 U	12 U	ND	ND		0/15
Chloroacetophenone	UG/L	10 U	12 U	ND	ND		0/15
Hydroxyacetophenone	UG/L	50 U	60 U	ND	ND		0/15
Bis(2'-chloroethyl)disulfide	UG/L	50 U	60 U	ND	ND		0/15
Bis(2'-chloroethyl)trisulfide	UG/L	50 U	60 U	ND	ND		0/15
1,4-Dithiane	UG/L	10 U	12 U	ND	ND		0/15
1,4-Oxathiane	UG/L	10 U	12 U	ND	ND		0/15
	<u>THIODIGLYCOL</u>						
Thiodiglycol	UG/L	25 U	25 U	ND	ND		0/15
	<u>ORDNANCE</u>						
1,3,5-Trinitrobenzene	UG/L	0.5 U	0.5 U	ND	ND		0/4
1,3-Dinitrobenzene	UG/L	0.5 U	0.5 U	ND	ND		0/4
2,4,6-Trinitrotoluene	UG/L	0.5 U	0.5 U	ND	ND		0/4
2,4-Dinitrotoluene	UG/L	0.5 U	0.5 U	ND	ND		0/4
2,6-Dinitrotoluene	UG/L	0.5 U	0.5 U	ND	ND		0/4
2-Amino-4,6-dinitrotoluene	UG/L	0.03 U	0.03 U	ND	ND		0/4
2-Nitrotoluene	UG/L	0.5 U	0.5 U	ND	ND		0/4
3-Nitrotoluene	UG/L	0.5 U	0.5 U	ND	ND		0/4
4-Amino-2,6-dinitrotoluene	UG/L	0.02 U	0.02 U	ND	ND		0/4
4-Nitrotoluene	UG/L	0.5 U	0.5 U	ND	ND		0/4
HMX	UG/L	1.25 U	1.25 U	ND	ND		0/4
Nitrobenzene	UG/L	0.5 U	0.5 U	ND	ND		0/4
RDX	UG/L	0.5 U	0.5 U	ND	ND		0/4
Tetryl	UG/L	0.5 U	0.5 U	ND	ND		0/4
	<u>MIREX</u>						
Mirex	UG/L	11.2 U	62 UJ	ND	ND		0/6

DATA AND FREQUENCY SUMMARY  
 OPERABLE UNIT NO. 4 (SITES 41,69, AND 74)  
 QUALITY ASSURANCE / QUALITY CONTROL  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 REMEDIAL INVESTIGATION - CTO-0212  
 ORGANICS

Client Sample ID: Laboratory Sample ID: Date Sampled:	MINIMUM NONDETECTED	MAXIMUM NONDETECTED	MINIMUM DETECTED	MAXIMUM DETECTED	LOCATION OF MAXIMUM DETECTED	FREQUENCY OF DETECTION
<u>UNITS</u>						
<u>PESTICIDE/PCBS</u>						
alpha-BHC	UG/L	0.05 UJ	0.065 UJ	ND		0/20
beta-BHC	UG/L	0.05 UJ	0.065 UJ	ND		0/20
delta-BHC	UG/L	0.05 UJ	0.065 UJ	ND		0/20
Lindane (gamma-BHC)	UG/L	0.05 UJ	0.065 UJ	ND		0/20
Heptachlor	UG/L	0.01 UJ	0.06 U	0.01 J	41-RS-11	4/20
Aldrin	UG/L	0.05 UJ	0.065 UJ	ND		0/20
Heptachlor epoxide	UG/L	0.05 UJ	0.065 UJ	ND		0/20
Endosulfan I	UG/L	0.05 UJ	0.065 UJ	ND		0/20
Dieldrin	UG/L	0.1 UJ	0.13 UJ	ND		0/20
4,4'-DDE	UG/L	0.1 UJ	0.13 UJ	ND		0/20
Endrin	UG/L	0.1 UJ	0.13 UJ	ND		0/20
Endosulfan II	UG/L	0.1 UJ	0.13 UJ	ND		0/20
4,4'-DDD	UG/L	0.1 UJ	0.13 UJ	ND		0/20
Endosulfan sulfate	UG/L	0.1 UJ	0.13 UJ	ND		0/20
4,4'-DDT	UG/L	0.1 UJ	0.13 UJ	ND		0/20
Methoxychlor	UG/L	0.5 UJ	0.65 UJ	ND		0/20
Endrin ketone	UG/L	0.1 UJ	0.13 UJ	ND		0/20
Endrin aldehyde	UG/L	0.1 UJ	0.13 UJ	ND		0/20
alpha-Chlordane	UG/L	0.05 UJ	0.065 UJ	ND		0/20
gamma-Chlordane	UG/L	0.05 UJ	0.065 UJ	ND		0/20
Toxaphene	UG/L	5 UJ	6.5 UJ	ND		0/20
Aroclor 1016	UG/L	1 UJ	1.3 UJ	ND		0/20
Aroclor 1221	UG/L	2 UJ	2.6 UJ	ND		0/20
Aroclor 1232	UG/L	1 UJ	1.3 UJ	ND		0/20
Aroclor 1242	UG/L	1 UJ	1.3 UJ	ND		0/20
Aroclor 1248	UG/L	1 UJ	1.3 UJ	ND		0/20
Aroclor 1254	UG/L	1 UJ	1.3 UJ	ND		0/20
Aroclor 1260	UG/L	1 UJ	1.3 UJ	ND		0/20

DATA AND FREQUENCY SUMMARY  
 OPERABLE UNIT NO. 4 (SITES 41,69, AND 74)  
 QUALITY ASSURANCE / QUALITY CONTROL  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 REMEDIAL INVESTIGATION - CTO-0212  
 TAL TOTAL METALS

Client Sample ID:	41-RS-01	41-RS-03	41-RS-05	41-RS-07	41-RS-09	41-RS-11	
Laboratory Sample ID:	9402021-04	9402057-01	9402071-02	9402081-04	9402118-01	9402131-03A	
Date Sampled:	02/01/94	02/03/94	02/05/94	02/07/94	02/15/94	02/16/94	
	UNITS						
Aluminum	UG/L	139.0 U	139.0 UJ	139.0 U	139.0 U	139.0 UJ	139.0 U
Antimony	UG/L	7.90 U	7.60 UJ	7.90 U	7.60 U	7.60 UJ	7.60 U
Arsenic	UG/L	2.90 U	2.20 UJ	2.90 U	2.90 U	2.20 UJ	2.90 U
Barium	UG/L	12.4 U	12.4 U	12.4 U	12.4 U	12.4 U	12.4 U
Beryllium	UG/L	0.800 U	0.760 U	0.760 U	0.760 U	0.760 U	0.760 U
Cadmium	UG/L	3.20	3.19 U	3.19 U	3.19 U	3.19 U	3.19 U
Calcium	UG/L	249.0 U	149.0 U	149.0 U	149.0 U	149.0 U	149.0 U
Chromium	UG/L	8.30 U	8.31 UJ	8.31 U	8.31 U	8.31 UJ	8.31 U
Cobalt	UG/L	16.0 U	16.0 U	16.0 U	16.0 U	16.0 U	16.0 U
Copper	UG/L	16.3 U	16.3 U	16.3 U	16.3 U	16.3 U	16.3 U
Iron	UG/L	56.0	54.9 UJ	54.9 U	54.9 U	54.9 UJ	54.9 U
Lead	UG/L	1.05	1.00 UJ	1.00 U	1.00 U	1.00 UJ	1.00 U
Magnesium	UG/L	71.4 U	71.9 U	71.4 U	71.9 U	71.9 U	71.9 U
Manganese	UG/L	7.10 U	7.08 U	7.08 U	7.08 U	7.08 U	7.08 U
Mercury	UG/L	0.100 U	0.135 U	0.100 U	0.159 U	0.178 U	0.100 U
Nickel	UG/L	28.8 U	28.8 UJ	28.8 U	17.4 U	28.8 UJ	28.8 U
Potassium	UG/L	763 U	763 U	500 U	763 U	763 U	763.000 U
Selenium	UG/L	2.53 U	1.60 U	2.53 U	1.60 UJ	1.60 U	1.60 U
Silver	UG/L	0.400 U	1.60 U	1.60 U	1.60 U	1.60 U	1.60 U
Sodium	UG/L	186 U	368 U	271	368 U	368 U	368.000 U
Thallium	UG/L	4.60 U	3.00 U	4.60 U	3.00 U	3.00 U	3.00 U
Vanadium	UG/L	20.4 U	20.4 UJ	20.4 U	20.4 U	20.4 UJ	20.4 U
Zinc	UG/L	16.6 U	19.1 J	14.4 U	11.3	15.0 J	11.6 U
Total Cyanide	UG/L	5.00 U	5.00 U	N/A	N/A	5.00 U	N/A

DATA AND FREQUENCY SUMMARY  
 OPERABLE UNIT NO. 4 (SITES 41,69, AND 74)  
 QUALITY ASSURANCE / QUALITY CONTROL  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 REMEDIAL INVESTIGATION - CTO-0212  
 TAL TOTAL METALS

Client Sample ID:	41-RS-13	69-RS-01	69-RS-03	69-RS-03	69-RS-05	69-RS-05
Laboratory Sample ID:	9402161-05A	9401025-06A	9401117-05A	9401119-05A	9401128-04A	9401129-04A
Date Sampled:	02/20/94	01/06/94	01/21/94	01/21/94	01/23/94	01/23/94

	UNITS	41-RS-13	69-RS-01	69-RS-03	69-RS-03	69-RS-05	69-RS-05
Aluminum	UG/L	139.0 U	119.0 U	119.0 U	119.0 U	119.0 UJ	119.0 UJ
Antimony	UG/L	7.60 U	7.90 U	7.90 R	14.1 J	7.90 UJ	9.40 J
Arsenic	UG/L	2.20 UJ	2.90 U	2.90 U	2.90 U	2.90 UJ	2.90 UJ
Barium	UG/L	16.8 U	13.7 U	13.7 U	13.7 U	13.7 U	13.7 U
Beryllium	UG/L	3.21 U	1.30 U	1.29 U	1.29 U	1.29 U	1.29 U
Cadmium	UG/L	4.20 U	2.40 U	2.35 U	2.35 U	2.35 U	2.35 U
Calcium	UG/L	441.0 U	262.0	268.0	125.0 U	125.0 U	125.0 U
Chromium	UG/L	9.60 U	7.20 UJ	7.35 U	7.35 U	7.35 U	7.35 U
Cobalt	UG/L	31.2 U	19.4 U	19.4 U	19.4 U	19.4 U	19.4 U
Copper	UG/L	23.9 U	16.2 U	16.2 U	16.2 U	16.2 U	16.2 U
Iron	UG/L	72.3 J	96.5	52.5 U	52.5 U	52.5 U	52.5 U
Lead	UG/L	1.00 U	1.00 U	1.00 UJ	1.00 UJ	1.00 U	1.00 U
Magnesium	UG/L	71.4 U	59.1 U	59.1 U	59.1 U	59.1 U	59.1 U
Manganese	UG/L	14.4 U	5.30 U	5.25 U	5.25 U	5.25 U	5.25 U
Mercury	UG/L	0.155 U	0.120 U	0.063 U	0.063 U	0.100 U	0.100 U
Nickel	UG/L	31.2 U	13.6 U	13.6 U	13.6 U	13.6 U	13.6 U
Potassium	UG/L	763.000 U	300.0 U	500.0 U	500.0 U	300.000 UJ	300.000 UJ
Selenium	UG/L	1.60 UJ	2.50 UJ	3.22 J	2.53 UJ	2.92 J	2.53 UJ
Silver	UG/L	1.60 R	0.400 UJ	0.400 U	0.400 U	0.400 UJ	0.400 UJ
Sodium	UG/L	368.000 U	190.0 U	190.0 U	190.0 U	189.000 UJ	368.000 U
Thallium	UG/L	3.00 U	4.60 U	4.60 U	4.60 U	4.60 U	4.60 U
Vanadium	UG/L	20.4 U	16.6 U	16.6 U	16.6 U	16.6 U	16.6 U
Zinc	UG/L	15.8 U	14.4 U	8.80 U	7.02 U	18.5	7.02 UJ
Total Cyanide	UG/L	5.00 U	N/A	5.00 U	N/A	5.00 U	N/A



DATA AND FREQUENCY SUMMARY  
 OPERABLE UNIT NO. 4 (SITES 41,69, AND 74)  
 QUALITY ASSURANCE / QUALITY CONTROL  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 REMEDIAL INVESTIGATION - CTO-0212  
 TAL TOTAL METALS

Client Sample ID:	69-RS-06	69-FB-01	69-FB-02	74-RS-01	74-RS-03	74-RS-05
Laboratory Sample ID:	9402150-03	9401036-05A	9401036-06A	9401079-02	9401109-08	9401116-17A
Date Sampled:	02/18/94	01/06/94	01/06/94	01/11/94	01/19/94	01/21/94

	UNITS	69-RS-06	69-FB-01	69-FB-02	74-RS-01	74-RS-03	74-RS-05
Aluminum	UG/L	139.0 UJ	120.0	119.0 U	119.0 U	119.0 U	N/A
Antimony	UG/L	7.60 U	7.90 U	7.90 U	7.90 U	7.90 U	N/A
Arsenic	UG/L	2.20 U	2.90 U	2.90 U	2.90 U	2.90 U	N/A
Barium	UG/L	12.4 U	13.7	13.7 U	13.7 U	13.7 U	N/A
Beryllium	UG/L	0.760 U	1.30 U	1.30 U	1.29 U	1.29 U	N/A
Cadmium	UG/L	3.19 U	2.40 U	2.40 U	2.35 U	2.35 U	N/A
Calcium	UG/L	149.0 U	30300.0	144.0	242.0 U	308.0 U	N/A
Chromium	UG/L	8.31 U	7.20 UJ	7.20 UJ	9.42	7.35 U	N/A
Cobalt	UG/L	16.0 U	19.4 U	19.4 U	19.4 U	19.4 U	N/A
Copper	UG/L	16.3 U	16.2 U	16.2 U	16.2 U	16.2 U	N/A
Iron	UG/L	54.9 U	4240.0	52.5 U	112.0	52.5 U	N/A
Lead	UG/L	1.00 U	2.80 J	1.00 U	1.00 U	1.00 U	N/A
Magnesium	UG/L	71.4 U	2880.0	59.1 U	110.0	59.1 U	N/A
Manganese	UG/L	7.08 U	30.1	5.30 U	5.25 U	5.25 U	N/A
Mercury	UG/L	0.152 U	0.120 U	0.120 U	0.113 U	0.100 U	N/A
Nickel	UG/L	28.8 U	13.6 U	13.6 U	13.6 U	13.6 U	N/A
Potassium	UG/L	763 U	1550.0	300.0 U	500 U	763 U	N/A
Selenium	UG/L	1.60 UJ	2.50 UJ	2.50 UJ	2.53 UJ	4.08	N/A
Silver	UG/L	1.60 U	0.400 UJ	0.400 UJ	0.40 UJ	0.400 UJ	N/A
Sodium	UG/L	368 U	50400.0	190.0 U	525	359 U	N/A
Thallium	UG/L	3.00 U	4.60 UJ	4.60 U	4.60 U	4.60 U	N/A
Vanadium	UG/L	20.4 U	16.6 U	16.6 U	16.6 U	16.6 U	N/A
Zinc	UG/L	10.9 U	80.0	16.2 U	42.8 U	10.4 U	N/A
Total Cyanide	UG/L	5.00 U	N/A	N/A	N/A	5.00 U	5.00 U

DATA AND FREQUENCY SUMMARY  
 OPERABLE UNIT NO. 4 (SITES 41,69, AND 74)  
 QUALITY ASSURANCE / QUALITY CONTROL  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 REMEDIAL INVESTIGATION - CTO-0212  
 TAL TOTAL METALS

Client Sample ID:	74-RS-07	74-RS-08	74-RS-09	74-RS-11
Laboratory Sample ID:	9401138-13	9401148-20A	9402132-03	9402179-01
Date Sampled:	01/23/94	01/25/94	02/16/94	02/21/94

	UNITS				
Aluminum	UG/L	119.0 U	119.0 U	139.0 UJ	139.0 U
Antimony	UG/L	7.90 U	7.90 U	7.60 UJ	7.60 U
Arsenic	UG/L	2.90 U	2.90 U	2.20 U	2.20 U
Barium	UG/L	13.7 U	13.7 U	12.4 U	12.4 U
Beryllium	UG/L	1.29 U	1.29 U	0.760 U	0.760 U
Cadmium	UG/L	2.35 U	2.35 U	3.19 U	3.19 U
Calcium	UG/L	152.0 U	224.0 U	149.0 U	149.0 U
Chromium	UG/L	7.20 U	7.35 U	8.31 U	8.31 U
Cobalt	UG/L	19.4 U	19.4 U	16.0 U	16.0 U
Copper	UG/L	16.2 U	16.2 U	16.3 U	16.3 U
Iron	UG/L	52.5 U	52.5 U	54.9 R	64.9
Lead	UG/L	1.00 UJ	1.00 U	1.00 U	1.00 U
Magnesium	UG/L	59.1 U	59.1 U	71.9 U	71.9 U
Manganese	UG/L	5.25 U	5.25 U	7.08 U	7.08 U
Mercury	UG/L	0.100 U	0.100 U	0.166 U	0.105
Nickel	UG/L	13.6 U	13.6 U	28.8 U	28.8 U
Potassium	UG/L	763 U	300.000 U	763 U	763 U
Selenium	UG/L	2.53 U	2.53 UJ	1.60 UJ	1.60 U
Silver	UG/L	0.400 UJ	0.400 UJ	1.60 U	1.60 U
Sodium	UG/L	307	186.000 U	368 U	368 U
Thallium	UG/L	4.60 U	4.60 U	3.00 U	3.00 U
Vanadium	UG/L	16.6 U	16.6 U	20.4 U	20.4 U
Zinc	UG/L	8.32 U	10.9	11.5 UR	16.4 U
Total Cyanide	UG/L	5.00 U	5.00 U	5.00 U	5.00 U

DATA AND FREQUENCY SUMMARY  
 OPERABLE UNIT NO. 4 (SITES 41,69, AND 74)  
 QUALITY ASSURANCE / QUALITY CONTROL  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 REMEDIAL INVESTIGATION - CTO-0212  
 TAL TOTAL METALS

Client Sample ID:		MINIMUM	MAXIMUM	MINIMUM	MAXIMUM	LOCATION OF	FREQUENCY
Laboratory Sample ID:		NONDETECTED	NONDETECTED	DETECTED	DETECTED	MAXIMUM	OF
Date Sampled:						DETECTED	DETECTION
	UNITS						
Aluminum	UG/L	119 U	139 U	120	120	69-FB-01	1/21
Antimony	UG/L	7.6 UJ	7.9 U	7.9 R	14.1 J	69-RS-03	3/21
Arsenic	UG/L	2.2 UJ	2.9 U	ND	ND		0/21
Barium	UG/L	12.4 U	16.8 U	13.7	13.7	74-RS-08	1/21
Beryllium	UG/L	0.76 U	3.21 U	ND	ND		0/21
Cadmium	UG/L	2.35 U	4.2 U	3.2	3.2	41-RS-01	1/21
Calcium	UG/L	125 U	441 U	144	30300	69-FB-01	4/21
Chromium	UG/L	7.2 UJ	9.6 U	9.42	9.42	74-RS-01	1/21
Cobalt	UG/L	16 U	31.2 U	ND	ND		0/21
Copper	UG/L	16.2 U	23.9 U	ND	ND		0/21
Iron	UG/L	52.5 U	54.9 UJ	54.9 R	4240	69-FB-01	7/21
Lead	UG/L	1 UJ	1 UJ	1.05	2.8 J	69-FB-01	2/21
Magnesium	UG/L	59.1 U	71.9 U	110	2880	69-FB-01	2/21
Manganese	UG/L	5.25 U	14.4 U	30.1	30.1	69-FB-01	1/21
Mercury	UG/L	0.063 U	0.178 U	0.105	0.105	74-RS-11	1/21
Nickel	UG/L	13.6 U	31.2 U	ND	ND		0/21
Potassium	UG/L	300 U	763 U	1550	1550	69-FB-01	1/21
Selenium	UG/L	1.6 U	2.53 U	2.92 J	4.08	74-RS-03	3/21
Silver	UG/L	0.4 U	1.6 U	1.6 R	1.6 R	74-RS-11	1/21
Sodium	UG/L	186 U	368 U	271	50400	69-FB-01	4/21
Thallium	UG/L	3 U	4.6 U	ND	ND		0/21
Vanadium	UG/L	16.6 U	20.4 U	ND	ND		0/21
Zinc	UG/L	7.02 U	42.8 U	10.9	80	69-FB-01	6/21
Total Cyanide	UG/L	5 U	5 U	ND	ND		0/13

DATA AND FREQUENCY SUMMARY  
 OPERABLE UNIT NO. 4 (SITES 41,69, AND 74)  
 QUALITY ASSURANCE / QUALITY CONTROL  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 REMEDIAL INVESTIGATION - CTO-0212  
 TAL DISSOLVED METALS

Client Sample ID:	41-RSD-09	41-RSD-13	69-RSD-06	74-RSD-09
Laboratory Sample ID:	9402118-02	9402161-06A	9402150-04	9402132-04
Date Sampled:	02/15/94	02/20/94	02/18/94	02/16/94

	<u>UNITS</u>				
Aluminum	UG/L	139.0 U	139.0 U	139.0 UJ	139.0 UJ
Antimony	UG/L	7.60 U	17.0	8.89	9.49 J
Arsenic	UG/L	2.20 U	2.20 U	2.20 U	2.20 U
Barium	UG/L	12.4 U	16.8 U	12.4 U	12.4 U
Beryllium	UG/L	0.760 U	3.21 U	0.760 U	0.760 U
Cadmium	UG/L	3.19 U	4.20 U	3.19 U	3.19 U
Calcium	UG/L	149.0 U	441.0 U	149.0 U	149.0 U
Chromium	UG/L	8.31 U	9.60 U	8.31 U	8.31 U
Cobalt	UG/L	16.0 U	31.2 U	16.0 U	16.0 U
Copper	UG/L	16.3 U	23.9 U	16.3 U	16.3 U
Iron	UG/L	54.9 U	71.1 U	54.9 U	54.9 R
Lead	UG/L	1.00 U	1.00 U	1.00 U	1.00 U
Magnesium	UG/L	71.9 U	71.4 U	71.4 U	71.9 U
Manganese	UG/L	7.08 U	14.4 U	7.08 U	7.08 U
Mercury	UG/L	0.131 U	0.144 U	0.165 U	0.172 U
Nickel	UG/L	28.8 U	31.2 U	28.8 U	28.8 U
Potassium	UG/L	763 U	763.000 U	763 U	763 U
Selenium	UG/L	1.60 U	1.60 UJ	1.60 UJ	1.60 UJ
Silver	UG/L	1.60 U	1.60 R	1.60 U	1.60 U
Sodium	UG/L	368 U	368.000 U	414	368 U
Thallium	UG/L	3.00 U	3.00 U	3.00 U	3.00 U
Vanadium	UG/L	20.4 U	20.4 U	20.4 U	20.4 U
Zinc	UG/L	10.6 U	15.8 U	10.6 U	11.2 UR

**DATA AND FREQUENCY SUMMARY**  
**OPERABLE UNIT NO. 4 (SITES 41,69, AND 74)**  
**QUALITY ASSURANCE / QUALITY CONTROL**  
**MCB CAMP LEJEUNE, NORTH CAROLINA**  
**REMEDIAL INVESTIGATION - CTO-0212**  
**TAL DISSOLVED METALS**

Client Sample ID:							
Laboratory Sample ID:	MINIMUM	MAXIMUM	MINIMUM	MAXIMUM	LOCATION OF	FREQUENCY	
Date Sampled:	NONDETECTED	NONDETECTED	DETECTED	DETECTED	MAXIMUM	OF	
					DETECTED	DETECTION	
	<u>UNITS</u>						
Aluminum	UG/L	139 U	139 U	ND	ND		0/4
Antimony	UG/L	7.6 U	7.6 U	8.89	17	41-RSD-13	3/4
Arsenic	UG/L	2.2 U	2.2 U	ND	ND		0/4
Barium	UG/L	12.4 U	16.8 U	ND	ND		0/4
Beryllium	UG/L	0.76 U	3.21 U	ND	ND		0/4
Cadmium	UG/L	3.19 U	4.2 U	ND	ND		0/4
Calcium	UG/L	149 U	441 U	ND	ND		0/4
Chromium	UG/L	8.31 U	9.6 U	ND	ND		0/4
Cobalt	UG/L	16 U	31.2 U	ND	ND		0/4
Copper	UG/L	16.3 U	23.9 U	ND	ND		0/4
Iron	UG/L	54.9 U	71.1 U	54.9 R	54.9 R	74-RSD-09	1/4
Lead	UG/L	1 U	1 U	ND	ND		0/4
Magnesium	UG/L	71.4 U	71.9 U	ND	ND		0/4
Manganese	UG/L	7.08 U	14.4 U	ND	ND		0/4
Mercury	UG/L	0.131 U	0.172 U	ND	ND		0/4
Nickel	UG/L	28.8 U	31.2 U	ND	ND		0/4
Potassium	UG/L	763 U	763 U	ND	ND		0/4
Selenium	UG/L	1.6 U	1.6 U	ND	ND		0/4
Silver	UG/L	1.6 U	1.6 U	1.6 R	1.6 R	74-RSD-09	1/4
Sodium	UG/L	368 U	368 U	414	414	69-RSD-06	1/4
Thallium	UG/L	3 U	3 U	ND	ND		0/4
Vanadium	UG/L	20.4 U	20.4 U	ND	ND		0/4
Zinc	UG/L	10.6 U	15.8 U	ND	ND		0/4

QA/QC SAMPLE SUMMARY  
 OPERABLE UNIT NO. 14 (SITE 69)  
 ROUND TWO GROUNDWATER  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 REMEDIAL INVESTIGATION - CTO-0212  
 ORGANICS

Sample No.:	69FB	69ER	Trip Blank	Trip Blank	Trip Blank	69FB3
Depth:	Field Blank	Equipment Rinsate	Trip Blank	Trip Blank	Trip Blank	Field Blank
Date Sampled:	02/21/95	02/21/95	02/21/95	02/22/95	02/24/95	02/23/95
Lab ID:	NA	NA	NA	NA	NA	NA

UNITS

PURGEABLE HALOCARBONS 601

Bromodichloromethane	UG/L	5 U	5 U	5 U	5 U	5 U	5 U
Bromoform	UG/L	5 U	5 U	5 U	5 U	5 U	5 U
Bromomethane	UG/L	5 U	5 U	5 U	5 U	5 U	5 U
Carbon Tetrachloride	UG/L	5 U	5 U	5 U	5 U	5 U	5 U
Chlorobenzene	UG/L	5 U	5 U	5 U	5 U	5 U	5 U
Chloroethane	UG/L	5 U	5 U	5 U	5 U	5 U	5 U
2-Chlorovinyl ether	UG/L	5 U	5 U	5 U	5 U	5 U	5 U
Chloroform	UG/L	5 U	5 U	5 U	5 U	5 U	5 U
Chloromethane	UG/L	5 U	5 U	5 U	5 U	5 U	5 U
Dibromochloromethane	UG/L	5 U	5 U	5 U	5 U	5 U	5 U
1,2-Dichlorobenzene	UG/L	5 U	5 U	5 U	5 U	5 U	5 U
1,3-Dichlorobenzene	UG/L	5 U	5 U	5 U	5 U	5 U	5 U
1,4-Dichlorobenzene	UG/L	5 U	5 U	5 U	5 U	5 U	5 U
Dichlorodifluoromethane	UG/L	5 U	5 U	5 U	5 U	5 U	5 U
1,1-Dichloroethane	UG/L	5 U	5 U	5 U	5 U	5 U	5 U
1,2-Dichloroethane	UG/L	5 U	5 U	5 U	5 U	5 U	5 U
1,1-Dichloroethene	UG/L	5 U	5 U	5 U	5 U	5 U	5 U
trans-1,2-Dichloroethene	UG/L	5 U	5 U	5 U	5 U	5 U	5 U
1,2-Dichloropropane	UG/L	5 U	5 U	5 U	5 U	5 U	5 U
cis-1,3-Dichloropropene	UG/L	5 U	5 U	5 U	5 U	5 U	5 U
trans-1,3-Dichloropropene	UG/L	5 U	5 U	5 U	5 U	5 U	5 U
Methylene Chloride	UG/L	5 U	5 U	5 U	5 U	5 U	5 U
1,1,2,2,-Tetrachloroethane	UG/L	5 U	5 U	5 U	5 U	5 U	5 U
Tetrachloroethene	UG/L	5 U	5 U	5 U	5 U	5 U	5 U
Trichloroethene	UG/L	5 U	5 U	5 U	5 U	5 U	5 U
1,1,1-Trichloroethane	UG/L	5 U	5 U	5 U	5 U	5 U	5 U
1,1,2-Trichloroethane	UG/L	5 U	5 U	5 U	5 U	5 U	5 U
Trichlorofluoromethane	UG/L	5 U	5 U	5 U	5 U	5 U	5 U
Vinyl Chloride	UG/L	5 U	5 U	5 U	5 U	5 U	5 U

QA/QC SAMPLE SUMMARY  
 OPERABLE UNIT NO. 14 (SITE 69)  
 ROUND TWO GROUNDWATER  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 REMEDIAL INVESTIGATION - CTO-0212  
 ORGANICS

Sample No.:	69ER3	Trip Blank	69FB5	69ER5	Trip Blank	Trip Blank
Depth:	Equipment Rinsate	Trip Blank	Field Blank	Equipment Rinsate	Trip Blank	Trip Blank
Date Sampled:	02/23/95	02/23/95	02/25/95	02/25/95	02/25/95	02/26/95
Lab ID:	NA	NA	NA	NA	NA	NA

UNITS

PURGEABLE HALOCARBONS 601

Bromodichloromethane	UG/L	5 U	5 U	5 U	5 U	5 U	5 U
Bromoform	UG/L	5 U	5 U	5 U	5 U	5 U	5 U
Bromomethane	UG/L	5 U	5 U	5 U	5 U	5 U	5 U
Carbon Tetrachloride	UG/L	5 U	5 U	5 U	5 U	5 U	5 U
Chlorobenzene	UG/L	5 U	5 U	5 U	5 U	5 U	5 U
Chloroethane	UG/L	5 U	5 U	5 U	5 U	5 U	5 U
2-Chlorovinyl ether	UG/L	5 U	5 U	5 U	5 U	5 U	5 U
Chloroform	UG/L	5 U	5 U	5 U	5 U	5 U	5 U
Chloromethane	UG/L	5 U	5 U	5 U	5 U	5 U	5 U
Dibromochloromethane	UG/L	5 U	5 U	5 U	5 U	5 U	5 U
1,2-Dichlorobenzene	UG/L	5 U	5 U	5 U	5 U	5 U	5 U
1,3-Dichlorobenzene	UG/L	5 U	5 U	5 U	5 U	5 U	5 U
1,4-Dichlorobenzene	UG/L	5 U	5 U	5 U	5 U	5 U	5 U
Dichlorodifluoromethane	UG/L	5 U	5 U	5 U	5 U	5 U	5 U
1,1-Dichloroethane	UG/L	5 U	5 U	5 U	5 U	5 U	5 U
1,2-Dichloroethane	UG/L	5 U	5 U	5 U	5 U	5 U	5 U
1,1-Dichloroethene	UG/L	5 U	5 U	5 U	5 U	5 U	5 U
trans-1,2-Dichloroethene	UG/L	5 U	5 U	5 U	5 U	5 U	5 U
1,2-Dichloropropane	UG/L	5 U	5 U	5 U	5 U	5 U	5 U
cis-1,3-Dichloropropene	UG/L	5 U	5 U	5 U	5 U	5 U	5 U
trans-1,3-Dichloropropene	UG/L	5 U	5 U	5 U	5 U	5 U	5 U
Methylene Chloride	UG/L	5 U	5 U	5 U	5 U	5 U	5 U
1,1,2,2,-Tetrachloroethane	UG/L	5 U	5 U	5 U	5 U	5 U	5 U
Tetrachloroethene	UG/L	5 U	5 U	5 U	5 U	5 U	5 U
Trichloroethene	UG/L	5 U	5 U	5 U	5 U	5 U	5 U
1,1,1-Trichloroethane	UG/L	5 U	5 U	5 U	5 U	5 U	5 U
1,1,2-Trichloroethane	UG/L	5 U	5 U	5 U	5 U	5 U	5 U
Trichlorofluoromethane	UG/L	5 U	5 U	5 U	5 U	5 U	5 U
Vinyl Chloride	UG/L	5 U	5 U	5 U	5 U	5 U	5 U

QA/QC SAMPLE SUMMARY  
 OPERABLE UNIT NO. 14 (SITE 69)  
 GROUNDWATER  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 REMEDIAL INVESTIGATION - CTO-0212  
 ORGANICS

Sample No.:	69-RB30	69-RB31	69-RB32	69-TB30	69-TB31
Depth:	Rinsate Blank	Rinsate Blank	Rinsate Blank	Trip Blank	Trip Blank
Date Sampled:	03/23/95	03/26/95	03/27/95	03/23/95	03/27/95
Lab ID:	NA	NA	NA	NA	NA

UNITS

VOLATILES

Chloromethane	UG/L	10 U	10 U	10 U	10 U	10 U
Bromomethane	UG/L	10 U	10 U	10 U	10 U	10 U
Vinyl Chloride	UG/L	10 U	10 U	10 U	10 U	10 U
Chloroethane	UG/L	10 U	10 U	10 U	10 U	10 U
Methylene chloride	UG/L	10 U	10 U	10 U	10 U	10 U
Acetone	UG/L	10 UJ	10 U	10 U	10 UJ	10 U
Carbon disulfide	UG/L	10 U	10 U	10 U	10 U	10 U
1,1-Dichloroethene	UG/L	10 U	10 U	10 U	10 U	10 U
1,1-Dichloroethane	UG/L	10 U	10 U	10 U	10 U	10 U
1,2-Dichloroethene (total)	UG/L	10 U	10 U	10 U	10 U	10 U
Chloroform	UG/L	10 U	10 U	10 U	10 U	10 U
1,2-Dichloroethane	UG/L	10 U	10 U	10 U	10 U	10 U
Methyl ethyl ketone	UG/L	10 R	10 U	10 U	10 R	10 U
1,1,1-Trichloroethane	UG/L	10 U	10 U	10 U	10 U	10 U
Carbon tetrachloride	UG/L	10 U	10 U	10 U	10 U	10 U
Bromodichloromethane	UG/L	10 U	10 U	10 U	10 U	10 U
1,2-Dichloropropane	UG/L	10 U	10 U	10 U	10 U	10 U
cis-1,3-Dichloropropene	UG/L	10 U	10 U	10 U	10 U	10 U
Trichloroethene	UG/L	10 U	10 U	10 U	10 U	10 U
Dibromochloromethane	UG/L	10 U	10 U	10 U	10 U	10 U
1,1,2-Trichloroethane	UG/L	10 U	10 U	10 U	10 U	10 U
Benzene	UG/L	10 U	10 U	10 U	10 U	10 U
trans-1,3-Dichloropropene	UG/L	10 U	10 U	10 U	10 U	10 U
Bromoform	UG/L	10 U	10 U	10 U	10 U	10 U
4-Methyl-2-Pentanone	UG/L	10 R	10 R	10 R	10 R	10 R
2-Hexanone	UG/L	10 R	10 U	10 U	10 R	10 U
Tetrachloroethene	UG/L	10 U	10 U	10 U	10 U	10 U
1,1,2,2-Tetrachloroethane	UG/L	10 U	10 U	10 U	10 U	10 U
Toluene	UG/L	10 U	10 U	10 U	10 U	10 U
Chlorobenzene	UG/L	10 U	10 U	10 U	10 U	10 U
Ethylbenzene	UG/L	10 U	10 U	10 U	10 U	10 U
Styrene	UG/L	10 U	10 U	10 U	10 U	10 U
Xylene (total)	UG/L	10 U	10 U	10 U	10 U	10 U



SITE 69  
QA/QC SAMPLE SUMMARY  
REMEDIAL INVESTIGATION CTO-0133  
MCB CAMP LEJEUNE, NORTH CAROLINA  
ORGANICS

Sample No:	69-EC-TB-01	69-EC1-ER-13	69-EC1-FB-02	69-EC1-TB-13	69-NR-ER-10	69-NR-TB-11
Depth:	TRIP BLANK	RINSE BLANK	FIELD BLANK	TRIP BLANK	RINSE BLANK	TRIP BLANK
Date Sampled:	08/20/92	9/16/92	9/16/92	9/16/92	9/15/92	9/15/92
Lab Id:	00424-07	00517-19	00517-20	00517-23	00513-06	00513-07
Parameter	Units					
<u>PESTICIDE/PCBS</u>						
ALPHA-BHC	UG/L	0.05 UJ	0.05 UJ		0.05 UJ	
BETA-BHC	UG/L	0.05 UJ	0.05 UJ		0.05 UJ	
DELTA-BHC	UG/L	0.05 UJ	0.05 UJ		0.05 UJ	
GAMMA-BHC(LINDANE)	UG/L	0.05 UJ	0.05 UJ		0.05 UJ	
HEPTACHLOR	UG/L	0.05 UJ	0.05 UJ		0.05 UJ	
ALDRIN	UG/L	0.05 UJ	0.05 UJ		0.05 UJ	
HEPTACHLOR EPOXIDE	UG/L	0.05 UJ	0.05 UJ		0.05 UJ	
ENDOSULFAN I	UG/L	0.05 UJ	0.05 UJ		0.05 UJ	
DIELDRIN	UG/L	0.1 UJ	0.1 UJ		0.1 UJ	
4,4'-DDE	UG/L	0.1 UJ	0.1 UJ		0.1 UJ	
ENDRIN	UG/L	0.1 UJ	0.1 UJ		0.1 UJ	
ENDOSULFAN II	UG/L	0.1 UJ	0.1 UJ		0.1 UJ	
4,4'-DDD	UG/L	0.1 UJ	0.1 UJ		0.1 UJ	
ENDOSULFAN SULFATE	UG/L	0.1 UJ	0.1 UJ		0.1 UJ	
4,4'-DDT	UG/L	0.1 UJ	0.1 UJ		0.1 UJ	
METHOXYCHLOR	UG/L	0.5 UJ	0.5 UJ		0.5 UJ	
ENDRIN KETONE	UG/L	0.1 UJ	0.1 UJ		0.1 UJ	
ENDRIN ALDEHYDE	UG/L	0.1 UJ	0.1 UJ		0.1 UJ	
ALPHA CHLORDANE	UG/L	0.05 UJ	0.05 UJ		0.05 UJ	
GAMMA CHLORDANE	UG/L	0.05 UJ	0.05 UJ		0.05 UJ	
TOXAPHENE	UG/L	5 UJ	5 UJ		5 UJ	
PCB-1016	UG/L	1 UJ	1 UJ		1 UJ	
PCB-1221	UG/L	2 UJ	2 UJ		2 UJ	
PCB-1232	UG/L	1 UJ	1 UJ		1 UJ	
PCB-1242	UG/L	1 UJ	1 UJ		1 UJ	
PCB-1248	UG/L	1 UJ	1 UJ		1 UJ	
PCB-1254	UG/L	1 UJ	1 UJ		1 UJ	
PCB-1260	UG/L	1 UJ	1 UJ		1 UJ	
<u>VOLATILES</u>						
CHLOROMETHANE	UG/L	10 U	10 U	10 U	10 U	10 U
BROMOMETHANE	UG/L	10 U	10 UJ	10 UJ	10 U	10 U
VINYL CHLORIDE	UG/L	10 U	10 U	10 U	10 U	10 U
CHLOROETHANE	UG/L	10 U	10 U	10 U	10 U	10 U
METHYLENE CHLORIDE	UG/L	6 J	7 J	5 J	7 J	7 J
ACETONE	UG/L	10 U	10 U	30	10 U	10 U
CARBON DISULFIDE	UG/L	10 U	10 U	10 U	10 U	10 U
1,1-DICHLOROETHENE	UG/L	10 UJ	10 U	10 U	10 U	10 U
1,1-DICHLOROETHANE	UG/L	10 U	10 U	10 U	10 U	10 U
1,2-DICHLOROETHENE	UG/L	10 U	10 U	10 U	10 U	10 U
CHLOROFORM	UG/L	10 U	10 U	10 U	10 U	10 U
1,2-DICHLOROETHANE	UG/L	10 U	10 U	10 U	10 U	10 U
2-BUTANONE	UG/L	10 U	10 U	10 U	10 U	10 U

SITE 69  
 QA/QC SAMPLE SUMMARY  
 REMEDIAL INVESTIGATION CTO-0133  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 ORGANICS

Sample No:	69-EC-TB-01	69-EC1-ER-13	69-EC1-FB-02	69-EC1-TB-13	69-NR-ER-10	69-NR-TB-11
Depth:	TRIP BLANK	RINSE BLANK	FIELD BLANK	TRIP BLANK	RINSE BLANK	TRIP BLANK
Date Sampled:	08/20/92	9/16/92	9/16/92	9/16/92	9/15/92	9/15/92
Lab Id:	00424-07	00517-19	00517-20	00517-23	00513-06	00513-07
Parameter	Units					
<u>VOLATILES Cont.</u>						
1,1,1-TRICHLOROETHANE	UG/L	10 U	10 U	10 U	10 U	10 U
CARBON TETRACHLORIDE	UG/L	10 U	10 U	10 U	10 U	10 U
BROMODICHLOROMETHANE	UG/L	10 U	10 U	10 U	10 U	10 U
1,2-DICHLOROPROPANE	UG/L	10 U	10 U	10 U	10 U	10 U
CIS-1,3-DICHLOROPROPENE	UG/L	10 U	10 U	10 U	10 U	10 U
TRICHLOROETHENE	UG/L	10 U	10 U	10 U	10 U	10 U
DIBROMOCHLOROMETHANE	UG/L	10 U	10 U	10 U	10 U	10 U
1,1,2-TRICHLOROETHANE	UG/L	10 U	10 U	10 U	10 U	10 U
BENZENE	UG/L	10 U	10 U	10 U	10 U	10 U
TRANS-1,3-DICHLOROPROPENE	UG/L	10 U	10 U	10 U	10 U	10 U
BROMOFORM	UG/L	10 U	10 U	10 U	10 U	10 U
4-METHYL-2-PENTANONE	UG/L	10 U	10 U	10 U	10 U	10 U
2-HEXANONE	UG/L	10 U	10 U	10 U	10 U	10 U
TETRACHLOROETHENE	UG/L	10 U	10 U	10 U	10 U	10 U
1,1,2,2-TETRACHLOROETHANE	UG/L	10 U	10 U	10 U	10 U	10 U
TOLUENE	UG/L	10 U	10 U	10 U	10 U	10 U
CHLOROBENZENE	UG/L	10 U	10 U	10 U	10 U	10 U
ETHYLBENZENE	UG/L	10 U	10 U	10 U	10 U	10 U
STYRENE	UG/L	10 U	10 U	10 U	10 U	10 U
TOTAL XYLENES	UG/L	10 U	10 U	10 U	10 U	10 U
<u>SEMIVOLATILES</u>						
PHENOL	UG/L	10 U	10 U	10 U	10 U	10 U
BIS(2-CHLOROETHYL) ETHER	UG/L	10 U	10 U	10 U	10 U	10 U
2-CHLOROPHENOL	UG/L	10 U	10 U	10 U	10 U	10 U
1,3-DICHLOROBENZENE	UG/L	10 U	10 U	10 U	10 U	10 U
1,4-DICHLOROBENZENE	UG/L	10 U	10 U	10 U	10 U	10 U
1,2-DICHLOROBENZENE	UG/L	10 U	10 U	10 U	10 U	10 U
2-METHYLPHENOL	UG/L	10 U	10 U	10 U	10 U	10 U
2,2'-OXYBIS(1-CHLOROPROPANE)	UG/L	10 U	10 U	10 U	10 U	10 U
4-METHYLPHENOL	UG/L	10 U	10 U	10 U	10 U	10 U
N-NITROSODI-N-PROPYLAMINE	UG/L	10 U	10 U	10 U	10 U	10 U
HEXACHLOROETHANE	UG/L	10 U	10 U	10 U	10 U	10 U
NITROBENZENE	UG/L	10 U	10 U	10 U	10 U	10 U
ISOPHORONE	UG/L	10 U	10 U	10 U	10 U	10 U
2-NITROPHENOL	UG/L	10 U	10 U	10 U	10 U	10 U
2,4-DIMETHYLPHENOL	UG/L	10 U	10 U	10 U	10 U	10 U
BIS(2-CHLOROETHOXY) METHANE	UG/L	10 U	10 U	10 U	10 U	10 U
2,4-DICHLOROPHENOL	UG/L	10 U	10 U	10 U	10 U	10 U
1,2,4-TRICHLOROBENZENE	UG/L	10 U	10 U	10 U	10 U	10 U
NAPHTHALENE	UG/L	10 U	10 U	10 U	10 U	10 U
4-CHLORANILINE	UG/L	10 U	10 U	10 U	10 U	10 U
HEXACHLOROBUTADIENE	UG/L	10 U	10 U	10 U	10 U	10 U

SITE 69  
 QA/QC SAMPLE SUMMARY  
 REMEDIAL INVESTIGATION CTO-0133  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 ORGANICS

	Sample No:	69-EC-TB-01'	69-EC1-ER-13	69-EC1-FB-02	69-EC1-TB-13	69-NR-ER-10	69-NR-TB-11
	Depth:	TRIP BLANK	RINSE BLANK	FIELD BLANK	TRIP BLANK	RINSE BLANK	TRIP BLANK
	Date Sampled:	08/20/92	9/16/92	9/16/92	9/16/92	9/15/92	9/15/92
	Lab Id:	00424-07	00517-19	00517-20	00517-23	00513-06	00513-07
Parameter	Units						
<u>SEMIVOLATILES Cont.</u>							
4-CHLORO-3-METHYLPHENOL	UG/L		10 U	10 U		10 U	
2-METHYLNAPHTHALENE	UG/L		10 U	10 U		10 U	
HEXACHLOROCYCLOPENTADIENE	UG/L		10 U	10 U		10 U	
2,4,6-TRICHLOROPHENOL	UG/L		10 U	10 U		10 U	
2,4,5-TRICHLOROPHENOL	UG/L		25 U	25 U		25 U	
2-CHLORONAPHTHALENE	UG/L		10 U	10 U		10 U	
2-NITROANILINE	UG/L		25 U	25 U		25 U	
DIMETHYL PHTHALATE	UG/L		10 U	10 U		10 U	
ACENAPHTHYLENE	UG/L		10 U	10 U		10 U	
2,6-DINITROTOLUENE	UG/L		10 U	10 U		10 U	
3-NITROANILINE	UG/L		25 U	25 U		25 U	
ACENAPHTHENE	UG/L		10 U	10 U		10 U	
2,4-DINITROPHENOL	UG/L		25 U	25 U		25 U	
4-NITROPHENOL	UG/L		25 U	25 U		25 U	
DIBENZOFURAN	UG/L		10 U	10 U		10 U	
2,4-DINITROTOLUENE	UG/L		10 U	10 U		10 U	
DIETHYL PHTHALATE	UG/L		10 U	10 U		10 U	
4-CHLOROPHENYL PHENYL ETHER	UG/L		10 U	10 U		10 U	
FLUORENE	UG/L		10 UJ	10 UJ		10 UJ	
4-NITROANILINE	UG/L		25 U	25 U		25 U	
4,6-DINITRO-2-METHYLPHENOL	UG/L		25 U	25 U		25 U	
N-NITRISODIPHENYLAMINE	UG/L		10 U	10 U		10 U	
4-BROMOPHENYL PHENYL ETHER	UG/L		10 U	10 U		10 U	
HEXACHLOROBENZENE	UG/L		10 U	10 U		10 U	
PENTACHLOROPHENOL	UG/L		25 U	25 U		25 U	
PHENANTHRENE	UG/L		10 U	10 U		10 U	
ANTHRACENE	UG/L		10 U	10 U		10 U	
DI-N-BUTYL PHTHALATE	UG/L		10 U	10 U		10 UJ	
FLUORANTHENE	UG/L		10 U	10 U		10 U	
CARBAZOLE	UG/L		10 U	10 U		10 U	
PYRENE	UG/L		10 U	10 U		10 U	
BUTYL BENZYL PHTHALATE	UG/L		10 U	10 U		10 U	
3,3-DICHLOROBENZIDINE	UG/L		10 U	10 U		10 U	
BENZO(A)ANTHRACENE	UG/L		10 U	10 U		10 U	
CHRYSENE	UG/L		10 U	10 U		10 U	
BIS(2-ETHYLHEXYL)PHTHALATE	UG/L		10 U	10 U		10 U	
DI-N-OCTYL PHTHALATE	UG/L		10 UJ	10 UJ		10 U	
BENZO(B)FLUORANTHENE	UG/L		10 U	10 U		10 U	
BENZO(K)FLUORANTHENE	UG/L		10 U	10 U		10 U	
BENZO(A)PYRENE	UG/L		10 U	10 U		10 U	
INDENO(1,2,3-CD) PYRENE	UG/L		10 U	10 U		10 U	
DIBENZ(A,H)ANTHRACENE	UG/L		10 U	10 U		10 U	
BENZO(G,H,I)PERYLENE	UG/L		10 U	10 U		10 U	

SITE 69  
 QA/QC SAMPLE SUMMARY  
 REMEDIAL INVESTIGATION CTO-0133  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 ORGANICS

Sample No:	69-UT-TB-02	69-UT2-SW-ER
Depth:	TRIP BLANK	RINSE BLANK
Date Sampled:	8/20/92	8/20/92
Lab Id:	00425-09	00425-03

Parameter	Units		
<u>PESTICIDE/PCBS</u>			
ALPHA-BHC	UG/L		0.084 U
BETA-BHC	UG/L		0.084 U
DELTA-BHC	UG/L		0.084 U
GAMMA-BHC(LINDANE)	UG/L		0.084 U
HEPTACHLOR	UG/L		0.084 U
ALDRIN	UG/L		0.084 U
HEPTACHLOR EPOXIDE	UG/L		0.084 U
ENDOSULFAN I	UG/L		0.084 U
DIELDRIN	UG/L		0.17 U
4,4'-DDE	UG/L		0.17 U
ENDRIN	UG/L		0.17 U
ENDOSULFAN II	UG/L		0.17 U
4,4'-DDD	UG/L		0.17 U
ENDOSULFAN SULFATE	UG/L		0.17 U
4,4'-DDT	UG/L		0.17 U
METHOXYCHLOR	UG/L		0.84 U
ENDRIN KETONE	UG/L		0.17 U
ENDRIN ALDEHYDE	UG/L		0.17 U
ALPHA CHLORDANE	UG/L		0.084 U
GAMMA CHLORDANE	UG/L		0.084 U
TOXAPHENE	UG/L		8.4 U
PCB-1016	UG/L		1.7 U
PCB-1221	UG/L		3.3 U
PCB-1232	UG/L		1.7 U
PCB-1242	UG/L		1.7 U
PCB-1248	UG/L		1.7 U
PCB-1254	UG/L		1.7 U
PCB-1260	UG/L		1.7 U
<u>VOLATILES</u>			
CHLOROMETHANE	UG/L	10 U	10 U
BROMOMETHANE	UG/L	10 U	10 U
VINYL CHLORIDE	UG/L	10 U	10 U
CHLOROETHANE	UG/L	10 U	10 U
METHYLENE CHLORIDE	UG/L	6	6 J
ACETONE	UG/L	10 U	48
CARBON DISULFIDE	UG/L	10 U	10 U
1,1-DICHLOROETHENE	UG/L	10 UJ	10 UJ
1,1-DICHLOROETHANE	UG/L	10 U	10 U
1,2-DICHLOROETHENE	UG/L	10 U	10 U
CHLOROFORM	UG/L	10 U	10 U
1,2-DICHLOROETHANE	UG/L	10 U	10 U
2-BUTANONE	UG/L	10 U	10 U

SITE 69  
 QA/QC SAMPLE SUMMARY  
 REMEDIAL INVESTIGATION CTO-0133  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 ORGANICS

Sample No:	69-UT-TB-02	69-UT2-SW-ER
Depth:	TRIP BLANK	RINSE BLANK
Date Sampled:	8/20/92	8/20/92
Lab Id:	00425-09	00425-03

Parameter	Units		
<u>VOLATILES Cont.</u>			
1,1,1-TRICHLOROETHANE	UG/L	10 U	2 J
CARBON TETRACHLORIDE	UG/L	10 U	10 U
BROMODICHLOROMETHANE	UG/L	10 U	10 U
1,2-DICHLOROPROPANE	UG/L	10 U	10 U
CIS-1,3-DICHLOROPROPENE	UG/L	10 U	10 U
TRICHLOROETHENE	UG/L	10 U	10 U
DIBROMOCHLOROMETHANE	UG/L	10 U	10 U
1,1,2-TRICHLOROETHANE	UG/L	10 U	10 U
BENZENE	UG/L	10 U	10 U
TRANS-1,3-DICHLOROPROPENE	UG/L	10 U	10 U
BROMOFORM	UG/L	10 U	10 U
4-METHYL-2-PENTANONE	UG/L	10 U	10 U
2-HEXANONE	UG/L	10 U	10 U
TETRACHLOROETHENE	UG/L	10 U	10 U
1,1,2,2-TETRACHLOROETHANE	UG/L	10 U	10 U
TOLUENE	UG/L	10 U	10 U
CHLOROBENZENE	UG/L	10 U	10 U
ETHYLBENZENE	UG/L	10 U	10 U
STYRENE	UG/L	10 U	10 U
TOTAL XYLENES	UG/L	10 U	10 U
<u>SEMIVOLATILES</u>			
PHENOL	UG/L		10 U
BIS(2-CHLOROETHYL) ETHER	UG/L		10 U
2-CHLOROPHENOL	UG/L		10 U
1,3-DICHLOROBENZENE	UG/L		10 U
1,4-DICHLOROBENZENE	UG/L		10 U
1,2-DICHLOROBENZENE	UG/L		10 U
2-METHYLPHENOL	UG/L		10 U
2,2'-OXYBIS(1-CHLOROPROPANE)	UG/L		10 U
4-METHYLPHENOL	UG/L		10 U
N-NITROSODI-N-PROPYLAMINE	UG/L		10 U
HEXACHLOROETHANE	UG/L		10 U
NITROBENZENE	UG/L		10 U
ISOPHORONE	UG/L		10 U
2-NITROPHENOL	UG/L		10 U
2,4-DIMETHYLPHENOL	UG/L		10 U
BIS(2-CHLOROETHOXY) METHANE	UG/L		10 U
2,4-DICHLOROPHENOL	UG/L		10 U
1,2,4-TRICHLOROBENZENE	UG/L		10 U
NAPHTHALENE	UG/L		10 U
4-CHLORANILINE	UG/L		10 U
HEXACHLOROBUTADIENE	UG/L		10 U

SITE 69  
 QA/QC SAMPLE SUMMARY  
 REMEDIAL INVESTIGATION CTO-0133  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 ORGANICS

Sample No:	69-UT-TB-02	69-UT2-SW-ER
Depth:	TRIP BLANK	RINSE BLANK
Date Sampled:	8/20/92	8/20/92
Lab Id:	00425-09	00425-03

Parameter	Units	
<u>SEMIVOLATILES Cont.</u>		
4-CHLORO-3-METHYLPHENOL	UG/L	10 U
2-METHYLNAPHTHALENE	UG/L	10 U
HEXACHLOROCYCLOPENTADIENE	UG/L	10 U
2,4,6-TRICHLOROPHENOL	UG/L	10 U
2,4,5-TRICHLOROPHENOL	UG/L	25 U
2-CHLORONAPHTHALENE	UG/L	10 U
2-NITROANILINE	UG/L	25 U
DIMETHYL PHTHALATE	UG/L	10 U
ACENAPHTHYLENE	UG/L	10 U
2,6-DINITROTOLUENE	UG/L	10 U
3-NITROANILINE	UG/L	25 U
ACENAPHTHENE	UG/L	10 U
2,4-DINITROPHENOL	UG/L	25 U
4-NITROPHENOL	UG/L	25 U
DIBENZOFURAN	UG/L	10 U
2,4-DINITROTOLUENE	UG/L	10 U
DIETHYL PHTHALATE	UG/L	10 U
4-CHLOROPHENYL PHENYL ETHER	UG/L	10 U
FLUORENE	UG/L	10 U
4-NITROANILINE	UG/L	25 U
4,6-DINITRO-2-METHYLPHENOL	UG/L	25 U
N-NITRISODIPHENYLAMINE	UG/L	10 U
4-BROMOPHENYL PHENYL ETHER	UG/L	10 U
HEXACHLOROBENZENE	UG/L	10 U
PENTACHLOROPHENOL	UG/L	25 U
PHENANTHRENE	UG/L	10 U
ANTHRACENE	UG/L	10 U
DI-N-BUTYL PHTHALATE	UG/L	10 U
FLUORANTHENE	UG/L	10 U
CARBAZOLE	UG/L	10 U
PYRENE	UG/L	10 U
BUTYL BENZYL PHTHALATE	UG/L	10 U
3,3-DICHLOROBENZIDINE	UG/L	10 U
BENZO(A)ANTHRACENE	UG/L	10 U
CHRYSENE	UG/L	10 U
BIS(2-ETHYLHEXYL)PHTHALATE	UG/L	10 U
DI-N-OCTYL PHTHALATE	UG/L	10 U
BENZO(B)FLUORANTHENE	UG/L	10 U
BENZO(K)FLUORANTHENE	UG/L	10 U
BENZO(A)PYRENE	UG/L	10 U
INDENO(1,2,3-CD) PYRENE	UG/L	10 U
DIBENZ(AH)ANTHRACENE	UG/L	10 U
BENZO(G,H,I)PERYLENE	UG/L	10 U

SITE 69  
 QA/QC SAMPLE SUMMARY  
 REMEDIAL INVESTIGATION CTO-0133  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 TOTAL METALS

	Sample No:	69-EC1-ER-13	69-EC1-FB-02	69-NR-ER-10	69-UT2-SW-ER
	Depth:	RINSE BLANK	FIELD BLANK	RINSE BLANK	RINSE BLANK
	Date Sampled:	9/16/92	9/16/92	9/15/92	8/21/92
	Lab Id:	00517-19	00517-20	00513-06	00425-03
Parameter	Units				
ALUMINUM	UG/L	25.9 B	15.7 B	62 B	14 U
ANTIMONY	UG/L	14 U	14 U	14 U	14 UJ
ARSENIC	UG/L	3 U	3 U	3 U	3 U
BARIUM	UG/L	0.42 JB	0.59 JB	1.1 B	1 U
BERYLLIUM	UG/L	0.3 UJ	0.3 UJ	0.3 U	1 U
CADMIUM	UG/L	1.9 U	1.9 U	1.9 U	2 U
CALCIUM	UG/L	93.6 B	113 B	110 B	80.1 B
CHROMIUM	UG/L	3.6 U	3.6 U	3.6 U	4.9 B
COBALT	UG/L	2 U	4.4 JB	2 U	2 U
COPPER	UG/L	1.9 U	1.9 U	3.6 B	2 U
CYANIDE	UG/L	10 U	10 U	10 U	10 U
IRON	UG/L	34 B	23.1 B	31 B	84.1 B
LEAD	UG/L	1.4 B	1 U	2.6 B	2.1 B
MAGNESIUM	UG/L	12.2 U	20 B	18 B	23.6 B
MANGANESE	UG/L	0.96 B	1.4 B	0.6 U	1.3 JB
MERCURY	UG/L	0.06 B	0.07 B	0.04 U	0.2 U
NICKEL	UG/L	7.9 UJ	7.9 UJ	7.9 U	8 U
POTASSIUM	UG/L	64 U	64 U	64 U	600 JB
SELENIUM	UG/L	3 U	3 U	3 U	3 U
SILVER	UG/L	5.2 JB	4.2 JB	3.9 B	3.1 B
SODIUM	UG/L	268 JB	154 JB	350 B	199 JB
THALLIUM	UG/L	2 U	2 U	2 U	2 UJ
VANADIUM	UG/L	1.8 U	1.8 U	1.8 U	2 U
ZINC	UG/L	2 B	3.4 B	16.5 B	12.7 B

**APPENDIX M**  
**BAKER DRAFT EVALUATION OF METALS IN GROUNDWATER**



**DRAFT**

**EVALUATION OF METALS IN  
GROUNDWATER**

**MARINE CORPS BASE,  
CAMP LEJEUNE, NORTH CAROLINA**

**CONTRACT TASK ORDER 0177**

**JUNE 3, 1994**

*Prepared for:*

**DEPARTMENT OF THE NAVY  
ATLANTIC DIVISION  
NAVAL FACILITIES  
ENGINEERING COMMAND  
*Norfolk, Virginia***

*Under the:*

**LANTDIV CLEAN Program  
Contract N62470-89-D-4814**

*Prepared by:*

**BAKER ENVIRONMENTAL, INC.  
*Coraopolis, Pennsylvania***

## TABLE OF CONTENTS

	<u>Page</u>
1.0 INTRODUCTION .....	1
2.0 STUDY OBJECTIVES .....	1
3.0 SCOPE OF WORK .....	2
4.0 DATA ANALYSIS .....	3
5.0 ANALYSIS OF STUDY OBJECTIVES .....	8
6.0 CONCLUSIONS .....	10
7.0 RECOMMENDATIONS .....	10

### FIGURES

1	Site Location Map
2	Positive Detections Above Applicable Federal and State Standards for Total and Filtered Inorganic Analytes in Groundwater-Site 2
3	Positive Detections of Total Metals Above Federal MCLs and NCWQS in Shallow Wells-Site 78
4	Positive Detections of Total Metals Above Federal MCLs and NCWQS in Intermediate Wells-Site 78
5	Positive Detections of Total Metals Above Federal MCLs and NCWQS in Deep Wells-Site 78

### TABLES

1	Summary of Total Metals in Shallow Wells
2	Comparison of Repeat Sampling in Shallow Wells
3	Summary of Dissolved Metals in Shallow Wells
4	Summary of Total Metals in Upgradient Wells
5	Comparison of Inorganic Subsurface Soil Concentrations in "Clean" and "Contaminated" Wells
6	Total Metals in Deep Monitoring Wells
7	Summary of Field Parameters in Shallow, Deep, and Supply Wells

## 1.0 INTRODUCTION

Numerous groundwater investigations have been conducted at Marine Corps Base (MCB), Camp Lejeune under the Department of the Navy (DON) Installation Restoration Program (IRP). These studies have identified elevated levels of total metals in shallow groundwater at almost every site. The degree of contamination, based on dissolved metals analysis of groundwater samples, is limited. It is believed that the presence of elevated metals are not always related to past disposal activities for several reasons, which is the basis of this study.

Currently, Records of Decision (ROD) are being prepared for Operable Units No. 1 (Sites 21, 24, and 78) and No. 5 (Site 2). Both RODs are proposing to not remediate shallow groundwater which contains elevated levels of total metals above State groundwater standards (i.e., North Carolina Water Quality Standards) and/or Federal drinking water standards (i.e., Maximum Contaminant Levels). Specifically, remediation of shallow groundwater due to elevated total metals is not cost effective, or practical, due to the following: (1) the shallow aquifer is not used for potable supply; (2) the source of metals in groundwater cannot be correlated with soil data or previous disposal practices; (3) the extent of shallow groundwater contamination (based on total metals analysis) is widespread and in many cases undefinable, since there are no apparent contaminant plumes or patterns associated with the metals; and (4) deep groundwater, which is the source of potable water, is not significantly contaminated with metals above the standards.

## 2.0 STUDY OBJECTIVES

The DON/Marine Corps initiated a study on inorganics in groundwater throughout MCB Camp Lejeune to assess whether total metals in groundwater are related to disposal practices or to other factors. The overall goal of this study is to provide information that would be used in consideration of not remediating shallow groundwater at Operable Units No. 1 and No. 5, and possibly other operable units where total metals are elevated without cause. The following study objectives were identified:

- (1) Determine whether the elevated total metals detected in the shallow aquifer are related to past disposal practices, well construction factors, sampling techniques, or suspended particulates in the samples;
- (2) Determine whether total metals in shallow groundwater are elevated throughout the region or MCB Camp Lejeune;
- (3) Determine whether there is a correlation between elevated total metals in groundwater and metals in soil; and

- (4) Determine whether the concentrations of total metals (i.e., low versus high) is related to shallow and deep aquifer characteristics.

### 3.0 SCOPE OF WORK

Groundwater and soil data from a total of 21 sites were compiled as part of the overall study. Three of the 21 sites are located outside the boundary of the base. These sites include the ABC Cleaners Superfund Site, located along Route 24 in Jacksonville, and two sites located along Highway 17 (Off-site Properties No. 1 and No. 2). The two sites along Route 17 were investigated by the DON/Marine Corps as part of a real estate survey. The other 18 sites are located throughout various portions of MCB Camp Lejeune (see Figure 1).

Information from studies conducted by Baker and other consultants were obtained to evaluate metal concentrations in groundwater. The study focused on 14 metals of potential concern to human health and the environment. Some of the information was collected under the IR Program whereas other information was obtained during other investigations (e.g., ABC Cleaners RI/FS). The following data tables were then prepared to determine why total metals are generally elevated in shallow groundwater.

Table 1 - Total Metal Concentrations in Shallow Groundwater by Site

Table 2 - Summary of Repeat Sampling of Shallow Wells (Sites 2 and 78)

Table 3 - Dissolved Metal Concentrations in Shallow Groundwater by Site

Table 4 - Summary of Total Metal Concentrations in Upgradient Wells

Table 5 - Comparison of Subsurface Metal Concentrations in Uncontaminated and Contaminated Wells

Table 6 - Total Metal Concentrations in Deep Groundwater by Site

Table 7 - Summary of Field Parameters in Shallow Monitoring Wells, Deep Monitoring Wells, and Supply Wells

The tables are presented at the end of this report.

#### 4.0 DATA ANALYSIS

The following discussion represents an analysis of the information contained in each of the previously mentioned tables.

##### Table 1 (Total Metal Concentrations in Shallow Groundwater)

All of the sites had at least one (and in most cases several) metal which exceeded either State water quality standards or Federal drinking water standards. The most frequently detected metals included chromium, lead, and manganese, which were detected at almost every site above drinking water standards. Other frequently detected metals which exceeded drinking water standards included arsenic, beryllium, cadmium, and nickel.

An analysis of the data from Table 1 indicates that elevated total metals are present in shallow groundwater at every site, including the three sites which are located off base. The two sites which did not exhibit significant contamination include the ABC Cleaners site (only chromium exceeded the standards) and Site 48 (only manganese exceeded the standards).

Total metals detected in shallow groundwater at Site 2 exceeded State and/or Federal standards in seven of the 11 shallow monitoring wells. Manganese was the most frequently detected metal (7/11). Lead (3/11), chromium (2/11), and cadmium (1/11) were also detected above the standards,, but less frequently (see Figure 2).

With the exception of Wells 78GW03 and 78GW19, total metals were detected at Site 78 (Hadnot Point Industrial Area) above Federal MCLs or NCWQS in every shallow well (see Figure 3). The extent of elevated total metals in groundwater is widespread, encompassing approximately one square mile (or approximately 660 acres) in total area. The distribution and concentration of total metals in shallow groundwater makes it virtually impossible to identify or illustrate contaminant plumes (see Figure 3).

An analysis of the total metals results indicates the following pattern. Samples exhibiting elevated levels of lead, chromium, or other contaminants of concern, also exhibited elevated levels of other metals such as aluminum, antimony, iron, and zinc. Samples which did not exhibit elevated levels of lead, chromium, or manganese also did not exhibit elevated levels of other metals. This pattern indicates that the elevated total metals are not limited to one or

two contaminants, which would be the case if a lead or chromium plume in the groundwater truly existed. In other words, if a site is impacted by a particular metal due to disposal activities (say chromium for example), then other metals such as aluminum, lead, or zinc should not be consistently elevated as in the case of samples collected from the shallow aquifer at MCB Camp Lejeune. This point is depicted in the data summary tables provided in Appendix A for Sites 2 and 78. These tables were taken from the Remedial Investigation Reports for Operable Units No. 1 and No. 5. As an example, note that sample numbers 78-MW08, 78-MW10, 78-MW11, and 78-MW12 all had elevated levels of total metals when compared to samples 78-MW09-2 and 78-MW09-3. It is clear that most of the metal concentrations in a particular sample follow a consistent pattern throughout.

Table 2 (Comparison of Repeat Sampling of Shallow Wells)

Five wells from Sites 2 and 78 were randomly chosen to evaluate total metals concentrations between sampling rounds. The comparison was limited to only chromium, lead, and manganese since these contaminants were frequently detected throughout MCB Camp Lejeune. In several cases, metal concentrations were significantly different between the sampling rounds. If the shallow aquifer was impacted due to former disposal activities, a contaminant plume would be present and concentrations would not significantly deviate. The deviation in metal concentrations may indicate that sampling results are biased due to suspended particulates in the samples.

Table 3 (Dissolved Metal Concentration in Shallow Groundwater by Site)

The data base for Table 3 was limited to 12 sites since many of the previous investigations (i.e., prior to Navy CLEAN) did not analyze for dissolved metals. Nevertheless, an analysis of the 12 sites revealed that elevated levels of dissolved metals in groundwater is limited. Manganese was the most frequently detected metal above drinking water standards (10 of 12 sites exhibited elevated levels). Lead was detected at only one site (Site 21) above drinking water standards. Chromium was also detected at only one site (Site 78) above drinking water standards. No other metal was detected above the standards.

Literature searches have indicated that manganese is a naturally occurring metal in North Carolina. Therefore, the presence of manganese may not be attributable to site-related activities (Greenhorne & O'Mara, 1992).

An analysis of the data from Table 3 clearly shows a significant reduction in metal concentrations when compared to Table 1 (total metals in shallow groundwater). One possible reason for this reduction is that suspended solids or particles are not being introduced into the analysis of the sample due to filtering. A second possibility is that the metals are not significantly present in a dissolved state in shallow groundwater due to the species of metals under site conditions. It should be noted that calcium and sodium did not exhibit such a pattern since the salts of these metals are more soluble in water. For example, the concentrations of total calcium and total sodium versus dissolved calcium and dissolved sodium are similar and are not affected by the removal of the particulates during filtering. The fact that these salts do not exhibit the pattern that the other metals show supports the possibility that total metal concentrations are influenced by particulates in the sample.

Table 4 (Total Metals in Upgradient Shallow Wells)

The data base for Table 4 consists of groundwater results from 14 upgradient shallow monitoring wells (i.e., one well per site). These wells were installed to determine baseline groundwater quality to which on-site groundwater conditions could be compared. In some cases, the upgradient wells were located in areas where other base activities may have influenced groundwater quality.

The analysis of this data shows that manganese was the most frequently detected metal above Federal or State standards in upgradient shallow wells. Manganese was detected in 7 of the 14 upgradient wells above drinking water standards. Chromium and lead were also frequently detected above drinking water standards in upgradient (background) wells. These contaminants were detected in 6 of the 14 upgradient wells. At Site 2, samples collected from an upgradient well (2GW9) exhibited elevated levels of chromium (83 $\mu$ /l), lead (27.2 $\mu$ /l) and manganese (747 $\mu$ /l). At Site 78, samples collected from upgradient wells 96W4 and 78GW26 did not exhibit elevated levels of total metals. The concentration range for metals detected above NC WQS and/of Federal MCLs in upgradient wells is provided below:

- beryllium (ND-46.5  $\mu$ /l)
- cadmium (ND-10  $\mu$ /l)
- chromium (ND-198  $\mu$ /l)
- lead (ND-78.8  $\mu$ /l)
- manganese (ND-747  $\mu$ /l)
- mercury (ND-1.6J  $\mu$ /l)

Based on the above range representing upgradient wells, none of the on-site wells at Site 2 exhibited total metals above the maximum background concentrations. However, at Site 78, lead and chromium were detected above the maximum background in several on-site wells.

An analysis of the data from Table 4 indicates that shallow groundwater upgradient of some sites contains total metals above drinking water standards. A comparison of Table 4 data against Table 1 data indicates that shallow groundwater samples from upgradient wells are less contaminated than samples collected from on-site monitoring wells. However, it should be noted that the data base for Table 4 consists of only 14 wells whereas the data base for Table 1 consists of over 130 wells. Therefore, to assume that upgradient groundwater quality is better than on-site groundwater quality may not be justified due to the different data bases.

Table 5 (Comparison of Subsurface Metal Concentrations in Uncontaminated and Contaminated Wells)

The purpose of this table is to determine whether metal concentrations in soils correlate with the elevated levels of metals in shallow groundwater.

To evaluate this, metals in subsurface soils, representing an area of groundwater contamination, were compared to metals in subsurface soil in areas which did not exhibit groundwater contamination. If the elevated total metals in shallow groundwater are present due to former disposal activities, subsurface metals in soil representing an area of groundwater contamination would be expected to be elevated or higher than metals in subsurface soil representing a non-contaminated area. This evaluation assumes that the well exhibiting elevated total metals is within a source area and that the soil sample is representative of soil impacted by metal contamination.

As shown on Table 5, there is no clear pattern or correlation which indicates that elevated total metals are due to soil contamination. Note that in many cases, the concentration of metals which represent "non-contaminated" areas are greater than the metals which represent "contaminated" areas. Also note that the metals in subsurface soil are within or close to background subsurface metal concentrations. Therefore, this supports the possibility that in many cases at MCB Camp Lejeune, the elevated total metals in shallow groundwater cannot be attributable to a source or to past disposal practices.



#### Table 6 (Total Metals in Deep Monitoring Wells)

Table 6 presents total metal concentrations in deep groundwater for each site. The data base is limited to only 8 sites. Metal concentrations in supply wells were also included for comparison purposes.

As shown on Table 6, total metals in deep groundwater are below drinking water standards with a few exceptions. Arsenic and cadmium were detected above the standards in one deep monitoring well at Site 78 (see Figure 4). Manganese was detected in deep groundwater at three sites and a few of the supply wells. Lead was detected in one supply well at 16  $\mu\text{l}$ , which is slightly above the drinking water standard of 15  $\mu\text{l}$ .

Elevated total metals are not widespread in deep groundwater for two possible reasons. First, most metals are not very mobile in the environment. Second, deep groundwater samples may not have significant amounts of suspended particulates due to different geologic conditions. Soils in the deeper aquifer are more compacted and consist primarily of calcareous sands, clays, and limestone fragments. Soils in the shallow aquifer are loosely compacted and consist primarily of fine-grained sands, silts, and clays. This classification may support the possibility that suspended solids are collected during sampling, thereby influencing the analysis for total metals.

#### Table 7 (Summary of Field Parameters in Shallow, Deep, and Supply Wells)

Table 7 provides a range of pH and specific conductivity values representative of shallow and deep groundwater. In general, lower pH values were noted more often in shallow wells than in deep wells (including the supply wells). This condition may influence the leachability and speciation of metals in groundwater.

Deep groundwater usually exhibited higher specific conductivity values. High specific conductivity values are representative of high dissolved conditions. The fact that deep groundwater generally exhibited higher specific conductivity values indicates that most of the metals, if present, are in a dissolved state. The high specific conductivity values could also indicate less suspended particulates due to the geologic conditions of the deep aquifer. The lower specific conductivity values observed in shallow wells indicates that the metals in the shallow aquifer are not in a dissolved state. This also supports the possibility that suspended particulates in the shallow aquifer are influencing the analysis of total metals.

## 5.0 ANALYSIS OF THE STUDY OBJECTIVES

Each of the objectives identified for this study are analyzed below based on the information collected.

Objective No. 1 (Determine whether the elevated total metals in the shallow aquifer are related to past disposal practices, well construction factors, sampling techniques, or suspended particulates in the samples)

Based on the analysis of information provided in Tables 1 through 7 and Appendix A, it appears that suspended particulates in groundwater samples could influence the concentration of total metals in groundwater. Well construction factors and sampling techniques are probably not a significant factor since the data base is representative of data obtained by Baker, ESE (Site 28 and 30), Roy F. Weston (ABC Cleaners), and Halliburton NUS (Site 7). No particular pattern was noted between sites which Baker obtained the samples versus sites in which other consultants obtained the data. Sampling methods were also considered. For Sites 63 and 65 for example, samples were collected with a bailer. At Sites 2 and 78, samples were collected with a low flow pump. All four sites exhibited elevated levels of total metals in groundwater samples. In addition, due to the fact that deep groundwater quality is not significantly impacted with metals indicates that well construction or sampling techniques are probably not factors related to elevated total metals in groundwater.

With respect to past disposal practices, Table 5 clearly shows that soil concentrations do not correlate with elevated total metals in groundwater. Based on this analysis, and on many of the sites previously investigated, the source of total metals in groundwater cannot be attributable to soil contamination or disposal practices in many cases. This is based on both the history of the site as well as the analytical soil results. In some cases, total metals were detected at elevated levels even when the site history did not correlate with the contaminants found. For example, Sites 2 and 21 have a history of pesticide storage and handling, and there are no known disposal areas (i.e., buried debris) within the site boundary. Nevertheless, both of these sites exhibited several metals above drinking water standards that would not be expected to be present at high concentrations based on the historical use of the site. These metals included lead, chromium, beryllium, cadmium, and manganese.

**Objective No. 2 (Determine whether total metals in shallow groundwater are elevated throughout the region or MCB Camp Lejeune)**

Based on groundwater data obtained from both upgradient wells and off base wells, total metals were detected above drinking water standards in shallow groundwater in areas that would not be influenced by former disposal activities at the sites. Given that some of the upgradient wells are contaminated, it is apparent that total metals in shallow groundwater are elevated in certain areas of the base outside of the influence of site-related disposal activities. However, it is unknown whether the shallow aquifer upgradient of the sites is contaminated due to other base-related activities or whether the levels in groundwater samples are also elevated due to the influence of suspended fines in the samples.

**Objective No. 3 (Determine whether there is a correlation between elevated total metals in groundwater and metals in soil)**

An evaluation of the data presented in Table 5 shows that metals in soil samples collected in areas of groundwater contamination are not elevated when compared to metals in soil samples collected in areas that did not exhibit groundwater contamination. This supports the possibility that in many cases, elevated levels of total metals in shallow groundwater are not related to the disposal history at the site. As previously mentioned, sites which did not exhibit soil contamination (when compared to background soil levels) or did not have a history of disposal indicative of metals contamination still exhibited elevated levels of total metals in groundwater. Since there is no apparent correlation between metals in soil and total metals in groundwater, then the possibility exists that the elevated total metals in groundwater are biased high due to suspended particulates.

**Objective No. 4 (Determine whether the concentrations of total metals in groundwater is related to shallow and deep aquifer characteristics)**

There is some evidence that the geologic conditions of the shallow and deep aquifers influence the amount of total metals detected in groundwater samples. The fact that the deep aquifer generally exhibited higher specific conductivity values indicates that there is more dissolved constituents in the deep aquifer when compared to the shallow aquifer. This was evident when comparing Table 1 (total metals in shallow groundwater) to Table 6 (total metals in deep groundwater). Table 6 did not indicate significant levels of total metals in deep groundwater throughout MCB Camp Lejeune.

The geologic conditions of the shallow aquifer would tend to result in samples that may contain suspended particulates. The suspended particulates could influence the total metals concentrations in the samples.

## 6.0 CONCLUSIONS

1. Elevated levels of total metals in the shallow aquifer are probably influenced to some degree by the geologic conditions of the site.
2. There is no correlation between metal levels in soil and total metals in groundwater. Therefore, elevated total metals in groundwater cannot be attributable to soil contamination of past disposal practices.
3. Elevated levels of total metals in the shallow aquifer may be biased high due to suspended particulates in the samples.
4. Dissolved metals in groundwater were generally below Federal MCLs and NC WQS and therefore, do not present a significant problem at MCB Camp Lejeune.
5. Total and dissolved metal concentrations in the Castle Hayne aquifer were generally below drinking water standards and therefore, do not present a significant problem at MCB Camp Lejeune.
6. The presence of manganese in shallow and deep groundwater may be due to naturally occurring geologic conditions.

## **7.0 RECOMMENDATIONS**

- 1. Remediation of total metals in the shallow aquifer at Operable Units 1 and 5 is not recommended based on the following:**
  - **Elevated metals in groundwater at both operable units does not appear to be related to soil contamination or past disposal practices;**
  - **The distribution of total metals in groundwater is not characteristic of a plume that would be present due to a source of contamination;**
  - **Remediation of total metals would not be practical from an engineering or cost standpoint; and**
  - **Currently, there is no human or environmental exposure to shallow groundwater.**
  
- 2. Additional background wells should be installed at all sites in order to provide a baseline for comparing on-site groundwater quality.**

**Tables**

---

**TABLE 1  
TOTAL METALS BY SITE  
SHALLOW MONITORING WELLS  
MCB, CAMP LEJEUNE, NORTH CAROLINA**

Site Number Units	NCWQS ug/L	FEDERAL MCL ug/L	Site 1 ug/L	Site 2 ug/L	Site 6 ug/L	Site 7 ug/L	Site 9 ug/L	Site 21 ug/L	Site 24 ug/L	Site 28 ug/L	Site 30 ug/L	Site 41 ug/L	Site 43 ug/L	Site 44 ug/L
Arsenic	50	50	7.2 - 57.4	2.2 - 23.6	ND - 23.3	ND - 43.4J	ND	ND - 101	ND - 116J	5.4 - 13J	6.4 - 12J	2.4 - 36.3	ND - 23.4	ND - 570
Barium	2000	2000	335 - 833	46 - 1420	ND - 1020	427 - 641	ND - 1060	ND - 647	ND - 1120	78.8 - 576	60.1 - 396	55.2 - 999	220 - 745	315 - 3180
Beryllium	NE	4	2.7J - 43.4	1 - 3	ND - 7.5	ND - 10.3J	ND	ND - 8	ND - 19	ND - 1.2J	ND - 2.4	0.80 - 42.8	1.5 - 4.2	1.4 - 36.6
Cadmium	5	5	ND - 12.9	7	ND	ND	ND	ND	ND - 12	3.3J - 17.3J	ND - 10.7J	3.2 - 110	ND - 6.9	ND - 32
Calcium	NA	NA	8850 - 726000	5710 - 450000	5430 - 64900	5050 - 51300	16100 - 90700	6130J - 63000J	ND - 151000	20200 - 160000	1730 - 11900	8750 - 828000	10300 - 91900	2430 - 191000
Chromium	50	100	172 - 627	11 - 117	ND - 201	47.8 - 220	ND - 214	ND - 348J	19 - 316	9.0J - 140	42.8 - 106J	10.5 - 244	161 - 249	126 - 895
Copper	1000	1300	44.6 - 117	3 - 23	ND - 175	17.7 - 36.4	ND - 39.7	ND - 84	ND - 52	18.8J - 75.4	15.8 - 42.5	16.3 - 1030	64.2 - 104	28.6 - 313
Lead	15	15	40.8J - 176J	2.7 - 44.8	ND - 200	23 - 37.3	ND - 127	ND - 2000J	5.1 - 89	20.3J - 234J	7.7J - 115J	4.8 - 9340	16.5 - 28.8	15.8 - 508
Manganese	50	50 (1)	125 - 1720	21 - 190	ND - 362	56.9 - 220	ND - 91.3	59 - 276J	29 - 518	82.2 - 304	78.5 - 578	56.6 - 2110	72.6 - 297	88 - 1730
Mercury	1.1	2	ND - 1.2J	ND	ND - 46	0.2 - 0.36	ND - 1.4	ND - 2.4J	ND - 3.2	ND - 1.4J	0.88J - 0.9J	0.13 - 0.92	ND - 0.24	ND - 1.1
Nickel	100	100	28.5 - 426	ND	ND - 41.9	ND	ND	ND - 123	ND - 140	ND - 59.8	17.1J - 52.6J	28.8 - 137	20.5 - 143	21.9 - 486
Sodium	NA	NA	9090 - 19000	ND - 103000	1110 - 68700	7040 - 156000	1390 - 4170	7950 - 15700	5230 - 19200	9480 - 74700	5320 - 8100	2080 - 40200	9160 - 22100	4060 - 12600
Vanadium	NE	NE	214 - 640	9 - 184	ND - 330	37.8 - 423	ND - 175	ND - 419	ND - 408	6.1 - 164	57 - 101	20.4 - 244	122 - 233	184 - 759
Zinc	2100	5000 (1)	ND - 1110	6 - 146	ND - 1620	83.6 - 133	ND - 118	27J - 487J	20 - 650	ND	79.2 - 104	25.7 - 5180	19 J - 661J	87.3 - 2800J

Site Number Units	Site 48 ug/L	Site 63 ug/L	Site 65 ug/L	Site 69 ug/L	Site 78 ug/L	Site 82 ug/L	ABC Cleaners ug/L	Offsite Property #1 ug/L	Offsite Property #2 ug/L
Arsenic	ND	ND - 23.4	ND - 308	2.9 - 29.0	ND - 405J	ND - 67.8	ND - 12	10.3 - 160	ND
Barium	18 - 51.3	56.1 - 5410	105 - 638	46.5 - 850	ND - 1250	ND - 540	35 - 220	ND - 468	ND
Beryllium	ND	ND - 3.1	ND	1.3 - 10.6	ND - 19	ND	NA	ND - 8.5	ND
Cadmium	2.2 - 3.3	ND	ND	2.4 - 11.4	ND - 21	ND	NA	ND	ND
Calcium	30600 - 115000	2830 - 24300	33300 - 181000	2010 - 38700	ND - 642000	6580 - 60800	790 - 16000	ND - 22800	ND - 5200
Chromium	5.8 - 17.5	4.4 - 134	50.1 - 364	15.1 - 159	ND - 858J	ND - 174	ND - 57	52.8 - 636	ND - 94
Copper	3.1 - 13.5	10.7 - 126	28.2 - 127	16.2 - 70.8	ND - 699	ND - 29.3	ND - 89	ND - 140	ND
Lead	ND	4.3 J - 369	19.1 - 132	7.8 - 188	ND - 360J	ND - 89	ND - 10	12.3 - 345	6.3 - 62.3
Manganese	38.1 - 585	50.3 - 1020	56.2 - 474	13.0 - 912	26 - 714	26.9 - 283	4 - 44	56 - 973	ND - 60.1
Mercury	0.04 - 0.09	ND - 0.20	ND - 0.29	0.10 - 0.94	ND - 1.5	ND - 0.66	NA	ND	ND
Nickel	ND	19.8 - 54.2	19.4 - 84.3	13.6 - 99.8	ND - 234	ND - 34.6	ND - 77	40.2 - 380	ND
Sodium	5750 - 8760	3150 - 7100	3850 - 11700	4790 - 41300	ND - 42500	5670 - 36500	5800 - 33000	ND - 9390	ND - 7630
Vanadium	3.4 - 12.8	7.9 - 163	59.8 - 433	17.3 - 210	ND - 1700	ND - 256	ND - 45	70 - 739	ND - 64.7
Zinc	ND - 30.3	58.5J - 1110J	148J - 406J	36.2 - 12100	6J - 967J	ND - 204	14 - 220	ND - 736	ND - 40.8

NOTES:  
 J - Value is estimated.  
 JB - Value is estimated below the CRDL, but greater than the IDL.  
 NE - Not established.  
 NA - Not analyzed.  
 ND - Not detected.  
 NCWQS - North Carolina Water Quality Standard  
 MCL - Maximum Contaminant Level  
 (1) - Secondary MCL

**TABLE 2**  
**COMPARISON OF REPEAT SAMPLING OF SHALLOW WELLS**  
**MCB, CAMP LEJEUNE, NORTH CAROLINA**

Well Date	2GW01		2GW03		2GW06		2GW08		2GW09	
	5/1993	3/1994	5/1993	3/1994	5/1993	3/1994	5/1993	3/1994	5/1993	3/1994
Chromium	18	ND	11	ND	15	ND	ND	ND	25	83
Lead	15.5 J	ND	3.5 J	ND	6.7 J	ND	ND	3.4	27.2 J	23.6
Manganese	55	47	21	ND	79	140	53	415	290	747

Well Date	78GW05		78GW08		78GW15		78GW16		78GW19	
	1/1991	4/1994	1/1991	4/1994	1/1991	4/1994	1/1991	4/1994	1/1991	4/1994
Chromium	ND	17 J	91.8	491 J	21.4	215 J	209	353 J	13.8	ND
Lead	13.6	13.1 J	54.1	131 J	16.6	53	100	224	31.7	8.3
Manganese	162	161 J	46.5	213 J	18.3	115	98.3	150	79	26

**NOTES:**

J - Value is estimated.

ND - Not detected.



**TABLE 3  
DISSOLVED METALS BY SITE  
SHALLOW MONITORING WELLS  
MCB, CAMP LEJEUNE, NORTH CAROLINA**

Site Number Units	NCWQS ug/L	FEDERAL MCL ug/L	Site 1 ug/L	Site 2 ug/L	Site 6 ug/L	Site 7 ug/L	Site 9 ug/L	Site 21 ug/L	Site 24 ug/L	Site 28 ug/L	Site 30 ug/L	Site 41 ug/L	Site 43 ug/L	Site 44 ug/L
Arsenic	50	50	NA	2.2 - 7.1	ND	NA	ND	ND - 10.6	ND - 16.3	NA	NA	2.2 - 4.7	NA	NA
Barium	2000	2000	NA	25 - 149	ND	NA	ND	ND	ND	NA	NA	12.4 - 431	NA	NA
Beryllium	NE	4	NA	1	ND	NA	ND	ND	ND	NA	NA	0.80 - 3.2	NA	NA
Cadmium	5	5	NA	ND	ND	NA	ND	ND - 5	ND	NA	NA	3.2 - 4.2	NA	NA
Calcium	NA	NA	NA	5800 - 441000	6230 - 57400	NA	15800 - 82400	35900	ND - 113000	NA	NA	4710 - 138000	NA	NA
Chromium	50	100	NA	10	ND	NA	ND	ND	ND	NA	NA	8.3 - 9.6	NA	NA
Copper	1000	1300	NA	2 - 9	ND	NA	ND	ND	ND	NA	NA	16.3 - 23.9	NA	NA
Lead	15	15	NA	2.1	ND	NA	ND	ND - 94	ND	NA	NA	1.0	NA	NA
Manganese	50	50 (1)	NA	17 - 129	ND - 92.7	NA	ND	40 - 134	ND - 320	NA	NA	7.1 - 521	NA	NA
Mercury	1.1	2	NA	ND	ND	NA	ND	ND	ND - 0.5	NA	NA	0.13 - 0.20	NA	NA
Nickel	100	100	NA	ND	ND	NA	ND	ND	ND - 57	NA	NA	28.8 - 31.2	NA	NA
Sodium	NA	NA	NA	ND - 103000	1420 - 70500	NA	1280 - 3860	16200	ND - 183000	NA	NA	2500 - 34200	NA	NA
Vanadium	NE	NE	NA	43	ND	NA	ND	ND	ND	NA	NA	20.4	NA	NA
Zinc	2100	5000 (1)	NA	8 - 35	ND - 350	NA	ND	6B - 50	ND - 437	NA	NA	10.6 - 125	NA	NA

Site Number Units	Site 48 ug/L	Site 63 ug/L	Site 65 ug/L	Site 69 ug/L	Site 78 ug/L	Site 82 ug/L	ABC Cleaners ug/L	Offsite Property #1 ug/L	Offsite Property #2 ug/L
Arsenic	ND	NA	NA	2.9	ND - 21.6	ND	NA	ND - 18.8	ND
Barium	16.8 - 27.6	NA	NA	13.7 - 35.8	ND	ND	NA	ND	ND
Beryllium	ND	NA	NA	1.3	ND	ND	NA	ND	ND
Cadmium	ND - 3.1	NA	NA	2.4	ND	ND	NA	ND	ND
Calcium	72600 - 80700	NA	NA	764 - 10600	ND - 296000	15200 - 58500	NA	ND - 7710	ND
Chromium	ND	NA	NA	7.2	ND - 59	ND	NA	ND - 30.0	ND
Copper	2.6 - 7.6	NA	NA	16.2	ND - 121	ND	NA	ND - 10.7	ND
Lead	ND	NA	NA	1	ND - 17.2	ND	NA	ND - 15.8	ND
Manganese	39.7 - 539	NA	NA	8.5 - 139	ND - 132	21 - 127	NA	ND - 63.8	ND - 21.3
Mercury	0.05 - 0.09	NA	NA	0.1	ND - 0.6	ND	NA	ND	ND
Nickel	ND	NA	NA	13.6	ND	ND	NA	ND	ND
Sodium	6430 - 8920	NA	NA	5170 - 41100	ND - 42200	5980 - 36000	NA	ND - 9540	ND - 6750
Vanadium	ND	NA	NA	16.6	ND	ND	NA	ND	ND
Zinc	ND	NA	NA	7.0 - 7670	ND - 58	ND - 119	NA	ND - 468	ND - 222

NOTES:  
 J - Value is estimated.  
 JB - Value is estimated below the CRDL, but greater than the IDL.  
 NE - Not established.  
 NA - Not analyzed.  
 ND - Not detected.  
 NCWQS - North Carolina Water Quality Standard  
 MCL - Maximum Contaminant Level  
 (1) - Secondary MCL

**TABLE 4  
SUMMARY OF TOTAL METALS IN UPGRADIENT WELLS  
SHALLOW MONITORING WELLS  
MCB, CAMP LEJEUNE, NORTH CAROLINA**

Well Number	NCWQS	FEDERAL MCL	Upgradient	Upgradient	Upgradient	Upgradient	Upgradient	Upgradient	Upgradient	Upgradient	Upgradient	Upgradient	Upgradient	Upgradient
			of Site 1	of Site 2	of Site 6	of Site 7	of Site 9	of Sites 21 and 78	of Site 24	of Site 28	of Site 30	of Site 41	of Site 43	of Site 44
Units	ug/L	ug/L	1GW06	2GW09	6BP6S	7GW03	9GW4S	78GW26	24GW07	28GW04		41GW05		
	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L		ug/L		
Arsenic	50	50	17.8 J	12.9	ND	ND	ND	ND	3.7 J	7.4 J	No Upgradient Well Sites	13.1	No Upgradient Well Sites	No Upgradient Well Sites
Barium	2000	2000	548	328	257	428	71.3	ND	ND	576		55.7		
Beryllium	NE	4	3.2 J	3	ND	ND	ND	ND	ND	9.3 J		1.6		
Cadmium	5	5	ND	ND	ND	ND	ND	not reported	ND	3.3 J		10		
Chromium	50	100	193	75	198	124	ND	13	37	122		54.4		
Copper	1000	1300	64.8	25	35.6	36.4	ND	ND	ND	20.7 J		27		
Lead	15	15	78.8 J	27.2	64.4	30.3 J	ND	9	11.4	22.4 J		23.7		
Manganese	50	50 (1)	202	747	84.5	56.9 J	ND	ND	39	206		203		
Mercury	1.1	2	1.6 J	ND	ND	0.36	ND	ND	ND	ND		0.16		
Nickel	100	100	51.6	ND	ND	ND	ND	ND	ND	59.8		38		
Vanadium	NE	NE	214	86	209	152	ND	149	64	85.3		38.1		
Zinc	2100	5000 (1)	ND	103	56.6	86.4 J	ND	68.1	41	ND		173		

Well Number	Upgradient	Upgradient	Upgradient	Upgradient	Upgradient	Upgradient	Upgradient	Upgradient	Upgradient
	of Site 48	of Site 63	of Site 65	of Site 69	of Site 78	of Site 82	of ABC Cleaners	of Offsite Property #1	of Offsite Property #2
Units	48GW1			69GW07	9GW04	6MW3S	MW-S01		
	ug/L			ug/L	ug/L	ug/L	ug/L		
Arsenic	ND	No Upgradient Well Sites	No Upgradient Well Sites	2.9	ND	ND	ND	No Upgradient Well Sites	No Upgradient Well Sites
Barium	29.4 J			46.5	ND	35			
Beryllium	ND			1.3	ND	NA			
Cadmium	2.5 J			2.4	ND	NA			
Chromium	ND			15.8	ND	ND			
Copper	ND			16.2	ND	ND			
Lead	ND			7.8	ND	3			
Manganese	70.6			13	ND	10			
Mercury	ND			0.1	ND	NA			
Nickel	ND			13.6	ND	ND			
Vanadium	3.4 J			17.3	ND	9			
Zinc	ND			36.2	ND	23			

NOTES:  
 J - Value is estimated.  
 JB - Value is estimated below the CRDL, but greater than the IDL.  
 NE - Not established.  
 NA - Not analyzed.  
 ND - Not detected.  
 NCWQS - North Carolina Water Quality Standard  
 MCL - Maximum Contaminant Level  
 (1) - Secondary MCL

**TABLE 5  
COMPARISON OF INORGANIC SUBSURFACE SOIL CONCENTRATIONS IN "CLEAN" AND "CONTAMINATED" WELLS  
MCB, CAMP LEJEUNE, NORTH CAROLINA**

Units Well Number Soil Sample Number	Camp Lejeune Background Subsurface Soil Data mg/kg	Site 1		Site 2		Site 6		Site 7		Site 9		Site 21	
		"Clean" mg/kg	"Contaminated" mg/kg	"Clean" mg/kg	"Contaminated" mg/kg	"Clean" mg/kg	"Contaminated" mg/kg	"Clean" mg/kg	"Contaminated" mg/kg	"Clean" mg/kg	"Contaminated" mg/kg	"Clean" mg/kg	"Contaminated" mg/kg
		--	--	2GW07	2GW09	6GW18	6GW15	7GW03	7GW02	9GW5	9GW1	21GW03	21GW02
		--	--	2-GW07-01	2-GW09-02	6-GW18-0303	6-GW15-03	GW03-002	GW02-7595	9-GW5-03	9-SB35-03	21-GW03	21-GW02
Arsenic	0.03 - 0.47	NA	NA	1.7 J	ND	ND	ND	1.5	ND	ND	ND	ND	0.55 J
Barium	2 - 11	NA	NA	12.5 J	ND	ND	ND	6.6	71	ND	ND	ND	4.4 J
Beryllium	0.03 - 0.23	NA	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Cadmium	0.17 - 1.2	NA	NA	ND	ND	ND	ND	1.3	4.5	ND	ND	ND	ND
Chromium	2 - 9	NA	NA	10.9 J	4.6	ND	1.6	5.2	6	ND	2.5 J	15.2	3.2 J
Copper	0.47 - 2	NA	NA	0.97 J	ND	ND	ND	ND	ND	ND	ND	ND	ND
Lead	1 - 12	NA	NA	8 J	4.3	3.3 J	1.7	2.5	34.4	1.6	6.3	7.1	6.9 J
Manganese	0.40 - 8	NA	NA	4.3 J	4.1	ND	1.8 B	3	11.5	ND	3.7 J	9.4	1.4 J
Mercury	0.01 - 0.11	NA	NA	0.3 J	ND	ND	ND	10.13	0.48	ND	ND	ND	ND
Nickel	0.70 - 5.0	NA	NA	ND	ND	ND	ND	3.4	11.8	ND	ND	ND	ND
Vanadium	0.75 - 13	NA	NA	13.8 J	ND	ND	2.9 B	5.5	4.5	ND	ND	15.5	4.4 J
Zinc	0.40 - 12	NA	NA	ND	ND	ND	ND	1.3	ND	ND	6.1 J	5.7	3 J

**NOTES:**

Shaded area indicates inorganic which exceeded a MCL and/or NCWQS in groundwater sample.

J - Value is estimated.

JB - Value is estimated below the CRDL, but greater than the IDL.

NA - No available wells to compare OR compound was not analyzed.

ND - Not detected.

NCWQS - North Carolina Water Quality Standard

MCL - Maximum Contaminant Level

(1) - Secondary MCL

**TABLE 5  
COMPARISON OF INORGANIC SUBSURFACE SOIL CONCENTRATIONS IN "CLEAN" AND "CONTAMINATED" WELLS  
MCB, CAMP LEJEUNE, NORTH CAROLINA**

Units Well Number Soil Sample Number	Site 24		Site 28		Site 30		Site 41		Site 43		Site 44	
	"Clean" mg/kg	"Contaminated" mg/kg	"Clean" mg/kg	"Contaminated" mg/kg	"Clean" mg/kg	"Contaminated" mg/kg	"Clean" mg/kg	"Contaminated" mg/kg	"Clean" mg/kg	"Contaminated" mg/kg	"Clean" mg/kg	"Contaminated" mg/kg
	24GW10	24GW02	--	--	--	--	41GW04	41-GW11	43GW01	43GW02	44GW02	44GW01
	24-GW10	24-BDA-SB09	--	--	--	--	41-GW04-DW	41-GW11-01	43-GW01-00	43-GW02-00	44-GW02-035	--
Arsenic	ND	ND	NA	NA	NA	NA	0.51	1.6	ND	ND	ND	1.7
Barium	ND	ND	NA	NA	NA	NA	9.4	22.6	ND	ND	ND	17.9
Beryllium	ND	ND	NA	NA	NA	NA	0.18	0.18	ND	ND	ND	ND
Cadmium	ND	ND	NA	NA	NA	NA	0.73	0.73	8.3	ND	ND	ND
Chromium	11.2	9 J	NA	NA	NA	NA	3.6	11.2	8.3	6.7	3.6 J	10 J
Copper	ND	ND	NA	NA	NA	NA	3.7	22.3	3.4	ND	6.2 J	25.4 J
Lead	4.6 J	6.2 J	NA	NA	NA	NA	4.8	110	9.1	6.1	3.5	10.7
Manganese	4.7	8.4 J	NA	NA	NA	NA	0.73	75.9	31.2	6.2	3.5	20.4
Mercury	ND	ND	NA	NA	NA	NA	0.06	0.31	ND	ND	ND	ND
Nickel	ND	ND	NA	NA	NA	NA	6.6	6.6	7.6	7.1	3.1	5.4
Vanadium	18.4	10	NA	NA	NA	NA	6.8	9.3	7.2	5.8	5	14.7
Zinc	ND	7.8	NA	NA	NA	NA	7.7	190	20.1	3	3.2	34.9

NOTES:  
 Shaded area indicates inorganic which exceeded a MCL and/or NCWQS in groundwater sample.  
 J - Value is estimated.  
 JB - Value is estimated below the CRDL, but greater than the IDL.  
 NA - No available wells to compare OR compound was not analyzed.  
 ND - Not detected.  
 NCWQS - North Carolina Water Quality Standard  
 MCL - Maximum Contaminant Level  
 (1) - Secondary MCL

**TABLE 5**  
**COMPARISON OF INORGANIC SUBSURFACE SOIL CONCENTRATIONS IN "CLEAN" AND "CONTAMINATED" WELLS**  
**MCB, CAMP LEJEUNE, NORTH CAROLINA**

Units Well Number Soil Sample Number	Site 48		Site 63		Site 65		Site 69		Site 78		Site 82	
	"Clean" mg/kg	"Contaminated" mg/kg	"Clean" mg/kg	"Contaminated" mg/kg	"Clean" mg/kg	"Contaminated" mg/kg	"Clean" mg/kg	"Contaminated" mg/kg	"Clean" mg/kg	"Contaminated" mg/kg	"Clean" mg/kg	"Contaminated" mg/kg
	48-GW01	48-GW03	63MW03	63MW02	65MW03	65MW02	69-GW11	69-GW03	78GW34	78GW24-1	6-GW28	82MW3
	48-GW1A-01	48-C3-03	63-MW03-04	63-MW02-06	65-MW03-11	65-MW02-06	69-GW11-04	69-CSA-SB23-00	78-GW34	78-B903-SB03	6-GW28-09	6-GW27D-06
Arsenic	1.3	0.77 J	ND	ND	ND	13	0.68	0.63	ND	ND	0.31	15.9
Barium	21.1	15	ND	ND	3.4	6.8	5.6	3	ND	ND	ND	ND
Beryllium	0.2	0.19	ND	ND	ND	ND	0.3	0.28	ND	ND	ND	ND
Cadmium	1.4	1.8 J	ND	ND	NA	NA	0.56	0.52	ND	ND	ND	ND
Chromium	18.2	18.6	7.7	ND	3.9	5.7	6.8	1.7	18.5	9.3	2.6	3
Copper	3.5	3.8	ND	ND	1.5	3.1	3.8	3.5	3.4 B	ND	ND	ND
Lead	32.3	14.3	4.2	2.6	1.7	3.7	4.3	1.1	4.5 J	2.6 J	2.7	4.3
Manganese	411	7	4.9	18.8	3.5	6.9	4	1.2	9.2	ND	ND	ND
Mercury	ND	ND	ND	ND	NA	NA	0.06	0.05	ND	ND	ND	ND
Nickel	2.2	1.9 J	ND	ND	ND	ND	3.2	3	ND	ND	ND	ND
Vanadium	28.3	20.8 J	ND	ND	4.4	3	4.4	3.6	18.7	19.2	ND	ND
Zinc	ND	ND	ND	ND	2.7	5	3.2	1.5	7.9	ND	ND	ND

NOTES:  
 Shaded area indicates inorganic which exceeded a MCL and/or NCWQS in groundwater sample.  
 J - Value is estimated.  
 JB - Value is estimated below the CRDL, but greater than the IDL.  
 NA - No available wells to compare OR compound was not analyzed.  
 ND - Not detected.  
 NCWQS - North Carolina Water Quality Standard  
 MCL - Maximum Contaminant Level  
 (1) - Secondary MCL

**TABLE 5**  
**COMPARISON OF INORGANIC SUBSURFACE SOIL CONCENTRATIONS IN "CLEAN" AND "CONTAMINATED" WELLS**  
**MCB, CAMP LEJEUNE, NORTH CAROLINA**

	ABC Cleaners		Offsite Property #1		Offsite Property #2	
	"Clean"	"Contaminated"	"Clean"	"Contaminated"	"Clean"	"Contaminated"
	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
Units	--	--	--	--	--	--
Well Number	--	--	--	--	--	--
Soil Sample Number	--	--	--	--	--	--
Arsenic	NA	NA	NA	NA	NA	NA
Barium	NA	NA	NA	NA	NA	NA
Beryllium	NA	NA	NA	NA	NA	NA
Cadmium	NA	NA	NA	NA	NA	NA
Chromium	NA	NA	NA	NA	NA	NA
Copper	NA	NA	NA	NA	NA	NA
Lead	NA	NA	NA	NA	NA	NA
Manganese	NA	NA	NA	NA	NA	NA
Mercury	NA	NA	NA	NA	NA	NA
Nickel	NA	NA	NA	NA	NA	NA
Vanadium	NA	NA	NA	NA	NA	NA
Zinc	NA	NA	NA	NA	NA	NA

NOTES:  
 Shaded area indicates inorganic which exceeded a MCL and/or NCWQS in groundwater sample.  
 J - Value is estimated.  
 JB - Value is estimated below the CRDL, but greater than the IDL.  
 NA - No available wells to compare OR compound was not analyzed.  
 ND - Not detected.  
 NCWQS - North Carolina Water Quality Standard  
 MCL - Maximum Contaminant Level  
 (1) - Secondary MCL

TABLE 6  
TOTAL METALS BY SITE  
DEEP MONITORING WELLS  
MCB, CAMP LEJEUNE, NORTH CAROLINA

	Site 1	Site 2	Site 6	Site 7	Site 9	Site 21	Site 24	Site 28	Site 30	Site 41	Site 43	Site 44	Site 48	Site 63	Site 65	Site 69	Site 78	Site 82	ABC Cleaners	Base Supply Wells (1)
Arsenic		ND	ND		ND					2.2 - 9.6						2.2 - 3.5	2 - 118 J	ND	ND - 14	ND
Barium		1420	ND		ND					22.6 - 186						42.3 - 58.0	ND - 547	ND	4 - 36	ND
Beryllium		ND	ND		ND					3.2						0.80 - 0.89	ND	ND	NA	NA
Cadmium	No Deep Wells	ND	ND	No Deep Wells	ND	No Deep Wells	No Deep Wells	No Deep Wells	No Deep Wells	4.2 - 4.7	No Deep Wells	No Deep Wells	No Deep Wells	No Deep Wells	No Deep Wells	3.2	ND - 21	ND	NA	ND
Chromium		16	ND		ND					9.6 - 40.5						8.3 - 20.7	ND - 10	ND	ND - 32	ND
Copper		ND	ND		ND					23.9						16.3	ND	ND	ND - 41	ND - 130
Lead		ND	ND		ND					1.0 - 11.1						3.1 - 6.8	ND	ND	ND - 10	ND - 16
Manganese		ND	ND - 33.5		ND					16.9 - 101						53.7 - 114	ND - 591	ND - 21.6	ND - 45	10 - 120
Mercury		ND	ND		ND					0.15 - 0.17						0.16 - 0.17	ND - 0.3	ND	NA	ND
Nickel		ND	ND		ND					31.2						28.8	ND	ND	ND - 14	NA
Vanadium		ND	ND		ND					20.4 - 49.8						20.4	ND - 24 J	ND	ND - 15	NA
Zinc		ND	ND		ND					17.8 - 83.8						31.1 - 48.7	ND - 181 J	ND	58 - 390	ND - 120

NOTES:

J - Value is estimated.

NA - Not analyzed.

ND - Not detected.

(1) - Range is based on 67 supply wells located throughout MCB, Camp Lejeune, NC.

**TABLE 7**  
**SUMMARY OF FIELD PARAMETERS IN**  
**SHALLOW, DEEP, AND SUPPLY WELLS**  
**MCB, CAMP LEJEUNE, NORTH CAROLINA**


	Shallow Wells		Deep Wells		Supply Wells	
	Range (1)	Average Maximum	Range (2)	Average Maximum	Range (3)	Average Maximum
pH (standard units)	4.5 - 7.28	6.08	7.52 - 11.34	8.88	6.91 - 7.45	7.32
Specific Conductivity (micromhos/cm)	40 - 580	267	149 - 525	350	212 - 511	353

- (1) - Based on data from 11 sites.
- (2) - Based on data from 6 sites.
- (3) - Based on data from 9 supply wells.



**Figures**


---



177101NR

FIGURE 1  
 SITE LOCATION MAP  
 INORGANIC GROUNDWATER STUDY  
 MARINE CORPS BASE, CAMP LEJEUNE  
 NORTH CAROLINA

01762WBIZ




NOTE:  
 -GROUNDWATER SAMPLE STATIONS SHOWN WITHOUT CONCENTRATIONS INDICATES LEVELS BELOW APPLICABLE STANDARDS. SEE TABLES IN TEXT.

177102NR

LEGEND	
2GW1	GROUNDWATER WELL
⊕	
(F)	EXCEEDS FEDERAL STANDARD
(S)	EXCEEDS STATE STANDARD
(FAL)	FEDERAL ACTION LEVEL
ND	NOT DETECTED ABOVE APPLICABLE STANDARDS
NA	NOT ANALYZED
J	ESTIMATED CONCENTRATIONS
CONCENTRATIONS EXPRESSED IN ug/l(ppb)	
SOURCE: LANTDIV, FEB. 1992	

**FIGURE 2**  
 POSITIVE DETECTIONS ABOVE APPLICABLE FEDERAL AND STATE STANDARDS FOR TOTAL AND FILTERED INORGANIC ANALYTES IN GROUNDWATER  
 SITE 2  
 REMEDIAL INVESTIGATION CTO-0174  
 MARINE CORPS BASE, CAMP LEJEUNE  
 NORTH CAROLINA





177103NR


**LEGEND**

78GW02	EXISTING SHALLOW MONITORING WELL INSTALLED BY ESE, 1984-1991
78GW33	SHALLOW MONITORING WELL INSTALLED BY BAKER ENVIRONMENTAL, INC., 1993
→	APPROXIMATE DIRECTION OF GROUNDWATER FLOW
(NS)	NOT SAMPLED FOR TAL METALS
HP-603	WATER SUPPLY WELL (ACTIVE)-NOT SAMPLED
HP-601	WATER SUPPLY WELL (INACTIVE)-NOT SAMPLED

SOURCE: LANTDIV, FEBRUARY 1992

**FIGURE 3**  
 POSITIVE DETECTIONS OF TAL METALS ABOVE FEDERAL MCLs AND/OR NCWQS IN SHALLOW WELLS  
 SITE 78  
 REMEDIAL INVESTIGATION CTO-0177  
 MARINE CORPS BASE, CAMP LEJEUNE  
 NORTH CAROLINA

**Baker**  
 Baker Environmental, Inc.



**LEGEND**

78GW04-3 EXISTING DEEP MONITORING WELL INSTALLED BY ESE, 1991

APPROXIMATE DIRECTION OF GROUNDWATER FLOW

(NS) NOT SAMPLED FOR TAL METALS

HP-603 WATER SUPPLY WELL (ACTIVE)-NOT SAMPLED

HP-601 WATER SUPPLY WELL (INACTIVE)-NOT SAMPLED

SOURCE: LANTDIV, FEBRUARY 1992

**FIGURE 4**  
**POSITIVE DETECTIONS OF TAL METALS ABOVE FEDERAL MCLs AND/OR NCWQS IN DEEP WELLS**  
**SITE 78**  
**REMEDIAL INVESTIGATION CTO-0177**  
**MARINE CORPS BASE, CAMP LEJEUNE**  
**NORTH CAROLINA**

**Appendix A**  
**Data Summary Tables**  
**for Sites 2 and 78**

---

**OPERABLE UNIT NO. 1 - SITES 21, 24, 78**  
**SHALLOW, INTERMEDIATE AND DEEP MONITORING WELLS**  
**GROUNDWATER DATA AND FREQUENCY SUMMARY**  
**REMEDIAL INVESTIGATION CTO - 19177**  
**MCB CAMP LEJEUNE, NORTH CAROLINA**  
**TAL METALS AND CYANIDE**

	MINIMUM NONDETECTED UG/L	MAXIMUM NONDETECTED UG/L	MINIMUM DETECTED UG/L	MAXIMUM DETECTED UG/L	LOCATION OF MAXIMUM DETECTED	FREQUENCY OF DETECTION
ALUMINUM	NA	NA	68 J	542000 J	78-GW06-01	59 / 59
ANTIMONY	3 U	20 U	3.3 B	169 J	78-GW02-01	7 / 33
ARSENIC	2 U	10 U	2.3 J	405 J	78-GW02-01	44 / 48
BARIUM	NA	NA	17 B	1250	78-GW07-01	59 / 59
BERYLLIUM	1 U	4 U	1 B	19	24-GW02-01	52 / 59
CADMIUM	5 U	25 U	5	21	78-GW04-3-01	9 / 59
CALCIUM	NA	NA	2420 B	642000	78-GW04-1-01	59 / 59
CHROMIUM	10 U	50 U	10	858 J	78-GW06-01	46 / 59
COBALT	8 U	8 U	8 B	170	78-GW22-2-01	25 / 59
COPPER	2 U	2 U	3 B	699	78-GW39-01	58 / 59
IRON	NA	NA	32 B	523000	78-GW04-3-01	59 / 59
LEAD	1.8 U	4.9 U	2.9 B	2000 J	21-GW0B-01	50 / 59
MAGNESIUM	NA	NA	88 B	37100	24-GW03-01	59 / 59
MANOGANESE	2 U	2 U	2 B	714	78-GW24-1-01	57 / 59
MERCURY	0.2 U	0.2 U	0.23 J	3.2	24-GW06-01	24 / 52
NICKEL	20 U	20 U	20 B	234	78-GW22-2-01	31 / 59
POTASSIUM	NA	NA	982 B	67300	78-GW32-3-01	59 / 59
SELENIUM	1 U	5 U	1.1 J	99.5 J	78-GW32-2-01	41 / 54
SILVER	3 U	15 U	5 J	5 J	78-GW09-3-01	1 / 59
SODIUM	NA	NA	2450 B	42500	78-GW32-3-01	59 / 59
THALLIUM	1 U	1 U	1 B	7.3 J	78-GW32-2-01	16 / 59
VANADIUM	4 U	4 U	4 J	1700	78-GW08-01	55 / 59
ZINC	6 U	6 U	6 J	967 J	78-GW22-2-01	57 / 59
CYANIDE	10 U	10 U	ND	ND	ND	0 / 54



OPERABLE UNIT NO. 1 - SITES 21, 24, 78  
 SHALLOW, INTERMEDIATE AND DEEP MONITORING WELLS  
 GROUNDWATER DATA AND FREQUENCY SUMMARY  
 REMEDIAL INVESTIGATION CTO - 19177  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 TAL METALS AND CYANIDE

SAMPLE NO.	21-GW01-01	21-GW02-01	21-GW03-01	21-GW04-01	21-GW0A-01	21-GW0B-01
UNITS	UG/L	UG/L	UG/L	UG/L	UG/L	UG/L
ALUMINUM	4910 J	319000 J	4820 J	20100 J	16900 J	118000 J
ANTIMONY	7 UJ	7 U	7 U	7 U	7 R	7 U
ARSENIC	15	10	2 U	11.8	45.2 J	30.4
BARIUM	32 B	647	51 B	119 B	100 B	386
BERYLLIUM	1 B	5	1 B	1 B	1 B	6
CADMIUM	5 U	10 U	5 U	5 U	5 U	10 U
CALCIUM	63000 J	24100 J	6130 J	21700 J	23800	6250 J
CHROMIUM	10 UJ	348 J	10 UJ	33 J	21 J	192 J
COBALT	8 U	18 B	8 U	10 B	8 U	36 B
COPPER	4 B	79	7 B	28	24 B	38
IRON	9920 J	122000 J	13400 J	24900 J	38900 J	72900 J
LEAD	1.8 UJ	214 J	4.9 UJ	33 J	29	2000 J
MAGNESIUM	5070	15400	4550 B	5490	4850 B	11600
MANGANESE	64 J	179 J	134 J	193 J	59	276 J
MERCURY	0.2 R	2.4 J	0.2 R	0.2 R	0.2 U	0.2 R
NICKEL	20 U	86	20 U	20 U	20 U	60
POTASSIUM	2390 B	10500	2240 B	3800 B	2360 B	9520
SELENIUM	1 U	11 J	1 U	1 U	1 UJ	3.7 J
SILVER	3 U	3 U	3 U	3 U	3 UJ	3 U
SODIUM	15700	12600	7950	14400	12600	14400
THALLIUM	1 U	1 UJ	1 U	1 UJ	1 UJ	1 U
VANADIUM	30 B	281	11 B	42 B	48 B	243
ZINC	65 J	136 J	27 J	57 J	41 J	175 J
CYANIDE	10 U	10 U	10 U	10 U	10 U	10 U



OPERABLE UNIT NO. 1 - SITES 21, 24, 78  
 SHALLOW, INTERMEDIATE AND DEEP MONITORING WELLS  
 GROUNDWATER DATA AND FREQUENCY SUMMARY  
 REMEDIAL INVESTIGATION CTO - 19177  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 TAL METALS AND CYANIDE

SAMPLE NO.	21-GW0C-01	24-GW01-01	24-GW02-01	24-GW03-01	24-GW04-01	24-GW06-01
UNITS	UG/L	UG/L	UG/L	UG/L	UG/L	UG/L
ALUMINUM	209000 J	262000	93700	50200	58900	19800
ANTIMONY	7 U	3 U	3 UJ	3 U	4.6 B	3.5 B
ARSENIC	101	10 UJ	2.3 J	4.7 J	116 J	10.1 J
BARIUM	467	380	1120	480	290	159 B
BERYLLIUM	8	3 B	19	5	2 B	9
CADMIUM	10 U	5 U	12	5 U	5 U	5
CALCIUM	35200 J	4120 B	2420 B	124000	65600	151000
CHROMIUM	291 J	296	316	110	153	78
COBALT	60	8 U	41 B	66	8 U	35 B
COPPER	84	49	52	22 B	31	15 B
IRON	106000 J	58600	395000	16300	70500	69500
LEAD	92.5 J	89	17.9	21.6	23.6	7.4
MAGNESIUM	16300	12200	7240	37100	7690	4320 B
MANGANESE	273 J	117	518	393	66	431
MERCURY	0.23 J	0.23	2.6	0.2 U	0.2 U	3.2
NICKEL	123	38 B	140	85	20 U	93
POTASSIUM	11800	12000	7550	15400	6130	3370 B
SELENIUM	4.3 B	1.3 J	1.1 J	16.2 J	4.3 J	1 UJ
SILVER	3 U	3 UJ	15 UJ	3 UJ	3 UJ	3 UJ
SODIUM	15200	6030	11600	19200	5230	7280
THALLIUM	1 U	1 U	1 U	2.4 B	1 U	1 B
VANADIUM	419	304	408	92	202	83
ZINC	487 J	118	461	650	80	489
CYANIDE	10 U					

OPERABLE UNIT NO. 1 - SITES 21, 24, 78  
 SHALLOW, INTERMEDIATE AND DEEP MONITORING WELLS  
 GROUNDWATER DATA AND FREQUENCY SUMMARY  
 REMEDIAL INVESTIGATION CTO - 19177  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 TAL METALS AND CYANIDE

SAMPLE NO.	24-GW07-01	24-GW08-01	24-GW09-01	24-GW10-01	78-GW02-01	78-GW03-01
UNITS	UG/L	UG/L	UG/L	UG/L	UG/L	UG/L
ALUMINUM	36000	61100	12800	23300	29200 J	23900 J
ANTIMONY	3 U	3 U	3.3 B	5.7 B	169 J	38.5 J
ARSENIC	3.7 J	8 J	4.3 J	2.5 J	405 J	5.7 J
BARIUM	85 B	112 B	164 B	59 B	109 B	36 B
BERYLLIUM	1 B	2 B	1 B	1 U	12	2 B
CADMIUM	5 U	5 U	5 U	5 U	8	5 U
CALCIUM	4960 B	27000	9530	3820 B	37000	32900
CHROMIUM	37	85	19	21	18 J	10 UJ
COBALT	8 U	8 U	11 B	8 U	8 U	8 U
COPPER	19 B	24 B	11 B	13 B	20 B	8 B
IRON	13700	27500	13100	7010	427000 J	5020 J
LEAD	11.4	23.8	5.1	7.3	19.6	3.4
MAGNESIUM	2670 B	5050	7630	1760 B	3650 B	2210 B
MANGANESE	39	47	180	29	141	27
MERCURY	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
NICKEL	20 U	20 U	20 U	20 U	20 U	20 U
POTASSIUM	3870 B	5580	4280 B	2620 B	2770 B	1320 B
SELENIUM	2.1 J	1.9 J	2.6 J	1 UJ	19.8 J	2.4 J
SILVER	3 UJ	3 UJ	3 UJ	3 UJ	15 UJ	3 UJ
SODIUM	6520	6550	6010	6650	5120	4270 B
THALLIUM	1 U	1 U	1 U	1 U	1 UJ	1 UJ
VANADIUM	64	129	26 B	34 B	1660	50
ZINC	41	47	50	20	58 J	12 J
CYANIDE	10 U	10 U	10 U	10 U	10 U	10 U

OPERABLE UNIT NO. 1 - SITES 21, 24, 78  
 SHALLOW, INTERMEDIATE AND DEEP MONITORING WELLS  
 GROUNDWATER DATA AND FREQUENCY SUMMARY  
 REMEDIAL INVESTIGATION CTO - 19177  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 TAL METALS AND CYANIDE

SAMPLE NO.	78-GW04-1-01	78-GW04-2-01	78-GW04-3-01	78-GW05-01	78-GW06-01	78-GW07-01
UNITS	UG/L	UG/L	UG/L	UG/L	UG/L	UG/L
ALUMINUM	297000 J	286	115 B	23000 J	542000 J	207000 J
ANTIMONY	7 R	7 R	7 R	7 U	7 U	7 U
ARSENIC	18.6 J	2 R	118 J	5.2 J	26 B	16.2
BARIUM	728	519	547	54 B	1200	1250
BERYLLIUM	19	1 B	1 B	2 B	9	5
CADMIUM	12	5 U	21	5 U	5 U	5 U
CALCIUM	642000	170000	105000	90200 J	7180 J	18700 J
CHROMIUM	496 J	10 U	50 U	17 J	858 J	400 J
COBALT	28 B	8 U	8 U	8 U	11 B	20 B
COPPER	87	4 B	7 B	8 B	127	53
IRON	267000 J	32 B	523000	14900 J	142000 J	96700 J
LEAD	126	2 U	2 U	13.1 J	155 J	61.5 J
MAGNESIUM	25500	88 B	3210 B	12700	24000	20000
MANGANESE	703	51	591	161 J	184 J	135 J
MERCURY	0.75	0.2 U	0.3	0.2 R	1.1 J	0.44 J
NICKEL	136	20 B	20 U	20 U	86	54
POTASSIUM	18800	21800	11300	4770 B	25600	13200
SELENIUM	9 J	1 R	1 R	6.4	5.5 B	9.1
SILVER	6 UJ	3 U	15 U	3 U	3 U	3 U
SODIUM	8870	11500	9290	23900	5090	9260
THALLIUM	1.2 J	1 U	1 U	1 UJ	1.1 B	1 UJ
VANADIUM	591	4 UJ	24 J	28 B	811	406
ZINC	373 J	7 J	79 J	32 J	223 J	158 J
CYANIDE	10 U	10 U	10 U	10 U	10 U	10 U

OPERABLE UNIT NO. 1 - SITES 21, 24, 78  
 SHALLOW, INTERMEDIATE AND DEEP MONITORING WELLS  
 GROUNDWATER DATA AND FREQUENCY SUMMARY  
 REMEDIAL INVESTIGATION CTO - 19177  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 TAL METALS AND CYANIDE

SAMPLE NO.	78-GW08-01	78-GW09-2-01	78-GW09-3-01	78-GW10-01	78-GW11-01	78-GW12-01
UNITS	UG/L	UG/L	UG/L	UG/L	UG/L	UG/L
ALUMINUM	483000 J	68 J	2710 J	404000 J	332000	108000 J
ANTIMONY	7 U	7 R	7 R	7 R	7 R	7 R
ARSENIC	60.5	2 R	2 R	43 J	10 R	9.6 J
BARIUM	740	27 B	41 B	582	631	155 B
BERYLLIUM	9	1 U	1 B	8	5	2 B
CADMIUM	25 U	5 U	5 U	10 U	25 U	10 U
CALCIUM	28200 J	114000	99100	54400	9130	31200
CHROMIUM	491 J	10 UJ	10 UJ	362 J	412	114 J
COBALT	29 B	8 U	8 U	31 B	8 U	8 U
COPPER	86	4 B	4 B	91	84	30
IRON	138000 J	955 J	99 J	157000 J	120000	26400 J
LEAD	131 J	2 U	2 U	257	195	35.5
MAGNESIUM	18500	2550 B	249 B	17400	15400	7220
MANGANESE	213 J	19	2 U	326	174	47
MERCURY	1.3 J	0.2 U	0.2 U	1.5	0.75	0.2 U
NICKEL	89	20 U	20 U	108	79	20 U
POTASSIUM	14700	1220 B	7820	15800	13000	6090
SELENIUM	25.3	1 UJ	1 UJ	18 J	12 J	3.6 J
SILVER	3 U	3 UJ	5 J	3 UJ	3 U	3 UJ
SODIUM	4710 B	5820	7280	3340 B	3490 B	5420
THALLIUM	1.3 J	1 UJ	1 UJ	1 UJ	1 U	1 UJ
VANADIUM	1700	4 U	9 B	499	526	145
ZINC	200 J	11 J	181 J	217 J	120 J	64 J
CYANIDE	10 U	10 U	10 U	10 U	10 U	10 U

OPERABLE UNIT NO. 1 - SITES 21, 24, 78  
 SHALLOW, INTERMEDIATE AND DEEP MONITORING WELLS  
 GROUNDWATER DATA AND FREQUENCY SUMMARY  
 REMEDIAL INVESTIGATION CTO - 19177  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 TAL METALS AND CYANIDE

SAMPLE NO.	78-GW13-01	78-GW14-01	78-GW15-01	78-GW16-01	78-GW17-1-01	78-GW17-2-01
UNITS	UG/L	UG/L	UG/L	UG/L	UG/L	UG/L
ALUMINUM	61800 J	103000 J	205000 J	341000 J	168000 J	541 J
ANTIMONY	7 U	7 R	7 R	7 R	7 R	7 R
ARSENIC	38.3	18.4 J	4 R	19 J	11.6 J	2 R
BARIUM	236	321	469	511	261	57 B
BERYLLIUM	3 B	1 B	4 B	6	4 B	1 B
CADMIUM	5 U	10 U	5 U	5 U	10 U	5 U
CALCIUM	4040 J	5300	29100	62700	86900	144000
CHROMIUM	222 J	113 J	215 J	353 J	200 J	10 UJ
COBALT	20 B	8 U	9 B	13 B	9 B	8 U
COPPER	18 B	33	49	80	40	5 B
IRON	61800 J	49600 J	43300 J	80900 J	48700 J	2120 J
LEAD	26.4 J	63	53	224	81	5.9
MAGNESIUM	11800	10600	13400	10800	9940	2570 B
MANGANESE	57 J	68	115	150	96	33
MERCURY	0.3 J	0.38	0.2 U	0.38	0.2 U	0.2 U
NICKEL	40	34 B	29 B	61	30 B	20 U
POTASSIUM	8210	6460	12000	14000	11600	1630 B
SELENIUM	4.7 B	12.4 J	2.1 J	14.5 J	5 UJ	1 UJ
SILVER	3 U	3 UJ	3 UJ	3 UJ	3 UJ	3 UJ
SODIUM	15000	15400	6410	4120 B	3180 B	9480
THALLIUM	1 U	1 UJ	1 J	1.4 J	1 J	1 UJ
VANADIUM	158	122	248	371	289	4 U
ZINC	96 J	51 J	116 J	157 J	98 J	6 UJ
CYANIDE	10 U	10 U	10 U	10 U	10 U	10 U

OPERABLE UNIT NO. 1 - SITES 21, 24, 78  
 SHALLOW, INTERMEDIATE AND DEEP MONITORING WELLS  
 GROUNDWATER DATA AND FREQUENCY SUMMARY  
 REMEDIAL INVESTIGATION CTO - 19177  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 TAL METALS AND CYANIDE

SAMPLE NO.	78-GW19-01	78-GW20-01	78-GW21-01	78-GW22-01	78-GW22-1-01	78-GW22-2-01
UNITS	UG/L	UG/L	UG/L	UG/L	UG/L	UG/L
ALUMINUM	4110 J	149000 J	23800 J	78900 J	257000	190000 J
ANTIMONY	7 R	7 U	7 U	14 J	7 R	7 UJ
ARSENIC	3.1 J	30.3	6.3 J	10 J	59.5 J	75.6
BARIUM	101 B	430	382	107 B	411	471
BERYLLIUM	1 B	4 B	2 B	1 B	4 B	12
CADMIUM	5 U	5 U	5 U	10 U	25 U	6
CALCIUM	3700 B	5450 J	32900 J	90100	44500	118000 J
CHROMIUM	10 UJ	231 J	22 J	83 J	238	389 J
COBALT	8 U	35 B	10 B	8 U	8 U	170
COPPER	3 B	61	11 B	34	54	92
IRON	8500 J	101000 J	26400 J	27600 J	62300	140000 J
LEAD	8.3	119 J	19.1 J	37.2	272	360 J
MAGNESIUM	5740	13100	9110	5500	12000	13000
MANGANESE	26	93 J	85 J	70	158	348 J
MERCURY	0.2 U	0.37 J	0.2 R	0.3	0.45	0.2 R
NICKEL	20 U	75	20 U	21 B	99	234
POTASSIUM	2130 B	9100	4100 B	6180	12000	10200
SELENIUM	1 UJ	4.2 B	1.1 B	4.2 J	7.5 J	45
SILVER	3 UJ	3 U	3 U	3 UJ	3 U	3 U
SODIUM	24000	11900	9480	12100	9910	8230
THALLIUM	1 UJ	1.8 B	1 U	1.7 J	1 U	3 B
VANADIUM	9 B	236	86	114	269	547
ZINC	6 J	250 J	108 J	50 J	150 J	967 J
CYANIDE	10 U	10 U	10 U	10 U	10 U	10 U

OPERABLE UNIT NO. 1 - SITES 21, 24, 78  
 SHALLOW, INTERMEDIATE AND DEEP MONITORING WELLS  
 GROUNDWATER DATA AND FREQUENCY SUMMARY  
 REMEDIAL INVESTIGATION CTO - 19177  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 TAL METALS AND CYANIDE

SAMPLE NO.	78-GW23-01	78-GW24-1-01	78-GW24-2-01	78-GW24-3-01	78-GW25-01	78-GW29-01
UNITS	UG/L	UG/L	UG/L	UG/L	UG/L	UG/L
ALUMINUM	111000 J	160000	1340	304	101000 J	78800 J
ANTIMONY	7 R	7 R	7 R	7 R	7 R	7 R
ARSENIC	7.6 J	100 J	2 R	2 R	11.4 J	19 J
BARIUM	230	396	34 B	17 B	119 B	1070
BERYLLIUM	2 B	7	1 B	1 U	2 B	12
CADMIUM	5 U	5 U	5	5	5 U	5 U
CALCIUM	10800	34400	107000	73400	37800	41600
CHROMIUM	101 J	264	10	10 U	82 J	252 J
COBALT	8 B	39 B	8 U	8 U	8 U	17 B
COPPER	25	71	6 B	5 B	26	34
IRON	30800 J	159000	2320	2370	26300 J	125000 J
LEAD	50	152	3.3	2.9 B	30.5	25.5
MAGNESIUM	7110	11600	1740 B	1500 B	4500 B	21900
MANGANESE	87	714	21	41	33	341
MERCURY	0.3	0.75	0.2 U	0.2 U	0.2 U	0.2 U
NICKEL	42	91	20 U	20 U	20 U	125
POTASSIUM	5450	9090	1050 B	982 B	4950 B	11600
SELENIUM	4.4 J	17.6 J	1 R	1 R	1.6 J	2.5 J
SILVER	3 UJ	3 U	3 U	3 U	3 UJ	3 UJ
SODIUM	7450	10800	8350	7050	16400	21200
THALLIUM	1.7 J	1.5 B	1 U	1 U	1.3 J	1 UJ
VANADIUM	108	436	4 J	4 UJ	144	183
ZINC	67 J	291 J	11 J	16 J	34 J	330 J
CYANIDE	10 U	10 U	10 U	10 U	10 U	10 U

OPERABLE UNIT NO. 1 - SITES 21, 24, 78  
 SHALLOW, INTERMEDIATE AND DEEP MONITORING WELLS  
 GROUNDWATER DATA AND FREQUENCY SUMMARY  
 REMEDIAL INVESTIGATION CTO - 19177  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 TAL METALS AND CYANIDE

	SAMPLE NO.	78-GW31-2-01	78-GW31-3-01	78-GW32-2-01	78-GW32-3-01	78-GW33-01	78-GW34-01
	UNITS	UG/L	UG/L	UG/L	UG/L	UG/L	UG/L
ALUMINUM		110 B	1200	112000 J	539 J	78200	6870
ANTIMONY		7 R	7 R	7 R	7 R	3 U	3 U
ARSENIC		2 R	2 R	21.6 J	2 R	5.6 J	4.4 J
BARIUM		17 B	415	476	42 B	162 B	173 B
BERYLLIUM		1 B	1 B	10	1 B	1 B	1 U
CADMIUM		5 U	5 U	10	5 U	5 U	5 U
CALCIUM		77600	308000	94600	5440	64800	10400
CHROMIUM		10 U	21	215 J	10 UJ	65	10 U
COBALT		8 U	8 U	84	8 U	8 U	8 U
COPPER		3 B	5 B	87	2 U	20 B	11 B
IRON		280	72 B	98500 J	112 J	14900	7250
LEAD		2 U	2 U	146	2 U	18.1	5.5
MAGNESIUM		2200 B	151 B	13700	319 B	7290	2880 B
MANGANESE		8 B	2 B	328	2 U	86	96
MERCURY		0.3	0.2 U	0.3	0.2 U	0.2 U	0.2 U
NICKEL		20 U	20 U	166	20 U	20 B	20 U
POTASSIUM		1640 B	61600	8460	67300	6900	2620 B
SELENIUM		1 R	1.7 J	99.5 J	1 UJ	12.8 J	1 UJ
SILVER		3 U	3 U	3 UJ	3 UJ	3 UJ	3 UJ
SODIUM		10400	26100	7510	42500	7030	4070 B
THALLIUM		1 U	1 UJ	7.3 J	1.3 J	1 U	1 U
VANADIUM		4 J	10 J	462	5 B	74	15 B
ZINC		23 J	10 J	826 J	6 UJ	37	59
CYANIDE		10 U	10 U	10 U	10 U	10 U	10 U



OPERABLE UNIT NO. 1 - SITES 21, 24, 78  
 SHALLOW, INTERMEDIATE AND DEEP MONITORING WELLS  
 GROUNDWATER DATA AND FREQUENCY SUMMARY  
 REMEDIAL INVESTIGATION CTO - 19177  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 TAL METALS AND CYANIDE

SAMPLE NO.	78-GW35-01	78-GW36-01	78-GW37-01	78-GW38-01	78-GW39-01
UNITS	UG/L	UG/L	UG/L	UG/L	UG/L
ALUMINUM	47100	120000	73500	102000	60000
ANTIMONY	3 U	20 U	3 U	20 U	20 U
ARSENIC	2 UJ	3.1 J	4 J	33.6 J	4 UJ
BARIUM	261	152 B	123 B	420	256
BERYLLIUM	1 B	2 U	2 B	4 U	1 U
CADMIUM	5 U	5 U	5 U	25 U	5 U
CALCIUM	7480	35400	10100	62200	16800
CHROMIUM	55	111	65	201	60
COBALT	8 U	8 U	8 U	8 U	10 B
COPPER	15 B	29	22 B	110	699
IRON	11800	21200	18800	67500	28800
LEAD	13.2	30.2	21.8	41.2	186
MAGNESIUM	5680	5740	4600 B	17500	14300
MANGANESE	57	62	62	106	84
MERCURY	0.2 U	0.3	0.2 U	0.2 U	0.52
NICKEL	20 U	24 B	20 U	32 B	32 B
POTASSIUM	6150	5820	5990	8180	3840 B
SELENIUM	3.5 J	1.7 J	1.1 J	1.3 J	4.3 J
SILVER	3 UJ	3 UJ	3 UJ	3 UJ	3 UJ
SODIUM	10300	2450 B	7270	10300	19500
THALLIUM	1 U	1 U	1 U	1 U	1 U
VANADIUM	59	98	106	235	67
ZINC	30	57	58	134	138
CYANIDE	10 U	10 U	10 U	10 U	10 U

OPERABLE UNIT NO. 5 - SITE 2  
 SHALLOW AND DEEP MONITORING WELLS  
 GROUNDWATER STATISTICAL SUMMARY  
 REMEDIAL INVESTIGATION CTO - 19174  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 TAL METALS AND CYANIDE

SAMPLE NO.	2-GW01-01	2-GW02-01	2-GW03-01	2-GW03DW-01	2-GW04-01	2-GW05-01
UNITS	UG/L		UG/L	UG/L	UG/L	UG/L
ALUMINUM	36000		5200	269	16800	4050
ANTIMONY	10 U		10 U	3.5 U	10 U	10 U
ARSENIC	21.2		2.5 B	1 UJ	23.6	2.2 B
BARIUM	52 B		46 B	1420	95 B	100 B
BERYLLIUM	1 B		0.5 U	0.5 U	2 B	0.5 U
CADMIUM	7		2.5 U	2.5 U	2.5 U	2.5 U
CALCIUM	23700		8460	450000	11100	21000
CHROMIUM	18		11	16	5 U	5 U
COBALT	10 B		4 U	4 U	4 U	4 U
COPPER	10 B		4 B	8 B	5 B	3 B
IRON	10300		7190	127	28100	12700
LEAD	15.5 L		3.5 J	1.1 UJ	2.7 J	0.5 UJ
MAGNESIUM	5060		1600 B	75 B	1920 B	4800 B
MANGANESE	55		21	2 U	21	46
MERCURY	0.1 U		0.1 U	0.1 U	0.1 U	0.1 U
NICKEL	10 U		10 U	10 U	10 U	10 U
POTASSIUM	2560 B		1030 B	187000	1210 B	2130 B
SELENIUM	4.2 B		0.5 U	0.5 U	0.5 U	0.5 U
SILVER	1.5 U		1.5 U	1.5 U	1.5 U	1.5 U
SODIUM	4040 B		5490	103000	5560	10100
THALLIUM	0.5 U		0.5 U	0.5 UJ	0.5 U	0.5 U
VANADIUM	72		10 B	2 U	89	9 B
ZINC	146		13 B	9 B	16 B	6 B
CYANIDE	5 U		5 U	5 U	5 U	5 U

OPERABLE UNIT NO. 5 - SITE 2  
 SHALLOW AND DEEP MONITORING WELLS  
 GROUNDWATER STATISTICAL SUMMARY  
 REMEDIAL INVESTIGATION CTO - 19174  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 TAL METALS AND CYANIDE

SAMPLE NO.	2-GW06-01	2-GW07-01	2-GW08-01	2-GW09-01
UNITS	UG/L	UG/L	UG/L	UG/L
ALUMINUM	13600	8550	6380	56300
ANTIMONY	10 U	10 U	3.5 UJ	10 U
ARSENIC	5.4 B	5.7 B	9.2 B	12.9
BARIUM	173 B	98 B	98 B	328
BERYLLIUM	0.5 U	0.5 U	0.5 U	3 B
CADMIUM	2.5 U	2.5 U	2.5 U	2.5 U
CALCIUM	7940	9350	5710	22100
CHROMIUM	15	15	5 U	75
COBALT	12 B	4 U	4 U	10 B
COPPER	5 B	7 B	6 B	25
IRON	11700	12500	9150	42000
LEAD	6.7 J	8.3 J	1.8 UJ	27.2 J
MAGNESIUM	4120 B	3620 B	2020 B	9980
MANGANESE	79	72	53	290
MERCURY	0.1 U	0.1 U	0.1 U	0.1 U
NICKEL	10 U	10 U	10 U	25 B
POTASSIUM	2570 B	1940 B	1550 B	6610
SELENIUM	0.5 U	0.5 U	0.5 U	0.5 U
SILVER	1.5 U	1.5 U	1.5 U	1.5 U
SODIUM	21900	8180	11800	18300
THALLIUM	0.5 U	0.5 U	0.5 U	0.5 U
VANADIUM	15 B	18 B	12 B	86
ZINC	26	22	27	103
CYANIDE	5 U	5 U	5 U	5 U

OPERABLE UNIT NO. 5 - SITE 2  
 SHALLOW AND DEEP MONITORING WELLS  
 GROUNDWATER STATISTICAL SUMMARY  
 REMEDIAL INVESTIGATION CTO - 19174  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 DISSOLVED METALS

SAMPLE NO.	2-GW01D-01	2-GW02D-01	2-GW03D-01	2-GW03DWD-01	2-GW04D-01	2-GW05D-01
UNITS	UG/L		UG/L	UG/L	UG/L	UG/L
ALUMINUM	1930		66 B	89 B	60 B	1990
ANTIMONY	10 U		10 U	3.5 UJ	10 U	10 U
ARSENIC	2.2 B		1 U	1 UJ	6.1 B	1 U
BARIUM	42 B		25 B	1400	64 B	98 B
BERYLLIUM	1 B		0.5 U	0.5 U	0.5 U	1 B
CADMIUM	2.5 U		2.5 U	2.5 U	2.5 U	2.5 U
CALCIUM	24400		7100	441000	11300	21800
CHROMIUM	5 U		5 U	11	5 U	5 U
COBALT	4 U		4 U	4 U	4 U	4 U
COPPER	4 B		2 B	6 B	9 B	4 B
IRON	2560		2170	10 U	2720	7400
LEAD	2.1 J		0.5 UJ	0.5 UJ	0.5 UJ	0.5 UJ
MAGNESIUM	5220		1030 B	26 B	1840 B	4900 B
MANGANESE	51		4.5 U	1 U	17	46
MERCURY	0.1 U		0.1 U	0.1 U	0.1 U	0.1 U
NICKEL	10 U		10 U	10 U	10 U	10 U
POTASSIUM	2140 B		589 B	188000	1130 B	2170 B
SELENIUM	0.5 U		0.5 U	0.5 U	0.5 U	0.5 U
SILVER	1.5 U		1.5 U	1.5 U	1.5 U	1.5 U
SODIUM	3590 B		5400	103000	5710	9970
THALLIUM	0.5 U		0.5 U	0.5 U	0.5 U	0.5 U
VANADIUM	2 U		2 U	2 U	2 U	2 U
ZINC	28		3 U	3 U	8 B	9 B
CYANIDE						

2

OPERABLE UNIT NO. 5 - SITE 2  
 SHALLOW AND DEEP MONITORING WELLS  
 GROUNDWATER STATISTICAL SUMMARY  
 REMEDIAL INVESTIGATION CTO - 19174  
 MCB CAMP LEJEUNE, NORTH CAROLINA  
 DISSOLVED METALS

SAMPLE NO. UNITS	2-GW06D-01 UG/L	2-GW07D-01 UG/L	2-GW08D-01 UG/L	2-GW09D-01 UG/L
ALUMINUM	149 B	43 B	95 B	1230
ANTIMONY	10 U	10 U	3.5 U	10 U
ARSENIC	2.9 B	1 U	7.1 B	1 U
BARIUM	126 B	49 B	62 B	149 B
BERYLLIUM	0.5 U	0.5 U	0.5 U	1 B
CADMIUM	2.5 U	2.5 U	2.5 U	2.5 U
CALCIUM	8080	9590	5800	20800
CHROMIUM	5 U	5 U	5 U	10
COBALT	10 B	8 B	4 U	14 B
COPPER	2 B	5 B	4 B	5 B
IRON	7070	4660	6180	7040
LEAD	0.5 UJ	0.5 UJ	0.5 UJ	0.5 UJ
MAGNESIUM	3610 B	3060 B	1730 B	6890
MANGANESE	65	48	40	129
MERCURY	0.1 U	0.1 U	0.1 U	0.1 U
NICKEL	10 U	10 U	10 U	10 U
POTASSIUM	1970 B	1490 B	1150 B	2790
SELENIUM	0.5 U	0.5 U	0.5 U	0.5 U
SILVER	1.5 U	1.5 U	1.5 U	1.5 U
SODIUM	22600	8720	12100	17200
THALLIUM	0.5 U	0.5 U	0.5 U	0.5 U
VANADIUM	2 U	2 U	2 U	2 U
ZINC	12 B	13 B	19 B	35
CYANIDE				

Table H-1. Comparison of Target Analyte Screening Values (SVs) with Detection and Quantitation Limits of Current Analytical Methods<sup>a</sup>

Target Analyte	SV <sup>b</sup>	Methods									
		Puget Sound Protocols <sup>c</sup>		National Study of Chemical Residues in Fish <sup>d</sup>		EMSL <sup>e</sup>	National Contaminant Biomonitoring Program <sup>f</sup>		California OEHA <sup>g</sup>	State of California, Dept. of Fish and Game Environmental Services Division <sup>h</sup>	EPA 301(h) Monitoring Program <sup>i</sup>
		LOD <sup>j</sup>	PQL <sup>k</sup>	MLD <sup>l</sup>	TQL <sup>m</sup>	MDL <sup>n</sup>	LOD <sup>o</sup>	LOQ <sup>p</sup>	MDL <sup>q</sup>	LOD <sup>r</sup>	Detection Limits <sup>s</sup>
<b>Metals</b>											
Cadmium	10 ppm	0.01 ppm	N/R	N/I	N/I	0.02 ppm	0.005-0.046 ppm	N/R	N/I	0.01-0.1 ppm	0.01 ppm (GFAA); 0.4 ppm (ICP)
Mercury	0.6 ppm	0.01 ppm	N/R	1.3 ppb (LOD) <sup>l</sup>	N/R	0.1 ppm	0.01-0.05 ppm	N/R	0.050 ppm	0.02 ppm	0.01 ppm (CVAA)
Selenium	50 ppm	N/I	N/I	N/I	N/I	0.6 ppm	0.017-0.15 ppm	N/R	N/I	0.05 ppm	0.02 ppm (GFAA)
<b>Organochlorine Pesticides</b>						N/I					0.1-5 ppb <sup>u</sup>
Chlordane (total)	80 ppb	1-5 ppb	20 ppb	N/R	2.5 ppb		<1.5 ppb	2-15 ppb	3-5 ppb	5 ppb	
cis-Chlordane		N/I	N/I	N/R	2.5 ppb		<1.5 ppb	2-15 ppb	2-5 ppb	5 ppb	
trans-Chlordane		N/I	N/I	N/R	2.5 ppb		<1.5 ppb	2-15 ppb	N/I	5 ppb	
cis-Nonachlor		N/I	N/I	N/R	2.5 ppb		<1.5 ppb	2-15 ppb	4-7 ppb	5 ppb	
trans-Nonachlor		N/I	N/I	N/R	2.5 ppb		<1.5 ppb	2-15 ppb	N/I	5 ppb	
Oxychlordane		N/I	N/I	N/R	2.5 ppb		<1.5 ppb	2-15 ppb	N/I	5 ppb	
DDT (total)	300 ppb								38 ppb		
4,4'-DDT		0.1-2 ppb	4 ppb	N/I	N/I		<1.5 ppb	2-15 ppb	7-13 ppb	10 ppb	
2,4'-DDT		0.1-2 ppb	4 ppb	N/I	N/I		<1.5 ppb	2-15 ppb	5-6 ppb	10 ppb	
4,4'-DDD		0.1-2 ppb	4 ppb	N/I	N/I		<1.5 ppb	2-15 ppb	5-6 ppb	10 ppb	
2,4'-DDD		0.1-2 ppb	4 ppb	N/I	N/I		<1.5 ppb	2-15 ppb	3-5 ppb	10 ppb	
4,4'-DDE		0.1-2 ppb	4 ppb	N/R	2.5 ppb		<1.5 ppb	2-15 ppb	15-38 ppb	5 ppb	
2,4'-DDE		0.1-2 ppb	4 ppb	N/I	N/I		<1.5 ppb	2-15 ppb	6-10 ppb	10 ppb	
Dicofol	10,000 ppb	N/I	N/I	N/R	2.5 ppb		N/I	N/I	N/I	100 ppb	
Dieldrin	7 ppb	0.1-2 ppb	4 ppb	N/R	2.5 ppb		<1.5 ppb	2-15 ppb	N/I	5 ppb	
Endosulfan (total)	20,000 ppb										
Endosulfan I		N/I	N/I	N/I	N/I		N/I	N/I	N/I	5 ppb	
Endosulfan II		N/I	N/I	N/I	N/I		N/I	N/I	N/I	70 ppb	
Endrin	3,000 ppb	N/I	N/I	N/R	2.5 ppb		<1-5 ppb	2-15 ppb	N/I	15 ppb	
Heptachlor epoxide	10 ppb	N/I	N/I	N/R	2.5 ppb		<1-5 ppb	2-15 ppb	N/I	N/I	
Hexachlorobenzene	70 ppb	0.1-2 ppb	4 ppb	N/R	2.5 ppb		<1-5 ppb	2-15 ppb	N/I	N/R	
Lindane	80 ppb	0.1-2 ppb	4 ppb	N/R	2.5 ppb		<1-5 ppb	2-15 ppb	N/I	2 ppb	
Mirex	2,000 ppb	N/I	N/I	N/R	2.5 ppb		<1-5 ppb	2-15 ppb	N/I	N/I	
Toxaphene	100 ppb	3-15 ppb	60 ppb	N/I	N/I		60 ppb	153 ppb	N/I	100 ppb	

See notes and references at end of table.

(continued)

Table H-1 (continued)

Target Analyte	SV <sup>b</sup>	Methods										
		Puget Sound Protocols <sup>a</sup>		National Study of Chemical Residues in Fish <sup>a</sup>		EMSL <sup>a</sup>	National Contaminant Biomonitoring Program <sup>f</sup>		California OEHHA <sup>g</sup>	State of California, Dept. of Fish and Game Environmental Services Division <sup>h</sup>	EPA 301(h) Monitoring Program <sup>i</sup>	
		LOD <sup>j</sup>	PQL <sup>k</sup>	MLD <sup>l</sup>	TQL <sup>m</sup>	MDL <sup>n</sup>	LOD <sup>o</sup>	LOQ <sup>p</sup>	MDL <sup>q</sup>	LOD <sup>r</sup>	Detection Limits <sup>s</sup>	
<b>Organophosphate Pesticides</b>						N/I						1-15 ppb
Carbophenothion	1,000 ppb	N/I	N/I	N/I	N/I		N/I	N/I	N/I	N/I	N/I	
Chlorpyrifos	30,000 ppb	N/I	N/I	N/R	2.5 ppb		N/I	N/I	N/I	10 ppb		
Diazinon	900 ppb	N/I	N/I	N/I	N/I		N/I	N/I	N/I	50 ppb		
Disulfoton	500 ppb	N/I	N/I	N/I	N/I		N/I	N/I	N/I	N/I		
Ethion	5,000 ppb	N/I	N/I	N/I	N/I		N/I	N/I	N/I	20 ppb		
Terbufos	10,000 ppb	N/I	N/I	N/I	N/I		N/I	N/I	N/I	N/I		
<b>Chlorophenoxy Herbicides</b>												
Oxyfluorfen	800 ppb	N/I	N/I	N/I	N/I	N/I	N/I	N/I	N/I	N/I		N/I
<b>PCBs (total Aroclors)</b>	10 ppb	(1-5 ppb) <sup>y</sup>	(20 ppb) <sup>y</sup>	N/R	(1.25-6.25 ppb) <sup>w</sup>				50 ppb			20 ppb
Aroclor 1242		N/I	N/I	N/I	N/I		N/R	N/R	N/I	N/I		
Aroclor 1248		N/I	N/I	N/I	N/I		62 ppb	167 ppb	N/I	50 ppb		
Aroclor 1254		N/I	N/I	N/I	N/I		41 ppb	111 ppb	50 ppb	50 ppb		
Aroclor 1260		N/I	N/I	N/I	N/I		61 ppb	155 ppb	50 ppb	50 ppb		
<b>Dioxins/dibenzofurans (total)<sup>x</sup></b>	0.7 ppt	N/I	N/I	N/I		N/I	N/I	N/I	N/I	N/I		N/I
TCDD/TCDF				1 ppt	N/R							
PeCDD/PeCDF				2 ppt	N/R							
HxCDD/HxCDF				4 ppt	N/R							
HpCDD/HpCDF				10 ppt	N/R							
OCDD/OCDF				N/I	N/I							

CVAA = Cold vapor atomic absorption spectrophotometry.  
 GFAA = Graphite furnace atomic absorption spectrophotometry.  
 ICP = Inductively coupled plasma atomic emission spectrometry.  
 N/I = Target analyte not included in monitoring program or recommended methods.

N/R = Not reported.  
 PCBs = Polychlorinated biphenyls.

Table H-1 (continued)

- <sup>a</sup> All values for SVs, detection limits, and quantitation limits are given in units of weight of analyte per wet weight of edible fish/shellfish tissue.
- <sup>b</sup> From Table 5-2. Except for mercury, SVs are for general adult population using oral RfDs or SFs available in the EPA IRIS database and assuming a consumption rate (CR) = 6.5 g/d, average body weight (BW) = 70 kg, lifetime (70-yr) exposure, and for carcinogens a risk level (RL) =  $10^{-5}$ . The IRIS RID for methylmercury was lowered by a factor of 5 to calculate the recommended SV = 0.6 ppm in order to account for a possible fivefold increase in fetal sensitivity to methylmercury exposure (WHO, 1990). This approach is deemed to be most prudent as an interim measure until the current reevaluation of the methylmercury RID is completed (IRIS, 1993). Note: Increasing CR, decreasing BW and/or using an RL  $<10^{-5}$  will decrease the SV. Program managers must ensure that detection and quantitation limits of analytical methods are sufficient to allow reliable quantitation of target analytes at or below selected SVs. If analytical methodology is not sensitive enough to reliably quantitate target analytes at or below selected SVs (e.g., PCBs, dioxins/dibenzofurans), the program managers must determine appropriate fish consumption guidance based on lowest detectable concentrations, or provide justification for adjusting SVs to values at or above achievable method detection or quantitation limits.
- <sup>c</sup> Puget Sound Estuary Program (1990a,b). Analysis of cadmium and lead by GFAA. Analysis of mercury by CVAA. Analysis of organochlorine pesticides and PCBs by gas chromatography/electron capture detection (GC/ECD). Analysis of PAHs by gas chromatography/mass spectrometry (GC/MS). Inorganic protocols based on U.S. EPA SW-846 methods (U.S. EPA, 1986b) and U.S. EPA Contract Laboratory Methods (U.S. EPA, 1987a). Organic protocols based on Krahn et al. (1988), U.S. EPA (1984, 1986b, 1988, 1989d), Horwitz et al. (1980), NUS (1985), MacLeod et al. (1985), and Brown et al. (1985), on a series of Puget Sound Estuary Program Workshops, and on a national QA Workshop sponsored by the National Oceanic and Atmospheric Administration (NOAA) and National Institute of Standards and Technology (NIST).
- <sup>d</sup> National Study of Chemical Residues in Fish (U.S. EPA, 1992a, 1992b). Analysis of mercury by CVAA (U.S. EPA, 1989a). Analysis of organochlorine pesticides and PCBs by GC/MS (U.S. EPA, 1989c). Analysis of dioxins/dibenzofurans by high-resolution gas chromatography/high-resolution mass spectrometry (HRGC/HRMS) (U.S. EPA, 1989b).
- <sup>e</sup> U.S. EPA (1991). Analysis of cadmium, lead, and selenium by ICP. Analysis of mercury by CVAA.
- <sup>f</sup> U.S. Fish and Wildlife Service National Contaminant Biomonitoring Program (Schmitt and Brumbaugh, 1990; Schmitt et al., 1990). Analysis of cadmium and lead by GFAA. Analysis of mercury by CVAA. Analysis of selenium by hydride generation atomic absorption (HAA). Analysis of organochlorine pesticides and PCBs by GC/ECD.
- <sup>g</sup> Pollock et al. (1991). Composites fish samples extracted and analyzed for organics by GC/ECD using FDA Method PAM 211.1 in the *Pesticide Analytical Manual—Vol. I* (U.S. FDA, 1978). This method has been validated in interlaboratory studies and is an official method of the Association of Official Analytical Chemists (AOAC) for DDT, chlordane, and PCBs in fish. Mercury was determined using the AOAC flameless atomic absorption method (Williams, 1984).
- <sup>h</sup> California Department of Fish and Game. (1990). Metals methods based in part on EPA SW-846 methods (U.S. EPA, 1986b). Analysis of cadmium and lead by flame AA and GFAA. Analysis of mercury by CVAA. Analysis of selenium by hydride generation AA. Organics methods based on FDA methods (U.S. FDA, 1975) and EPA 301(h) methods (U.S. EPA, 1986a). Analysis of organochlorine and organophosphate pesticides and PCBs by GC/ECD. Analysis of PAHs by gas chromatography/flame ionization detection (GC/FID).
- <sup>i</sup> U.S. EPA (1985, 1986, 1987b). Analysis of cadmium and lead by GFAA or ICP. Analysis of selenium by GFAA. Analysis of mercury by CVAA. Analysis of organochlorine pesticides and PCBs by GC/ECD. Analysis of organophosphate pesticides by GC/phosphorus specific flame photometric or alkali flame ionization detection. Analysis of PAHs by GC/MS. Extract cleanup (e.g., removal of polar interferences by alumina column chromatography) assumed.
- <sup>j</sup> LOD = Limit of detection. Method detection limit as defined in 40 CFR 136 using a minimum of three replicates.

(continued)



Table H-1 (continued)

<sup>k</sup> PQL = Practical quantitation limit. Defined in the Puget Sound Estuary Program as the minimum concentration of an analyte required to be measured and allowed to be reported without qualification as an estimated quantity for samples without substantial interferences. Based on the lowest concentration of the initial calibration curve (C, in  $\mu\text{g/mL}$ ), the amount of sample typically analyzed (W, in g), and the final extract volume (V, in mL):

$$\text{PQL } (\mu\text{g/g;ppm}) = \frac{C (\mu\text{g/mL}) \cdot V(\text{mL})}{W(\text{g})}$$

<sup>l</sup> MLD = Minimum level of detection. Concentration predicted from ratio of baseline noise area to labeled internal standard plus three times the standard error of the estimate from the weighted initial calibration curve.

<sup>m</sup> TQL = Target quantitation limit. Specific detection limits were not determined for individual samples, so were operationally set at zero.

<sup>n</sup> MDL = Method detection limit. Minimum concentration of an analyte that can be identified, measured, and reported with 99 percent confidence that the analyte concentration is greater than zero. Determined according to the procedure in 40 CFR 136 using seven replicates.

<sup>o</sup> LOD (for metals) =  $3(S_b^2 - S_s^2)$ , where  $S_b^2$  and  $S_s^2$  are variances of concentrations measured for procedural blanks and a low-level sample, respectively. LOD (for pesticides) = Mean method blank plus three times the standard deviation. Determined according to Keith et al. (1983).

<sup>p</sup> LOQ = Limit of quantitation. Mean method blank plus 10 times the standard deviation. Determined according to Keith et al. (1983).

<sup>q</sup> MDL = Method detection limit. Determined according to procedure in 49 CFR 209.

<sup>r</sup> LOD = Limit of detection. The lowest concentration that is statistically different from a blank. Determined according to the IUPAC method in Long and Winefordner (1983).

<sup>s</sup> From U.S. EPA (1985). Based on detection levels normally achieved in methods commonly used for tissue analyses in environmental laboratories. These detection limits are generally between the instrument detection limit (IDL) and method detection limit (MDL) (see Section 8.3.3.3) and are based on the expertise and best professional judgment of experienced analysts. Detection limits for metals based on 5 g (wet weight) of muscle tissue digested and diluted to 50 mL. Detection limits for organics based on 25 g (wet weight) of muscle tissue extracted, concentrated to 0.5 mL after gel permeation chromatography cleanup, and 1  $\mu\text{L}$  injected. Bonded, fused silica capillary GC columns, which provide better resolution than packed columns, are assumed for analysis of semivolatiles compounds.

<sup>t</sup> LOD = Limit of detection. No procedure given for determining the LOD.

<sup>u</sup> The higher detection limits are appropriate for pesticides such as mirex, the DDTs, and endosulfans. Compounds such as lindane and hexachlorobenzene can be detected at the lower limits. Toxaphene (a mixture) may require a higher detection limit than the other organochlorine pesticides.

<sup>v</sup> Aroclors not determined. Values given are for individual mono- through decachlorobiphenyls.

<sup>w</sup> Aroclors not determined. PCBs reported by total congener at the following levels of chlorination (TQLs in parentheses): 1-3 (1.25 ppb); 4-6 (2.5 ppb); 7-8 (3.75 ppb); 9-10 (6.25 ppb).

(continued)

Table H-1 (continued)

<sup>x</sup> Detection and quantitation limits obtained from a survey of 10 laboratories with expertise in dioxin/dibenzofuran analyses by HRGC/HRMS ranged from 0.04-10 ppt and 0.2-100 ppt, respectively.

References:

Brown, D.W., A.J. Friedman, and W.D. MacLeod, Jr. 1985. *Quality Assurance Guidelines for Chemical Analysis of Aquatic Environmental Samples*. Prepared for Seattle District, U.S. Army Corps of Engineers, Seattle, Washington. National Analytical Facility, National Oceanographic and Atmospheric Administration, Seattle, WA.

California Department of Fish and Game. 1990. *Laboratory Quality Assurance Program Plan*. Environmental Services Division, Sacramento, CA.

Horwitz, W., L. Kamps, and K. Boyer. 1980. Quality assurance in the analysis of foods for trace constituents. *Anal. Chem.* 63:1344-1354.

IRIS (Integrated Risk Information System). 1993. U.S. Environmental Protection Agency, Duluth, MN.

Keith, L.H., W. Crommett, J. Deegan, Jr., R.A. Libby, J.K. Taylor, and G. Wentler. 1983. Principles of environmental analysis. *Analyt. Chem.* 55:1426-1435.

Krahn, M.M., C.A. Wigren, R.W. Pearce, L.K. Moore, R.G. Bogar, W.D. MacLeod, Jr., S.L. Chan, and D.W. Brown. 1988. Standard Analytical Procedures for the NOAA National Analytical Facility. New HPLC Cleanup and Revised Extraction Procedures for Organic Contaminants. NOAA Tech. Memo NMFS F/NWC-153. National Oceanic and Atmospheric Administration, U.S. Department of Commerce, Northwest and Alaska Fisheries Center, Seattle, WA. 52 pp.

Long, G.L., and J.L. Winefordner. 1983. Limit of detection. A closer look at the IUPAC definition. *Anal. Chem.* 55(7):712A-724A.

MacLeod W., Jr., D. Brown, A. Friedman, O. Maynes, and R. Pierce. 1985. *Standard Analytical Procedures of the NOAA National Analytical Facility, 1984-85, Extractable Toxic Organic Compounds*. NOAA Technical Memorandum NMFS F/NWC-64. Prepared for the National Status and Trends Program, National Oceanic and Atmospheric Administration, U.S. Department of Commerce, Rockville, MD.

NUS. 1985. Laboratory data validation functional guidelines for evaluating organics analysis. Technical Directive Document No. HQ-8410-01. Prepared by the U.S. EPA Data Validation Workgroup for U.S. EPA Hazardous Site Control Division, Washington, DC.

Puget Sound Estuary Program. 1990a (revised). Recommended guidelines for measuring organic compounds in Puget Sound sediments and tissue samples. In: *Recommended Protocols and Guidelines for Measuring Selected Environmental Variables in Puget Sound*. Prepared by PTI Environmental Services, Bellevue, WA. Region 10, U.S. Environmental Protection Agency, Seattle, WA. (Looseleaf)

Puget Sound Estuary Program. 1990b (revised). Recommended protocols for measuring metals in Puget Sound water, sediment, and tissue samples. In: *Recommended Protocols and Guidelines for Measuring Selected Environmental Variables in Puget Sound*. Prepared by PTI Environmental Services, Bellevue, WA. Region 10, U.S. Environmental Protection Agency, Seattle, WA. (Looseleaf)

Schmitt, C.J., and W.G. Brumbaugh. 1990. National Contaminant Biomonitoring Program: Concentrations of arsenic, cadmium, copper, lead, mercury, selenium, and zinc in U.S. freshwater fish, 1978-1984. *Arch. Environ. Contam. Toxicol.* 19:731-747.

(continued)

Table H-1 (continued)

- Schmitt, C.J., J.L. Zajicek, and P.H. Peterman. 1990. National Contaminant Biomonitoring Program: Residues of organochlorine chemicals in U.S. freshwater fish, 1976-1984. *Arch. Environ. Contam. Toxicol.* 19:748-781.
- U.S. EPA (U.S. Environmental Protection Agency). 1984 (revised January 1985). *Contract Laboratory Program Statement of Work for Organics Analysis, Multi-Media, Multi-Concentration*. IFB WA 85-T176, T177, T178. Washington, DC.
- U.S. EPA (U.S. Environmental Protection Agency). 1985. *Bioaccumulation Monitoring Guidance: 3. Recommended Analytical Detection Limits*. EPA-503/6-90-001. Office of Marine and Estuarine Protection, Washington, DC.
- U.S. EPA (U.S. Environmental Protection Agency). 1986a. *Bioaccumulation Monitoring Guidance: 4. Analytical Methods for U.S. EPA Priority Pollutants and 301(h) Pesticides in Tissues from Marine and Estuarine Organisms*. EPA-503/6-90-002. Office of Marine and Estuarine Protection, Washington, DC.
- U.S. EPA (U.S. Environmental Protection Agency). 1986b. *Test Methods for the Evaluation of Solid Waste, Physical/Chemical Methods*. SW-846; 3rd Edition (with 1990 updates). Office of Solid Waste and Emergency Response, Washington, DC.
- U.S. EPA (U.S. Environmental Protection Agency). 1987a. *Contract Laboratory Program Statement of Work, Inorganic Analysis, Multi-media, Multi-concentration*. SOW No. 87 (Revised December 1987). Washington, DC.
- U.S. EPA (U.S. Environmental Protection Agency). 1987b. *Quality Assurance/Quality Control (QA/QC) for 301(h) Monitoring Programs: Guidance on Field and Laboratory Methods*. EPA-430/9-86-004. Office of Marine and Estuarine Protection, Washington, DC.
- U.S. EPA (U.S. Environmental Protection Agency). 1988. *Laboratory Data Validation Functional Guidelines for Evaluating Organics Analysis*. EPA R-582-5-5-01. U.S. EPA Sample Management Office, Alexandria, VA.
- U.S. EPA (U.S. Environmental Protection Agency). 1989a. *Analytical Procedures and Quality Assurance Plan for the Determination of Mercury in Fish*. Draft. Environmental Research Laboratory, Duluth MN.
- U.S. EPA (U.S. Environmental Protection Agency). 1989b. *Analytical Procedures and Quality Assurance Plan for the Determination of PCDD/PCDF in Fish*. Draft. Environmental Research Laboratory, Duluth MN.
- U.S. EPA (U.S. Environmental Protection Agency). 1989c. *Analytical Procedures and Quality Assurance Plan for the Determination of Xenobiotic Chemical Contaminants in Fish*. EPA-600/3-90-023. Environmental Research Laboratory, Duluth, NM.
- U.S. EPA (U.S. Environmental Protection Agency). 1989d. *Method 1624: Volatile Organic Compounds by Isotope Dilution GC/MS. Method 1625: Semivolatile Organic Compounds by Isotope Dilution GC/MS*. Office of Water Regulations and Standards, Industrial Technology Division, Washington, DC. 75 pp.
- U.S. EPA (U.S. Environmental Protection Agency). 1991. *Methods for the Determination of Metals in Environmental Samples*. EPA-600/4-91/010. Environmental Monitoring Systems Laboratory, Office of Research and Development, Cincinnati, OH.
- U.S. EPA (U.S. Environmental Protection Agency). 1992a. *National Study of Chemical Residues in Fish*. Volume I. EPA-823/R-92-008a. Office of Science and Technology, Washington, DC.

(continued)

Table H-1 (continued)

- 
- U.S. EPA (U.S. Environmental Protection Agency). 1992b. *National Study of Chemical Residues In Fish*. Volume II. EPA-823/R-92-008b. Office of Science and Technology, Washington, DC.
- U.S. FDA (U.S. Food and Drug Administration). 1975. *Pesticide Analytical Manual, Volume I, Methods Which Detect Multiple Residues*. Section 2.3.2. Rockville, MD.
- U.S. FDA (U.S. Food and Drug Administration). 1978. *Pesticide Analytical Manual, Volumes I and II*. Report No. FDA/ACA/79/76-3. U.S. Department of Health and Human Services, Washington, DC.
- WHO (World Health Organization). 1990. *Environmental Health Criteria 101: Methyl mercury*. World Health Organization, Geneva, Switzerland.
- Williams, S. (ed.). 1984. *Official Methods of Analysis of the Association of Official Analytical Chemists*. Fourteenth edition. The Association of Official Analytical Chemists, Inc., Arlington, VA.

*Extra copy*

---

**DRINKING WATER REGULATIONS  
AND HEALTH ADVISORIES**

by

Office of Water  
U.S. Environmental Protection Agency  
Washington, D.C.  
202-260-7571

**SAFE DRINKING WATER HOTLINE**  
**1-800-426-4791**  
**Monday thru Friday, 8:30 AM to 5:00 PM EST**

May 1994

---

## LEGEND

Abbreviations column descriptions are:

- MCLG - Maximum Contaminant Level Goal. A non-enforceable concentration of a drinking water contaminant that is protective of adverse human health effects and allows an adequate margin of safety.
- MCL - Maximum Contaminant Level. Maximum permissible level of a contaminant in water which is delivered to any user of a public water system.
- RfD - Reference Dose. An estimate of a daily exposure to the human population that is likely to be without appreciable risk of deleterious effects over a lifetime.
- DWEL - Drinking Water Equivalent Level. A lifetime exposure concentration protective of adverse, non-cancer health effects, that assumes all of the exposure to a contaminant is from a drinking water source.

(\*) The codes for the Status Reg and Status HA columns are as follows:

- F - final  
D - draft  
L - listed for regulation  
P - proposed  
I - tentative

Other codes found in the table include the following:

- NA - not applicable  
PS - performance standard 0.5 NTU - 1.0 NTU  
TT - treatment technique

\*\* - No more than 5% of the samples per month may be positive. For systems collecting fewer than 40 samples/month, no more than 1 sample per month may be positive.

\*\*\* - guidance

- Large discrepancies between Lifetime and Longer-term HA values may occur because of the Agency's conservative policies, especially with-regard to carcinogenicity, relative source contribution, and less than lifetime exposures in chronic toxicity testing. These factors can result in a cumulative UF (uncertainty factor) of 10 to 1000 when calculating a Lifetime HA.

The scheme for categorizing chemicals according to their carcinogenic potential is as follows:

Group A: Human carcinogen

Sufficient evidence in epidemiologic studies to support causal association between exposure and cancer

Group B: Probable human carcinogen

Limited evidence in epidemiologic studies (Group B1) *and/or* sufficient evidence from animal studies (Group B2)

Group C: Possible human carcinogen

Limited evidence from animal studies *and* inadequate or no data in humans

Group D: Not classifiable

Inadequate or no human and animal evidence of carcinogenicity

Group E: No evidence of carcinogenicity for humans

No evidence of carcinogenicity in at least two adequate animal tests in different species *or* in adequate epidemiologic and animal studies

# Drinking Water Standards and Health Advisories

May 1994

Pag

Chemicals	Standards			Status HA	Health Advisories								Cancer Group
	Status Reg.	MCLG (mg/l)	MCL (mg/l)		10-kg Child			70-kg Adult					
					One-day (mg/l)	Ten-day (mg/l)	Longer- term (mg/l)	Longer- term (mg/l)	RfD (mg/kg/ day)	DWEL (mg/l)	Lifetime (mg/l)	mg/l at 10 <sup>-4</sup> Cancer Risk	
<b>ORGANICS</b>													
Acenaphthene	-	-	-	-	-	-	-	-	0.06	-	-	-	-
Acifluorfen	T	zero	-	F	2	2	0.1	0.4	0.013	0.4	-	0.1	B2
Acrylamide	F	zero	TT	F	0.2	0.2	0.01	0.04	0.001	0.04	-	0.001	B2
Acrylonitrile	T	zero	-	D	-	-	-	-	-	-	-	0.006	B1*
Adipate (diethylhexyl)	F	0.4	0.4	-	20	20	20	60	0.6	20	0.4	3	C
Alachlor	F	zero	0.002	F	0.1	0.1	-	-	0.01	0.4	-	0.04	B2
Aldicarb	D	0.007	0.007	D	-	-	-	-	0.001	0.035	0.007	-	D
Aldicarb sulfone	D	0.007	0.007	D	-	-	-	-	0.001	0.035	0.007	-	D
Aldicarb sulfoxide	D	0.007	0.007	D	-	-	-	-	0.001	0.035	0.007	-	D
Aldrin	-	-	-	D	0.0003	0.0003	0.0003	0.0003	0.00003	0.001	-	0.0002	B2
Ametryn	-	-	-	F	9	9	0.9	3	0.009	0.3	0.06	-	D
Ammonium sulfamate	-	-	-	F	20	20	20	80	0.28	8	2	-	D
Anthracene (PAH)	-	-	-	-	-	-	-	-	0.3	-	-	-	D
Atrazine	F	0.003	0.003	F	0.1	0.1	0.05	0.2	0.035	0.2*	0.003*	-	C
Baygon	-	-	-	F	0.04	0.04	0.04	0.1	0.004	0.1	0.003	-	C
Bentazon	T	0.02	-	F	0.3	0.3	0.3	0.9	0.0025	0.09	0.02	-	D
Benz(a)anthracene (PAH)	P	zero	0.0001	-	-	-	-	-	-	-	-	-	B2
Benzene	F	zero	0.005	F	0.2	0.2	-	-	-	-	-	0.1	A
Benzo(a)pyrene (PAH)	F	zero	0.0002	-	-	-	-	-	-	-	-	-	B2*
Benzo(b)fluoranthene (PAH)	P	zero	0.0002	-	-	-	-	-	-	-	-	-	B2
Benzo(g,h,i)perylene (PAH)	-	-	-	-	-	-	-	-	-	-	-	-	D
Benzo(k)fluoranthene (PAH)	P	zero	0.0002	-	-	-	-	-	-	-	-	-	B2
bis-2-Chloroisopropyl ether	-	-	-	F	4	4	4	13	0.04	1	0.3	-	D
Bromacil	L	-	-	F	5	5	3	9	0.13	5	0.09	-	C
Bromobenzene	L	-	-	D	-	-	-	-	-	-	-	-	-

\* Under review.

NOTE: Anthracene and Benzo(g,h,i)perylene — not proposed in Phase V.

NOTE: Changes from the last version are noted in *Italic* and **Bold Face** print.



# Drinking Water Standards and Health Advisories

May 1994

Page

Chemicals	Standards			Status HA	Health Advisories								Cancer Group	
	Status Reg.	MCLG (mg/l)	MCL (mg/l)		10-kg Child			70-kg Adult						
					One-day (mg/l)	Ten-day (mg/l)	Longer- term (mg/l)	Longer- term (mg/l)	RfD (mg/kg/ day)	DWEL (mg/l)	Lifetime (mg/l)	mg/l at 10 <sup>-4</sup> Cancer Risk		
Bromochloroacetonitrile	L	-	-	D	-	-	-	-	-	-	-	-	-	-
Bromochloromethane	-	-	-	F	50	1	1	5	0.013	0.5	0.09	-	-	-
Bromodichloromethane (THM)	T	zero	0.1*/0.08*	D	7	7	4	13	0.02	0.7	-	0.06	-	B2
Bromoform (THM)	T	zero	0.1*/0.08*	D	5	2	2	6	0.02	0.7	-	0.4	-	B2
Bromomethane	T	-	-	F	0.1	0.1	0.1	0.5	0.001	0.04	0.01	-	-	D
Butyl benzyl phthalate (PAE)	P	zero	0.1	-	-	-	-	-	0.2	6	-	-	-	C
Butylate	-	-	-	F	2	2	1	4	0.05	2	0.35	-	-	D
Butylbenzene n-	-	-	-	D	-	-	-	-	-	-	-	-	-	-
Butylbenzene sec-	-	-	-	D	-	-	-	-	-	-	-	-	-	-
Butylbenzene tert-	-	-	-	D	-	-	-	-	-	-	-	-	-	-
Carbaryl	-	-	-	F	1	1	1	1	0.1	4	0.7	-	-	D
Carbofuran	F	0.04	0.04	F	0.05	0.05	0.05	0.2	0.005	0.2	0.04	-	-	E
Carbon tetrachloride	F	zero	0.005	F	4	0.2	0.07	0.3	0.0007	0.03	-	0.03	-	B2
Carboxin	-	-	-	F	1	1	1	4	0.1	4	0.7	-	-	D
Chloral hydrate	T	0.04	0.06**	D	7	1.4	0.2	0.6	0.0002	0.07	0.06	-	-	C
Chloramben	-	-	-	F	3	3	0.2	0.5	0.015	0.5	0.1	-	-	D
Chlordane	F	zero	0.002	F	0.06	0.06	-	-	0.00006	0.002	-	0.003	-	B2
Chlorodibromomethane (THM)	T	0.06	0.1*/0.08*	D	7	7	2	8	0.02	0.7	0.06	-	-	C
Chloroethane	L	-	-	D	-	-	-	-	-	-	-	-	-	-
Chloroform (THM)	T	zero	0.1*/0.08*	D	4	4	0.1	0.4	0.01	0.4	-	0.6	-	B2
Chloromethane	L	-	-	F	9	0.4	0.4	1	0.004	0.1	0.003	-	-	C
Chlorophenol (2-)	-	-	-	D	0.05	0.05	0.05	0.2	0.005	0.2	0.04	-	-	D
p-Chlorophenyl methyl sulfide/sulfone/sulfoxide	-	-	-	**	-	-	-	-	-	-	-	-	-	D
Chloropicrin	L	-	-	-	-	-	-	-	-	-	-	-	-	-
Chlorothalonil	-	-	-	F	0.2	0.2	0.2	0.5	0.015	0.5	-	0.15	-	B2
Chlorotoluene o-	L	-	-	F	2	2	2	7	0.02	0.7	0.1	-	-	D
Chlorotoluene p-	L	-	-	F	2	2	2	7	0.02	0.7	0.1	-	-	D
Chlorpyrifos	-	-	-	F	0.03	0.03	0.03	0.1	0.003	0.1	0.02	-	-	D
Chrysene (PAH)	P	zero	0.0002	-	-	-	-	-	-	-	-	-	-	B2
Cyanazine	T	0.001	-	D	0.1	0.1	0.02	0.07	0.002	0.07	0.001	-	-	C

\* Current MCL \* Total for all THMs combined cannot exceed the 0.08 level. \*\* Total for all haloacetic acids cannot exceed 0.06 level.  
 \*\* will not be developed due to insufficient data; a "Database Deficiency" report has been published.

# Drinking Water Standards and Health Advisories

May 1994

Page

Chemicals	Standards			Status HA	Health Advisories								Cancer Group	
	Status Reg.	MCLG (mg/l)	MCL (mg/l)		10-kg Child			70-kg Adult						
					One-day (mg/l)	Ten-day (mg/l)	Longer-term (mg/l)	Longer-term (mg/l)	RfD (mg/kg/day)	DWEL (mg/l)	Lifetime (mg/l)	mg/l at 10 <sup>-4</sup> Cancer Risk		
Cyanogen chloride	L	-	-	-	-	-	-	-	-	-	-	-	-	-
Cymene p-	-	-	-	D	-	-	-	-	-	-	-	-	-	-
2,4-D	F	0.07	0.07	F	1	0.3	0.1	0.4	0.01	0.4	0.07	-	-	D
DCEPA (Dacthal)	L	-	-	F	80	80	5	20	0.5	20	4	-	-	D
Dalapon	F	0.2	0.2	F	3	3	0.3	0.9	0.026	0.9	0.2	-	-	D
Di[2-ethylhexyl]adipate	F	0.4	0.4	-	20	20	20	60	0.6	20	0.4	3	-	C
Diazinon	-	-	-	F	0.02	0.02	0.005	0.02	0.00009	0.003	0.0006	-	-	E
Dibenz(a,h)anthracene (PAH)	P	zero	0.0003	-	-	-	-	-	-	-	-	-	-	B2
Dibromoacetonitrile	L	-	-	D	2	2	2	8	0.02	0.8	0.02	-	-	C
Dibromochloropropane (DBCP)	F	zero	0.0002	F	0.2	0.05	-	-	-	-	-	0.003	-	B2
Dibromomethane	L	-	-	-	-	-	-	-	-	-	-	-	-	D
Dibutyl phthalate (PAE)	-	-	-	-	-	-	-	-	0.1	4	-	-	-	D
Dicamba	L	-	-	F	0.3	0.3	0.3	1	0.03	1	0.2	-	-	D
Dichloroacetaldehyde	L	-	-	D	-	-	-	-	-	-	-	-	-	-
Dichloroacetic acid	T	zero	0.06**	D	1	1	1	4	0.004	0.1	-	-	-	B2
Dichloroacetonitrile	L	-	-	D	1	1	0.8	3	0.008	0.3	0.006	-	-	C
Dichlorobenzene o-	F	0.6	0.6	F	9	9	9	30	0.09	3	0.6	-	-	D
Dichlorobenzene m-*	F	0.6	0.6	F	9	9	9	30	0.09	3	0.6	-	-	D
Dichlorobenzene p-	F	0.075	0.075	F	10	10	10	40	0.1	4	0.075	-	-	C
Dichlorodifluoromethane	L	-	-	F	40	40	9	30	0.2	5	1	-	-	D
Dichloroethane (1,1-)	L	-	-	D	-	-	-	-	-	-	-	-	-	-
Dichloroethane (1,2-)	F	zero	0.005	F	0.7	0.7	0.7	2.6	-	-	-	0.04	-	B2
Dichloroethylene (1,1-)	F	0.007	0.007	F	2	1	1	4	0.009	0.4	0.007	-	-	C
Dichloroethylene (cis-1,2-)	F	0.07	0.07	F	4	3	3	11	0.01	0.4	0.07	-	-	D
Dichloroethylene (trans-1,2-)	F	0.1	0.1	F	20	2	2	6	0.02	0.6	0.1	-	-	D
Dichloromethane	F	zero	0.005	F	10	2	-	-	0.06	2	-	0.5	-	B2
Dichlorophenol (2,4-)	-	-	-	D	0.03	0.03	0.03	0.1	0.003	0.1	0.02	-	-	D
Dichloropropane (1,1-)	-	-	-	D	-	-	-	-	-	-	-	-	-	-
Dichloropropane (1,2-)	F	zero	0.005	F	-	0.09	-	-	-	-	-	0.05	-	B2
Dichloropropane (1,3-)	L	-	-	D	-	-	-	-	-	-	-	-	-	-

\* The values for m-dichlorobenzene are based on data for o-dichlorobenzene.

\*\* Total for all haloacetic acids cannot exceed 0.06 level.

# Drinking Water Standards and Health Advisories

May 1994

Page

Chemicals	Standards			Status HA	Health Advisories								Cancer Group
	Status Reg.	MCLG (mg/l)	MCL (mg/l)		10-kg Child			70-kg Adult					
					One-day (mg/l)	Ten-day (mg/l)	Longer-term (mg/l)	Longer-term (mg/l)	RfD (mg/kg/day)	DWEL (mg/l)	Lifetime (mg/l)	mg/l at 10 <sup>4</sup> Cancer Risk	
Dichloropropane (2,2-)	L	-	-	D	-	-	-	-	-	-	-	-	-
Dichloropropene (1,1-)	L	-	-	D	-	-	-	-	-	-	-	-	-
Dichloropropene (1,3-)	T	zero	-	F	0.03	0.03	0.03	0.09	0.0003	0.01	-	0.02	B2
Dieldrin	-	-	-	F	0.0005	0.0005	0.0005	0.002	0.00005	0.002	-	0.0002	B2
Diethyl phthalate (PAE)	-	-	-	D	-	-	-	-	0.8	30	5	-	D
Diethylene glycol dinitrate	-	-	-	**	-	-	-	-	-	-	-	-	-
Diethylhexyl phthalate (PAE)	F	zero	0.006	D	-	-	-	-	0.02	0.7	-	0.3	B2*
Diisopropyl methylphosphonate	-	-	-	F	8	8	8	30	0.08	3	0.6	-	D
Dimethrin	-	-	-	F	10	10	10	40	0.3	10	2	-	D
Dimethyl methylphosphonate	-	-	-	F	2	2	2	6	0.2	7	0.1	0.7	C
Dimethyl phthalate (PAE)	-	-	-	-	-	-	-	-	-	-	-	-	D
1,3-Dinitrobenzene	-	-	-	F	0.04	0.04	0.04	0.14	0.0001	0.005	0.001	-	D
Dinitrotoluene (2,4-)	L	-	-	F	0.50	0.50	0.30	1	0.002	0.1	-	-	-
Dinitrotoluene (2,6-)	L	-	-	F	0.40	0.40	0.40	1	0.001	0.04	-	-	-
tg 2,6 & 2,4 dinitrotoluene ***	-	-	-	-	-	-	-	-	-	-	-	0.005	B2
Dinoseb	F	0.007	0.007	F	0.3	0.3	0.01	0.04	0.001	0.04	0.007	-	D
Dioxane p-	-	-	-	F	4	0.4	-	-	-	-	-	0.7	B2
Diphenamid	-	-	-	F	0.3	0.3	0.3	1	0.03	1	0.2	-	D
Diphenylamine	-	-	-	F	1	1	0.3	1	0.03	1	0.2	-	D
Diquat	F	0.02	0.02	-	-	-	-	-	0.0022	0.08	0.02	-	D
Disulfoton	-	-	-	F	0.01	0.01	0.003	0.009	0.00004	0.001	0.0003	-	E
Dithiane (1,4-)	-	-	-	F	0.4	0.4	0.4	1	0.01	0.4	0.08	-	D
Diuron	-	-	-	F	1	1	0.3	0.9	0.002	0.07	0.01	-	D
Endothall	F	0.1	0.1	F	0.8	0.8	0.2	0.2	0.02	0.7	0.1	-	D
Endrin	F	0.002	0.002	F	0.02	0.02	0.003	0.01	0.0003	0.01	0.002	-	D
Epichlorohydrin	F	zero	TT	F	0.1	0.1	0.07	0.07	0.002	0.07	-	0.4	B2
Ethylbenzene	F	0.7	0.7	F	30	3	1	3	0.1	3	0.7	-	D
Ethylene dibromide (EDB)	F	zero	0.00005	F	0.008	0.008	-	-	-	-	-	0.00004	B2
Ethylene glycol	-	-	-	F	20	6	6	20	2	40	7	-	D
ETU	L	-	-	F	0.3	0.3	0.1	0.4	0.00008	0.003	-	0.03	B2
Fenamiphos	-	-	-	F	0.009	0.009	0.005	0.02	0.00025	0.009	0.002	-	D

\* Under review. \*\* A HA will not be developed due to insufficient data; a "Database Deficiency Report" has been published.

\*\*\* technical grade

# Drinking Water Standards and Health Advisories

May 1994

Pag

Chemicals	Standards			Status HA	Health Advisories								Cancer Group
	Status Reg.	MCLG (mg/l)	MCL (mg/l)		10-kg Child			70-kg Adult					
					One-day (mg/l)	Ten-day (mg/l)	Longer-term (mg/l)	Longer-term (mg/l)	RfD (mg/kg/day)	DWEL (mg/l)	Lifetime (mg/l)	mg/l at 10 <sup>-4</sup> Cancer Risk	
Fluometron	-	-	-	F	2	2	2	5	0.013	0.4	0.09	-	D
Fluorene (PAH)	-	-	-	-	-	-	-	-	0.04	-	-	-	D
Fluorotrichloromethane	L	-	-	F	7	7	3	10	0.3	10	2	-	D
Fog Oil	-	-	-	D	-	-	-	-	-	-	-	-	-
Fonofos	-	-	-	F	0.02	0.02	0.02	0.07	0.002	0.07	0.01	-	D
Formaldehyde	-	-	-	D	10	5	5	20	0.15	5	1	-	B1
Gasoline, unleaded (benzene)	-	-	-	D	-	-	-	-	-	-	0.005	-	-
Glyphosate	F	0.7	0.7	F	20	20	1	1	0.1	4	0.7	-	E
Heptachlor	F	zero	0.0004	F	0.01	0.01	0.005	0.005	0.0005	0.02	-	0.0008	B2
Heptachlor epoxide	F	zero	0.0002	F	0.01	-	0.0001	0.0001	1E-5	0.0004	-	0.0004	B2
Hexachlorobenzene	F	zero	0.001	F	0.05	0.05	0.05	0.2	0.0008	0.03	-	0.002	B2
Hexachlorobutadiene	T	0.001	-	F	0.3	0.3	0.1	0.4	0.002	0.07	0.001	-	C
Hexachlorocyclopentadiene	F	0.05	0.05	-	-	-	-	-	0.007	0.2	-	-	D
Hexachloroethane	L	-	-	F	5	5	0.1	0.5	0.001	0.04	0.001	-	C
Hexane (n-)	-	-	-	F	10	4	4	10	-	-	-	-	D
Hexazinone	-	-	-	F	3	3	3	9	0.033	1	0.2	-	D
HMX	-	-	-	F	5	5	5	20	0.05	2	0.4	-	D
Indeno(1,2,3,-c,d)pyrene (PAH)	P	zero	0.0004	D	-	-	-	-	-	-	-	-	B2
Isophorone	L	-	-	F	15	15	15	15	0.2	7	0.1	4	C
Isopropyl methylphosphonate	-	-	-	D	30	30	30	100	0.1	4.0	0.7	-	D
Isopropylbenzene	-	-	-	D	-	-	-	-	-	-	-	-	-
Lindane	F	0.0002	0.0002	F	1	1	0.03	0.1	0.0003	0.01	0.0002	-	C
Malathion	-	-	-	F	0.2	0.2	0.2	0.8	0.02	0.8	0.2	-	D
Maleic hydrazide	-	-	-	F	10	10	5	20	0.5	20	4	-	D
MCPA	-	-	-	F	0.1	0.1	0.1	0.4	0.0015	0.05	0.01	-	E
Methomyl	L	-	-	F	0.3	0.3	0.3	0.3	0.025	0.9	0.2	-	D
Methoxychlor	F	0.04	0.04	F	0.05	0.05	0.05	0.2	0.005	0.2	0.04	-	D
Methyl ethyl ketone	-	-	-	F	-	-	-	-	-	-	-	-	-
Methyl parathion	-	-	-	F	0.3	0.3	0.03	0.1	0.00025	0.009	0.002	-	D

\* Under review.

# Drinking Water Standards and Health Advisories

May 1994

Page

Chemicals	Standards			Status HA	Health Advisories								Cancer Group
	Status Reg.	MCLG (mg/l)	MCL (mg/l)		10-kg Child			70-kg Adult					
					One-day (mg/l)	Ten-day (mg/l)	Longer-term (mg/l)	Longer-term (mg/l)	RfD (mg/kg/day)	DWEL (mg/l)	Lifetime (mg/l)	mg/l at 10 <sup>-4</sup> Cancer Risk	
Methyl tert butyl ether	L	-	-	D	3	3	0.5	2	0.005	0.2	0.04	-	D
Metolachlor	L	-	-	F	2	2	2	5	0.15	5	0.1	-	C
Metribuzin	L	-	-	F	5	5	0.3	0.9	0.025	0.9	0.2	-	D
Monochloroacetic acid	L	-	-	D	-	-	-	-	-	-	-	-	-
Monochlorobenzene	F	0.1	0.1	F	2	2	2	7	0.02	0.7	0.1	-	D
Naphthalene	-	-	-	F	0.5	0.5	0.4	1	0.004	0.1	0.02	-	D
Nitrocellulose (non-toxic)	-	-	-	F	-	-	-	-	-	-	-	-	-
Nitroguanidine	-	-	-	F	10	10	10	40	0.1	4	0.7	-	D
Nitrophenol p-	-	-	-	F	0.8	0.8	0.8	3	0.008	0.3	0.06	-	D
Oxamyl (Vydate)	F	0.2	0.2	F	0.2	0.2	0.2	0.9	0.025	0.9	0.2	-	E
Paraquat	-	-	-	F	0.1	0.1	0.05	0.2	0.0045	0.2	0.03	-	E
Pentachloroethane	-	-	-	D	-	-	-	-	-	-	-	-	-
Pentachlorophenol	F	zero	0.001	F	1	0.3	0.3	1	0.03	1	-	0.03	B2
Phenanthrene (PAH)	-	-	-	-	-	-	-	-	-	-	-	-	-
Phenol	-	-	-	D	6	6	6	20	0.6	20	4	-	D
Picloram	F	0.5	0.5	F	20	20	0.7	2	0.07	2	0.5	-	D
Polychlorinated biphenyls (PCBs)	F	zero	0.0005	P	-	-	-	-	-	-	-	0.0005	B2
Prometon	L	-	-	F	0.2	0.2	0.2	0.5	0.015*	0.5*	0.1*	-	D
Pronamide	-	-	-	F	0.8	0.8	0.8	3	0.075	3	0.05	-	C
Propachlor	-	-	-	F	0.5	0.5	0.1	0.5	0.013	0.5	0.09	-	D
Propazine	-	-	-	F	1	1	0.5	2	0.02	0.7	0.01	-	C
Propham	-	-	-	F	5	5	5	20	0.02	0.6	0.1	-	D
Propylbenzene n-	-	-	-	D	-	-	-	-	-	-	-	-	-
Pyrene (PAH)	-	-	-	-	-	-	-	-	0.03	-	-	-	D
RDX	-	-	-	F	0.1	0.1	0.1	0.4	0.003	0.1	0.002	0.03	C
Simazine	F	0.004	0.004	F	0.07	0.07	0.07	0.07	0.005	0.2	0.004	-	C
Styrene	F	0.1	0.1	F	20	2	2	7	0.2	7	0.1	-	C
2,4,5-T	L	-	-	F	0.8	0.8	0.8	1	0.01	0.35	0.07	-	D
2,3,7,8-TCDD (Dioxin)	F	zero	3E-08	F	1E-06	1E-07	1E-08	4E-08	1E-09	4E-08	-	2E-08	B2

\* Under review. NOTE: Phenanthrene — not proposed.

# Drinking Water Standards and Health Advisories

May 1994

Pa

Chemicals	Standards			Status HA	Health Advisories								Cancer Group
	Status Reg.	MCLG (mg/l)	MCL (mg/l)		10-kg Child			70-kg Adult					
					One-day (mg/l)	Ten-day (mg/l)	Longer-term (mg/l)	Longer-term (mg/l)	RfD (mg/kg/day)	DWEL (mg/l)	Lifetime (mg/l)	mg/l at 10 <sup>-4</sup> Cancer Risk	
Tebuthiuron	-	-	-	F	3	3	0.7	2	0.07	2	0.5	-	D
Terbacil	-	-	-	F	0.3	0.3	0.3	0.9	0.013	0.4	0.09	-	E
Terbufos	-	-	-	F	0.005	0.005	0.001	0.005	0.00013	0.005	0.0009	-	D
Tetrachloroethane (1,1,1,2-)	L	-	-	F	2	2	0.9	3	0.03	1	0.07	0.1	C
Tetrachloroethane (1,1,2,2-)	L	-	-	D	-	-	-	-	-	-	-	-	-
Tetrachloroethylene	F	zero	0.005	F	2	2	1	5	0.01	0.5	-	0.07	-
Tetranitromethane	-	-	-	**	-	-	-	-	-	-	-	-	-
Toluene	F	1	1	F	20	2	2	7	0.2	7	1	-	D
Toxaphene	F	zero	0.003	F	0.5	0.04	-	-	0.1	0.0035	-	0.003	B2
2,4,5-TP	F	0.05	0.05	F	0.2	0.2	0.07	0.3	0.0075	0.3	0.05	-	D
1,1,2-Trichloro-1,2,2-trifluoroethane	-	-	-	-	-	-	-	-	-	-	-	-	-
Trichloroacetic acid	T	0.3	0.06**	D	4	4	4	13	0.1	4.0	0.3	-	C
Trichloroacetonitrile	L	-	-	D	0.05	0.05	-	-	-	-	-	-	-
Trichlorobenzene (1,2,4-)	F	0.07	0.07	F	0.1	0.1	0.1	0.5	0.01	0.4	0.07	-	D
Trichlorobenzene (1,3,5-)	-	-	-	F	0.6	0.6	0.6	2	0.006	0.2	0.04	-	D
Trichloroethane (1,1,1-)	F	0.2	0.2	F	100	40	40	100	0.035	1	0.2	-	D
Trichloroethane (1,1,2-)	F	0.003	0.005	F	0.6	0.4	0.4	1	0.004	0.1	0.003	-	C
Trichloroethanol (2,2,2-)	L	-	-	-	-	-	-	-	-	-	-	-	-
Trichloroethylene	F	zero	0.005	F	-	-	-	-	-	0.3	-	0.3	B2
Trichlorophenol (2,4,6-)	L	-	-	D	-	-	-	-	-	-	-	0.3	B2
Trichloropropane (1,1,1-)	-	-	-	D	-	-	-	-	-	-	-	-	-
Trichloropropane (1,2,3-)	L	-	-	F	0.6	0.6	0.6	2	0.006	0.2	0.04	-	B2
Trifluralin	L	-	-	F	0.08	0.08	0.08	0.3	0.0075	0.3	0.005	0.5	C
Trimethylbenzene (1,2,4-)	-	-	-	D	-	-	-	-	-	-	-	-	-
Trimethylbenzene (1,3,5-)	-	-	-	D	-	-	-	-	-	-	-	-	-
Trinitroglycerol	-	-	-	F	0.005	0.005	0.005	0.005	-	-	0.005	-	-
Trinitrotoluene	-	-	-	F	0.02	0.02	0.02	0.02	0.0005	0.02	0.002	0.1	C
Vinyl chloride	F	zero	0.002	F	3	3	0.01	0.05	-	-	-	0.0015	A
Xylenes	F	10	10	F	40	40	40	100	2	60	10	-	D

\*\* A HA will not be developed due to insufficient data; a "Database Deficiency Report" has been published.

\*\* Total for all haloacetic acids cannot exceed 0.06 level.

# Drinking Water Standards and Health Advisories

May 1994

Pa

Chemicals	Standards			Status HA	Health Advisories								Cancer Group
	Status Reg.	MCLG (mg/l)	MCL (mg/l)		10-kg Child			70-kg Adult					
					One-day (mg/l)	Ten-day (mg/l)	Longer-term (mg/l)	Longer-term (mg/l)	RI/D (mg/kg/day)	DWEL (mg/l)	Lifetime (mg/l)	mg/l at 10 <sup>-4</sup> Cancer Risk	
<b>INORGANICS</b>													
Aluminum	L	-	-	D	-	-	-	-	-	-	-	-	-
Ammonia	-	-	-	D	-	-	-	-	-	-	30	-	D
Antimony	F	0.006	0.006	F	0.01	0.01	0.01	0.015	0.0004	0.01	0.003	-	D
Arsenic	-	-	0.05	D	-	-	-	-	-	-	-	0.002	A
Asbestos (fibers/l > 10µm length)	F	7 MFL	7 MFL	-	-	-	-	-	-	-	-	700 MFL	A
Barium	F	2	2	F	-	-	-	-	0.07	2	2	-	D
Beryllium	F	0.004	0.004	D	30	30	4	20	0.005	0.2	-	0.0008	B2
Boron	L	-	-	D	4	0.9	0.9	3	0.09	3	0.6	-	D
Bromate	L	zero	0.01	-	-	-	-	-	-	-	-	-	-
Cadmium	F	0.005	0.005	F	0.04	0.04	0.005	0.02	0.0005	0.02	0.005	-	D
Chloramine	T 4***	-	4	D	1	1	1	1	0.1	3.3	3/4***	-	-
Chlorate	L	-	-	D	-	-	-	-	-	-	-	-	-
Chlorine	T	4	4	D	-	-	-	-	0.08	-	-	-	D
Chlorine dioxide	T	0.3	0.8	D	-	-	-	-	0.01	0.35	0.3	-	D
Chlorite	L	0.08	7	D	-	-	-	-	0.003	0.1	0.08	-	D
Chromium (total)	F	0.1	0.1	F	1	1	0.2	0.8	0.005	0.2	0.1	-	D
Copper	F	1.3	TT**	-	-	-	-	-	-	-	-	-	D
Cyanide	P	0.2	0.2	F	0.2	0.2	0.2	0.8	0.022	0.8	0.2	-	D
Fluoride*	F	4	4	-	-	-	-	-	0.12	-	-	-	-
Hypochlorite	T	4 <sup>1</sup>	-	-	-	-	-	-	-	-	-	-	-
Hypochlorous acid	T	4 <sup>1</sup>	-	-	-	-	-	-	-	-	-	-	-
Lead (at tap)	F	zero	TT**	-	-	-	-	-	-	-	-	-	B2
Manganese	L	-	-	D	-	-	-	-	0.14/ 0.005	-	-	-	-
Mercury (inorganic)	F	0.002	0.002	F	-	-	-	0.002	0.0003	0.01	0.002	-	D
Molybdenum	L	-	-	D	-	0.08	0.01	0.05	0.005	0.2	0.04	-	D
Nickel	F	0.1	0.1	F	1	1	0.5	1.7	0.02	0.6	0.1	-	D
Nitrate (as N)	F	10	10	F	-	10*	-	-	1.6	-	-	-	-

For review. \*\* Copper — action level 1.3 mg/L; Lead - action level 0.15 mg/L. \*\*\* Measured as free chlorine. <sup>1</sup> Regulated as chlorine.

# Drinking Water Standards and Health Advisories

May 1994

Pa

Chemicals	Standards			Status HA	Health Advisories								Cancer Group		
	Status Reg.	MCLG (mg/l)	MCL (mg/l)		10-kg Child			70-kg Adult							
					One-day (mg/l)	Ten-day (mg/l)	Longer- term (mg/l)	Longer- term (mg/l)	RIE (mg/kg/ day)	DWEL (mg/l)	Lifetime (mg/l)	mg/l at 10 <sup>-4</sup> Cancer Risk			
Nitrite (as N)	F	1	1	F	-	1*	-	-	0.16*	-	-	-	-	-	-
Nitrate + Nitrite (both as N)	F	10	10	F	-	-	-	-	-	-	-	-	-	-	-
Selenium	F	0.05	0.05	-	-	-	-	-	0.005	-	-	-	-	-	-
Silver	-	-	-	D	0.2	0.2	0.2	0.2	0.005	0.2	0.1	-	-	-	D
Sodium	-	-	-	D	-	-	-	-	-	20***	-	-	-	-	-
Strontium	L	-	-	D	25	25	25	90	0.6*	90	17	-	-	-	D
Sulfate	P	**	**	-	-	-	-	-	-	-	-	-	-	-	-
Thallium	F	0.0005	0.002	F	0.007	0.007	0.007	0.02	0.00007	0.002	0.0004	-	-	-	-
Vanadium	L	-	-	D	-	-	-	-	-	-	-	-	-	-	D
White phosphorous	-	-	-	F	-	-	-	-	0.00002	0.0005	0.0001	-	-	-	D
Zinc	L	-	-	F	6	6	3	12	0.3	11	2	-	-	-	D
Zinc chloride (measured as Zinc)	L	-	-	F	6	6	3	12	0.3	11	2	-	-	-	D
<b>RADIONUCLIDES</b>															
Beta particle and photon activity (formerly man-made radionuclides)	P	zero	4 mrem	-	-	-	-	-	-	-	-	-	-	4 mrem/y	A
Gross alpha particle activity	P	zero	15 pCi/L	-	-	-	-	-	-	-	-	-	-	15 pCi/L	A
Radium 226	P	zero	20 pCi/L	-	-	-	-	-	-	-	-	-	-	20 pCi/L	A
Radium 228	P	zero	20 pCi/L	-	-	-	-	-	-	-	-	-	-	20 pCi/L	A
Radon	P	zero	300 pCi/L	-	-	-	-	-	-	-	-	-	-	150 pCi/L	A
Uranium	P	zero	20 µg/L	-	-	-	-	-	0.003	-	-	-	-	-	A

\* Under review.  
 \*\* Deferred.  
 \*\*\* Guidance.



## Secondary Maximum Contaminant Levels

May 1994

Page 10

Chemicals	Status	SMCLs (mg/L)
Aluminum	F	0.05 to 0.2
Chloride	F	250
Color	F	15 color units
Copper	F	1.0
Corrosivity	F	non-corrosive
Fluoride*	F	2.0
Foaming agents	F	0.5
Iron	F	0.3
Manganese	F	0.05
Odor	F	3 threshold odor numbers
pH	F	6.5 – 8.5
Silver	F	0.1
Sulfate	F	250
Total dissolved solids (TDS)	F	500
Zinc	F	5

Status Codes: P – proposed, F – final

\* Under review.

# Microbiology

May 1994

Page 11

	Status	MCLG	MCL
Cryptosporidium	L	-	-
<i>Giardia lamblia</i>	F	zero	TT
<i>Legionella</i>	F <sup>β</sup>	zero	TT
Standard Plate Count	F <sup>β</sup>	NA	TT
Total Coliforms (after 12/31/90)	F	zero	**
Turbidity (after 12/31/90)	F	NA	PS
Viruses	F <sup>β</sup>	zero	TT

Key: PS, TT, F, defined as previously stated.

<sup>β</sup> Final for systems using surface water; also being considered for regulation under groundwater disinfection rule.

**APPENDIX N**  
**COPC SELECTION WORKSHEET**

---

Site 69

Chemical Storage Area Surface Soil

CONTAMINANT	RANGE	95%UCL	FREQUENCY	BLANK	BACKGROUND	HISTORY	ANTHROPOGENIC	NUTRIENT	TOXICITY	RBC	ARAR	COPC
bis(2-ethylhexyl)phthalate	43J-48J	364.8	215.3	4/25	40							
di-n-butyl phthalate	36J-280J	188.7	187.5	23/25	20							
Methylene Chloride	5J-105	31.4	27.8	15/25	80							
Acetone	31J-340J	91.7	123.6	5/25	1900							
T-1,2-Dichloroethene	4J	11.5	5.7	1/25								
2-Butanone	10.9J	11.6	6.2	1/25								
1,1,1-Trichloroethene	2J	11.6	6.0	1/25								
Trichloroethene	3J	11.5	5.8	1/25								
4-methyl-2-pentanone	1J-12J	11.2	8.0	6/25								
Tetra chloroethene	2J	11.6	6.0	1/25								
beta-BHC	11J	3.6	1.5	1/25								
4,4-DDE	4.8J	4.1	2.2	1/25								
Endosulfon II	3.4J	4.0	2.1	1/25								
4,4-DDT	13.3J	4.9	2.7	1/25								
Aroclor-1260	94J	44.2	24.3	1/25								
Acetophenone	51J	385.3	202.6	1/25								
Hydroxyacetophenone	120-170	1901.4	1162.3	2/25								
Total Xylenes	5J	11.5	5.7	1/25	20							
Barium	3-6.8	3.7	4.0	17/25 out		17.5						
Chromium	1.6-3.6	2.2	2.4	18/25 out		4.973						
Lead	1.1J-12.5	3.3	3.0	25/25 out		37.09						
Manganese	1.3-15.5	4.7	5.6	24/25 out		16.838						
Selenium	1.1	0.38	0.34	1/25		0.674						
Vanadium	3.9-5.3	2.6	2.5	3/25 out		6.76						
Zinc	1.5-66	8.9	4.3	12/25 out		13.35						
Cyanide	1.1-2.3	1.3	1.4	12/25 out		2.9						

SITE 09

CHEMICAL STORAGE AREA SUBSURFACE SOIL

CONTAMINANT	RANGE	95% UCL	FREQUENCY	BLANK	BACKGROUND	HISTORY	ANTHROPOGENIC	NUTRIENT	TOXICITY	RBC	ARAR	COPC
bis(2-ethylhexyl)phthalate	5.31	218.7	268.7	1/10	43							
Dichlorobiphenyls	2(0)	228.9	280.9	1/10								
Di-n-butylphthalate	5.81-12.0	171.9	215.2	5/10	20							
Methylene Chloride	62-58	29.9	40.9	7/10	80							
Acetone	131-4700	1869.2	*	8/10	1900							
1,1,1-trichloroethane	2.1	6.3	7.3	1/10								
1,1,2-trichloroethane	2.1	6.3	7.7	2/10								
4,4'-DDE	1.2	2.2	2.3	1/10								
Endrin	1.2	2.2	2.3	1/10								
4,4'-DDD	5.7	3.1	3.1	1/10								
4,4'-DDE	1.6	2.2	2.3	1/10								
Aluminum	8.2-770	918.2	6709.1	10/10						8946.3		
Arsenic	1.15-2.4	1.16	1.23	2/10						0.6		
Barium	3.8-14.6	8.1	12.3	7/10						11.9		
Cadmium	0.74	.41	.41	1/10						1.0		
Calcium	29.9-638	238.2	491.9	8/10								
Chromium	1.76-17.7	7.5	12.8	0/10 R						8.7		X
Copper	1.5	.3	2.3	1/10						1.6		
Iron	459-1100	677.5	1076.1	10/10								
Lead	1.18-2.6	4.3	4.7	10/10 O						9.1		
Magnesium	20.1-54	225.0	302.0	10/10								
Manganese	1.16-2.9	5.1	28.5	10/10 R						6.2		X
Nickel	1.04-1.57	1.04	1.06	2/10 O						0.1		
Nickel	2.4-5.9	2.9	3.1	3/10 O						4.0		
Selenium	1.49-3.16	297.0	286.0	3/10								

\* - Number is in 1000s









SITE 69

ONSITE AND DRAINAGE AREA SURFACE WATER

CONTAMINANT	RANGE	95% UCL		FREQUENCY	BLANK	BACKGROUND	HISTORY	ANTHROPOGENIC	NUTRIENT	TOXICITY	RBC	ARAR	COPC
Acetone	13	7.1	16.5	1/7	20								
Acrylonitrile	23	6.3	12.3	4/7									
Acrylonitrile	1-41	6.6	7.1	2/7	1900								
1,2-Dichloroethane	13-55	21.0	49.2	2/7									
Chloroform	21	5.4	6.4	1/7									
Dichloromethane	41	5.1	5.2	1/7									
Toluene	11	5.2	11.8	2/7	10								
Ethylbenzene	13	6.5	9.8	1/7									
Xylene (total)	10	7.1	7.2	1/7	20								
Arsenic	11-428	19.9	49.3	2/7									
Boron	45.1-476	232.7	479.2	7/7									
Benzene	1.6-6	3.0	4.8	2/7									
Chromate	22.98	12.1	15.3	1/7									
Copper	22.9-26.7	25.2	32.3	3/7									
Lead	3.8-95.8	51.9	949.0	6/7									
Manganese	72.1-771	246.0	396.9	7/7									
Molybdenum	1.45	2.4	2.6	1/7									
Nickel	17.8	11.9	11.7	1/7									
Vanadium	22.2-29	18.2	22.3	2/7									
Zinc	96-9-77	2512.3	8007.7	1/7									

Site 69

Everett Creek Surface Water

CONTAMINANT	RANGE	95% UCL	FREQUENCY	BLANK	BACKGROUND	HISTORY	ANTHROPOGENIC	NUTRIENT	TOXICITY	RBC	ARAR	COPC
No Organics												
Barium	10.4-22.2	37.67	3/3									
Copper	2.6	4.72	1/3									
Lead	1.4-2.3	23.65	?									
Manganese	14.3-32.5	56.75	3/3									





Site 69

Everett Creek Sediment

CONTAMINANT	RANGE	95% UCL	FREQUENCY	BLANK	BACKGROUND	HISTORY	ANTHROPOGENIC	NUTRIENT	TOXICITY	RBC	ARAR	COPC
4,4-DDE	6.6		1/5									
Methylene Chloride	1200		1/5	80								
Acetone	240-4600		2/5	1900								
Carbon Disulfide	35		1/5									
2-Butanone	5300		1/5									
Bis(2-ethylhexyl) phthalate	85-130		2/5	40								
Arsenic	4.4-5.3	7.45	3/5									
Barium	13-26.4	199.83	3/5									
Beryllium	0.13-0.96	1.79	5/5									
Cadmium	0.52-5.2	7.07	5/5									
Chromium	3.6-43.8	73.95	5/5									
Cobalt	1.3-7	20.56	4/5									
Copper	6.5-16.2	94.51	3/5									
Lead	7.5-30.8	125.39	4/5									
Manganese	4.1-85.9	395.44	5/5									
Mercury	0.17	0.81	1/5									
Vanadium	7.2-48.8	60.04	5/5									
Zinc	31.8-62	489.28	3/5									

Site 69

Unnamed Tributary Sediment

CONTAMINANT	RANGE	95% UCL	FREQUENCY	BLANK	BACKGROUND	HISTORY	ANTHROPOGENIC	NUTRIENT	TOXICITY	RBC	ARAR	COPC
4,4'- DDE	10-250	101741	3/5									
4,4'- DDD	14-250	4662	3/5									
PCB-1260	369	509	1/5									
Acetone	39-65	146.37	3/5	1906								
Carbon Disulfide	18-88	141.91	4/5									
Toluene	2	66.13	1/5	10								
Diethyl Phthalate	500	1103.47	1/5									
Bis(2-ethylhexyl)phthalate	52-81	3555.86	2/5	40								
Benzo(a)pyrene	290-2500	2357.37	2/5									
Arsenic	4.7-7.1	39.36	4/5									
Barium	14.2-23.1	35.97	2/5									
Barium	0.52-0.61	1.16	2/5									
Cadmium	1.8-2.1	4.19	3/5									
Chromium	3.3-22.4	32.76	3/5									
Cobalt	1.4-2.1	2.11	2/5									
Copper	7.2-24.1	153.38	4/5									
Lead	1-34.1	281.28	5/5									
Manganese	2.9-69.3	264.15	5/5									
Vanadium	25.9-41.7	219.36	4/5									
Zinc	22.4-24.6	107.71	2/5									

Site 69

New River Sediment

CONTAMINANT	RANGE	95% UCL	FREQUENCY	BLANK	BACKGROUND	HISTORY	ANTHROPOGENIC	NUTRIENT	TOXICITY	RBC	ARAR	COPC
Acetone	22-120	192.4	3/5	1900								
Bis(2-ethylhexyl) phthalate	47-92	333.2	2/5	40								
Arsenic	1.6-5.6	9.68	4/5									
Barium	4.6-12.5	6.43	3/5									
Beryllium	0.24-0.37	0.62	4/5									
Cadmium	0.53-1.2	4.36	3/5									
Chromium	6.2-17.7	14	5/5									
Cobalt	0.58-1.2	1.5	5/5									
Copper	1.6-2.5	3.3	3/5									
Lead	3.6-6	6.49	5/5									
Manganese	13.6-28.9	36.53	5/5									
Vanadium	10.3-35.3	31.94	5/5									
Zinc	7-10.7	13.01	3/5									

SITE 69

E COGENERAL SAMPLES

CONTAMINANT	RANGE	95% UCL	FREQUENCY	BLANK	BACKGROUND	HISTORY	ANTHROPOGENIC	NUTRIENT	TOXICITY	RBC	ARAR	COPC
1,1 DDE	2.0-280	61.1	16/16									
Endrin	2.0	8.5	4/10									
4,4 DDT	1.0-130	33.0	14/21									
1,1 DDT	3.0-11	13.8	13/14									
1,1 DDT	2.0	15.3	11/11									
1,1 DDT	2.0-61	15.3	14/5							80		
ACETONE	1.0-1.0	821.8	16/17		1900							
2,4 DDT	7.0-11	12.4	14/14									
Endrin	2.0-79	18.9	11/6									
2,4 DDT	1.6-78	12.0	11/11									
7,8 DDT	1.1-39	8.2	8/9		10							
2,4 DDT	2.0	14.3	16/14									
D-D-2,4 DDT	1.20-1	21.9	12/11									
Benyluron	0.0018-0.018	0.05	8/19									
Chlorpyrifos	0.118-1.22	0.55	10/19									
Spinosad	1.28-51	15.0	13/19									
Tolmethion	0.3-18	0.81	11/19									
DDT	9.9-312	100.17	15/19									