

01.01-10/19/88-02074

(804) 445-1114

5091
1142516

19 OCT 1988

Mr. H. Hiri Lucius, Chief
Site Investigation and Support Branch
Waste Management Division
U.S. Environmental Protection Agency, Region IV
245 Courtland Street
Atlanta, GA 30305

Dear Mr. Lucius:

We have reviewed the contents provided by your letters of September 19, 1988 regarding the Hazardous Waste System (HWS) for the Marine Corps Air Station, New River and the Marine Corps Air Station, Cherry Point.

As discussed during a telephone conversation held on October 11, 1988 between Mr. Victor Beebe of your office and Ms. Sheila Ashton of this office, we feel that the information provided on these facilities more than exceeds the requirements set forth in Section 120(c), "Assessment and Evaluation", of the Superfund Amendments and Reauthorization Act. We view that any additional information needed to conduct your HHS analyses would fall under the Environmental Protection Agency's responsibilities per SARA 120(c), (1) to evaluate such facilities in accordance with the National Contingency Plan.

Our point of contact concerning the Installation Restoration Program at Marine Corps Air Station, New River or the Marine Corps Air Station, Cherry Point is Ms. Sheila Ashton who may be reached at (804) 445-1114 to discuss this further.

Sincerely,

J. E. LILLY, P.L.
Lead, Environmental Quality Branch
Utilities, Energy and Environmental
Division
By Direction of the Commander

Copy to:
OIC (LPL)
MCI Corp Lejeune
MCAS Cherry Point
OIC (CP-45)
(CNSA/AFAC/PCOC)

Blind Copy to:
11S, 114, 114S, 09ES, Loc #30592/1sc